

Added common HL7 projects ,schemas and developed custom pipelines and Orchestration



2. Configured Sender and receiver parties in BTAHL7ConfigurationExplorer




3. Developed SQL objects and consumed in the BizTalk

```
*/
□CREATE PROCEDURE [dbo].[SP_BTS_SET_PATIENT_HL7](
     @Sending_Facility VARCHAR(50),
     @Message_Type
                         VARCHAR(10),
     @Patient_ID
                         VARCHAR(50))
 AS
⊨BEGIN
     SET NOCOUNT ON
     SET XACT ABORT ON
                     BEGIN TRY CATCH */
     BEGIN TRY
                /*
         BEGIN TRAN
                 INSERT INTO [dbo].[Patient](Sending_Facility, Message_Type, Patient_ID, Load_
                 VALUES(@Sending_Facility,@Message_Type,@Patient_ID,GETDATE())
         COMMIT TRAN;
     END TRY
 BEGIN CATCH
          IF @@TRANCOUNT > 0 ROLLBACK TRAN;
         BEGIN /* Log Exception */
         declare @Error varchar(100)
                         SET @Error =
                                         'Transaction rolled back' +
```

- 4. Workflow designed for HL7 message processing and database insertion.
- 5. Deployed BizTalk common HL7 and custom artifacts and created receive and send ports for pick files from the local folder and send to the database.







7 . The test file downloaded from the link below has a few problems that have been corrected and Processed..

https://blog.interfaceware.com/hl7-message-components/"

