

Cucumber Report

10-Dec-2024, 10:23:57 am

Start : Dec 10, 10:15:09.457 am

End : Dec 10, 10:23:55.000 am

Duration : 8 m 45.543 s

Features







PASSED - 0
FAILED - 11
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 18
SKIPPED - 0

Steps

PASSED - 0
FAILED - 0
SKIPPED - 220




| Feature | | Scenario | | | | Step | | | |
|---|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Validate the functionality of Essential Services flow</u> | 8 m 41.479 s | 1 | 0 | 1 | 0 | 13 | 0 | 0 | 13 |
| <u>Validate the functionality of Flights flow</u> | 0.403 s | 1 | 0 | 1 | 0 | 13 | 0 | 0 | 13 |
| <u>Verifying the General Page</u> | 0.363 s | 1 | 0 | 1 | 0 | 7 | 0 | 0 | 7 |
| <u>Verify Home Page Functionality</u> | 0.788 s | 3 | 0 | 3 | 0 | 65 | 0 | 0 | 65 |
| <u>Verify all carousel slides on the home page</u> | 0.538 s | 3 | 0 | 3 | 0 | 28 | 0 | 0 | 28 |
| <u>Login and Logout Functionality</u> | 0.189 s | 1 | 0 | 1 | 0 | 6 | 0 | 0 | 6 |
| <u>PreLogin functionality</u> | 0.191 s | 1 | 0 | 1 | 0 | 17 | 0 | 0 | 17 |
| <u>User Signup Process</u> | 0.189 s | 1 | 0 | 1 | 0 | 7 | 0 | 0 | 7 |
| <u>Validate the Functionality of stores flow</u> | 0.158 s | 1 | 0 | 1 | 0 | 13 | 0 | 0 | 13 |
| <u>User Profile Page Validations</u> | 0.544 s | 4 | 0 | 4 | 0 | 45 | 0 | 0 | 45 |
| <u>Language Selection Functionality and UI Validation on the Welcome Screen</u> | 0.104 s | 1 | 0 | 1 | 0 | 6 | 0 | 0 | 6 |

| # | Feature Name | Scenario Name |
|----|--|--|
| 1 | <u>Validate the functionality of Essential Services flow</u> | <u>Verify that all functionalities are working fine in EssentialServices</u> |
| 2 | <u>Validate the functionality of Flights flow</u> | <u>Verify that all functionalities are working fine in FLIGHTS</u> |
| 3 | <u>Verifying the General Page</u> | <u>Verify the About Page</u> |
| 4 | <u>Verify Home Page Functionality</u> | <u>Verify that users are able to view all personalized menus when selects Terminal 1</u> |
| 5 | | <u>Verify the Flights Functionality</u> |
| 6 | | <u>Verify the menu button functionality</u> |
| 7 | <u>Verify all carousel slides on the home page</u> | <u>Verify the navigation flow of the Butterfly Effect carousel card</u> |
| 8 | | <u>Add a Arrival flight to the Plan My Journey Carousel Card and verify its validation</u> |
| 9 | | <u>Verify the navigation flow of the Promotions carousel card</u> |
| 10 | <u>Login and Logout Functionality</u> | <u>Logout Functionality</u> |
| 11 | <u>PreLogin functionality</u> | <u>Verify All Functionalities in prelogin</u> |
| 12 | <u>User Signup Process</u> | <u>Signup with Valid Information</u> |


| # | Feature Name | Scenario Name |
|----|---|---|
| 13 | <u>Validate the Functionality of stores flow</u> | <u>Verify that all functionalities are working fine in Stores</u> |
| 14 | <u>User Profile Page Validations</u> | <u>User changes password successfully</u> |
| 15 | | <u>Validate Edit Functionality in User Profile Page</u> |
| 16 | | <u>Verify the navigation flow of the Feedback Page</u> |
| 17 | | <u>User verifies the Give A Compliment button functionality</u> |
| 18 | <u>Language Selection Functionality and UI Validation on the Welcome Screen</u> | <u>Verify User's Ability to Change Language</u> |

| | TAG | Scenario | | | | Feature | | | | |
|--|------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|---|
| | | Name | T | P | F | S | T | P | F | |
| | @essentials | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @sanity | | 18 | 0 | 18 | 0 | 11 | 0 | 11 | 0 |
| | @flight | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @general | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @homePage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Ignore | | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| | @flights | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @menu | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @butterflyEffect | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @planMyJourney | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Promotions | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @login | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @pre-login | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @signup | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Stores | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @password | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @editProfile | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| TAG | Scenario | | | | Feature | | | | |
|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|----------|
| | Name | T | P | F | S | T | P | F | S |
| @customerFeedback | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @giveCompliment | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @welcome | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|----|--|---|---|---|---|--------------|
| 1 | <u>Validate the functionality of Essential Services flow</u> | 1 | 0 | 1 | 0 | 8 m 41.479 s |
| 2 | <u>Validate the functionality of Flights flow</u> | 1 | 0 | 1 | 0 | 0.403 s |
| 3 | <u>Verifying the General Page</u> | 1 | 0 | 1 | 0 | 0.363 s |
| 4 | <u>Verify Home Page Functionality</u> | 3 | 0 | 3 | 0 | 0.788 s |
| 5 | <u>Verify all carousel slides on the home page</u> | 3 | 0 | 3 | 0 | 0.538 s |
| 6 | <u>Login and Logout Functionality</u> | 1 | 0 | 1 | 0 | 0.189 s |
| 7 | <u>PreLogin functionality</u> | 1 | 0 | 1 | 0 | 0.191 s |
| 8 | <u>User Signup Process</u> | 1 | 0 | 1 | 0 | 0.189 s |
| 9 | <u>Validate the Functionality of stores flow</u> | 1 | 0 | 1 | 0 | 0.158 s |
| 10 | <u>User Profile Page Validations</u> | 4 | 0 | 4 | 0 | 0.544 s |




| # | Feature Name | T | P | F | S | Duration |
|----|---|---|---|---|---|----------|
| 11 | <u>Language Selection Functionality and UI Validation on the Welcome Screen</u> | 1 | 0 | 1 | 0 | 0.104 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|----|--------------|
| 1 | <u>Validate the functionality of Essential Services flow</u> | <u>Verify that all functionalities are working fine in EssentialServices</u> | 13 | 0 | 0 | 13 | 8 m 41.472 s |
| 2 | <u>Validate the functionality of Flights flow</u> | <u>Verify that all functionalities are working fine in FLIGHTS</u> | 13 | 0 | 0 | 13 | 0.402 s |
| 3 | <u>Verifying the General Page</u> | <u>Verify the About Page</u> | 7 | 0 | 0 | 7 | 0.363 s |
| 4 | <u>Verify Home Page Functionality</u> | <u>Verify that users are able to view all personalized menus when selects Terminal 1</u> | 6 | 0 | 0 | 6 | 0.176 s |
| 5 | | <u>Verify the Flights Functionality</u> | 17 | 0 | 0 | 17 | 0.209 s |
| 6 | | <u>Verify the menu button functionality</u> | 42 | 0 | 0 | 42 | 0.280 s |
| 7 | <u>Verify all carousel slides on the home page</u> | <u>Verify the navigation flow of the Butterfly Effect carousel card</u> | 5 | 0 | 0 | 5 | 0.134 s |
| 8 | | <u>Add a Arrival flight to the Plan My Journey Carousel Card and verify its validation</u> | 12 | 0 | 0 | 12 | 0.147 s |
| 9 | | <u>Verify the navigation flow of the Promotions carousel card</u> | 11 | 0 | 0 | 11 | 0.201 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|----|---------------------------------------|-----------------------------|----------|----------|----------|----------|-----------------|
| 10 | <u>Login and Logout Functionality</u> | <u>Logout Functionality</u> | 6 | 0 | 0 | 6 | 0.189 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|----|---|---|----|----------|
| 11 | <u>PreLogin functionality</u> | <u>Verify All Functionalities in prelogin</u> | 17 | 0 | 0 | 17 | 0.191 s |
| 12 | <u>User Signup Process</u> | <u>Signup with Valid Information</u> | 7 | 0 | 0 | 7 | 0.187 s |
| 13 | <u>Validate the Functionality of stores flow</u> | <u>Verify that all functionalities are working fine in Stores</u> | 13 | 0 | 0 | 13 | 0.158 s |
| 14 | <u>User Profile Page Validations</u> | <u>User changes password successfully</u> | 11 | 0 | 0 | 11 | 0.106 s |
| 15 | | <u>Validate Edit Functionality in User Profile Page</u> | 5 | 0 | 0 | 5 | 0.140 s |
| 16 | | <u>Verify the navigation flow of the Feedback Page</u> | 18 | 0 | 0 | 18 | 0.133 s |
| 17 | | <u>User verifies the Give A Compliment button functionality</u> | 11 | 0 | 0 | 11 | 0.114 s |
| 18 | <u>Language Selection Functionality and UI Validation on the Welcome Screen</u> | <u>Verify User's Ability to Change Language</u> | 6 | 0 | 0 | 6 | 0.104 s |

Validate the functionality of Essential Services flow



Verify that all functionalities are working fine in EssentialServices



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Cannot start the 'klia.mahb.ios' application. Consider checking the driver's troubleshooting documentation. Original error: Error executing adbExec. Original error: 'Command 'C:\\\\Users\\\\Mind-Graph\\\\AppData\\\\Local\\\\Android\\\\Sdk\\\\platform-tools\\\\adb.exe -P 5037 -s emulator-5554 shell am start -W -n klia.mahb.ios/klia.mahb.ios.MainActivity -S -a android.intent.action.MAIN -c android.intent.category.LAUNCHER -f 0x10200000' timed out after 20000ms'. Try to increase the 20000ms adb execution timeout represented by 'adbExecTimeout' capability Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[[appium:udid=emulator-5554, appium:deviceName=Pixel 6 pro API 30, platformName=ANDROID, appium:automationName=UIAutomator2, appium:app=C:\\\\Users\\\\Mind-Graph\\\\Downloads\\\\Kapil_MyAirports\\\\MyAirport\\\\src\\\\main\\\\ApkFile\\\\Prod.apk, appium:platformVersion=Android 11], desiredCapabilities=Capabilities {appium:app: C:\\\\Users\\\\Mind-Graph\\\\Downloa..., appium:automationName: UIAutomator2, appium:deviceName: Pixel 6 pro API 30, appium:platformVersion: Android 11, appium:udid: emulator-5554, platformName: ANDROID}]] Capabilities {appium:app: C:\\\\Users\\\\Mind-Graph\\\\Downloa..., appium:automationName: UIAutomator2, appium:deviceName: Pixel 6 pro API 30, appium:platformVersion: Android 11, appium:udid: emulator-5554, platformName: ANDROID}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)</p> | FAILED | 31.892 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Cannot start the 'klia.mahb.ios' application. Consider checking the driver's troubleshooting documentation. Original error: 'klia.mahb.ios.MainActivity' or 'klia.mahb.ios.klia.mahb.ios.MainActivity' never started. Consider checking the driver's troubleshooting documentation. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[{appium:udid=emulator-5554, appium:deviceName=Pixel 6 pro API 30, platformName=ANDROID, appium:automationName=UIAutomator2, appium:app=C:\Users\Mind-Graph\Downloads\Kapil_MyAirports\MyAirport\src\main\ApkFile\Prod.apk, appium:platformVersion=Android 11}], desiredCapabilities=Capabilities {appium:app: C:\Users\Mind-Graph\Downlo..., appium:automationName: UIAutomator2, appium:deviceName: Pixel 6 pro API 30, appium:platformVersion: Android 11, appium:udid: emulator-5554, platformName: ANDROID}}] Capabilities {appium:app: C:\Users\Mind-Graph\Downlo..., appium:automationName: UIAutomator2, appium:deviceName: Pixel 6 pro API 30, appium:platformVersion: Android 11, appium:udid: emulator-5554, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) </pre> | FAILED | 32.559 s |
| 1 | Given the user clicks on the Essential Services button on the home page | SKIPPED | 0.001 s |
| 2 | Then the user navigates to the Essential Services page | SKIPPED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 3 | And clicks on the terminal dropdown to change the terminal in the Essential Services page | SKIPPED | 0.000 s |
| 4 | Then clicks on any of the Services from the Services list | SKIPPED | 0.000 s |
| 5 | And verifies that the user navigates to the same Service page | SKIPPED | 0.001 s |
| 6 | Then clicks on the favorite to add to favorites in Service details page | SKIPPED | 0.000 s |
| 7 | Then verifies the Rating Review text in the POI Service details page | SKIPPED | 0.000 s |
| 8 | Then verifies the Take Me There text in the POI Service details page | SKIPPED | 0.000 s |
| 9 | And verifies the back arrow icon in the POI Service details page | SKIPPED | 0.001 s |
| 10 | And clicks on the back arrow icon in the POI Service details page | SKIPPED | 0.000 s |
| 11 | Then verifies that the Essential Service page is displayed | SKIPPED | 0.000 s |
| 12 | And verifies the back arrow icon in the Essential Service page and clicks on the back arrow icon | SKIPPED | 0.000 s |
| 13 | Then verifies that it takes the user to the home page from Essential Service page | SKIPPED | 0.000 s |
| | AFTER - stepDefinitions.WelcomePageSteps.closeApplication() <org.openqa.selenium.nosuchsessionexception: '10.0',="" '21.0.2'="" '4.13.0',="" 'amd64',="" 'ba948ece5b*'="" 'windows="" 0,="" 10',="" 1080x2400,="" 1080},="" 11,="" 2.625,="" 2337,="" 30,="" 4001e66f-66ac-41c8-8f07-53dddb6b6e="" 420,="" 6="" 63,="" <="" [4001e66f-66ac-41c8-8f07-53dddb6b6e,="" a="" android="" android,="" android}="" api="" appium:apppackage:="" appium:automationname:="" appium:databaseenabled:="" appium:desired:="" appium:deviceapilevel:="" appium:devicemanufacturer:="" appium:devicemodel:="" appium:devicename:="" appium:devicescreendensity:="" appium:devicescreensize:="" appium:deviceudid:="" appium:javascriptenabled:="" appium:locationcontextenabled:="" appium:networkconnectionenabled:="" appium:pixelratio:="" appium:platformversion:="" appium:statbarheight:="" appium:takesscreenshot:="" appium:udid:="" appium:viewportrect:="" appium:warnings:="" appium:webstorageenabled:="" at="" automationname:="" baseteststeps.basesteps.closedriver(basesteps.java:52)="" build="" c:\users\mind-graph\downloa...,="" capabilities="" command:="" devicename:="" driver="" either="" emulator-5554,="" emulator-5554},="" false,="" google,="" id:="" info:="" io.appium.java_client.android.androiddriver="" io.appium.java_client.appiumdriver.execute(appiumdriver.java:313)="" io.appium.java_client.remote.appiumcommandexecutor.execute(appiumcommandexecutor.java:250)="" is="" java.base="" java.lang.reflect.constructor.newinstance(constructor.java:486)="" java.lang.reflect.constructor.newinstancewithcaller(constructor.java:502)="" java.version:="" jdk.internal.reflect.directconstructorhandleaccessor.newinstance(directconstructorhandleaccessor.java:62)="" klia.mahb.ios,="" left:="" not="" or="" org.openqa.selenium.nosuchsessionexception:="" org.openqa.selenium.remote.codec.w3c.w3chttpresponsecodec.createexception(w3chttpresponsecodec.java:200)="" org.openqa.selenium.remote.codec.w3c.w3chttpresponsecodec.decode(w3chttpresponsecodec.java:133)="" org.openqa.selenium.remote.codec.w3c.w3chttpresponsecodec.decode(w3chttpresponsecodec.java:52)="" org.openqa.selenium.remote.httpcommandexecutor.execute(httpcommandexecutor.java:191)="" org.openqa.selenium.remote.remotewebdriver.execute(remotewebdriver.java:602)="" org.openqa.selenium.remote.remotewebdriver.execute(remotewebdriver.java:675)="" org.openqa.selenium.remote.remotewebdriver.quit(remotewebdriver.java:437)="" os.arch:="" os.name:="" os.version:="" pixel="" platformname:="" platformversion:="" pro="" quit="" revision:="" sdk_gphone_x86,="" session="" started="" stepdefinitions.welcomepagesteps.closeapplication(welcomepagesteps.java:28)="" system="" td="" terminated="" top:="" true,="" udid:="" uiautomator2,="" version:="" width:="" {app:="" {appium:app:="" {height:="" {},="" {}]=""><td>FAILED</td><td>0.029 s</td></org.openqa.selenium.nosuchsessionexception:> | FAILED | 0.029 s |

Validate the functionality of Flights flow



Verify that all functionalities are working fine in FLIGHTS



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> | FAILED | 0.167 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:118) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 55 more Caused by: java.io.UncheckedIOException: org.asynchttpclient.exception.RemotelyClosedException: Remotely closed at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) at io.appium.java_client.AppiumUserAgentFilter.lambda\$apply\$0(AppiumUserAgentFilter.java:88) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$null\$0(AppiumCommandExecutor.java:187) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) ... 57 more Caused by: org.asynchttpclient.exception.RemotelyClosedException: Remotely closed at org.asynchttpclient.exception.RemotelyClosedException.INSTANCE(Unknown Source) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.021 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) </pre> | FAILED | 0.023 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43)</pre> | FAILED | 0.020 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.032 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.021 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Then click on the Flights icon in the landing page | SKIPPED | 0.000 s |
| 2 | Then click on Arrival toggle button in the FLIGHT INFORMATION page | SKIPPED | 0.000 s |
| 3 | And click on Departure toggle button in the FLIGHT INFORMATION page | SKIPPED | 0.000 s |
| 4 | Then change the terminal by clicking on dropdown button | SKIPPED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 5 | And select any flight from available flights for Departure | SKIPPED | 0.000 s |
| 6 | Then click back arrow in Departure page | SKIPPED | 0.001 s |
| 7 | Then click on Arrival toggle button in the FLIGHT INFORMATION page | SKIPPED | 0.000 s |
| 8 | And select any flight from available flights for Arrival | SKIPPED | 0.000 s |
| 9 | Then verify the Note message in Arrival page | SKIPPED | 0.001 s |
| 10 | Then click back arrow in Arrival page | SKIPPED | 0.000 s |
| 11 | Then click on the Get previous Flights link User can see accordingly | SKIPPED | 0.001 s |
| 12 | And click on back arrow in FLIGHT INFORMATION page | SKIPPED | 0.000 s |
| 13 | Then close the mobile app | SKIPPED | 0.000 s |

Verifying the General Page



Verify the About Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepDefinitions.EssentialServicesPageSteps.init() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) | FAILED | 0.053 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> | FAILED | 0.017 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | FAILED | 0.021 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.040 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.044 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.015 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.023 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given the user clicks on the user account from the homepage | SKIPPED | 0.000 s |
| 2 | When the user clicks on the General button from the user profile page | SKIPPED | 0.001 s |
| 3 | Then the General page should be displayed | SKIPPED | 0.000 s |
| 4 | And the user clicks on the About button from the General page | SKIPPED | 0.000 s |
| 5 | And the About page should be displayed | SKIPPED | 0.000 s |
| 6 | Then the user clicks on the back icon from the About page | SKIPPED | 0.001 s |
| 7 | And the user should be navigated back to the General page | SKIPPED | 0.000 s |

Verify Home Page Functionality



Verify that users are able to view all personalized menus when selects Terminal 1



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101)</pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or</p> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.023 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given the user select the Terminal1 from the dropdown | SKIPPED | 0.000 s |
| 2 | Then the user is able to view flights, dining, essentials & services, shuttle bus, stores, and customer feedback in the first slide | SKIPPED | 0.000 s |
| 3 | When the user clicks on the Next arrow button for the next slide | SKIPPED | 0.000 s |
| 4 | Then the user is able to view online shopping, transportation, lounge, booking services, hotels, and bureau de change in the second slide | SKIPPED | 0.000 s |
| 5 | When the user clicks on the Next arrow button for the next slide | SKIPPED | 0.000 s |
| 6 | Then the user is able to view clinic, transfer counter, airline ticketing center, baggage reclaim, baggage locker, and information center in the last slide | SKIPPED | 0.000 s |

Verify the Flights Functionality



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</pre> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) </pre> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) </pre> | FAILED | 0.018 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) | | |
| | BEFORE - stepDefinitions.LoginPageSteps.launchApp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) </pre> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43)</pre> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given the user is on the Home Page | SKIPPED | 0.000 s |
| 2 | When the user clicks on the Menu button from the Home Page | SKIPPED | 0.000 s |
| 3 | Then the user should see the Menu popup appear over the Home Page | SKIPPED | 0.000 s |
| 4 | And the user selects the Flights feature from the menu | SKIPPED | 0.001 s |
| 5 | Then the user should land on the Flights Information Page | SKIPPED | 0.001 s |
| 6 | And the user navigates between the Departure and Arrival toggle buttons | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 7 | And verifies that flights are loading according to the toggle buttons | SKIPPED | 0.001 s |
| 8 | Then the user clicks on the dropdown to change the Terminals | SKIPPED | 0.000 s |
| 9 | And verifies that KUL - KLIA Terminal 1 and KUL - KLIA Terminal 2 are displayed in the dropdown | SKIPPED | 0.001 s |
| 10 | Then the user selects one of the terminals from the dropdown | SKIPPED | 0.000 s |
| 11 | And verifies that flights are displaying according to the selected terminal | SKIPPED | 0.000 s |
| 12 | Then the user searches for a flight based on the Flight Number | SKIPPED | 0.000 s |
| 13 | And verifies that the flight is displayed according to the Flight Number | SKIPPED | 0.000 s |
| 14 | Then the user searches for flights based on the Airline name | SKIPPED | 0.000 s |
| 15 | And verifies that flights are displayed according to the Airline names | SKIPPED | 0.001 s |
| 16 | Then the user clicks on the back button from the Flights Information Page | SKIPPED | 0.000 s |
| 17 | And verifies that the user lands back on the Home Page | SKIPPED | 0.001 s |

Verify the menu button functionality



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</pre> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver</p> | FAILED | 0.027 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) </pre> | FAILED | 0.017 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoke.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) </pre> | FAILED | 0.096 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.018 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.009 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given the user is on the Home Page | SKIPPED | 0.000 s |
| 2 | When the user clicks on the Menu button from the Home Page | SKIPPED | 0.001 s |
| 3 | Then all the buttons should be displayed in the Menu | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 4 | When the user clicks on the SPECIAL ASSISTANCE feature in the Menu | SKIPPED | 0.001 s |
| 5 | Then the user should be navigated to the SPECIAL ASSISTANCE Page | SKIPPED | 0.000 s |
| 6 | When the user clicks on the Back button on the SPECIAL ASSISTANCE Page | SKIPPED | 0.001 s |
| 7 | Then the user should be navigated back to the Home Page | SKIPPED | 0.001 s |
| 8 | When the user clicks on the Menu button again | SKIPPED | 0.001 s |
| 9 | And the user selects the FLIGHTS feature in the Menu | SKIPPED | 0.002 s |
| 10 | Then the user should be navigated to the FLIGHTS Information Page | SKIPPED | 0.001 s |
| 11 | When the user clicks on the Back button on the FLIGHTS Information Page | SKIPPED | 0.000 s |
| 12 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |
| 13 | When the user clicks on the Menu button again | SKIPPED | 0.000 s |
| 14 | And the user selects the PROMOTIONS feature in the Menu | SKIPPED | 0.000 s |
| 15 | Then the user should be navigated to the PROMOTIONS Page | SKIPPED | 0.001 s |
| 16 | When the user clicks on the Back button on the PROMOTIONS Page | SKIPPED | 0.000 s |
| 17 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |
| 18 | When the user clicks on the Menu button again | SKIPPED | 0.001 s |
| 19 | And the user selects the GENERAL feature in the Menu | SKIPPED | 0.000 s |
| 20 | Then the user should be navigated to the GENERAL Page | SKIPPED | 0.000 s |
| 21 | When the user clicks on the Back button on the GENERAL Page | SKIPPED | 0.000 s |
| 22 | Then the user should be navigated back to the Home Page | SKIPPED | 0.002 s |
| 23 | When the user clicks on the Menu button again | SKIPPED | 0.000 s |
| 24 | And the user selects the KEY INFO feature in the Menu | SKIPPED | 0.000 s |
| 25 | Then the user should be navigated to the KEY INFO Page | SKIPPED | 0.000 s |
| 26 | When the user clicks on the Back button on the KEY INFO Page | SKIPPED | 0.001 s |
| 27 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |
| 28 | When the user clicks on the Menu button again | SKIPPED | 0.000 s |
| 29 | And the user selects the FEEDBACK feature in the Menu | SKIPPED | 0.000 s |
| 30 | Then the user should be navigated to the FEEDBACK Page | SKIPPED | 0.000 s |
| 31 | When the user clicks on the Back button on the FEEDBACK Page | SKIPPED | 0.000 s |
| 32 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |
| 33 | When the user clicks on the Menu button again | SKIPPED | 0.001 s |
| 34 | And the user selects the SETTINGS feature in the Menu | SKIPPED | 0.000 s |
| 35 | Then the user should be navigated to the SETTINGS Page | SKIPPED | 0.000 s |
| 36 | When the user clicks on the Back button on the SETTINGS Page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 37 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |
| 38 | When the user clicks on the Menu button again | SKIPPED | 0.000 s |
| 39 | And the user selects the MY PROFILE feature in the Menu | SKIPPED | 0.000 s |
| 40 | Then the user should be navigated to the MY PROFILE Page | SKIPPED | 0.001 s |
| 41 | When the user clicks on the Back button on the MY PROFILE Page | SKIPPED | 0.000 s |
| 42 | Then the user should be navigated back to the Home Page | SKIPPED | 0.000 s |

Verify all carousel slides on the home page



Verify the navigation flow of the Butterfly Effect carousel card



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113)</pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given the user selects the Butterfly Effect card from the carousel slides on the home page | SKIPPED | 0.000 s |
| 2 | Then the Butterfly Page should be displayed | SKIPPED | 0.000 s |
| 3 | And verify the presence of the back icon on the Butterfly Page | SKIPPED | 0.000 s |
| 4 | Then click on back icon on the Butterfly Page | SKIPPED | 0.000 s |
| 5 | And Verify that the user is redirected to the Home Page | SKIPPED | 0.000 s |

Add a Arrival flight to the Plan My Journey Carousel Card and verify its validation



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89)</pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given verify the user is on the Home Page | SKIPPED | 0.000 s |
| 2 | When the user clicks on the PLAN MY JOURNEY Carousel card on the Home Page | SKIPPED | 0.000 s |
| 3 | Then verify the user lands on the PLAN MY JOURNEY page | SKIPPED | 0.001 s |
| 4 | Then click on the Search text field on the Plan Your Journey page | SKIPPED | 0.001 s |
| 5 | And verify it navigates to the FLIGHTS INFORMATION page | SKIPPED | 0.000 s |
| 6 | Then track any one of the flights and verify the same flight is added to the PLAN MY JOURNEY page | SKIPPED | 0.000 s |
| 7 | Then click on the Stores, Dining, and Booking Service buttons on the PLAN MY JOURNEY page and verify each button navigates to their individual pages | SKIPPED | 0.000 s |
| 8 | Then verify the Share Flight Details button and Remove Flight button are visible on the PLAN MY JOURNEY page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 9 | And click on the Remove Flight button | SKIPPED | 0.000 s |
| 10 | And verify a confirmation popup is displayed to confirm removal | SKIPPED | 0.000 s |
| 11 | Then click on the Yes button to remove the flight from the PLAN MY JOURNEY page | SKIPPED | 0.000 s |
| 12 | Then verify it navigates to the Home Page after clicking the Yes button to remove the flight | SKIPPED | 0.000 s |

Verify the navigation flow of the Promotions carousel card



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101)</pre> | FAILED | 0.041 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) </pre> | FAILED | 0.019 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.018 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given verify the user is on the Home Page | SKIPPED | 0.000 s |
| 2 | When the user clicks on the Promotions Carousel card on the Home Page | SKIPPED | 0.000 s |
| 3 | Then the user lands on the Promotions page | SKIPPED | 0.000 s |
| 4 | And the Search text field and Terminal dropdown is displayed on the Promotions page | SKIPPED | 0.000 s |
| 5 | Then the user is able to change the Terminal | SKIPPED | 0.001 s |
| 6 | And the user clicks on any one of the banners on the Promotions page | SKIPPED | 0.000 s |
| 7 | Then the user navigates to the same Promotions page | SKIPPED | 0.000 s |
| 8 | And the back button is displayed on the selected banner page | SKIPPED | 0.000 s |
| 9 | Then the user clicks on the back button and navigates to the Promotions page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 10 | Then the back button is displayed on the Promotions page | SKIPPED | 0.000 s |
| 11 | And the user clicks on the back button from the Promotions page and lands on the Home Page | SKIPPED | 0.000 s |

Login and Logout Functionality



Logout Functionality



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262)</pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.013 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) </pre> | FAILED | 0.030 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.028 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | And the user clicks on the user account | SKIPPED | 0.001 s |
| 2 | Then the user navigates to the user profile page | SKIPPED | 0.000 s |
| 3 | And clicks on the Logout button | SKIPPED | 0.000 s |
| 4 | Then the user navigates to the Logout page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 5 | And clicks on the Yes button to Logout | SKIPPED | 0.000 s |
| 6 | Then navigates to the home page with successfully logged out | SKIPPED | 0.000 s |

PreLogin functionality



Verify All Functionalities in prelogin



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262)</pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.019 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.017 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | When the user clicks on BAHASA MALAYSIA in the Prelogin Page | SKIPPED | 0.000 s |
| 2 | And verifies that the app language changes in malasia language | SKIPPED | 0.001 s |
| 3 | Then the user clicks on CHINESE in the Prelogin Page | SKIPPED | 0.000 s |
| 4 | And verifies that the app language changes in chinese language | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 5 | And the user clicks on ENGLISH in the Prelogin Page | SKIPPED | 0.000 s |
| 6 | Then verifies that the app language changes in english language | SKIPPED | 0.000 s |
| 7 | When the user select the BKI-Kota Kinabalu from the dropdown in Prelogin Page | SKIPPED | 0.000 s |
| 8 | And Verify terminal selected as BKI | SKIPPED | 0.000 s |
| 9 | Then the user select the KCH-Kuching from the dropdown in Prelogin Page | SKIPPED | 0.000 s |
| 10 | And Verify terminal selected as KCH | SKIPPED | 0.000 s |
| 11 | Then the user select the PEN-Penang from the dropdown in Prelogin Page | SKIPPED | 0.000 s |
| 12 | And Verify terminal selected as PEN | SKIPPED | 0.000 s |
| 13 | Then the user select the Terminal2 from the dropdown in Prelogin Page | SKIPPED | 0.044 s |
| 14 | And Verify terminal selected as Terminal2 | SKIPPED | 0.000 s |
| 15 | Then the user select the Terminal1 from the dropdown in Prelogin Page | SKIPPED | 0.000 s |
| 16 | And Verify terminal selected as Terminal1 | SKIPPED | 0.001 s |
| 17 | Then clicks on the Submit button in Prelogin Page | SKIPPED | 0.000 s |

User Signup Process



Signup with Valid Information



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</pre> | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.SignupPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.SignupPageSteps.launchApp(SignupPageSteps.java:22)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.SignupPageSteps.launchApp(SignupPageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.036 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.012 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given My Airports application is opened | SKIPPED | 0.000 s |
| 2 | When the user clicks on the login or Signup button | SKIPPED | 0.000 s |
| 3 | And the user navigates to the Login page | SKIPPED | 0.000 s |
| 4 | Then proceeds to the Signup page by clicking on the signup button | SKIPPED | 0.000 s |
| 5 | And the user is prompted to enter their First Name, Last Name, Email ID, and Password | SKIPPED | 0.000 s |
| 6 | Then clicks on the Create Account button | SKIPPED | 0.000 s |
| 7 | And the user navigates to verify Email page | SKIPPED | 0.000 s |

Validate the Functionality of stores flow



Verify that all functionalities are working fine in Stores



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101)</pre> | FAILED | 0.034 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-USRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> | FAILED | 0.023 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or</p> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.007 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 1 | Given the user clicks on the Stores button on the home page | SKIPPED | 0.000 s |
| 2 | Then the user navigates to the Stores page | SKIPPED | 0.000 s |
| 3 | And clicks on the terminal dropdown to change the terminal in the Stores page | SKIPPED | 0.000 s |
| 4 | Then clicks on any of the Stores from the Stores list | SKIPPED | 0.000 s |
| 5 | And verifies that the user navigates to the same Stores page | SKIPPED | 0.000 s |
| 6 | Then clicks on the favorite to add to favorites | SKIPPED | 0.000 s |
| 7 | Then verifies the Rating Review text in the POI details page | SKIPPED | 0.000 s |
| 8 | Then verifies the Take Me There text in the POI details page | SKIPPED | 0.000 s |
| 9 | And verifies the back arrow icon in the POI details page | SKIPPED | 0.000 s |
| 10 | And clicks on the back arrow icon in the POI details page | SKIPPED | 0.000 s |
| 11 | Then verifies that the Stores page is displayed | SKIPPED | 0.000 s |
| 12 | And verifies the back arrow icon in the Stores page and clicks on the back arrow icon | SKIPPED | 0.000 s |
| 13 | Then verifies that it takes the user to the home page | SKIPPED | 0.000 s |

User Profile Page Validations



User changes password successfully



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.014 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.008 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 1 | Given the user clicks on the User Profile button on the homepage | SKIPPED | 0.000 s |
| 2 | Then the user clicks on the Settings button on the User Profile page | SKIPPED | 0.001 s |
| 3 | Then the user lands on the Settings page | SKIPPED | 0.000 s |
| 4 | And the user clicks on the Change Password button on the Settings page | SKIPPED | 0.000 s |
| 5 | Then the user lands on the Change Password page | SKIPPED | 0.000 s |
| 6 | And the user enters the Current Password, New Password, and Re-enter Password for password change | SKIPPED | 0.000 s |
| 7 | Then the user clicks on the Save button | SKIPPED | 0.001 s |
| 8 | And a Password Change Successful popup appears | SKIPPED | 0.000 s |
| 9 | Then the user closes the popup and logs out of the application | SKIPPED | 0.000 s |
| 10 | And the user logs in again with the new password | SKIPPED | 0.000 s |
| 11 | Then the user is able to successfully log in with the new credentials | SKIPPED | 0.001 s |

Validate Edit Functionality in User Profile Page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver</p> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoke.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.029 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.024 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given the user clicks on the User Profile button on the homepage | SKIPPED | 0.000 s |
| 2 | Then the user clicks on the Edit icon | SKIPPED | 0.000 s |
| 3 | And changes the First Name of the user from the Edit Profile Page and Save | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then clicks on the Back icon from the Edit Profile Page | SKIPPED | 0.000 s |
| 5 | And verifies that the user name has been changed in the User Profile Page | SKIPPED | 0.000 s |

Verify the navigation flow of the Feedback Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.012 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.005 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre> | FAILED | 0.021 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given the user clicks on the User Profile button on the homepage | SKIPPED | 0.000 s |
| 2 | When the user clicks on the Feedback icon | SKIPPED | 0.001 s |
| 3 | Then the user should land on the Feedback Page | SKIPPED | 0.000 s |
| 4 | And all buttons present on the Feedback Page should be verified | SKIPPED | 0.000 s |
| 5 | When the user clicks on the File a Complaint button | SKIPPED | 0.000 s |
| 6 | Then the user should land on the Terminal Page | SKIPPED | 0.000 s |
| 7 | When the user clicks on the Previous button on the Terminal Page | SKIPPED | 0.001 s |
| 8 | Then the user should be navigated back to the Feedback Page | SKIPPED | 0.000 s |
| 9 | When the user clicks on the Make a Suggestion button again | SKIPPED | 0.000 s |
| 10 | Then the user should land on the Terminal Page | SKIPPED | 0.000 s |
| 11 | When the user clicks on the Previous button on the Terminal Page | SKIPPED | 0.001 s |
| 12 | Then the user should be navigated back to the Feedback Page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 13 | When the user clicks on the Give a Compliment button again | SKIPPED | 0.000 s |
| 14 | Then the user should land on the Terminal Page | SKIPPED | 0.000 s |
| 15 | When the user clicks on the Previous button on the Terminal Page | SKIPPED | 0.000 s |
| 16 | Then the user should be navigated back to the Feedback Page | SKIPPED | 0.000 s |
| 17 | When the user clicks on the Close icon from the Customer Feedback Page | SKIPPED | 0.001 s |
| 18 | Then the user should land back on the User Profile page | SKIPPED | 0.000 s |

User verifies the Give A Compliment button functionality



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>BEFORE - stepDefinitions.EssentialServicesPageSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)</p> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) </pre> | FAILED | 0.010 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.020 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoresSteps.launchApp(StoresSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) </pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoke.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43)</pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| 1 | Given the user clicks on the User Profile button on the homepage | SKIPPED | 0.000 s |
| 2 | When the user clicks on the Feedback icon | SKIPPED | 0.000 s |
| 3 | Then the user should land on the Feedback Page | SKIPPED | 0.000 s |
| 4 | And the user clicks on the Give a Compliment button | SKIPPED | 0.000 s |
| 5 | Then the user clicks on any one of the terminals on the Terminal Page | SKIPPED | 0.000 s |
| 6 | And the user should land on the Give A Compliment Page | SKIPPED | 0.000 s |
| 7 | When the user gives a compliment | SKIPPED | 0.000 s |
| 8 | And clicks on the Submit button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 9 | Then the user should see the Thank You For Your Compliment popup | SKIPPED | 0.000 s |
| 10 | And closes the popup | SKIPPED | 0.000 s |
| 11 | Then the user should land back on the Home Page | SKIPPED | 0.000 s |

Language Selection Functionality and UI Validation on the Welcome Screen



Verify User's Ability to Change Language



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepDefinitions.EssentialServicesPageSteps.init() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver | FAILED | 0.011 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.FlightPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.FlightPageSteps.init(FlightPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.GeneralPageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.GeneralPageSteps.init(GeneralPageSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoke.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageCarouselCardSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43)</pre> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageCarouselCardSteps.init(HomePageCarouselCardSteps.java:18) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.HomePageSteps.init()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.LoginPageSteps.launchApp()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.StoresSteps.launchApp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.StoreSteps.launchApp(StoreSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.UserProfileSteps.init()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.UserProfileSteps.init(UserProfileSteps.java:20) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) </pre> | | |
| | <p>BEFORE - stepDefinitions.WelcomePageSteps.launchApplication()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-URSRCI3', ip: '10.1.21.44'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620)</p> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) Caused by: org.openqa.selenium.WebDriverException: Connection refused: getsockopt Build info: version: '4.13.0', revision: 'ba948ecef5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: AndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:262) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:43) at stepDefinitions.WelcomePageSteps.launchApplication(WelcomePageSteps.java:19) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre> | | |
| 1 | When the user clicks on BAHASA MALAYSIA in the Welcome Page | SKIPPED | 0.000 s |
| 2 | And verifies that the app language changes in MALAYSIA language | SKIPPED | 0.000 s |
| 3 | Then the user clicks on CHINESE in the Welcome Page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | And verifies that the app language changes in CHINESE language | SKIPPED | 0.000 s |
| 5 | And the user clicks on ENGLISH in the Welcome Page | SKIPPED | 0.000 s |
| 6 | Then verifies that the app language changes in ENGLISH language | SKIPPED | 0.000 s |