Cucumber Report

| Start : Dec 30, 2:35:16.450 pm	End : Dec 30, 2:35:18.404 pm	Duration : 1.954 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 0 FAILED - 11 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 87

6

11

87

Pass % 0 %

Pass % 0 %

Pass % 0 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validate the functionality of Essential Services flow	0.194 s	1	0	1	0	13	0	0	13
Verify Home Page Functionality	0.988 s	5	0	5	0	24	0	0	24
Login and Logout Functionality	0.167 s	2	0	2	0	7	0	0	7
PreLogin functionality	0.076 s	1	0	1	0	17	0	0	17
User Signup Process	0.029 s	1	0	1	0	6	0	0	6
Special Assistance Flow	0.085 s	1	0	1	0	20	0	0	20

#	Feature Name	Scenario Name
1	Validate the functionality of Essential Services flow	Verify that all functionalities are working fine in EssentialServices
2	Verify Home Page Functionality	Verify that users are able to view all personalized menus when selects Terminal 1
3		Verify that users are able to view all personalized menus when selects Terminal 2
4		Verify that users are able to view all personalized menus when selects BKI
5		Verify that users are able to view all personalized menus when selects KCH
6	PEN	Verify that users are able to view all personalized menus when selects PEN
7	Login and Logout Functionality	Verify Successful Login with Valid Credentials
8		Logout Functionality
9	PreLogin functionality	Verify All Functionalities in prelogin
10	User Signup Process	Signup with Valid Information
11	Special Assistance Flow	Special Assistance workflow

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@MyAirportRegressionOne	11	0	11	0	6	0	6	0
@essentials	1	0	1	0	1	0	1	0
@homePage	5	0	5	0	1	0	1	0
@login	2	0	2	0	1	0	1	0
@pre-login	1	0	1	0	1	0	1	0
@signup	1	0	1	0	1	0	1	0
@specialAssistance	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validate the functionality of Essential Services flow	1	0	1	0	0.194 s
2	Verify Home Page Functionality	5	0	5	0	0.988 s
3	Login and Logout Functionality	2	0	2	0	0.167 s
4	PreLogin functionality	1	0	1	0	0.076 s
5	User Signup Process	1	0	1	0	0.029 s
6	Special Assistance Flow	1	0	1	0	0.085 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate the functionality of Essential Services flow	Verify that all functionalities are working fine in EssentialServices	13	0	0	13	0.188 s
2	Verify Home Page Functionality	Verify that users are able to view all personalized menus when selects Terminal 1	6	0	0	6	0.189 s
3		Verify that users are able to view all personalized menus when selects Terminal 2	6	0	0	6	0.323 s
4		Verify that users are able to view all personalized menus when selects BKI	4	0	0	4	0.122 s
5		Verify that users are able to view all personalized menus when selects KCH	4	0	0	4	0.060 s
6		Verify that users are able to view all personalized menus when selects PEN	4	0	0	4	0.058 s
7	Login and Logout Functionality	Verify Successful Login with Valid Credentials	1	0	0	1	0.066 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Logout Functionality	6	0	0	6	0.075 s
9	PreLogin functionality	Verify All Functionalities in prelogin	17	0	0	17	0.076 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	User Signup Process	Signup with Valid Information	6	0	0	6	0.029 s
11	Special Assistance Flow	Special Assistance workflow	20	0	0	20	0.085 s

Validate the functionality of Essential Services flow

FAILED	DURATION - 0.194 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:35:16.450 pm // 2:35:16.644 pm /		Pass - 0	1	Pass - 0	13
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

Verify that all functionalities are working fine in EssentialServices

FAILED	DURATION - 0.188 s		Steps	
/ 2:35:16.456 pm // 2:35:16.644 pm /			Total - 13	
			Pass - 0	13
Validate the functionality of Essential Services flow			Fail - 0	
@MyAirportRegressionOne @essentials			Skip - 13	

| #	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.EssentialServicesPageSteps.init()	FAILED	0.118 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1] at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62) at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35) at stepDefinitions.EssentialServicesPageSteps.init(EssentialServicesPageSteps.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user clicks on the Essential Services button on the home page	SKIPPED	0.002 s
2	Then the user navigates to the Essential Services page	SKIPPED	0.001 s
3	And clicks on the terminal dropdown to change the terminal in the Essential Services page	SKIPPED	0.000 s
4	Then clicks on any of the Services from the Services list	SKIPPED	0.001 s
5	And verifies that the user navigates to the same Service page	SKIPPED	0.000 s
6	Then clicks on the favorite to add to favorites in Service details page	SKIPPED	0.001 s
7	Then verifies the Rating Review text in the POI Service details page	SKIPPED	0.000 s
8	Then verifies the Take Me There text in the POI Service details page	SKIPPED	0.000 s
9	And verifies the back arrow icon in the POI Service details page	SKIPPED	0.001 s
10	And clicks on the back arrow icon in the POI Service details page	SKIPPED	0.001 s
11	Then verifies that the Essential Service page is displayed	SKIPPED	0.000 s
12	And verifies the back arrow icon in the Essential Service page and clicks on the back arrow icon	SKIPPED	0.000 s
13	Then verifies that it takes the user to the home page from Essential Service page	SKIPPED	0.000 s

Verify Home Page Functionality

| FAILED	DURATION - 0.988 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 24 Pass - 0 Fail - 0 Skip - 24	24
/ 2:35:16.965 pm // 2:35:17.953 pm /					

Verify that users are able to view all personalized menus when selects Terminal 1

FAILED	DURATION - 0.189 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	6
/ 2:35:16.965 pm // 2:35:17.154 pm /				
Verify Home Page Functionality				
@homePage @MyAirportRegressionOne				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.HomePageSteps.init()	FAILED	0.161 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
	  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:78)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
	  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)
	  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user select the Terminal1 from the dropdown	SKIPPED	0.000 s
2	Then the user is able to view flights, dining, essentials & services, shuttle bus, stores, and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s
4	Then the user is able to view online shopping, transportation, lounge, booking services, hotels, and bureau de change in the second slide	SKIPPED	0.000 s
5	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.000 s
6	Then the user is able to view clinic, transfer counter, airline ticketing center, baggage reclaim, baggage locker, and information center in the last slide	SKIPPED	0.001 s

**Verify that users are able to view all personalized menus when selects Terminal 2**

FAILED	DURATION - 0.323 s
/ 2:35:17.250 pm // 2:35:17.573 pm /	
Verify Home Page Functionality	
@homePage @MyAirportRegressionOne	

Steps
Total - 6
Pass - 0
Fail - 0
Skip - 6

6

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.HomePageSteps.init()	FAILED	0.309 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	    at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	    at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
	    at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	    at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:78)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user select the Terminal2 from the dropdown	SKIPPED	0.000 s
2	Then the user is able to view flights, dining, essentials & services, stores, customer feedback and booking services in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s
4	Then the user is able to view online shopping, transportation, lounge, hotels, bureau de change and baggage reclaim in the second slide	SKIPPED	0.002 s
5	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s
6	Then the user is able to view clinic, transfer counter, airline ticketing center, baggage locker, and information center in the last	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	slide		

Verify that users are able to view all personalized menus when selects BKI

FAILED	DURATION - 0.122 s		Steps
/ 2:35:17.642 pm // 2:35:17.764 pm /			Total - 4
			Pass - 0
Verify Home Page Functionality			Fail - 0
			Skip - 4
@homePage @MyAirportRegressionOne			

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.HomePageSteps.init()	FAILED	0.110 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
	  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user select the BKI-Kota Kinabalu from the dropdown	SKIPPED	0.000 s
2	Then the user is able to view flights, dining, essentials & services, baggage locker, airline ticketing center and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then the user is able to view transportation, lounge, clinic, stores, bureau de change and baggage reclaim in the second slide	SKIPPED	0.000 s

## Verify that users are able to view all personalized menus when selects KCH

FAILED	DURATION - 0.060 s
/ 2:35:17.803 pm // 2:35:17.863 pm /	
Verify Home Page Functionality	
@homePage @MyAirportRegressionOne	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.HomePageSteps.init()	FAILED	0.052 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1] at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62) at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35) at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user select the KCH-Kuching from the dropdown	SKIPPED	0.000 s
2	Then the user is able to view flights, dining, essentials & services, transfer counter, customer feedback and stores in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s
4	Then the user is able to view essentials & services, transportation, lounge, stores, airline ticketing center and baggage reclaim in	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	the second slide		

Verify that users are able to view all personalized menus when selects PEN

FAILED	DURATION - 0.058 s		Steps
			Total - 4
/ 2:35:17.895 pm // 2:35:17.953 pm /			Pass - 0
			Fail - 0
Verify Home Page Functionality			Skip - 4
@homePage @MyAirportRegressionOne			

| #	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.HomePageSteps.init()	FAILED	0.052 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	    at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	    at stepDefinitions.HomePageSteps.init(HomePageSteps.java:22)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
	    at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	    at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user select the PEN-Penang from the dropdown	SKIPPED	0.000 s
2	Then the user is able to view flights, dining, essentials & services, airline ticketing center, stores and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then the user is able to view online transportation, lounge, clinic, bureau de change and baggage reclaim in the second slide	SKIPPED	0.000 s

Login and Logout Functionality

FAILED	DURATION - 0.167 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	7
/ 2:35:17.976 pm // 2:35:18.143 pm /					

Verify Successful Login with Valid Credentials

FAILED	DURATION - 0.066 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	1
/ 2:35:17.976 pm // 2:35:18.042 pm /				
Login and Logout Functionality				
@MyAirportRegressionOne @login				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.LoginPageSteps.launchApp()	FAILED	0.060 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	    at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	    at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		

#	Step / Hook Details	Status	Duration
	at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)		
	at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Then the user successfully navigates to the Home page	SKIPPED	0.001 s

Logout Functionality

FAILED	DURATION - 0.075 s
/ 2:35:18.068 pm // 2:35:18.143 pm /	
Login and Logout Functionality	
@MyAirportRegressionOne @login	

Steps
Total - 6
Pass - 0
Fail - 0
Skip - 6

6

| #	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.LoginPageSteps.launchApp()	FAILED	0.068 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	  at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	  at stepDefinitions.LoginPageSteps.launchApp(LoginPageSteps.java:20)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
1	And the user clicks on the user account	SKIPPED	0.001 s
2	Then the user navigates to the user profile page	SKIPPED	0.000 s
3	And clicks on the Logout button	SKIPPED	0.000 s
4	Then the user navigates to the Logout page	SKIPPED	0.000 s
5	And clicks on the Yes button to Logout	SKIPPED	0.001 s
6	Then navigates to the home page with successfully logged out	SKIPPED	0.000 s

PreLogin functionality

FAILED	DURATION - 0.076 s	Scenarios		Steps	
/ 2:35:18.170 pm // 2:35:18.246 pm /		Total - 1		Total - 17	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 17	

Verify All Functionalities in prelogin

FAILED	DURATION - 0.076 s		Steps	
/ 2:35:18.170 pm // 2:35:18.246 pm /			Total - 17	
PreLogin functionality			Pass - 0	
			Fail - 0	
@pre-login @MyAirportRegressionOne			Skip - 17	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.PreLoginPageSteps.launchApplication()	FAILED	0.069 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	    at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	    at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)		

| #	Step / Hook Details	Status	Duration
	at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		
	at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)		
	at stepDefinitions.PreLoginPageSteps.launchApplication(PreLoginPageSteps.java:20)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	When the user clicks on BAHASA MALAYSIA in the Prelogin Page	SKIPPED	0.000 s
2	And verifies that the app language changes in malasia language	SKIPPED	0.000 s
3	Then the user clicks on CHINESE in the Prelogin Page	SKIPPED	0.000 s
4	And verifies that the app language changes in chinese language	SKIPPED	0.000 s
5	And the user clicks on ENGLISH in the Prelogin Page	SKIPPED	0.000 s
6	Then verifies that the app language changes in english language	SKIPPED	0.001 s
7	When the user select the BKI-Kota Kinabalu from the dropdown in Prelogin Page	SKIPPED	0.000 s
8	And Verify terminal selected as BKI	SKIPPED	0.001 s
9	Then the user select the KCH-Kuching from the dropdown in Prelogin Page	SKIPPED	0.000 s
10	And Verify terminal selected as KCH	SKIPPED	0.000 s
11	Then the user select the PEN-Penang from the dropdown in Prelogin Page	SKIPPED	0.000 s
12	And Verify terminal selected as PEN	SKIPPED	0.000 s
13	Then the user select the Terminal2 from the dropdown in Prelogin Page	SKIPPED	0.000 s
14	And Verify terminal selected as Terminal2	SKIPPED	0.000 s
15	Then the user select the Terminal1 from the dropdown in Prelogin Page	SKIPPED	0.001 s
16	And Verify terminal selected as Terminal1	SKIPPED	0.000 s
17	Then clicks on the Submit button in Prelogin Page	SKIPPED	0.000 s

User Signup Process

FAILED	DURATION - 0.029 s	Scenarios		Steps	
/ 2:35:18.265 pm // 2:35:18.294 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 0 Fail - 0 Skip - 6	6

Signup with Valid Information

FAILED	DURATION - 0.029 s		Steps	
/ 2:35:18.265 pm // 2:35:18.294 pm /			Total - 6 Pass - 0 Fail - 0 Skip - 6	6
User Signup Process				
@MyAirportRegressionOne @signup				

| #	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.SignupPageSteps.launchApp()	FAILED	0.021 s

	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1]
	   at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)
	   at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	   at stepDefinitions.SignupPageSteps.launchApp(SignupPageSteps.java:22)
	 Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError
	   at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)
	   at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)
	   at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)
	   at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)
	   at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)
	   at stepDefinitions.SignupPageSteps.launchApp(SignupPageSteps.java:22)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
1	Given My Airports application is opened	SKIPPED	0.000 s
2	When the user clicks on the login or Signup button	SKIPPED	0.000 s
3	And the user navigates to the Login page	SKIPPED	0.000 s
4	Then proceeds to the Signup page by clicking on the signup button	SKIPPED	0.000 s
5	And the user is prompted to enter their First Name, Last Name, Email ID, and Password	SKIPPED	0.000 s
6	Then clicks on the Create Account button	SKIPPED	0.000 s

Special Assistance Flow

FAILED	DURATION - 0.085 s	Scenarios		Steps	
/ 2:35:18.319 pm // 2:35:18.404 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 20 Pass - 0 Fail - 0 Skip - 20	20

Special Assistance workflow

FAILED	DURATION - 0.085 s		Steps	
/ 2:35:18.319 pm // 2:35:18.404 pm /			Total - 20	
Special Assistance Flow			Pass - 0 Fail - 0	20
@specialAssistance @MyAirportRegressionOne			Skip - 20	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.SpecialAssistancePageSteps.init()	FAILED	0.070 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server has started and is listening although we were unable to get an OK response from http://127.0.0.1:4723/status. Make sure both the client and the server use the same base path '/' and check the server log for possible error messages occurrences. Response status code: 404 Response payload: {"status":9,"value":{"error":"unknown command","message":"The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource","stacktrace":""}} Node.js executable path: C:\Program Files\nodejs\node.exe Arguments: [C:\Users\Mind-Graph\AppData\Roaming\npm\node_modules\appium\build\lib\main.js, --port, 4723, --address, 127.0.0.1] at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)		

#	Step / Hook Details	Status	Duration
	at stepDefinitions.SpecialAssistancePageSteps.init(SpecialAssistancePageSteps.java:22)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker$ConnectionError: ConnectionError		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.checkResponse(AppiumServerAvailabilityChecker.java:91)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:62)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		
	at baseTestSteps.BaseSteps.getDriver(BaseSteps.java:35)		
	at stepDefinitions.SpecialAssistancePageSteps.init(SpecialAssistancePageSteps.java:22)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
1	Given the user clicks on the Special Assistance on the home page	SKIPPED	0.000 s
2	And Verify the Special Assistance page	SKIPPED	0.000 s
3	Then Clicks on the Travel with children	SKIPPED	0.001 s
4	And Verify the Travel with children page	SKIPPED	0.000 s
5	Then Clicks on the Baby Care Room	SKIPPED	0.000 s
6	And Verify Baby Care Room expanded	SKIPPED	0.000 s
7	Then Clicks on the Unaccompanied Minor Service	SKIPPED	0.000 s
8	And Verify Unaccompanied Minor Service expanded	SKIPPED	0.000 s
9	And Clicks on Back in travel with children page	SKIPPED	0.000 s
10	Then Clicks on the Assistance for a person	SKIPPED	0.000 s
11	And Verify Assistance for a person page	SKIPPED	0.000 s
12	Then Clicks on the Hidden Disabilities	SKIPPED	0.001 s
13	And Clicks on Back in the Assiatnce for a person page	SKIPPED	0.000 s
14	Then Clicks on Others in Special Assiatnce page	SKIPPED	0.000 s
15	And Verify Others page	SKIPPED	0.001 s
16	Then CLicks on the Medical Services in Others page	SKIPPED	0.000 s
17	And Clicks on the Airlines Assistance in Others page	SKIPPED	0.000 s
18	And Clicks on Back in Others page	SKIPPED	0.000 s
19	And Clicks on Back in Special Assistacne page	SKIPPED	0.000 s
20	Then Verify that the user is redirected to the home page	SKIPPED	0.000 s