Cucumber Report

| Start : Feb 03, 5:09:02.449 pm	End : Feb 03, 5:58:48.728 pm	Duration : 49 m 46.279 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 6 SKIPPED - 0	PASSED - 1 FAILED - 7 SKIPPED - 0	PASSED - 8 FAILED - 7 SKIPPED - 58

Features: 7   Pass % : 14 %

Scenarios: 8   Pass % : 12 %

Steps: 73   Pass % : 10 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validate the functionality of Flights flow	*9 m 39.594 s*	*1*	*0*	*1*	*0*	*13*	*0*	*1*	*12*
Verify Home Page Functionality	*3 m 33.227 s*	*1*	*0*	*1*	*0*	*6*	*0*	*1*	*5*
Verify all carousel slides on the home page	*2 m 54.607 s*	*1*	*1*	*0*	*0*	*6*	*6*	*0*	*0*
Login and Logout Functionality	*7 m 32.154 s*	*1*	*0*	*1*	*0*	*6*	*0*	*1*	*5*
User Signup Process	*1 m 23.240 s*	*1*	*0*	*1*	*0*	*6*	*2*	*1*	*3*
Validate the Functionality of stores flow	*5 m 55.431 s*	*1*	*0*	*1*	*0*	*13*	*0*	*1*	*12*
User Profile Page Validations	*18 m 47.476 s*	*2*	*0*	*2*	*0*	*23*	*0*	*2*	*21*

#	Feature Name	Scenario Name
1	*Validate the functionality of Flights flow*	*Verify that all functionalities are working fine in FLIGHTS*
2	*Verify Home Page Functionality*	*Verify that users are able to view all personalized menus when selects Terminal 1*
3	*Login and Logout Functionality*	*Logout Functionality*
4	*User Signup Process*	*Signup with Valid Information*
5	*Validate the Functionality of stores flow*	*Verify that all functionalities are working fine in Stores*
6	*User Profile Page Validations*	*Validate Edit Functionality in User Profile Page*
7		*Verify the navigation flow of the Feedback Page*

| TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MyAirportRegressionThree	3	1	2	0	3	1	2	0
@flight	1	0	1	0	1	0	1	0
@sanity	8	1	7	0	7	1	6	0
@homePage	1	0	1	0	1	0	1	0
@MyAirportRegressionOne	3	0	3	0	3	0	3	0
@trackMyFlight	1	1	0	0	1	1	0	0
@login	1	0	1	0	1	0	1	0
@signup	1	0	1	0	1	0	1	0
@Stores	1	0	1	0	1	0	1	0
@MyAirportRegressionTwo	2	0	2	0	1	0	1	0
@editProfile	1	0	1	0	1	0	1	0
@customerFeedback	1	0	1	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	Validate the functionality of Flights flow	1	0	1	0	9 m 39.594 s
2	Verify Home Page Functionality	1	0	1	0	3 m 33.227 s
3	Verify all carousel slides on the home page	1	1	0	0	2 m 54.607 s
4	Login and Logout Functionality	1	0	1	0	7 m 32.154 s
5	User Signup Process	1	0	1	0	1 m 23.240 s
6	Validate the Functionality of stores flow	1	0	1	0	5 m 55.431 s
7	User Profile Page Validations	2	0	2	0	18 m 47.476 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate the functionality of Flights flow	Verify that all functionalities are working fine in FLIGHTS	13	0	1	12	9 m 39.586 s
2	Verify Home Page Functionality	Verify that users are able to view all personalized menus when selects Terminal 1	6	0	1	5	3 m 33.224 s
3	Verify all carousel slides on the home page	Add a flight to the Flights Carousel Card and verify its addition	6	6	0	0	2 m 54.607 s
4	Login and Logout Functionality	Logout Functionality	6	0	1	5	7 m 32.154 s
5	User Signup Process	Signup with Valid Information	6	2	1	3	1 m 23.239 s
6	Validate the Functionality of stores flow	Verify that all functionalities are working fine in Stores	13	0	1	12	5 m 55.431 s
7	User Profile Page Validations	Validate Edit Functionality in User Profile Page	5	0	1	4	9 m 25.341 s
8		Verify the navigation flow of the Feedback Page	18	0	1	17	9 m 22.074 s

Validate the functionality of Flights flow

FAILED	DURATION - 9 m 39.594 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 13 Pass - 0 Fail - 1 Skip - 12	13
/ 5:09:02.449 pm // 5:18:42.043 pm /					

Verify that all functionalities are working fine in FLIGHTS

| FAILED	DURATION - 9 m 39.586 s		Steps Total - 13 Pass - 0 Fail - 1 Skip - 12	13
/ 5:09:02.457 pm // 5:18:42.043 pm /				
Validate the functionality of Flights flow				
@MyAirportRegressionThree @flight @sanity				

#	Step / Hook Details	Status	Duration
1	Then click on the Flights icon in the landing page	FAILED	0.252 s

	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [f66870d3-c3fe-42a8-8789-6d74c1f65d56, findElement {using=xpath, value=(//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1]}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: f66870d3-c3fe-42a8-8789-6d74c1f65d56
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107) at pages.pageClasses.HomePage.clickOnFlightsIcon(HomePage.java:33) at stepDefinitions.FlightPageSteps.click_on_the_flights_icon_in_the_landing_page(FlightPageSteps.java:40) at ?.click on the Flights icon in the landing page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/flightsPage.feature:5) * Not displayable characters are replaced by '?'.		
2	Then click on Arrival toggle button in the FLIGHT INFORMATION page	SKIPPED	0.000 s
3	And click on Departure toggle button in the FLIGHT INFORMATION page	SKIPPED	0.001 s
4	Then change the terminal by clicking on dropdown button	SKIPPED	0.002 s
5	And select any flight from available flights for Departure	SKIPPED	0.001 s
6	Then click back arrow in Departure page	SKIPPED	0.001 s
7	Then click on Arrival toggle button in the FLIGHT INFORMATION page	SKIPPED	0.002 s
8	And select any flight from available flights for Arrival	SKIPPED	0.001 s
9	Then verify the Note message in Arrival page	SKIPPED	0.000 s
10	Then click back arrow in Arrival page	SKIPPED	0.005 s
11	Then click on the Get previous Flights link User can see accordingly	SKIPPED	0.001 s
12	And click on back arrow in FLIGHT INFORMATION page	SKIPPED	0.000 s
13	Then close the mobile app	SKIPPED	0.001 s

Verify Home Page Functionality

FAILED	DURATION - 3 m 33.227 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 5:18:42.353 pm // 5:22:15.580 pm /					

Verify that users are able to view all personalized menus when selects Terminal 1

| FAILED	DURATION - 3 m 33.224 s
/ 5:18:42.356 pm // 5:22:15.580 pm /	
Verify Home Page Functionality	
@homePage @MyAirportRegressionOne @sanity	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	Given the user select the Terminal1 from the dropdown	FAILED	0.160 s

	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [71c26e21-a8c2-4e48-88b0-d478aed48de4, findElement {using=xpath, value=(//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1]}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 71c26e21-a8c2-4e48-88b0-d478aed48de4
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		

#	Step / Hook Details	Status	Duration
	at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107) at pages.pageClasses.HomePage.clickOnDDTerminal(HomePage.java:341) at stepDefinitions.HomePageSteps.the_user_select_the_terminal1_from_the_dropdown(HomePageSteps.java:43) at ?.the user select the Terminal1 from the dropdown(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:13) * Not displayable characters are replaced by '?'.		
2	Then the user is able to view flights, dining, essentials & services, shuttle bus, carpark, and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.000 s
4	Then the user is able to view online shopping, transportation, lounge, booking services, hotels, and stores in the second slide	SKIPPED	0.000 s
5	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.000 s
6	Then the user is able to view clinic, transfer counter, airline ticketing center, baggage reclaim, baggage locker, and Bureau de Change in the last slide	SKIPPED	0.000 s

Verify all carousel slides on the home page

PASSED	DURATION - 2 m 54.607 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 5:22:15.684 pm // 5:25:10.291 pm /						

Add a flight to the Flights Carousel Card and verify its addition

PASSED	DURATION - 2 m 54.607 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 5:22:15.684 pm // 5:25:10.291 pm /				
Verify all carousel slides on the home page				
@MyAirportRegressionThree @trackMyFlight @sanity				

#	Step / Hook Details	Status	Duration
1	Given verify the user is on the Home Page	PASSED	0.312 s
2	When the user clicks on the Flights button on the Home Page	PASSED	0.053 s

#	Step / Hook Details	Status	Duration
3	And selects a flight then the user clicks on the Track My Flight button to track the flight	PASSED	0.059 s
4	And navigates back to the Home Page	PASSED	0.010 s
5	Then the user clicks on the Flights carousel card on the Home Page	PASSED	0.025 s
6	And verifies that the flight has been added to the My Flights page	PASSED	8.042 s

Login and Logout Functionality

| FAILED	DURATION - 7 m 32.154 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5
/ 5:25:10.337 pm // 5:32:42.491 pm /			

Logout Functionality

FAILED	DURATION - 7 m 32.154 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5
/ 5:25:10.337 pm // 5:32:42.491 pm /			
Login and Logout Functionality			
@MyAirportRegressionOne @login @sanity			

#	Step / Hook Details	Status	Duration
1	And the user clicks on the user account	FAILED	0.045 s
	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [17122da5-c06c-4885-96e8-e60681bcfb66, findElement {using=xpath, value=(//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1]}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080},		

#	Step / Hook Details	Status	Duration

	appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 17122da5-c06c-4885-96e8-e60681bcfb66
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	   at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	   at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)
	   at pages.pageClasses.HomePage.clickOnUserAccount(HomePage.java:207)
	   at stepDefinitions.LoginPageSteps.the_user_clicks_on_the_user_account(LoginPageSteps.java:46)
	   at ?.the user clicks on the user account(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/loginPage.feature:9)
	* Not displayable characters are replaced by '?'.		

2	Then the user navigates to the user profile page	SKIPPED	0.001 s
3	And clicks on the Logout button	SKIPPED	0.000 s
4	Then the user navigates to the Logout page	SKIPPED	0.000 s
5	And clicks on the Yes button to Logout	SKIPPED	0.000 s
6	Then navigates to the home page with successfully logged out	SKIPPED	0.001 s

User Signup Process

FAILED	DURATION - 1 m 23.240 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	6
	/ 5:32:42.520 pm // 5:34:05.760 pm /				

Signup with Valid Information

FAILED	DURATION - 1 m 23.239 s
/ 5:32:42.521 pm // 5:34:05.760 pm /	
User Signup Process	
@MyAirportRegressionOne @signup @sanity	

Steps
Total - 6
Pass - 2
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given My Airports application is opened	PASSED	0.000 s
2	When the user clicks on the login or Signup button	PASSED	6.264 s
3	And the user navigates to the Login page	FAILED	0.013 s

org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [15f352d9-392e-47b4-8cf7-b223a00d7b16, findElement {using=xpath, value=//*[@text='SUBMIT']}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 15f352d9-392e-47b4-8cf7-b223a00d7b16
 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101) at pages.pageClasses.LoginPage.verifyLoginPage(LoginPage.java:20) at stepDefinitions.SignupPageSteps.the_user_navigates_to_the_login_page(SignupPageSteps.java:47) at ?.the user navigates to the Login page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/signupPage.feature:7) * Not displayable characters are replaced by '?'.		
4	Then proceeds to the Signup page by clicking on the signup button	SKIPPED	0.000 s
5	And the user is prompted to enter their First Name, Last Name, Email ID, and Password	SKIPPED	0.001 s
6	Then clicks on the Create Account button	SKIPPED	0.000 s

Validate the Functionality of stores flow

FAILED	DURATION - 5 m 55.431 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 13 Pass - 0 Fail - 1 Skip - 12
/ 5:34:05.789 pm // 5:40:01.220 pm /			

Verify that all functionalities are working fine in Stores

FAILED	DURATION - 5 m 55.431 s		Steps Total - 13 Pass - 0 Fail - 1 Skip - 12
/ 5:34:05.789 pm // 5:40:01.220 pm /			
Validate the Functionality of stores flow			
@MyAirportRegressionThree @Stores @sanity			

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the Stores button on the home page	FAILED	3 m 7.787 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [378da676-1567-4b08-bcec-68698b36866f, findElement [using, value]]		

| #	Step / Hook Details	Status	Duration

	Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 378da676-1567-4b08-bcec-68698b36866f
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	  at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101)
	  at utils.MobileUtils.click(MobileUtils.java:118)
	  at pages.pageClasses.HomePage.clickOnStoresIcon(HomePage.java:83)
	  at stepDefinitions.StoresSteps.the_user_clicks_on_the_stores_button_on_the_home_page(StoresSteps.java:41)
	  at ?.the user clicks on the Stores button on the home page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/storesPage.feature:5)
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)
	  at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)
	  at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)
	  at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)
	  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)
	  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)
	  at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)
	  at java.base/java.lang.Thread.run(Thread.java:1583)
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes
	  at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)
	  at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)
	  ... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes
	  at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)
	  at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)
	  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207) ... 3 more Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414) * Not displayable characters are replaced by '?'.		
2	Then the user navigates to the Stores page	SKIPPED	0.001 s
3	And clicks on the terminal dropdown to change the terminal in the Stores page	SKIPPED	0.000 s
4	Then clicks on any of the Stores from the Stores list	SKIPPED	0.000 s
5	And verifies that the user navigates to the same Stores page	SKIPPED	0.000 s
6	Then clicks on the favorite to add to favorites	SKIPPED	0.001 s
7	Then verifies the Rating Review text in the POI details page	SKIPPED	0.000 s
8	Then verifies the Take Me There text in the POI details page	SKIPPED	0.000 s
9	And verifies the back arrow icon in the POI details page	SKIPPED	0.000 s
10	And clicks on the back arrow icon in the POI details page	SKIPPED	0.000 s
11	Then verifies that the Stores page is displayed	SKIPPED	0.000 s
12	And verifies the back arrow icon in the Stores page and clicks on the back arrow icon	SKIPPED	0.000 s
13	Then verifies that it takes the user to the home page	SKIPPED	0.000 s

User Profile Page Validations

FAILED	DURATION - 18 m 47.476 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 23 Pass - 0 Fail - 2 Skip - 21	23
/ 5:40:01.252 pm // 5:58:48.728 pm /					

Validate Edit Functionality in User Profile Page

FAILED	DURATION - 9 m 25.341 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	5
/ 5:40:01.252 pm // 5:49:26.593 pm /				
User Profile Page Validations				
@MyAirportRegressionTwo @editProfile @sanity				

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the User Profile button on the homepage	FAILED	2 m 0.019 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [dda0a37d-12fb-4a14-be41-a9c4597dc411, findElement [using, value]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: dda0a37d-12fb-4a14-be41-a9c4597dc411
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		

#	Step / Hook Details	Status	Duration
	at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)		
	at pages.pageClasses.HomePage.clickOnUserAccount(HomePage.java:207)		
	at stepDefinitions.UserProfileSteps.the_user_clicks_on_the_user_profile_button_on_the_homepage(UserProfileSteps.java:40)		
	at ?.the user clicks on the User Profile button on the homepage(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/userProfile.feature:42)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414)		
	* Not displayable characters are replaced by '?'.		
2	Then the user clicks on the Edit icon	SKIPPED	0.002 s
3	And changes the First Name of the user from the Edit Profile Page and Save	SKIPPED	0.000 s
4	Then clicks on the Back icon from the Edit Profile Page	SKIPPED	0.000 s
5	And verifies that the user name has been changed in the User Profile Page	SKIPPED	0.000 s

Verify the navigation flow of the Feedback Page

FAILED	DURATION - 9 m 22.074 s
/ 5:49:26.654 pm // 5:58:48.728 pm /	
User Profile Page Validations	
@MyAirportRegressionTwo @customerFeedback @sanity	

Steps
Total - 18
Pass - 0
Fail - 1
Skip - 17

18

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the User Profile button on the homepage	FAILED	2 m 0.028 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [c6862d42-ae52-425c-a23c-8f50946555c2, findElement [using, value]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: c6862d42-ae52-425c-a23c-8f50946555c2
	
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)		
	at pages.pageClasses.HomePage.clickOnUserAccount(HomePage.java:207)		
	at stepDefinitions.UserProfileSteps.the_user_clicks_on_the_user_profile_button_on_the_homepage(UserProfileSteps.java:40)		
	at ?.the user clicks on the User Profile button on the homepage(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/userProfile.feature:62)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414) * Not displayable characters are replaced by '?'.		
2	When the user clicks on the Feedback icon	SKIPPED	0.001 s
3	Then the user should land on the Feedback Page	SKIPPED	0.001 s
4	And all buttons present on the Feedback Page should be verified	SKIPPED	0.001 s
5	When the user clicks on the File a Complaint button	SKIPPED	0.001 s
6	Then the user should land on the Terminal Page	SKIPPED	0.001 s
7	When the user clicks on the Previous button on the Terminal Page	SKIPPED	0.001 s
8	Then the user should be navigated back to the Feedback Page	SKIPPED	0.001 s
9	When the user clicks on the Make a Suggestion button again	SKIPPED	0.000 s
10	Then the user should land on the Terminal Page	SKIPPED	0.000 s
11	When the user clicks on the Previous button on the Terminal Page	SKIPPED	0.000 s
12	Then the user should be navigated back to the Feedback Page	SKIPPED	0.001 s
13	When the user clicks on the Give a Compliment button again	SKIPPED	0.001 s
14	Then the user should land on the Terminal Page	SKIPPED	0.000 s
15	When the user clicks on the Previous button on the Terminal Page	SKIPPED	0.001 s
16	Then the user should be navigated back to the Feedback Page	SKIPPED	0.000 s
17	When the user clicks on the Close icon from the Customer Feedback Page	SKIPPED	0.000 s
18	Then the user should land back on the User Profile page	SKIPPED	0.001 s