Cucumber Report

| Start : Feb 03, 2:29:08.255 pm	End : Feb 03, 3:18:23.548 pm	Duration : 49 m 15.293 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 5 SKIPPED - 0	PASSED - 4 FAILED - 9 SKIPPED - 0	PASSED - 56 FAILED - 9 SKIPPED - 60

8

13

125

Pass % 37 %

Pass % 30 %

Pass % 44 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Validate the functionality of Essential Services flow	4 m 24.747 s	1	0	1	0	13	0	1	12
Validate the functionality of Guest flow	3 m 32.374 s	1	0	1	0	33	2	1	30
Verify Home Page Functionality	26 m 51.480 s	5	0	5	0	24	9	5	10
Login and Logout Functionality	6 m 11.243 s	2	1	1	0	7	1	1	5
PreLogin functionality	1 m 43.138 s	1	1	0	0	17	17	0	0
Exciting News functionality	1 m 1.277 s	1	1	0	0	5	5	0	0
User Signup Process	1 m 15.764 s	1	0	1	0	6	2	1	3
Special Assistance Flow	4 m 14.564 s	1	1	0	0	20	20	0	0

#	Feature Name	Scenario Name
1	*Validate the functionality of Essential Services flow*	*Verify that all functionalities are working fine in EssentialServices*
2	*Validate the functionality of Guest flow*	*Verify that all functionalities are working fine in guest*
3	*Verify Home Page Functionality*	*Verify that users are able to view all personalized menus when selects Terminal 1*
4		*Verify that users are able to view all personalized menus when selects Terminal 2*
5		*Verify that users are able to view all personalized menus when selects BKI*
6		*Verify that users are able to view all personalized menus when selects KCH*
7		*Verify that users are able to view all personalized menus when selects PEN*
8	*Login and Logout Functionality*	*Logout Functionality*
9	*User Signup Process*	*Signup with Valid Information*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MyAirportRegressionOne	13	4	9	0	8	3	5	0
@essentials	1	0	1	0	1	0	1	0
@guest	1	0	1	0	1	0	1	0
@homePage	5	0	5	0	1	0	1	0
@sanity	3	0	3	0	3	0	3	0
@login	2	1	1	0	1	0	1	0
@pre-login	1	1	0	0	1	1	0	0
@pre-loginNews	1	1	0	0	1	1	0	0
@signup	1	0	1	0	1	0	1	0
@specialAssistance	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Validate the functionality of Essential Services flow	1	0	1	0	4 m 24.747 s
2	Validate the functionality of Guest flow	1	0	1	0	3 m 32.374 s
3	Verify Home Page Functionality	5	0	5	0	26 m 51.480 s
4	Login and Logout Functionality	2	1	1	0	6 m 11.243 s
5	PreLogin functionality	1	1	0	0	1 m 43.138 s
6	Exciting News functionality	1	1	0	0	1 m 1.277 s
7	User Signup Process	1	0	1	0	1 m 15.764 s
8	Special Assistance Flow	1	1	0	0	4 m 14.564 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate the functionality of Essential Services flow	Verify that all functionalities are working fine in EssentialServices	13	0	1	12	4 m 24.738 s
2	Validate the functionality of Guest flow	Verify that all functionalities are working fine in guest	33	2	1	30	3 m 32.373 s
3	Verify Home Page Functionality	Verify that users are able to view all personalized menus when selects Terminal 1	6	0	1	5	3 m 13.081 s
4		Verify that users are able to view all personalized menus when selects Terminal 2	6	3	1	2	5 m 5.568 s
5		Verify that users are able to view all personalized menus when selects BKI	4	3	1	0	5 m 45.231 s
6		Verify that users are able to view all personalized menus when selects KCH	4	3	1	0	5 m 47.838 s
7		Verify that users are able to view all personalized menus when selects PEN	4	0	1	3	6 m 59.523 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Login and Logout Functionality	Verify Successful Login with Valid Credentials	1	1	0	0	2 m 49.658 s
9		Logout Functionality	6	0	1	5	3 m 21.560 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	PreLogin functionality	Verify All Functionalities in prelogin	17	17	0	0	1 m 43.138 s
11	Exciting News functionality	Validate functionalities of News in prelogin page	5	5	0	0	1 m 1.277 s
12	User Signup Process	Signup with Valid Information	6	2	1	3	1 m 15.764 s
13	Special Assistance Flow	Special Assistance workflow	20	20	0	0	4 m 14.564 s

Validate the functionality of Essential Services flow

FAILED	DURATION - 4 m 24.747 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 0 Fail - 1 Skip - 12	
/ 2:29:08.255 pm // 2:33:33.002 pm /					

Verify that all functionalities are working fine in EssentialServices

FAILED	DURATION - 4 m 24.738 s		Steps Total - 13 Pass - 0 Fail - 1 Skip - 12
/ 2:29:08.264 pm // 2:33:33.002 pm /			
Validate the functionality of Essential Services flow			
@MyAirportRegressionOne @essentials			

| #	Step / Hook Details	Status	Duration
1	Given the user clicks on the Essential Services button on the home page	FAILED	2 m 0.046 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [8f227700-38cd-4092-8614-62b614161212, findElement [value, using]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 8f227700-38cd-4092-8614-62b614161212
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)		
	at pages.pageClasses.HomePage.clickOnEssentialAndServicesIcon(HomePage.java:50)		
	at stepDefinitions.EssentialServicesPageSteps. the_user_clicks_on_the_essential_services_button_on_the_home_page(EssentialServicesPageSteps.java:42)		
	at ?.the user clicks on the Essential Services button on the home page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/ src/test/featureFiles/essentials.feature:5)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414) * Not displayable characters are replaced by '?'.		
2	Then the user navigates to the Essential Services page	SKIPPED	0.001 s
3	And clicks on the terminal dropdown to change the terminal in the Essential Services page	SKIPPED	0.000 s
4	Then clicks on any of the Services from the Services list	SKIPPED	0.001 s
5	And verifies that the user navigates to the same Service page	SKIPPED	0.000 s
6	Then clicks on the favorite to add to favorites in Service details page	SKIPPED	0.000 s
7	Then verifies the Rating Review text in the POI Service details page	SKIPPED	0.000 s
8	Then verifies the Take Me There text in the POI Service details page	SKIPPED	0.000 s
9	And verifies the back arrow icon in the POI Service details page	SKIPPED	0.000 s
10	And clicks on the back arrow icon in the POI Service details page	SKIPPED	0.000 s
11	Then verifies that the Essential Service page is displayed	SKIPPED	0.000 s
12	And verifies the back arrow icon in the Essential Service page and clicks on the back arrow icon	SKIPPED	0.000 s
13	Then verifies that it takes the user to the home page from Essential Service page	SKIPPED	0.000 s

Validate the functionality of Guest flow

FAILED	DURATION - 3 m 32.374 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 33 Pass - 2 Fail - 1 Skip - 30	33
/ 2:33:33.408 pm // 2:37:05.782 pm /					

Verify that all functionalities are working fine in guest

FAILED	DURATION - 3 m 32.373 s

/ 2:33:33.409 pm // 2:37:05.782 pm /

Validate the functionality of Guest flow

@MyAirportRegressionOne @guest

Steps
Total - 33
Pass - 2
Fail - 1
Skip - 30

33

#	Step / Hook Details	Status	Duration
1	Then the guest successfully navigates to the Home page	PASSED	0.548 s
2	Then the guest clicks on the Special Assistance on the home page	PASSED	2.296 s
3	And verify the Special Assistance page	FAILED	2 m 0.039 s

org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [188e0958-c9b0-468c-8fd8-3d7d5b474b37, findElement [value, using]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 188e0958-c9b0-468c-8fd8-3d7d5b474b37
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
   at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101)
   at utils.MobileUtils.isElementVisible(MobileUtils.java:144)
   at pages.pageClasses.GuestPage.verifySpecialAssistance(GuestPage.java:37)
   at stepDefinitions.GuestPageSteps.verify_the_special_assistance_page(GuestPageSteps.java:42)
   at ?.verify the Special Assistance page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/guest.feature:8)
Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes
   at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)

| #	Step / Hook Details	Status	Duration
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414)		
	* Not displayable characters are replaced by '?'.		
4	And clicks on Back in Special Assistacne page	SKIPPED	0.000 s
5	Then Verify that the guest is redirected to the home page	SKIPPED	0.001 s
6	When the guest clicks on the Menu button from the Home Page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then all the buttons should be displayed in the Menu for guest	SKIPPED	0.001 s
8	When the guest clicks on the SPECIAL ASSISTANCE feature in the Menu	SKIPPED	0.001 s
9	Then the guest should be navigated to the SPECIAL ASSISTANCE Page	SKIPPED	0.000 s
10	When the guest clicks on the Back button on the SPECIAL ASSISTANCE Page	SKIPPED	0.000 s
11	Then the guest should be navigated back to the Home Page	SKIPPED	0.000 s
12	When the guest clicks on the Menu button from the Home Page	SKIPPED	0.000 s
13	And the guest selects the FLIGHTS feature in the Menu	SKIPPED	0.000 s
14	Then the guest should be navigated to the FLIGHTS Information Page	SKIPPED	0.000 s
15	When the guest clicks on the Back button on the FLIGHTS Information Page	SKIPPED	0.000 s
16	Then the guest should be navigated back to the Home Page	SKIPPED	0.000 s
17	When the guest clicks on the Menu button from the Home Page	SKIPPED	0.000 s
18	And the guest selects the PROMOTIONS feature in the Menu	SKIPPED	0.001 s
19	Then the guest should be navigated to the PROMOTIONS Page	SKIPPED	0.000 s
20	When the guest clicks on the Back button on the PROMOTIONS Page	SKIPPED	0.001 s
21	Then the guest should be navigated back to the Home Page	SKIPPED	0.000 s
22	When the guest clicks on the Menu button from the Home Page	SKIPPED	0.000 s
23	And the guest selects the GENERAL feature in the Menu	SKIPPED	0.001 s
24	Then the guest should be navigated to the GENERAL Page	SKIPPED	0.000 s
25	When the guest clicks on the Back button on the GENERAL Page	SKIPPED	0.000 s
26	Then the guest should be navigated back to the Home Page	SKIPPED	0.001 s
27	When the guest clicks on the Menu button from the Home Page	SKIPPED	0.000 s
28	And the guest selects the KEY INFO feature in the Menu	SKIPPED	0.000 s
29	Then the guest should be navigated to the KEY INFO Page	SKIPPED	0.000 s
30	When the guest clicks on the Back button on the KEY INFO Page	SKIPPED	0.000 s
31	Then the guest should be navigated back to the Home Page	SKIPPED	0.000 s
32	When the guest clicks on the User Profile button on the homepage	SKIPPED	0.000 s
33	Then the guest navigates to the Login page	SKIPPED	0.000 s

Verify Home Page Functionality

| FAILED	DURATION - 26 m 51.480 s		Scenarios		Steps	
/ 2:37:05.904 pm // 3:03:57.384 pm /			Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Total - 24 Pass - 9 Fail - 5 Skip - 10	24

Verify that users are able to view all personalized menus when selects Terminal 1

FAILED	DURATION - 3 m 13.081 s		Steps	
/ 2:37:05.906 pm // 2:40:18.987 pm /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Verify Home Page Functionality				
@homePage @MyAirportRegressionOne @sanity				

#	Step / Hook Details	Status	Duration
1	Given the user select the Terminal1 from the dropdown	FAILED	0.022 s

	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [bc593ac8-036b-4cb9-a3c6-637617271b58, findElement {value=(//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1], using=xpath}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: bc593ac8-036b-4cb9-a3c6-637617271b58
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107) at pages.pageClasses.HomePage.clickOnDDTerminal(HomePage.java:341) at stepDefinitions.HomePageSteps.the_user_select_the_terminal1_from_the_dropdown(HomePageSteps.java:43) at ?.the user select the Terminal1 from the dropdown(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:13) * Not displayable characters are replaced by '?'.		
2	Then the user is able to view flights, dining, essentials & services, shuttle bus, carpark, and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.002 s
4	Then the user is able to view online shopping, transportation, lounge, booking services, hotels, and stores in the second slide	SKIPPED	0.001 s
5	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.000 s
6	Then the user is able to view clinic, transfer counter, airline ticketing center, baggage reclaim, baggage locker, and Bureau de Change in the last slide	SKIPPED	0.000 s

Verify that users are able to view all personalized menus when selects Terminal 2

FAILED	DURATION - 5 m 5.568 s
/ 2:40:19.021 pm // 2:45:24.589 pm /	
Verify Home Page Functionality	
@homePage @MyAirportRegressionOne	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given the user select the Terminal2 from the dropdown	PASSED	1 m 18.380 s
2	Then the user is able to view flights, dining, essentials & services, stores, customer feedback and booking services in the first slide	PASSED	5.566 s
3	When the user clicks on the Next arrow button for the next slide	PASSED	0.708 s

#	Step / Hook Details	Status	Duration
4	Then the user is able to view online shopping, transportation, lounge, hotels, bureau de change and baggage reclaim in the second slide	FAILED	2 m 0.014 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [1a63642a-16c0-4dc1-810c-cc66986b857d, findElement [value, using]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 1a63642a-16c0-4dc1-810c-cc66986b857d 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) 　　at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194) 　　at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190) 　　at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) 　　at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101) 　　at utils.MobileUtils.isElementVisible(MobileUtils.java:144) 　　at pages.pageClasses.HomePage.verifyOnlineShoppingIcon(HomePage.java:104) 　　at stepDefinitions.HomePageSteps.the_user_is_able_to_view_online_shopping_transportation_lounge_hotels_bureau_de_change_and_baggage_reclaim_in_the_second_slide(HomePageSteps.java:63) 　　at ?.the user is able to view online shopping, transportation, lounge, hotels, bureau de change and baggage reclaim in the second slide(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:25) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes 　　at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497) 　　at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35) 　　at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87) 　　at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55) 　　at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384) 　　at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572) 　　at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) 　　at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) 　　at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) 　　at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456) ... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388) at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207) ... 3 more Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414) * Not displayable characters are replaced by '?'.		
5	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.002 s
6	Then the user is able to view clinic, transfer counter, airline ticketing center, baggage locker, and information center in the last slide	SKIPPED	0.000 s

Verify that users are able to view all personalized menus when selects BKI

FAILED	*DURATION - 5 m 45.231 s*	
/ 2:45:24.650 pm // 2:51:09.881 pm /		
Verify Home Page Functionality		
@homePage @MyAirportRegressionOne		

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user select the BKI-Kota Kinabalu from the dropdown	PASSED	1 m 12.354 s
2	Then the user is able to view flights, dining, essentials & services, baggage locker, airline ticketing center and customer feedback in the first slide	PASSED	47.995 s
3	When the user clicks on the Next arrow button for the next slide	PASSED	1.233 s
4	Then the user is able to view transportation, lounge, clinic, stores, bureau de change and baggage reclaim in the second slide	FAILED	2 m 0.023 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [c511576c-133d-4d80-b038-de8a42727df8, findElement [value, using]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: c511576c-133d-4d80-b038-de8a42727df8
	
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	   at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101)
	   at utils.MobileUtils.isElementVisible(MobileUtils.java:144)
	   at pages.pageClasses.HomePage.verifyTransportIcon(HomePage.java:112)
	   at stepDefinitions.HomePageSteps.
	the_user_is_able_to_view_transportation_lounge_clinic_stores_bureau_de_change_and_baggage_reclaim_in_the_second_slide(HomePageSt		

#	Step / Hook Details	Status	Duration
	eps.java:95)		
	at ?.the user is able to view transportation, lounge, clinic, stores, bureau de change and baggage reclaim in the second slide(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:34)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

Verify that users are able to view all personalized menus when selects KCH

FAILED	DURATION - 5 m 47.838 s
/ 2:51:09.967 pm // 2:56:57.805 pm /	
Verify Home Page Functionality	
@homePage @MyAirportRegressionOne	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user select the KCH-Kuching from the dropdown	PASSED	1 m 18.472 s
2	Then the user is able to view flights, dining, essentials & services, transfer counter, customer feedback and stores in the first slide	PASSED	44.521 s
3	When the user clicks on the Next arrow button for the next slide	PASSED	2.125 s
4	Then the user is able to view essentials & services, transportation, lounge, stores, airline ticketing center and baggage reclaim in the second slide	FAILED	2 m 0.470 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [83da51b6-0df7-4086-abe6-a4f39e6e86aa, findElement [value, using]] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 83da51b6-0df7-4086-abe6-a4f39e6e86aa
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		

#	Step / Hook Details	Status	Duration
	at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101)		
	at utils.MobileUtils.isElementVisible(MobileUtils.java:144)		
	at pages.pageClasses.HomePage.verifyTransportIcon(HomePage.java:112)		
	at stepDefinitions.HomePageSteps.the_user_is_able_to_view_essentials_services_transportation_lounge_stores_airline_ticketing_center_and_baggage_reclaim_in_the_second_slide(HomePageSteps.java:120)		
	at ?.the user is able to view essentials & services, transportation, lounge, stores, airline ticketing center and baggage reclaim in the second slide(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:42)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	... 9 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	... 3 more Caused by: java.io.EOFException: EOF reached while reading		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1469)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1414)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1414)		
	* Not displayable characters are replaced by '?'.		

Verify that users are able to view all personalized menus when selects PEN

FAILED	*DURATION - 6 m 59.523 s*	Steps
		Total - 4
/ 2:56:57.861 pm // 3:03:57.384 pm /		Pass - 0
		Fail - 1
Verify Home Page Functionality		Skip - 3
@homePage @MyAirportRegressionOne		

#	Step / Hook Details	Status	Duration
1	Given the user select the PEN-Penang from the dropdown	FAILED	4 m 0.156 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: (//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1] (tried for 90 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)		
	at pages.pageClasses.HomePage.clickOnDDTerminal(HomePage.java:341)		
	at stepDefinitions.HomePageSteps.the_user_select_the_pen_penang_from_the_dropdown(HomePageSteps.java:128)		
	at ?.the user select the PEN-Penang from the dropdown(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/homePage.feature:46)		
	Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [99012f1b-827b-4485-a0e6-538282bcddcd, findElement {value=(//*[contains(@class,'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1], using=xpath}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63,		

#	Step / Hook Details	Status	Duration

	appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 99012f1b-827b-4485-a0e6-538282bcddcd
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	  at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107)
	  at pages.pageClasses.HomePage.clickOnDDTerminal(HomePage.java:341)
	  at stepDefinitions.HomePageSteps.the_user_select_the_pen_penang_from_the_dropdown(HomePageSteps.java:128)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
2	Then the user is able to view flights, dining, essentials & services, airline ticketing center, stores and customer feedback in the first slide	SKIPPED	0.000 s
3	When the user clicks on the Next arrow button for the next slide	SKIPPED	0.000 s
4	Then the user is able to view online transportation, lounge, clinic, bureau de change and baggage reclaim in the second slide	SKIPPED	0.000 s

Login and Logout Functionality

FAILED	DURATION - 6 m 11.243 s	Scenarios		Steps	
		Total - 2		Total - 7	
/ 3:03:57.435 pm // 3:10:08.678 pm /		Pass - 1	2	Pass - 1	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

Verify Successful Login with Valid Credentials

PASSED	*DURATION - 2 m 49.658 s*		Steps
			Total - 1
/ 3:03:57.435 pm // 3:06:47.093 pm /			Pass - 1
			Fail - 0
Login and Logout Functionality			Skip - 0
@MyAirportRegressionOne @login			

#	Step / Hook Details	Status	Duration
1	Then the user successfully navigates to the Home page	PASSED	1 m 8.964 s

Logout Functionality

FAILED	*DURATION - 3 m 21.560 s*		Steps
			Total - 6
/ 3:06:47.118 pm // 3:10:08.678 pm /			Pass - 0
			Fail - 1
Login and Logout Functionality			Skip - 5
@MyAirportRegressionOne @login @sanity			

#	Step / Hook Details	Status	Duration
1	And the user clicks on the user account	FAILED	0.016 s
	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android. AndroidDriver Command: [944d2830-3901-491e-812c-13efda1fa1bc, findElement {value=(//*[contains(@class, 'HorizontalScrollView')][2]//*[contains(@class,'ImageView')])[1], using=xpath}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 944d2830-3901-491e-812c-13efda1fa1bc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.MobileUtils.waitForElementPresence(MobileUtils.java:107) at pages.pageClasses.HomePage.clickOnUserAccount(HomePage.java:207) at stepDefinitions.LoginPageSteps.the_user_clicks_on_the_user_account(LoginPageSteps.java:46) at ?.the user clicks on the user account(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/loginPage.feature:9) * Not displayable characters are replaced by '?'.		
2	Then the user navigates to the user profile page	SKIPPED	0.000 s
3	And clicks on the Logout button	SKIPPED	0.000 s
4	Then the user navigates to the Logout page	SKIPPED	0.000 s
5	And clicks on the Yes button to Logout	SKIPPED	0.000 s
6	Then navigates to the home page with successfully logged out	SKIPPED	0.000 s

PreLogin functionality

PASSED	DURATION - 1 m 43.138 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	17
/ 3:10:08.706 pm // 3:11:51.844 pm /					

Verify All Functionalities in prelogin

PASSED	DURATION - 1 m 43.138 s

/ 3:10:08.706 pm // 3:11:51.844 pm /

PreLogin functionality

@pre-login @MyAirportRegressionOne

Steps
Total - 17
Pass - 17
Fail - 0
Skip - 0

17

#	Step / Hook Details	Status	Duration
1	When the user clicks on BAHASA MALAYSIA in the Prelogin Page	PASSED	27.360 s
2	And verifies that the app language changes in malasia language	PASSED	14.919 s
3	Then the user clicks on CHINESE in the Prelogin Page	PASSED	4.283 s
4	And verifies that the app language changes in chinese language	PASSED	9.626 s
5	And the user clicks on ENGLISH in the Prelogin Page	PASSED	13.652 s
6	Then verifies that the app language changes in english language	PASSED	3.957 s
7	When the user select the BKI-Kota Kinabalu from the dropdown in Prelogin Page	PASSED	3.343 s
8	And Verify terminal selected as BKI	PASSED	0.175 s
9	Then the user select the KCH-Kuching from the dropdown in Prelogin Page	PASSED	0.906 s
10	And Verify terminal selected as KCH	PASSED	0.186 s
11	Then the user select the PEN-Penang from the dropdown in Prelogin Page	PASSED	0.731 s
12	And Verify terminal selected as PEN	PASSED	0.155 s
13	Then the user select the Terminal2 from the dropdown in Prelogin Page	PASSED	0.603 s
14	And Verify terminal selected as Terminal2	PASSED	0.288 s
15	Then the user select the Terminal1 from the dropdown in Prelogin Page	PASSED	0.990 s
16	And Verify terminal selected as Terminal1	PASSED	0.179 s
17	Then clicks on the Submit button in Prelogin Page	PASSED	2.096 s

Exciting News functionality

PASSED	DURATION - 1 m 1.277 s		Scenarios		Steps	
/ 3:11:51.888 pm // 3:12:53.165 pm /			Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 5 Pass - 5 Fail - 0 Skip - 0	5

Validate functionalities of News in prelogin page

PASSED	DURATION - 1 m 1.277 s		Steps	
/ 3:11:51.888 pm // 3:12:53.165 pm /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
Exciting News functionality				
@MyAirportRegressionOne @pre-loginNews				

#	Step / Hook Details	Status	Duration
1	When verify that exciting news present on the prelogin page	PASSED	27.201 s
2	And the user clicks on the Read More link	PASSED	0.435 s
3	Then verify the user navigates to the exciting news page	PASSED	11.971 s
4	And clicks on the back arrow icon in the exciting news page	PASSED	0.464 s
5	And verify the user navigated to preloginpage	PASSED	0.298 s

User Signup Process

FAILED	DURATION - 1 m 15.764 s		Scenarios		Steps	
/ 3:12:53.189 pm // 3:14:08.953 pm /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 2 Fail - 1 Skip - 3	6

Signup with Valid Information

FAILED	DURATION - 1 m 15.764 s
/ 3:12:53.189 pm // 3:14:08.953 pm /	
User Signup Process	
@MyAirportRegressionOne @signup @sanity	

Steps
Total - 6
Pass - 2
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given My Airports application is opened	PASSED	0.000 s
2	When the user clicks on the login or Signup button	PASSED	6.022 s
3	And the user navigates to the Login page	FAILED	0.010 s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: io.appium.java_client.android.AndroidDriver Command: [df154756-b98b-4035-bcf1-dc1d63a30344, findElement {value=//*[@text='SUBMIT'], using=xpath}] Capabilities {appium:app: C:\Users\Mind-Graph\Downloa..., appium:appPackage: klia.mahb.ios, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\Mind-Graph\Downloa..., automationName: UIAutomator2, deviceName: Pixel 6 pro API 30, platformName: ANDROID, platformVersion: Android 11, udid: emulator-5554}, appium:deviceApiLevel: 30, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone_x86, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium:deviceUDID: emulator-5554, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2.625, appium:platformVersion: 11, appium:statBarHeight: 63, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: df154756-b98b-4035-bcf1-dc1d63a30344
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.MobileUtils.waitForElementVisibility(MobileUtils.java:101) at pages.pageClasses.LoginPage.verifyLoginPage(LoginPage.java:20) at stepDefinitions.SignupPageSteps.the_user_navigates_to_the_login_page(SignupPageSteps.java:47) at ?.the user navigates to the Login page(file:///C:/Users/Mind-Graph/Downloads/Kapil_MyAirports/MyAirport/src/test/featureFiles/signupPage.feature:7) * Not displayable characters are replaced by '?'.		
4	Then proceeds to the Signup page by clicking on the signup button	SKIPPED	0.001 s
5	And the user is prompted to enter their First Name, Last Name, Email ID, and Password	SKIPPED	0.000 s
6	Then clicks on the Create Account button	SKIPPED	0.000 s

Special Assistance Flow

PASSED	DURATION - 4 m 14.564 s	Scenarios	Steps
/ 3:14:08.984 pm // 3:18:23.548 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0 1	Total - 20 Pass - 20 Fail - 0 Skip - 0 20

Special Assistance workflow

PASSED	DURATION - 4 m 14.564 s		Steps
/ 3:14:08.984 pm // 3:18:23.548 pm /			Total - 20 Pass - 20 Fail - 0 Skip - 0 20
Special Assistance Flow			
@specialAssistance @MyAirportRegressionOne			

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the Special Assistance on the home page	PASSED	1 m 24.948 s
2	And Verify the Special Assistance page	PASSED	9.882 s
3	Then Clicks on the Travel with children	PASSED	3.065 s
4	And Verify the Travel with children page	PASSED	0.253 s
5	Then Clicks on the Baby Care Room	PASSED	7.902 s

#	Step / Hook Details	Status	Duration
6	And Verify Baby Care Room expanded	PASSED	1.208 s
7	Then Clicks on the Unaccompanied Minor Service	PASSED	0.407 s
8	And Verify Unaccompanied Minor Service expanded	PASSED	1.172 s
9	And Clicks on Back in travel with children page	PASSED	0.472 s
10	Then Clicks on the Assistance for a person	PASSED	2.241 s
11	And Verify Assistance for a person page	PASSED	1.119 s
12	Then Clicks on the Hidden Disabilities	PASSED	4.744 s
13	And Clicks on Back in the Assiatnce for a person page	PASSED	1.103 s
14	Then Clicks on Others in Special Assiatnce page	PASSED	1.814 s
15	And Verify Others page	PASSED	0.341 s
16	Then CLicks on the Medical Services in Others page	PASSED	4.190 s
17	And Clicks on the Airlines Assistance in Others page	PASSED	1.097 s
18	And Clicks on Back in Others page	PASSED	0.989 s
19	And Clicks on Back in Special Assistacne page	PASSED	1.999 s
20	Then Verify that the user is redirected to the home page	PASSED	4.677 s