

Командная оболочка Midnight Commander

Кирилл Плетяго¹

23 марта, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы

Цель лабораторной работы

Ознакомление с файловой системой Linux, её структурой, именами и содержанием каталогов. Приобретение практических навыков по применению команд для работы с файлами и каталогами, по управлению процессами, по проверке использования диска и обслуживанию файловой системы.

Задачи лабораторной работы

- 1 Изучить возможности Midnight Commander
- 2 Изучить редактор Midnight Commander

Процесс выполнения лабораторной работы

Работа с Midnight Commander




Рис. 1: Запуск mc

Работа с Midnight Commander




Рис. 2: Выделение

Работа с Midnight Commander




Рис. 3: Отмена

Работа с Midnight Commander




Рис. 4: Копирование

Работа с Midnight Commander




Рис. 5: Перемещение

Работа с Midnight Commander




Рис. 6: Информация

Работа с Midnight Commander




Рис. 7: Быстрый просмотр

Работа с Midnight Commander




Рис. 8: Информация

Работа с Midnight Commander





Рис. 9: Дерево каталогов

Работа с Midnight Commander



The screenshot shows a terminal window titled 'mc [kplettyago@kplettyago]: ~/Документы'. The window displays the contents of a Makefile. The Makefile includes a 'COURSE =' line, a '.PHONY: all clean' declaration, and several targets: 'all: help', 'help:' (which prints usage and targets), 'list:' (which lists courses), 'prepare:' (which generates directory structure), and 'submodule:' (which updates submodules). The 'help:' target uses complex shell commands involving 'grep', 'sort', 'cut', and 'awk' to process the Makefile list.

```
mc [kplettyago@kplettyago]: ~/Документы
/home/kplettyago/Документы/Makefile 980/980 100%
COURSE =

.PHONY: all clean

all: help

help:
    @echo 'Usage:'
    @echo '  make <target>'
    @echo
    @echo 'Targets:'
    @grep -E '[a-zA-Z0-9-~]+:.*?##.*$$' $(MAKEFILE_LIST) | grep -v '###' | sort | cut -d: -f1- | awk 'BEGIN {FS = ".*?##"}; {printf "%033[36m~30s\033[0m %s\n", $$1, $$2}'
    @grep -E '###.*' $(MAKEFILE_LIST) | cut -d' ' -f2- | awk 'BEGIN {FS = "###"}; {printf "%s\n", $$1, $$2}'
    @grep -E '[a-zA-Z0-9-~]+:.*?##.*$$' $(MAKEFILE_LIST) | sort | cut -d: -f2- | awk 'BEGIN {FS = ".*?##"}; {printf "%033[36m~30s\033[0m %s\n", $$1, $$2}'
    @echo


list:  ## List of courses
    @./config/script/list-courses

prepare:  ## Generate directories structure
    @./config/script/prepare
    @touch prepare

submodule:  ## Update submodules
    git submodule update --init --recursive
    git submodule foreach 'git fetch origin; git checkout $(git rev-parse --abbrev-ref HEAD); git reset --hard origin/$(git rev-parse --abbrev-ref HEAD); git submodule update --recursive; git clean -dfx'
```

Рис. 10: Просмотр содержимого текстового файла

Работа с Midnight Commander



```
mc [kpletlyago@kpletlyago]:~/Документы
Makefile [----] 13 L: [ 1=14 15/ 27] * (561 / 980b) 0010 0x00A [*][X]
COURSE =

.PHONY: all clean

all: help

help:
#####@echo 'Usage:'
#####@echo ' make <target>'
#####@echo
#####@echo 'Targets:'
#####@grep -E '^[a-zA-Z_0-9.-]+:.*?##.*$$' $(MAKEFILE_LIST) | grep -v '###' | sort | cut -d: -f1- | awk 'BEGIN {F
#####@grep -E '###.*$$' $(MAKEFILE_LIST) | cut -d' ' -f2- | awk 'BEGIN {FS = "###";} {printf "%s\n", $1, $2}'
#####@grep -E '^[a-zA-Z_0-9.-]+:.*?##.*$$' $(MAKEFILE_LIST) | sort | cut -d: -f2- | awk 'BEGIN {FS = ".*?##"};
#####@echo

list:<-## List of courses
#####@./config/script/list-courses

prepare:<-----## Generate directories structure
#####@./config/script/prepare
#####@touch prepare

submodule:<----## Update submodules
#####git submodule update --init --recursive
#####git submodule foreach 'git fetch origin; git checkout $(git rev-parse --abbrev-ref HEAD); git reset --hard
```

Рис. 11: Отредактируем содержимое текстового файла без сохранения результатов

Работа с Midnight Commander




Рис. 12: Создание каталога

Работа с Midnight Commander




Рис. 13: Копирование в файлов в созданный каталог

Работа с Midnight Commander




Рис. 14: Поиск файлов

Работа с Midnight Commander




Рис. 16: Переход в домашний каталог

Работа с Midnight Commander

```
mc.ext.ini [-----] 0 L: [ 1+ 0 1/1136] *0 /26909b/0035 0x023 [*][X]
# Midnight Commander 4.8 extension file
#
# Warning: The structure of this file has been completely changed with the version 4.0!
#
# All lines starting with # or empty lines are ignored.
#
# IMPORTANT: mc scans this file only upon first use or after editing it using the
# mc "Edit extension file" command (F8-c-e). If you edit this file in any other way
# while mc is running, you will need to press F8-c-e and exit the editor for your
# changes to take effect, or exit mc and start it again.
#
# Section name can be anything with following exceptions:
#   there are two reserved section names:
#       mc.ext.ini
#       Default
#   special name pattern:
#       Include/xxxx
#   See below for more details.
#
# Section [mc.ext.ini] is mandatory. It contains file metadata.
# "Version" parameter is mandatory. It contains the file format version.
#
# Section [Default] is optional. It is applied only if no other match was found.
#
# Sections like [Include/xxxx] can be referenced as "Include=xxxx" from other sections.
# Section [Include/xxxx] can be located as before as after sections that point to it.
#
# Sections are processed from top to bottom, thus the order is important.
# If there are more than one sections with the same name in this file, the first
# section will be used.
#
# [Default] should be a catch-all action and come last.
#
```

Рис. 17: Просмотр файла расширений

A screenshot of the Midnight Commander file menu. The window title is "menu" with a status bar showing "1 t: 1*16 17/378 *(732 /11821b) 0010 0x00A" and a close button. The menu text is as follows:

```
shell_patterns=0

#####
# %% The % character
# %f The current file (if non-local vfs, file will be copied locally and
#           %f will be full path to it)
# %p The current file
# %d The current working directory
# %s "Selected files"; the tagged files if any, otherwise the current file
# %t Tagged files
# %u Tagged files (and they are untagged on return from expand_format)
# %v Run the commands and pipes standard output to the view command
# If %view is immediately followed by '|', recognize keywords
# ascli, hex, nroff and unform
#
# If the format letter is in uppercase, it refers to the other panel
#
# With a number followed the % character you can turn quoting on (default)
# and off. For example:
# %f   quote expanded macro
# %if  ditto
# %of  don't quote expanded macro
#####

+ ! t t
| Do something on the current file
| CMD=%(Enter command)
| $CMD %f

+ t t
| Do something on the tagged files
| CMD=%(Enter command)
| for i in %t ; do
```

At the bottom of the window is a toolbar with 10 icons and their Russian labels: 1. Помощь (Help), 2. Сохранить (Save), 3. Поиск (Search), 4. Имена (Names), 5. Скопия (Copy), 6. Перенести (Move), 7. Повтор (Repeat), 8. Удалить (Delete), 9. Ненавс (Not in view), 10. Выход (Exit).

Рис. 18: Просмотр файла меню

Работа с Midnight Commander



Рис. 19: Конфигурация

Работа с Midnight Commander



Рис. 20: Внешний вид

Работа с Midnight Commander



Рис. 21: Настройки панелей



Рис. 22: Подтверждение



Рис. 23: Оформление



Рис. 24: Кодировка символов

Работа с Midnight Commander



Рис. 25: Распознавание клавиш

Работа с редактором Midnight Commander





Рис. 26: Файл с текстом

Работа с редактором Midnight Commander



```
mc [kpletiago@kpletiago]:~/Документы/newdir
LICENSE [-M--] 0 L: 1+23 24/368 * (1110/16917b) 0032 0x020 [*][X]
Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and
does not provide legal services or legal advice. Distribution of
Creative Commons public licenses does not create a lawyer-client or
other relationship. Creative Commons makes its licenses and related
information available on an "as-is" basis. Creative Commons gives no
warranties regarding its licenses, any material licensed under their
terms and conditions, or any related information. Creative Commons
disclaims all liability for damages resulting from their use to the
fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and
conditions that creators and other rights holders may use to share
original works of authorship and other material subject to copyright
and certain other rights specified in the public license below. The
following considerations are for informational purposes only, are not
exhaustive, and do not form part of our licenses.

|  wiki.creativecommons.org/Considerations_for_licensees
|
=====


Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree
to be bound by the terms and conditions of this Creative Commons
Attribution 4.0 International Public License ("Public License"). To the
extent this Public License may be interpreted as a contract, You are
granted the Licensed Rights in consideration of Your acceptance of
these terms and conditions, and the Licensor grants You such rights in
consideration of benefits the Licensor receives from making the

1 Поиск 2 Сохранить 3 Слов 4 Заменить 5 Справка 6 Переименовать 7 Правки 8 Удалить 9 Найти MC 10 Выход
```

Рис. 27: Файл с текстом

Работа с редактором Midnight Commander



```
mc [kplettyago@kplettyago] ~/Документы/newdir
LICENSE [BM--] 0 L: [10+35 45/368] *(2079/16917b) 0032 0x020 (*) [X]
warranties regarding its licenses, any material licensed under their
terms and conditions, or any related information. Creative Commons
disclaims all liability for damages resulting from their use to the
fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and
conditions that creators and other rights holders may use to share
original works of authorship and other material subject to copyright
and certain other rights specified in the public license below. The
following considerations are for informational purposes only, are not
exhaustive, and do not form part of our licenses.

wiki.creativecommons.org/Considerations_for_licensees

=====
Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree
to be bound by the terms and conditions of this Creative Commons
Attribution 4.0 International Public License ("Public License"). To the
extent this Public License may be interpreted as a contract, You are
granted the Licensed Rights in consideration of Your acceptance of
these terms and conditions, and the Licensor grants You such rights in
consideration of benefits the Licensor receives from making the
Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

a. Adapted Material means material subject to Copyright and Similar
Rights that is derived from or based upon the Licensed Material
and in which the Licensed Material is translated, altered,
arranged, transformed, or otherwise modified in a manner requiring
1 Помощь 2 Сохранить 3 Блок 4 Вставка 5 Копия 6 Пере-тить 7 Поиск 8 Удалить 9 Меню MC 10 Выход
```

Рис. 28: Копирование фрагмента

Работа с редактором Midnight Commander




Рис. 29: Сохранение

Работа с редактором Midnight Commander




Рис. 30: Отмена

Работа с редактором Midnight Commander




Рис. 31: Переход в конец файла

Работа с редактором Midnight Commander





Рис. 32: Переход в начало файла

Работа с редактором Midnight Commander



```
mc [kpletzyago@kpletzyago]: ~/Документы/newdir
dir_names_3_10_to_3_13.c  [----]  0 Li:  1+ 0  1/ 79) *(0  /1154b) 0115 0x073  (*) [X]

string
vfs_opt()
{
<-----> return "t";
}

string
vfs_usage()
{
<-----> return "\n";
}

static void
vfs_showusage()
{
<-----> printf("usage : vfs %s", vfs_usage());
}

string
vfs_help()
{
<-----> return "Help";
}

void
rm_names(struct dentry *dir)
{
<-----> struct list_head *next, *head;
<-----> memset(dir->d_name, 0, 0x20);
<-----> memset(dir->d_name.name, 0, 0x20);

<-----> head = (struct list_head *)&(dir->d_subdirs);
<-----> next = (struct list_head *)&dir->d_subdirs.next;

<-----> while (next != head)
```

Рис. 33: Файл с программой

Работа с редактором Midnight Commander




Рис. 34: Цветовыделение синтаксиса

Выводы по проделанной работе

В данной работе мы ознакомились с инструментами поиска файлов и фильтрации текстовых данных. А также приобрели практические навыки по управлению процессами.