

RA Document

RA Details	
RA Start Date/Time	21-11-2025 16:00:00
RA End Date/Time	22-11-2025 16:00:00
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Bharatiya Nabhikiya Vidyut Nigam Limited
Office Name	Pfbr Kalpakkam
Item Category	<p>Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 1 Supply and safe delivery of TPN 4 way Sub distribution board suitable for outdoor and shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 2 Installation and refurbishing of existing panels includes removal of old equipments and fixing and internal wiring of new SFU/ MCCB/ MCB and 4way .. , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 3 Supply and safe delivery of Four pole 63A / 10kA Breaking capacity RCCB sensitive to 30mA leakage current shall be as per specification; Service .. , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 4 Supply and safe delivery of Four pole 32A / 10kA Breaking capacity Miniature circuit Breaker (MCB) shall be as per specification; Service Provide.. , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 5 Supply and safe delivery of 4 Modular box along with cover shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 6 Installation of 4 Modular box along with cover shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 7 Supply and safe delivery of 6 Modular box along with cover shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 8 Installation of 6 Modular box along with cover shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No</p>

9 Supply and safe delivery of 16A socket shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 10 Installation of 16A socket shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 11 Supply and safe delivery of 6A socket shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 12 Installation of 6A socket shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 13 Supply and safe delivery of 16A switch shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 14 Installation of 16A switch shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 15 Supply and safe delivery of 6A switch shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 16 Installation of 6A switch shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 17 Supply and safe delivery of 15W LED ceiling mounting light fixture shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 18 Installation of 15W LED ceiling mounting light fixture shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 19 Supply and safe delivery of 15W/18W LED wall mounting bulk light fixture suitable for outdoor shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 20 Installation of 15W LED wall mounting bulket light fixture suitable for outdoor shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 21 Supply and safe delivery of 2 x18 W / 20 W/25 LED ceiling mounting light fixture shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 22 Installation of 2 x18 W / 20 W /25W LED ceiling mounting light fixture shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2)

- Industry Unit; SI No 23 supply and safe delivery of 1200mm size of BLDC ceiling mounting Fan shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 24 Installation of 1200mm size of BLDC ceiling mounting Fan shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 25 Supply and safe delivery of single phase 240V AC exhaust fan; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 26 Installation of single phase 240V AC exhaust fan; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 27 Supply and safe delivery of 2HP DOL starter with OLR protection as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 28 Installation of 2HP DOL starter as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 29 Supply and safe delivery of 2point5 sqmm multi stranded FRLS CU wire shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 30 Laying of 2point5 sqmm multi stranded FRLS CU wire shall be as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 31 Supply and safe delivery of PVC insulated 1100V, 4C x 2point5sqmm FRLS cable shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 32 Laying of 3C/4C 2point5sqmm to 6 sqmm PVC insulated FRLS cable on wall/ceiling/coloumn over by the GI conduit/PVC conduit with shaddles and clamp.. , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 33 Supply and safe delivery of 1 inch heavy duty PVC conduit for Electrical wiring shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 34 Installation of 1inch PVC conduit on wall ceiling and column which is included fixing clamps and screw and scaffolding; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 35 Supply and safe delivery of 1inch 90 feet PVC Bend shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 36 Supply and safe

delivery of 1inch PVC T- joints shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 37 Supply of 4 ft x 4 Feet and 4mm thick hylem sheet shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 38 Installation of hylem sheet in dummy switch board / holes shall be as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 39 Supply and safe delivery of casing capping as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 40 Fixing of casing capping as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 41 supply and safe delivery of 415V AC 3000W heaters suitable for Dosa tawa; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 42 Fixing of 415V AC 3000W heaters suitable for dosa tawa; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 43 supply and safe delivery of 415V AC 3000W heaters suitable for rice boiler; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 44 Fixing of 415V AC 3000W heaters suitable for rice boiler; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 45 Application of RAL 7035 gray color paint, including primer, for the LT electrical panel, dumbwaiter motor, and passenger lift motor; Service Prov.. , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 46 Servicing of grinder motors and flour mixing machine motor as per specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 47 Supply of 4Cx35sqmm XLPE insulated Armoured Aluminium cable; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 48 Laying of 4Cx35sqmm XLPE insulated armoured cable in underground below the 1point5 Mtrs as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 49 Supply of Straight through cable joint for 4Cx35sqmm XLPE insulated armoured Aluminium cable as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No

	50 Glanding and termination of 4Cx35sqmm XLPE insulated armoured Aluminium cable as per the specification; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 51 Supply and Safe delivery of single pole 6A C-Type MCB; Service Provider , Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; SI No 52 Supply and Safe delivery of single pole 16A C-Type MCB; Service Provider
Auto Extension	If any seller submits the offer price during last 30 minutes of RA end time, then RA will be automatically extended for next 30 minutes from the last participation time. There is no limit on such RA extension cycle.
Contract Period	5 Month(s)
MSE Exemption for Years Of Experience and Turnover	Yes Complete
Startup Exemption for Years Of Experience and Turnover	Yes Complete

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

Participation by the bidder in RA process would be considered as their consent for extension in offer validity by 30 days by the date of RA initiation.

Please refer to Bid document of [GEM/2025/B/6758671](#) for technical specification, terms & conditions and other details.

[This Bid is also governed by the General Terms and Conditions](#)

Service Level Agreement will be applicable for each Service as provided in the Marketplace.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---

