

### RA Document

RA Details	
RA Start Date/Time	23-11-2025 22:00:00
RA End Date/Time	25-11-2025 09:00:00
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Military Affairs
Organisation Name	Indian Army
Office Name	*****
Total Quantity	8316
Item Category	Angle Holder Make Havells oblique Anchor or equivalent with ISI Marked , Batten Holder Havells oblique Anchor Bajaj , Bed Switch Make Anchor oblique Havells oblique Legrand oblique Indo Asian , Bulk Head fitting Model No LHKL01160099 of Havells or Equivalent make in Bajaj oblique Philips with CFL 08 watt . , Change Over 100 AMP 4 Pole Make Havells oblique Legrand oblique L and T , Change Over Switch 32 Amp 2 Pole Make Havells oblique Legrand oblique L and T , Change Over Switch 63 Amp 4 Pole Make Havells oblique Legrand oblique L and T , MCB Distribution box 6 way double door SPN 240 volts copper bus bar and neutral link earthing stud confoRMing to IS 13032 , MCB Distribution box 8 way double door SPN 240 volts copper bus bar and neutral link earthing stud confoRMing to IS 13032 , MCB Distribution box 12 way double door SPN 240 volts copper bus bar and neutral link earthing stud confoRMing to IS 13032 , Extension Cord 6 oblique 16 AMP Make Havells oblique Anchor , Flexible Wire copper conductor 100m Make Finolex oblique Plaza oblique Polycab oblique Havells , Gang box 4 way 4 switches 6 amp , Gang box 6 way 6 switches 5 amp , Gang box 2 way 2 switches 5 amp , Gang box 1 way 1 switches 5 amp , Gang box 8 way , GI wire for Earthing , LED Bulb 7 oblique 8W Make Wipro oblique Philips oblique Syska , LED bulb 15 Watt Make Wipro oblique Philips oblique Syska , LED Bulb 20W Make Wipro oblique Philips oblique Syska , LED Invertor rechargeable Bulb 10 Watt with ISI mark. , LED Bulk Head Fittings 10W Make Bajaj oblique Philips oblique Crompton , LED Flood and outdoor lights SSK BLN 50W Make Syska oblique Wipro oblique OREVA or equivalent , LED tube light fitting1x20 watt complete with all accessories internally pre wired and including connecting up with twin core twisted

flexible copper conductor cable with suitable size. , LED Invertor rechargeable tube light fitting 1x20 watt complete with all accessories internally pre wired and including connecting , LED Tube light fitting 1 x 9W oblique 10W 2 feet long complete with all accessories internally pre wired and including connecting , Main switch 32 Amps 4 pole TPN confirming to IS 13947 Part 3 2607 Make Havells oblique Standard oblique L and T , Main switch 63 Amps 4 pole TPN confirming to IS 13947 Part 3 2607 Make Havells oblique Standard oblique L and T , Main switch 100 Amps 4 pole TPN confirming to IS 13947 Part 3 2607 Make Havells oblique Standard oblique L and T , MCB 6 AMP Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB 10 AMP Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB 16 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB 32 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB 40 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB DP 32 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB DP 40 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB DP 63 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB TPN 40 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MCB TPN 63 Amp Make Havells oblique L and T oblique Standard oblique Crompton Greaves , MS Screw full threaded 20mm 100pcs , MS Screw full threaded 25mm 100 pcs , Pendant Holder Make Havells oblique Anchor or equivalent with ISI Marked , Piano type Switch 6 Amp Make Anchor oblique Havells oblique Legrand oblique Indo Asian , Plastic Body Exhaust Fan 200mm sweep with louvers Make Havells oblique Crompton oblique Bajaj , Plastic Body Wall Mounting Fan sweep 300mm Make Havells oblique Crompton oblique Bajaj , Plug top 3 Pin 16 Amp Make Anchor oblique Havells oblique Legrand oblique Indo Asian , Plug top 3 Pin 6 Amp Make Anchor oblique Havells oblique Legrand oblique Indo Asian , PVC Cable 10 sqmm 2 core copper Make Finolex oblique Plaza oblique Polycab oblique Havells , PVC Cable 4 sqmm 2 core copper. Make Finolex oblique Plaza oblique Polycab oblique Havells , PVC Cable 6 sqmm 2 Core copper Make Finolex Anchor Havells , PVC casing caping elbow 25mm dia Make S Lite oblique Pressfit oblique Plaza or equivalent oblique Plaza or equivalent , Casing caping double locked box type 25mm x 1800mm long with all fittings oblique fixtures such as Tee feet L feet for inner and outer corners and joint cap with ISI mark , Casing caping double locked box type 32mm x 1800mm long with all fittings oblique fixtures such as Tee feet L feet for inner and outer corners and joint cap with ISI mark , Casing caping double locked box

type 20mm x 1800mm long with all fittings oblique  
 fixtures such as Tee feet L feet for inner and outer  
 corners and joint cap with ISI mark , PVC casing  
 capnig T feet 25mm dia Make S Lite oblique Pressfit  
 oblique Plaza or equivalent oblique Plaza or  
 equivalent , PVC casing capnig L Bend 25mm dia  
 Make S Lite oblique Pressfit oblique Plaza or  
 equivalent oblique Plaza or equivalent , PVC casing  
 capnig square box 4 x 4 Make S Lite oblique Pressfit  
 oblique Plaza or equivalent oblique Plaza or  
 equivalent , PVC Ceiling Rose 2 oblique 3 teRMinal  
 Make Anchor oblique Pressfit oblique Havells , PVC  
 Copper cable 1 point 5 Sqmm Black SC 90 Mtr Make  
 Finolex oblique Plaza oblique Polycab oblique Havells  
 , PVC copper cable 1 point 5 Sqmm Red SC 90 Mtr  
 Make Finolex oblique Plaza oblique Polycab oblique  
 Havells , PVC copper cable 2.5 Sqmm Black SC 90 Mtr  
 Make Finolex oblique Plaza oblique Polycab oblique  
 Havells , PVC copper cable 2.5 Sqmm Green SC 90  
 Mtr Make Finolex oblique Plaza oblique Polycab  
 oblique Havells , PVC copper cable 2.5 Sqmm Red SC  
 Make Finolex oblique Plaza oblique Polycab oblique  
 Havells , PVC copper cable 4 Sqmm Green SC 90 Mtr  
 Make Finolex oblique Plaza oblique Polycab oblique  
 Havells , PVC Swich Bd 8 x 10 Make Havells oblique  
 Anchor , PVC Switch Bd 4 x 6 Make Havells oblique  
 Anchor , PVC Tape Insulation 25 mm wide 9 Mtr long  
 Make Steelgrip oblique Anchor oblique Kinjal , Socket  
 3 Pin 16 AMP Make Anchor oblique Havells oblique  
 Legrand oblique Indo Asian , Socket 3 Pin 6 Amp  
 Make Anchor oblique Havells oblique Legrand oblique  
 Indo Asian , Street Light LED 120W Make Philips  
 oblique Syska oblique Bajaj oblique Havells , Street  
 Light LED 30W Make Philips oblique Syska oblique  
 Bajaj oblique Havells , Street Light LED 60W Make  
 Philips oblique Syska oblique Bajaj oblique Havells ,  
 Sunmica Bd with Wooden bd 4 x 4 , Sunmica Bd with  
 Wooden bd 4 x 6 , Sunmica Bd with Wooden bd 8 x  
 10 , Switch 15 oblique 16 Amp Make Havells oblique  
 Anchor oblique Bajaj , Switch 5 oblique 6 Amp Make  
 Havells oblique Anchor oblique Bajaj , Switch Socket  
 combination 5 Pin 16 Amp with Gang Box Make  
 Anchor oblique Havells oblique Legrand oblique Indo  
 Asian , Switch Socket combination 5 Pin 6 Amp with  
 Gang Box Make Anchor oblique Havells oblique  
 Legrand oblique Indo Asian , Smoke Alarm , XLPE  
 insulated PVC seathed Heavy Duty armoured multi  
 core cable 6 sqmm 2 core aluminum conductor for  
 working , XLPE insulated PVC seathed Heavy Duty  
 armoured multi core cable 10 sqmm 2 core aluminum  
 conductor for working voltage , XLPE insulated PVC  
 seathed Heavy Duty armoured multi core cable 16  
 sqmm 2 core aluminum conductor for working  
 voltage 1100 volt , XLPE insulated PVC sheathed  
 Heavy Duty armoured multi core cable 35 sqmm 3.5  
 core aluminium conductor for working voltage , XLPE  
 insulated PVC sheathed Heavy Duty armoured multi

core cable 50 sqmm 3.5 core aluminium conductor for working voltage , Fd Water Heating Tank 500 Ltr with motor bhatti , Water Hammam 50 Ltr , PPR Socket outer dia 40 mm , Silicon tape , Insulation for 40mm outer dia PP R pipe PN 20 oblique SDR 63 layers of size 28mm x 19mm with ISI Mark , Insulation for 32mm outer dia PP R pipe PN 20 oblique SDR 63 layers of size 28mm x 19mm with ISI Mark , Glass shelf of toughned glass with Chromium plated steel frame , Corner shelf of toughned glass with Chromium plated steel frame , CP Towel Rail 600mm long 20mm dia , Waste pipe for wash basin , PVC S Trap 75mm Make Prince oblique Supreme with ISI Marked , PVC sheet green , M Seal 200 GM Pkt Make Pidilite oblique Fevicol oblique M Seal , CP Bib Cock 15mm Short body Make Cera oblique Prayag oblique Polytap or equivalent , CP bib cock 20mm Make Cera oblique Prayag oblique Polytap or equivalent , Distemper , Plastic Emulsion Paint Make Asian Nerolac , Waste Pipe for Urinal Pot , Alu Tower bolt 75mm with ISI Marked , Looking Mirror frameless of size 600X450x5mm with 4mm ply baking Make Prayag oblique Saint Gobin oblique Modigaurd , Puff wall panel 2900x 1000mm both side white , Vitreous china wash hand basin white flat back size 550 x 450mm long PVC connection with PTMT nut 1m long PVC flexible waste pipe and bracket for holding WHB , WC Indian type Make Cera oblique Hindware oblique Parryware , European WC with S feet or P feet Trap concealed of size 650 x 405 x 770mm with sheet cover Make Cera oblique Hindware oblique Parryware , Vitreous China DRY URINAL bowl flat back water free odour free Stain free white colour with coupling including HDPE waste pipe and fixing accessories complete , Looking mirror with PVC frame 21 x 15 , HDPE water storage tank 1000 ltr 3 layer Make Sintex oblique Polycon oblique Polywell alongwith clid. , HDPE water storage tank 500 ltr 3 layer Make Sintex oblique Polycon oblique Polywell alongwith clid. , Adhesiver solution SH Make Fevicol , Hinges 100mm Make Spider with ISI marked , Nut bolt and washer 12mm x 4 , Taflon Tape Roll ISI Marked Make Supreme oblique Omega oblique Asbestos , White Cement confirming to IS 8042 oblique 1989 Make ACC oblique Birla White oblique Ambuja , Acrylic sheet 3 feet x4 feet x3mm , Bow Handle oblique Door Handle Make Jindal oblique Classic , PPGI Sheet 12 feet x 3 feet x 0.63mm Tata oblique Jindal oblique Sail with ISI Marked , PPGI Sheet 8 feet x 3 feet x 0.63mm Tata oblique Jindal oblique Sail with ISI Marked , Curtain Rod steel , Clamp for curtain , Curtain ball , Fire Extinguisher 4.5 Kg , Fire Extinguisher 1 Kg ball type , HDPE Sand bags with thin plastic inner Length 630mm and Width 350mm and Weight 80 gms minimum Colour Sand , Kero Heater Batti , Nails Assorted 0.5 6 , Paint Brush 2 Make Spartan oblique Orson oblique Laxmi , Paint

Brush 3 Make Spartan oblique Orson oblique Laxmi ,  
 Paint Red Oxide Make Berger oblique Nerolac oblique  
 Asian , Plywood 6 feet x3 feet x12mm Make Century  
 oblique Duro oblique Green , Plywood 8 feet x4 feet  
 x4mm Make Century oblique Duro oblique Green ,  
 Plywood 8 feet x4 feet x12mm Make Century oblique  
 Duro oblique Green , Screw full thread 1 oblique 2 75  
 Pices , Screw full thread 1 75 Pices , Screw full thread  
 2 75 Pices , Screw full thread 3 75 Pices , Screw full  
 thread 4 75 Pices , Sliding bolt 100mm with ISI  
 Marked Make Classic , Synthetic Enamel Paint Colour  
 Black in 20 oblique 10 Ltr Containers Make Berger  
 oblique Nerolac oblique Asian Paints oblique Aqualac ,  
 Synthetic Enamel Paint Colour Blue in 20 oblique 10  
 Ltr Containers Make Berger oblique Nerolac oblique  
 Asian Paints oblique Aqualac , Synthetic Enamel Paint  
 Colour Green in 20 oblique 10 Ltr Containers Make  
 Berger oblique Nerolac oblique Asian Paints oblique  
 Aqualac , Synthetic Enamel Paint Colour White in 20  
 oblique 10 Ltr Containers Make Berger oblique  
 Nerolac oblique Asian Paints oblique Aqualac ,  
 Synthetic Enamel Paint Colour Yellow in 20 oblique 10  
 Ltr Containers Make Berger oblique Nerolac oblique  
 Asian Paints oblique Aqualac , CP butt hinges 100mm  
 , Door Hinges size 4 long medium weight steel ,  
 Hydraulic door closer , Peg stay , Salt coarse for  
 Lightening Conductor , Screw black color 1 oblique 2  
 feet , Self taping screw 1 long , Self taping screw 2  
 long , Self taping screw 3 long , Soap dish chromium  
 plate , Steel screw 1 oblique 2 size half thread ISI  
 Marked 100 Nos Pkt , Sunmica Sheet 8 feet x 4 feet x  
 3mm Make Shalimar , Cement Make Ambuja oblique  
 Ultratech oblique ACC , Non Skid Ceramic Tiles 300 x  
 300mm Make Somany oblique Kajaria oblique Nitco  
 oblique Oriental oblique Cera , Non skid ceramic Tiles  
 600 x 600mm Make Somany oblique Kajaria oblique  
 Nitco oblique Oriental oblique Cera , Angle Iron  
 65x65x6mm thick Make TATA oblique SAIL oblique  
 JSW , MS Y Pole of size 65x65x6mm thick Make TATA  
 oblique SAIL oblique JSW 8 feet long , Plier side  
 cutting Make TAPARIA oblique JCB oblique STANLEY ,  
 Iron welding rod confirming to IS 814 2002 ISI Marked  
 3.15mm thick. 100 Nos Pkt , Hand Gloves insulated  
 with 2 rubber , DE Spanner 15 x 16 Make Taparia  
 oblique Stanley oblique TATA , DE Spanner 17 x18  
 Make Taparia oblique Stanley oblique TATA , Drill bits  
 1 oblique 8 in packet of 10 Nos Make Taparia oblique  
 Bosch , Drill bits 9 oblique 6 in packet of 10 Nos Make  
 Taparia oblique Bosch , Drill bits metal 10 mm in pkt ,  
 Drill Bitt adopter 10 mm Make Generic oblique Bosch  
 oblique JPT , Drill Bitt adopter 12 mm Make Generic  
 oblique Bosch oblique JPT , Drilling Machine portable  
 type electrical driven Make Bosch oblique Tiger ,  
 Hacksaw blade Make Bosch oblique JCB , Hand Gloves  
 Rubber , Pipe Wrench 14 , Ratchet Spanner 14 x 15  
 Make Vertex oblique Stanley oblique TATA , Ratchet  
 Spanner 16 x 17 Make Vertex oblique Stanley oblique

	TATA , Spanner OJDE 14 15 MAKE HIRA oblique TAPARIA , Spanner OJDE 16 17 MAKE HIRA oblique TAPARIA , Star Bit Make Generic oblique Bosch oblique JPT , Steel Gurumala as per IS code 8205 , Wooden Gurumala as per IS code 1630 1984 , Digitel Clamp meter Make G Tech oblique Fluke oblique Meco , Hydrometer Brand SSU
Auto Extension	If any seller submits the offer price during last 30 minutes of RA end time, then RA will be automatically extended for next 30 minutes from the last participation time. There is no limit on such RA extension cycle.
Minimum Average Annual Turnover of the bidder (For 3 Years)	17 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
<p><b>Participation by the bidder in RA process would be considered as their consent for extension in offer validity by 30 days by the date of RA initiation.</b></p> <p><b>Please refer to Bid document of <a href="#">GEM/2025/B/6854424</a> for technical specification, terms &amp; conditions and other details.</b></p> <p><u><a href="#">This Bid is also governed by the General Terms and Conditions</a></u></p> <p>In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.</p> <p><b>---Thank You---</b></p>	