Foundations of Mathematics and the Foundational Crisis

Kevin Kappelmann

June 10, 2017

Technical University of Munich


Overview

- 1. Causes of the Crisis
- 2. The Foundational Crisis
 - 2.1 Logicism
 - 2.2 Intuitionism
 - 2.3 Formalism
 - 2.4 Peak and End
- 3. Aftermath and Prospects


Causes of the Crisis




Given a line ℓ and a point P, there exists one line through P parallel to ℓ .




Given a line ℓ and a point P, there exists no line through P parallel to ℓ .




Given a line ℓ and a point P, there exist at least two lines through P parallel to ℓ .



Given a line ℓ and a point P, there exist ? many lines through P parallel to ℓ .



Which axioms represent the truth?



Axiomatisation of systems in the late 19th century $% \left(1\right) =\left(1\right) \left(1\right) \left($

Axiomatisation of systems in the late 19th century

• Arithmetic of natural numbers by Peano

Axiomatisation of systems in the late 19th century

- Arithmetic of natural numbers by Peano
- Euclidean Geometry by Hilbert and Pasch

Axiomatisation of systems in the late 19th century

- Arithmetic of natural numbers by Peano
- Euclidean Geometry by Hilbert and Pasch
- Predicate logic by Frege

Axiomatisation of systems in the late 19th century

- Arithmetic of natural numbers by Peano
- Euclidean Geometry by Hilbert and Pasch
- Predicate logic by Frege

Desire for a universal and consistent system

Cantor's Set Theory

"A set is a gathering together into a whole of definite, distinct objects of our perception or of our thought – which are called elements of the set."

Georg Cantor



Cantor's Set Theory


"A set is a gathering together into a whole of definite, distinct objects of our perception or of our thought – which are called elements of the set."

Georg Cantor

Certainly universal, but fairly naive.

Frege's Logic System


Frege tried to build a consistent foundation by reducing mathematics to logic.



Frege's Logic System

Frege tried to build a consistent foundation by reducing mathematics to logic.


• Sophisticated work, but not well received



Frege's Logic System

Frege tried to build a consistent foundation by reducing mathematics to logic.

• Sophisticated work, but not well received



Then one day, just before finishing his work, he received a letter from Russell. . .

Russell's Paradox

Consider the set of all sets that are not members of themselves:

$$R := \{X \mid X \notin X\}$$

Russell's Paradox

Consider the set of all sets that are not members of themselves:

$$R := \{X \mid X \notin X\}$$

Question: Is R a member of itself? That is, does $R \in R$ hold?

Russell's Paradox

Consider the set of all sets that are not members of themselves:

$$R := \{X \mid X \notin X\}$$

Question: Is R a member of itself? That is, does $R \in R$ hold?

Answer: $R \in R \iff R \notin R$, a contradiction!

The Begin of the Crisis

Self-referentiality broke Cantor's and Frege's system.



The Begin of the Crisis

Self-referentiality broke Cantor's and Frege's system.



"Hardly anything more unfortunate can befall a scientific writer than to have one of the foundations of his edifice shaken after the work is finished."

— Gottlob Frege

The Begin of the Crisis

Self-referentiality broke Cantor's and Frege's system.



"Hardly anything more unfortunate can befall a scientific writer than to have one of the foundations of his edifice shaken after the work is finished."

— Gottlob Frege

A new foundation of mathematics had to be found.

The Foundational Crisis

The Three Schools of Thought

Three schools of thought tried to establish a new foundation.

- Logicism
- Intuitionism
- Formalism



The Foundational Crisis

Logicism

 Russell and Whitehead revisited Frege's idea of reducing mathematics to logic.

 Russell and Whitehead revisited Frege's idea of reducing mathematics to logic.



- Russell and Whitehead revisited Frege's idea of reducing mathematics to logic.
- Only fundamentally logical laws are used as axioms.



- Russell and Whitehead revisited Frege's idea of reducing mathematics to logic.
- Only fundamentally logical laws are used as axioms.
 - Justifications that used axioms are self-evident truths



• Type theory to avoid antinomies

- Type theory to avoid antinomies
- Difficulties in explaining some axioms
 - Axiom of reducibility
 - Axiom of infinity

- Type theory to avoid antinomies
- Difficulties in explaining some axioms
 - Axiom of reducibility
 - Axiom of infinity
- Regarded as "the outstanding example of an unreadable masterpiece"

Prcinipia Mathematica's infamous proof of 1 + 1 = 2

```
 *54 \cdot 43. \quad \vdash : : \alpha, \beta \in 1 \cdot D : \alpha \cap \beta = \Lambda \cdot \equiv : \alpha \cup \beta \in 2 
 Dem. 
 \vdash : *54 \cdot 26 \cdot D \vdash : : \alpha = \iota^{\iota} x \cdot \beta = \iota^{\iota} y \cdot D : \alpha \cup \beta \in 2 \cdot \equiv : x \neq y \cdot 
 [*51 \cdot 231] \qquad \qquad \equiv : \iota^{\iota} x \cap \iota^{\iota} y = \Lambda \cdot 
 [*13 \cdot 12] \qquad \qquad \equiv : \alpha \cap \beta = \Lambda \qquad (1) 
 \vdash : (1) \cdot *11 \cdot 11 \cdot 35 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot *11 \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot : (1) \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot : (1) \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot : (1) \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot : (1) \cdot 135 \cdot D \qquad \qquad \vdash : (1) \cdot : (1) \cdot : (1) \cdot
```


From this proposition it will follow, when arithmetical addition has been defined, that 1+1=2.

The Foundational Crisis


Intuitionism

 Mathematics is a constructive process conducted by humans.


 Mathematics is a constructive process conducted by humans.



- Mathematics is a constructive process conducted by humans.
- The existence of an object is equivalent to the possibility of its construction.



- Mathematics is a constructive process conducted by humans.
- The existence of an object is equivalent to the possibility of its construction.
- Consequently, some assumptions of classical logic must be rejected.



Intuitionists reject the law of excluded middle:

For any proposition P, either P or its negation is true.

Intuitionists reject the *law of excluded middle*:

For any proposition P, either P or its negation is true.

Proposition: There exist two irrational numbers a and b such that a^b is rational.

Intuitionists reject the *law of excluded middle*:

For any proposition P, either P or its negation is true.

Proposition: There exist two irrational numbers a and b such that a^b is rational.

Proof. It is known that $\sqrt{2}$ is irrational. Let us consider the number $\sqrt{2}^{\sqrt{2}}$.

Intuitionists reject the *law of excluded middle*:

For any proposition P, either P or its negation is true.

Proposition: There exist two irrational numbers a and b such that a^b is rational.

Proof. It is known that $\sqrt{2}$ is irrational. Let us consider the number $\sqrt{2}^{\sqrt{2}}$. If it is rational, our statement is proved.

Intuitionists reject the *law of excluded middle*:

For any proposition P, either P or its negation is true.

Proposition: There exist two irrational numbers a and b such that a^b is rational.

Proof. It is known that $\sqrt{2}$ is irrational. Let us consider the number $\sqrt{2}^{\sqrt{2}}$. If it is rational, our statement is proved. If it is irrational, $(\sqrt{2}^{\sqrt{2}})^{\sqrt{2}}=2$ proves our statement.

What a Hassle!

Intuitionistic logic complicates many proofs.

What a Hassle!

Intuitionistic logic complicates many proofs.

"Taking this tertium non datur (law of excluded middle) from the mathematician would be the same as, say, denying the astronomer his telescope and the boxer the use of his fists."

- David Hilbert





What a Hassle!

Intuitionistic logic complicates many proofs.

"Taking this tertium non datur (law of excluded middle) from the mathematician would be the same as, say, denying the astronomer his telescope and the boxer the use of his fists."

- David Hilbert



Only a few scholars adhered to intuitionism.



The Foundational Crisis

Formalism

Mathematics as a Symbolic Game

 \bullet Formalists support the autonomy of mathematics.

Mathematics as a Symbolic Game

- Formalists support the autonomy of mathematics.
- Mathematics shall be based on symbols and axioms that describe syntactic operations on symbols.

Mathematics as a Symbolic Game

- Formalists support the autonomy of mathematics.
- Mathematics shall be based on symbols and axioms that describe syntactic operations on symbols.
- Mathematics does not need to justify the existence of its objects since its objects are just meaningless shapes.

• Hilbert feared the crippling effect of intuitionistic logic.

- Hilbert feared the crippling effect of intuitionistic logic.
- To protect mathematics, he initiated a research programme called *Hilbert's programme* that consists of two steps:

- Hilbert feared the crippling effect of intuitionistic logic.
- To protect mathematics, he initiated a research programme called *Hilbert's programme* that consists of two steps:
 - 1. Formalise a system that is able to derive all of mathematics using syntactical operations

- Hilbert feared the crippling effect of intuitionistic logic.
- To protect mathematics, he initiated a research programme called *Hilbert's programme* that consists of two steps:
 - 1. Formalise a system that is able to derive all of mathematics using syntactical operations
 - 2. Prove the system's consistency with metamathematical reasoning

- Hilbert feared the crippling effect of intuitionistic logic.
- To protect mathematics, he initiated a research programme called *Hilbert's programme* that consists of two steps:
 - 1. Formalise a system that is able to derive all of mathematics using syntactical operations
 - 2. Prove the system's consistency with metamathematical reasoning
- The dream of a complete and consistent mathematical system

The Foundational Crisis

Peak and End

 In 1928, Brouwer boycotted the International Congress of Mathematicians.

- In 1928, Brouwer boycotted the International Congress of Mathematicians.
- Hilbert presented his programme, without Brouwer being able to discredit his ideas.

- In 1928, Brouwer boycotted the International Congress of Mathematicians.
- Hilbert presented his programme, without Brouwer being able to discredit his ideas.
- A few days after, Hilbert excluded Brouwer as a co-publisher from the journal "Mathematischen Annalen".

- In 1928, Brouwer boycotted the International Congress of Mathematicians.
- Hilbert presented his programme, without Brouwer being able to discredit his ideas.
- A few days after, Hilbert excluded Brouwer as a co-publisher from the journal "Mathematischen Annalen".
- Brouwer, in a state of frustration and despair, subsequently stopped publishing intuitionistic articles.

- In 1928, Brouwer boycotted the International Congress of Mathematicians.
- Hilbert presented his programme, without Brouwer being able to discredit his ideas.
- A few days after, Hilbert excluded Brouwer as a co-publisher from the journal "Mathematischen Annalen".
- Brouwer, in a state of frustration and despair, subsequently stopped publishing intuitionistic articles.
- Optimism for a complete and consistent formal system grew...

• ... but then came Gödel.



Source: newyorker.com/tech/elements/ waiting-for-godel

- ... but then came Gödel.
- In 1931, he proved that there is no sufficiently strong, complete, and consistent formal system.



Source: newyorker.com/tech/elements/ waiting-for-godel

- ... but then came Gödel.
- In 1931, he proved that there is no sufficiently strong, complete, and consistent formal system.



Source: newyorker.com/tech/elements/ waiting-for-godel

Theorem (First Incompleteness Theorem)

Any consistent formal system rich enough to contain a formalisation of recursive arithmetic is incomplete.

- ... but then came Gödel.
- In 1931, he proved that there is no sufficiently strong, complete, and consistent formal system.



Source: newyorker.com/tech/elements/ waiting-for-godel

Theorem (First Incompleteness Theorem)

Any consistent formal system rich enough to contain a formalisation of recursive arithmetic is incomplete.

Theorem (Second Incompleteness Theorem)

Any consistent formal system rich enough to contain a formalisation of recursive arithmetic cannot prove its own consistency.

Aftermath and Prospects

Modern Mathematics

- To this day, formalism poses the foundation of mathematics.
 - $\bullet\,$ Zermelo-Fraenkel set theory (ZFC) as established foundation

Modern Mathematics

- To this day, formalism poses the foundation of mathematics.
 - Zermelo-Fraenkel set theory (ZFC) as established foundation
- Most modern mathematicians do not deal with foundational research but try to extend a specific branch of mathematics.

Modern Mathematics

- To this day, formalism poses the foundation of mathematics.
 - Zermelo-Fraenkel set theory (ZFC) as established foundation
- Most modern mathematicians do not deal with foundational research but try to extend a specific branch of mathematics.
- The justification of foundations is often regarded philosophical work.

• Digitisation of mathematics


- Digitisation of mathematics
- Can we trust proofs by computers?

- Digitisation of mathematics
- Can we trust proofs by computers?
- Some see it as an inevitable enrichment; others face it with distrust.

- Digitisation of mathematics
- Can we trust proofs by computers?
- Some see it as an inevitable enrichment; others face it with distrust.
- Are we part of the next mathematical crisis?

Thanks for your attention! Any questions?





References I



G. Cantor.

Beiträge zur Begründung der transfiniten Mengenlehre.

Mathematischen Annalen, 46:481, 1895.



P. J. Davis, R. Hersh, and E. A. Marchisotto.

The Mathematical Experience.

Modern Birkäuser Classics, 2012.



G. Frege.

Grundgesetze der Arithmetik, volume 2.

1902.

References II



D. Hilbert.

Die Grundlagen der Mathematik.

Abhandlungen aus dem Mathematischen Seminar der Hamburger Universität, page 80, 1928.

Image Sources I

- Euclid's Elements: math.ubc.ca/~cass/Euclid/papyrus/tha.jpg
- Geometries: upload.wikimedia.org/wikipedia/commons/ thumb/7/78/Noneuclid.svg/2000px-Noneuclid.svg.png
- Cantor: upload.wikimedia.org/wikipedia/commons/e/ e7/Georg_Cantor2.jpg
- Frege: nndb.com/people/523/000179983/ gottlob-frege-2-sized.jpg
- Drawing Hands: mcescher.com/wp-content/uploads/ 2013/10/LW355-MC-Escher-Drawing-Hands-1948.jpg
- Schools of Thought: geopolicraticus.tumblr.com/post/142561195372

Image Sources II

 Schools of Thought (comic): maa.org/sites/default/ files/pdf/upload_library/22/Allendoerfer/1980/ 0025570x.di021111.02p0048m.pdf