


ShadowOps

Learn Once, Automate Safely

Team FAINI · AI Hackathon

Learn workflows from human demonstrations.

Review the AI proposal. Execute with control.



The enterprise automation problem

Repeated work. Changing interfaces. Human responsibility.

Teams repeat manual browser tasks.

Brittle scripts lose semantic context.

AI plans need evidence, review and explicit approval.

How ShadowOps works

Teach → Record → AI Compile → Human Review → Replay


Teach in visible Chromium.

Record semantic targets and allowed input.

Compile with real Qwen3-VL 4B via Ollama.

Review variables and uncertainty.

Replay through controlled Playwright actions.



Teach. Compile. Review.


A real recording became a reusable nine-step workflow.

9 original events; semantic locators preserved.

TXN-81001 proposed as `{{transaction_id}}`.

Variable source: human input required.

Human corrected event 31: uncheck clears attestation.



Real replay: Alex → Sam


DSP-1002 was created and independently verified.

Sam Rivera · CUS-3072

TXN-81002 · \$48.50 USD

Customer, transaction, amount and
currency matched.

14 execution attempts retained, including
approval pauses.



Safety, architecture and tests

Evidence before claims. Human control before writes.


FastAPI · SQLite · React/TypeScript ·
Playwright

Local Ollama / Qwen inference; no public
backend.

152 backend tests previously passed.

19 frontend tests passed this sprint.

42 prior local integration checks; 10 new
guided checks.



Try the live public demo

An honest interactive experience, backed by real archived proof.

Open Interactive Sandbox. Find Sam, then run the approved workflow.

Approve the simulated write; watch the live timeline.

Public chat is deterministic guided replay: no new AI inference.

Local system performs real compilation and browser replay.

Future: broader workflow reliability and secure deployments.

The screenshot displays the ShadowOps Control Center interface. On the left is a sidebar with a 'VERIFIED ARCHIVE' section containing links to 'Interactive Sandbox', 'Overview', 'Demonstration', 'AI Skill', 'Human Review', 'Replay & Result', and 'Limitations'. The main area is divided into three panels. The top-left panel, titled 'Find Sam Rivera's transaction', contains a search bar and buttons for 'Send command', 'Find Sam Rivera's transaction', 'Check transaction TXN-81002', 'Prepare a dispute for this transaction', 'Show me what you are doing', and 'Run the approved workflow'. The top-right panel, titled 'Transaction ID - human input parameter', shows the transaction ID 'TXN-81002', a 'Search transaction' button, and a green box stating 'Found TXN-81002' with details: 'CUS-3072 · Harbor Books', '\$48.50 USD', and 'Validation passed: transaction ID, customer ID, amount and currency match the request.' Below this is a checkbox labeled 'Synthetic details verified: true' and a green box with 'Simulated case SIM-1002 · TXN-81002 · \$48.50 USD'. The bottom panel, titled 'Live action timeline · simulated', shows a list of 13 events with timestamps and descriptions, such as '1. 21:00:47 · Selected Sam Rivera / CUS-3072' and '2. 21:00:47 · Validation passed: transaction ID, customer ID, amount and currency match the request.' At the bottom left of the interface, it says 'Archived real execution' and 'Synthetic sandbox data only.' with a link to 'GitHub source'.