Signale und Systeme Boxen

Florian Lubitz & Steffen Hecht

4. April 2018

1 Motivation, Wiederholung und Überblick

a

$$u_1(t) = 15 \operatorname{V} \sin(\pi t + \pi/3) + 60 \operatorname{V} \sin(10\pi t + \pi/3) = 0, 5x(t) + 2y(t)$$

$$u_1(t) = 15 \operatorname{V} \sin(\pi t + \pi/3) + 60 \operatorname{V} \sin(10\pi t + \pi/3) = 0, 5x(t) + 2y(t)$$

$$u_2(t) := \mathcal{H}\{u_1(t)\} = \mathcal{H}\{0, 5x(t) + 2y(t)\} \stackrel{??}{=}$$

2 Diskrete Signale

$$(b) \quad x[-k] = \begin{cases} -\frac{1}{k}, k/ne0 \\ 0, k = 0 \end{cases}$$

$$(c) \quad x[k+k_0] = x[k+3] = \begin{cases} \frac{1}{k+3}, k/ne - 3 \\ 0, k = -3 \end{cases}$$

$$(d) \quad x[k-k_0] = x[k-3] = \begin{cases} \frac{1}{k-3}, k/ne3 \\ 0, k = 3 \end{cases}$$

mit
$$x[k_0 - k] = x[3 - k] = \begin{cases} \frac{1}{3 - k}, k \neq 3\\ 0, k = 3 \end{cases}$$

$$x[-k] = \begin{cases} \frac{1}{-k}, k \neq 0 \\ 0, k = 0 \end{cases} = \begin{cases} -\frac{1}{k}, k/ne0 \\ 0, k = 0 \end{cases} = -x[k]$$

17

$$y[-k] = \begin{cases} \frac{1}{(-k)^2}, k \neq 0 \\ 0, k = 0 \end{cases} = \begin{cases} -\frac{1}{k^2}, k \neq 0 \\ 0, k = 0 \end{cases} = y[k]$$

- x[k] heißt kausales Signal, falls gilt: $x[k] = 0 \forall k < 0$
- x[k] heißt nicht-kausales Signal, falls gilt $\exists k < 0 : x[k] \neq 0$
- x[k] heißt anti-kausales Signal, falls x[-k-1] kausal ist, d.h. falls gilt: $x[k]=0 \forall k \leqslant 0$
- x[k] ist nicht-kausal
- u[k] ist kausal
- v[k] ist anti-kausal

19

18

$$\delta[k] := \begin{cases} 1, k = 0 \\ 0, k \neq 0 \end{cases}$$

20

$$\epsilon[k] := \begin{cases} 1, k \ge 0 \\ 0, k < 0 \end{cases}$$

21

$$\delta[k - k_0] = \begin{cases} 1, k = k_0 \\ 0, k \neq k_0 \end{cases}$$
 bzw.
$$\delta[k + k_0] = \begin{cases} 1, k \neq -k_0 \\ 0, k = -k_0 \end{cases}$$

 $x[k] \cdot \delta[k-i] = \begin{cases} x[i], k=i \\ 0, k \neq i \end{cases}$ 22 $=x[i]\cdot\delta[k-i]$ (2.1)Siebeigenschaft 23 $x[k] = \sum_{i=-\infty}^{\infty} x[i] \cdot \delta[k-i]$ für alle $k \in \mathbb{Z}$ 24 $x[k] = \sum_{i=-K}^{K} x[i] \cdot \delta[k-i]$ 25 $u[k] = \delta[k+2] + \delta[k+1] + \delta[k] + \delta[k-1]$ $v[k] = 2 \cdot \delta[k+3] + \delta[k+1] - \delta[k-1] - 2 \cdot \delta[k-3]$ $sgn[k] := \epsilon[k] - \epsilon[-k] = \begin{cases} 1, k > 0 \\ 0, k = 0 \\ -1, k < 0 \end{cases}$ 26 27 $\coprod[k] := \epsilon[k] + \epsilon[-k-1] = 1$ für alle $k \in \mathbb{Z}$ 28 $rect_{k_1,k_2}[k] :) \epsilon[k-k_1] - \epsilon[k-k_2-1] = \{1, k_1 \le k \le k_2\}$

```
29
                                                                         x[k] = q^k \cdot \epsilon[k]
30
                                 x[k]:0,...,0,x[0]=1,x[1]=-0.7,x[2]=0.49,x[3]=0.343,...
31
                               x[k]:0,...,0,x[0]=1,x[1]=-0.8,x[2]=0.64,x[3]=-0.512,...
                          x[k] + y[k] : x[-\infty] + y[-\infty]..., x[0] + y[0], x[1] + y[1], ..., x[\infty] + y[\infty]
32
                            x[k] \cdot y[k] : x[-\infty] \cdot y[-\infty]..., x[0] \cdot y[0], x[1] \cdot y[1], ..., x[\infty] \cdot y[\infty]
                                 c \cdot x[k] : c \cdot x[-\infty]..., c \cdot x[0], c \cdot x[1], ..., c \cdot x[\infty]
33
                                              S_{k_1,k_2} := \{\overrightarrow{x} \in S | x[k] = 0 \forall k < k_1 \text{oder} k > k_2\}
                                                                 \overrightarrow{x} = \begin{pmatrix} 0 & 3 & 2 & 5 & 0 & 0 \end{pmatrix}
                                                                \overrightarrow{y} = (0 \quad 0 \quad 2 \quad -3 \quad 0 \quad 2)
34
                                                        \overrightarrow{x} + \overrightarrow{y} = (0 \quad 3 \quad 4 \quad 2 \quad 0 \quad 2)
                                                        \overrightarrow{x} - \overrightarrow{y} = (0 \quad 3 \quad 0 \quad 8 \quad 0
                                                         \overrightarrow{x} \cdot \overrightarrow{y} = (0 \quad 0 \quad 4 \quad -15 \quad 0 \quad 0)
                                                          c + \overrightarrow{x} = (0 \quad 15 \quad 10
                                                                                                25
42
                                          x[k] * y[k] \in \mathbf{S}_{a+c,b+d} und hat Länge n+m-1.
```

49		
43		
		Inhalt
	-	110100000
	L	