

Karabo Hope Shai

Exercise 1 – SQL Fundamentals

Question 1:

```
23 -- Question 1: retrieve all columns from the employees table
24 SELECT DISTINCT *
25 FROM karabohope.default.bronze;
26
```

Add parameter

	id	First_name	Last_name	Department	Salary	Hire_data	City
1	1	ALICE	GREEN	IT	7000	2020-01-10	Johannesbu...
2	2	BRIAN	LEE	HR	45000	2019-03-22	Cape Town
3	3	CATHY	ZULU	Finance	65000	2018-07-18	Durban
4	4	DAVID	MOKOENA	Marketing	50000	2021-11-05	Pretoria
5	5	EVA	NAIDOO	IT	72000	2017-09-30	Johannesbu...

5 rows | 6.743s runtime | [See performance \(1\)](#) | ✓ Checked for improvements

Question 2:

```
27 --Question 2: find all unique departments
28 SELECT DISTINCT Department
29 FROM karabohope.default.bronze;
--
```

Add parameter

	Department
1	IT
2	HR
3	Finance
4	Marketing

4 rows | 0.879s runtime | [See performance \(1\)](#) | ✓ Checked for improvements

Question 3:

```
31  --Question 3: retrieve first and last names ordered by salary descending
32  SELECT First_name, Last_name, Salary
33  FROM karabohope.default.bronze
34  ORDER BY Salary DESC;
```

Add parameter

Table  

	  First_name	  Last_name	  Salary
1	EVA	NAIDOO	72000
2	ALICE	GREEN	7000
3	CATHY	ZULU	65000
4	DAVID	MOKOENA	50000
5	BRIAN	IFF	45000

  5 rows | 0.458s runtime [See performance \(1\)](#)  Checked for improvements

Question 4:

```
36  --Question 4: retrieve the top 3 highest paid employees
37  SELECT ID, First_name , Last_name , Salary
38  FROM karabohope.default.bronze
39  ORDER BY Salary DESC
40  LIMIT 3;
```

Add parameter

Table  

	¹ ₃ ID	^A _C First_name	^A _C Last_name	^A _C Salary
1	5	EVA	NAIDOO	72000
2	1	ALICE	GREEN	7000
3	3	CATHY	ZULU	65000

  3 rows | 0.625s runtime  [See performance \(1\)](#) ✓ Checked for improve

Question 5:

```
41
42 --Question 5: find employees in the IT department
43 SELECT ID, First_name , Last_name , Department
44 FROM karabohope.default.bronze
45 WHERE Department='IT'
46
```

Add parameter

Table  

	¹ ₂ ³ ID	^A _{C First_name}	^A _{C Last_name}	^A _{C Department}
1	1	ALICE	GREEN	IT
2	5	EVA	NAIDOO	IT

  2 rows | 0.439s runtime  [See performance \(1\)](#)  Checked for improvements

Question 6:

```
46  
47 --Question 6: find employees in finance with salary >60000  
48 SELECT ID,First_name , Last_name , Department , Salary  
49 FROM karabohope.default.bronze  
50 WHERE Department='Finance'AND SALARY >60000
```

Add parameter

Table  

	ID	First_name	Last_name	Department	Salary
1	3	CATHY	ZULU	Finance	65000

  1 row | 0.786s runtime [See performance \(1\)](#) ✓ Checked for improvements

Question 7:

```
52 --Question 7: find employees in HR or Marketing
53 SELECT ID,First_name ,Last_name, Department
54 FROM karabohope.default.bronze
55 WHERE Department='HR' OR Department= 'Marketing';
56
```

Add parameter

Table  

	¹ ₃ ID	^A _C First_name	^A _C Last_name	^A _C Department
1	2	BRIAN	LEE	HR
2	4	DAVID	MOKOENA	Marketing

  2 rows | 0.901s runtime [See performance \(1\)](#) ✓ Checked for improvements

Question 8:

```
57 --Question 8: find employees NOT in IT
58 SELECT ID ,First_name ,Last_name,Department
59 FROM karabohope.default.bronze
60 WHERE Department != 'IT';
```

Add parameter

Table  

	¹ ₂ ₃ ID	^A _B _C First_name	^A _B _C Last_name	^A _B _C Department
1	2	BRIAN	LEE	HR
2	3	CATHY	ZULU	Finance
3	4	DAVID	MOKOENA	Marketing



3 rows

1.352s runtime



[See performance \(1\)](#)



Checked for improvements

Question 9:

```

62  --Question 9:find employees in IT,HR OR Finance using IN
63  SELECT ID ,First_name ,Last_name ,Department
64  FROM karabohope.default.bronze
65  WHERE Department IN ('IT','HR','Finance');
66

```

Add parameter

Table ▼ +

	¹ ₃ ID	^A _C First_name	^A _C Last_name	^A _C Department
1	1	ALICE	GREEN	IT
2	2	BRIAN	LEE	HR
3	3	CATHY	ZULU	Finance
4	5	EVA	NAIDOO	IT

⬇ ▼ 4 rows | 6.718s runtime [See performance \(1\)](#) ✓ Checked for improvements

Question 10

```

67  --Question 10: find employees in IT with salary>65000 and city Johannesburg
68  SELECT ID ,First_name ,Last_name ,Department ,Salary ,City
69  FROM karabohope.default.bronze
70  WHERE Department= 'IT' AND Salary >65000 AND City='Johannesburg';

```

Add parameter

Table ▼ +

	¹ ₃ ID	^A _C First_name	^A _C Last_name	^A _C Department	^A _C Salary	^A _C City
1	5	EVA	NAIDOO	IT	72000	Johannesbu...

⬇ ▼ 1 row | 1.166s runtime [See performance \(1\)](#) ✓ Checked for improvements