

```
R version 4.3.1 (2023-06-16 ucrt) -- "Beagle Scouts"
Copyright (C) 2023 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)
```

```
R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.
```

```
Natural language support but running in an English locale
```

```
R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.
```

```
Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.
```

```
[Previously saved workspace restored]
```

```
> x = c(3.92,8.27,3.74,3.05,3.06,2.44,0.74,17.6,13.1,0.44,4.2,0.74,0.46,0.59,0.41,3.22,1.44,0.67,
1.32,0.66)
> length(x)
[1] 20
> mean(x)
[1] 3.5035
> sd(x)
[1] 4.547827
> var(x)
[1] 20.68273
> sum((x-mean(x))^2)
[1] 392.9719
> mad(x,median(x), constant=1)
```