



## NON-CONFORMANCE REPORT

<b>Vendor:</b>	UNIPLAST PRIVATE LIMITED	<b>NCR No:</b>	2769(23-24)
<b>Contact Person:</b>	BRIJENDRA .	<b>Date:</b>	03/10/2023
<b>Phone:</b>	9335212589	<b>M.R.N. No:</b>	230860011595
<b>Item Code:</b>	SLPV012		
<b>Address:</b>	B 17 SCOOTER ANCILLERY ESTATE AMAUSI INDUSTRIAL AREA LUCKNOW UTTAR PRADESH 226008		
<b>E-Mail:</b>	uni-plast@indiatimes.com, brijendra_g@indiatimes		
<b>Description:</b>	CPN COVER(PVC) BLACK, HARDNESS 44 to 46 SHORE-D@24 DEGREE (AS PER CONTROL SAMPLE)	<b>PO Number:</b>	23820017853
<b>Detail Of Non-Conformance:</b>	CPN COVER(PVC) BLACK, HARDNESS 44 to 46 SHORE-D@24 DEGREE (AS PER CONTROL SAMPLE)		
<b>Total Received:</b>	1200	<b>Total Rejected:</b>	48
Result Of Investigation: e-mailed copy of N.C.R to Vendor for Corrective and Preventive actions/Possible credit.			
<p>To be filled by vendor how this happened and improvements in quality processes preventing it from happening in the future. Please fill out Corrective Actions portion of NCR, E-Mail to anshuman.singh@karam.in &amp; CC to rakam.singh@karam.in, amit.pandey@karam.in, balji.pathak@karam.in, gautam.kumar@karam.in, gaurav.verma@karam.in, shashank.jaiswal@karam.in, saurabh.srivastava@karam.in, sehan.naeem@karam.in, mayankesh.dixit@karam.in, manish.srivastava@karam.in, anand.kumar1@karam.in, anshika.bajpai@karam.in, gaurav.goyal@karam.in, sandeep.gupta@karam.in, anurag.shukla@karam.in, ajay.verma@karam.in, keshav.kashyap@karam.in and send copy with new product to KARAM. Attn: Quality Assurance Deptt.</p> <p>Corrective Action Taken:</p> <p>(Attach separate sheets is required)</p>			

