



QF/QA/09
Issue Dt. 12.06.2014
Rev Dt. 09.06.2018

NON-CONFORMANCE REPORT

Vendor:	ARROW PRINT	NCR No:	2710(23-24)
Contact Person:	HASAN IFTIKHARU	Date:	23/08/2023
Phone:	9839174269 / 8707594865	M.R.N. No:	210860000099
Address:	178/104, HAIDER MIRZA ROAD, GOLAGANJ, LUCKNOW UTTAR PRADESH 226018		
E-Mail:	arrowprint.lko@gmail.com		
Description:	BOOKLET FOR SRD (UFS310010, UFS310020, UFS310030, UFS310050, UFS310100, UFS310130, UFS310150, UFS350011, UFS350025, UFS310060R, UFS310100R, UFS310018L, UFS310025L, UFS310050L, UFS310080L, UFS316106L	PO Number:	20820013362
Detail Of Non-Conformance:	BOOKLET FOR SRD (UFS310010, UFS310020, UFS310030, UFS310050, UFS310100, UFS310130, UFS310150, UFS350011, UFS350025, UFS310060R, UFS310100R, UFS310018L, UFS310025L, UFS310050L, UFS310080L, UFS316106L		
Total Received:	0	Total Rejected:	0
Result Of Investigation: e-mailed copy of N.C.R to Vendor for Corrective and Preventive actions/Possible credit.			
To be filled by vendor how this happened and improvements in quality processes preventing it from happening in the future. Please fill out Corrective Actions portion of NCR, E-Mail to dimpal.gupta@samparksoftwares.com & Cc to dimpal.gupta@samparksoftwares.com and send copy with new product to KARAM. Attn: Quality Assurance Deptt. Corrective Action Taken: (Attach separate sheets is required)			
Non-Conformance Images are attached on Next Page			



QF/QA/09

Issue Dt. 12.06.2014

Rev Dt. 09.06.2018



WORK PERMIT APPLICATION



EHS MEDICAL APPLICATION

