



NON-CONFORMANCE REPORT

| | | | |
|--|---|------------------------|--------------|
| Vendor: | M.K. OFFSET | NCR No: | 2708(23-24) |
| Contact Person: | MUKEEM KHAN | Date: | 23/08/2023 |
| Phone: | 9335281778 | M.R.N. No: | 210860000064 |
| Address: | SHOP NO- 49 & 50 HUSSAINI MARKET, KARBALA TALKATORA ROAD, RAJAJIPURAM LUCKNOW UTTAR PRADESH 226017 | | |
| E-Mail: | keshav.kashyap@karam.in | | |
| Description: | BARCODE STICKER FOR 88415200 OF M-SAFE PAPER GSM-200 GSM (TOLERANCE :+- 5),PRINTING COLOUR- COLOUR,BINDING- NO,PUNCHING HOLE-NO,SIZE - 163X42 MM,PAPER TYPE-GUMMING SHEET,LAMINATIO N-NO,CREASE LINE-NO,FOLDING PATTERN-NO | PO Number: | 20820014401 |
| Detail Of Non-Conformance: | BARCODE STICKER FOR 88415200 OF M-SAFE PAPER GSM-200 GSM (TOLERANCE :+- 5),PRINTING COLOUR- COLOUR,BINDING-NO,PUNCHING HOLE-NO,SIZE - 163X42 MM,PAPER TYPE-GUMMING SHEET,LAMINATION- NO,CREASE LINE-NO,FOLDING PATTERN-NO | | |
| Total Received: | 0 | Total Rejected: | 0 |
| Result Of Investigation: e-mailed copy of N.C.R to Vendor for Corrective and Preventive actions/Possible credit. | | | |
| To be filled by vendor how this happened and improvements in quality processes preventing it from happening in the future.Please fill out Corrective Actions portion og NCR, E-Mail to keshav.kashyap@karam.in & Cc to keshav.kashyap@karam.in and send copy with new product to KARAM.Atn: Quality Assurance Deptt. Corrective Action Taken: (Attach separate sheets is required) | | | |
| Non-Conformance Images are attached on Next Page | | | |



QF/QA/09

Issue Dt. 12.06.2014

Rev Dt. 09.06.2018



WORK PERMIT APPLICATION



EHS MEDICAL APPLICATION



WORK PERMIT APPLICATION