



NON-CONFORMANCE REPORT

Vendor:	UNIPLAST PRIVATE LIMITED	NCR No:	2761(23-24)
Contact Person:	BRIJENDRA .	Date:	03/10/2023
Phone:	9335212589	M.R.N. No:	230860011595
Item Code:	SLPV012		
Address:	B 17 SCOOTER ANCILLERY ESTATE AMAUSI INDUSTRIAL AREA LUCKNOW UTTAR PRADESH 226008		
E-Mail:	uni-plast@indiatimes.com, brijendra_g@indiatimes		
Description:	CPN COVER(PVC) BLACK, HARDNESS 44 to 46 SHORE-D@24 DEGREE (AS PER CONTROL SAMPLE)	PO Number:	23820017853
Detail Of Non-Conformance:	CPN COVER(PVC) BLACK, HARDNESS 44 to 46 SHORE-D@24 DEGREE (AS PER CONTROL SAMPLE)		
Total Received:	1200	Total Rejected:	48
Result Of Investigation: e-mailed copy of N.C.R to Vendor for Corrective and Preventive actions/Possible credit.			
<p>To be filled by vendor how this happened and improvements in quality processes preventing it from happening in the future. Please fill out Corrective Actions portion of NCR, E-Mail to anshuman.singh@karam.in & CC to rakam.singh@karam.in, amit.pandey@karam.in, balji.pathak@karam.in, gautam.kumar@karam.in, gaurav.verma@karam.in, shashank.jaiswal@karam.in, saurabh.srivastava@karam.in, shahbaz.haider@karam.in, sehan.naeem@karam.in, mayankesh.dixit@karam.in, manish.srivastava@karam.in, anand.kumar1@karam.in, anshika.bajpai@karam.in, gaurav.goyal@karam.in, sandeep.gupta@karam.in, anurag.shukla@karam.in, ajay.verma@karam.in and send copy with new product to KARAM. Attn: Quality Assurance Deptt.</p> <p>Corrective Action Taken:</p> <p>(Attach separate sheets is required)</p>			

