

ProductX User Guide

Document ID: ANX-PX-UG-001

Version: 4.2

Owner Department: Product Engineering – Enterprise Automation Solutions

Last Updated Date: 12 June 2026

Classification: Internal Use – Employee and Authorized Customer Access

1. Document Purpose

This document provides operational guidance for end users, workflow designers, business administrators, and platform managers using ProductX, AeroNexus Technologies' cloud-based enterprise workflow automation platform.

The guide explains platform capabilities, navigation, workflow creation, reporting, notifications, permissions, governance controls, and troubleshooting procedures. It is intended to support consistent adoption of ProductX across business units and customer environments.

2. Product Overview

2.1 About ProductX

ProductX is a Software-as-a-Service (SaaS) workflow automation platform designed to digitize, orchestrate, and monitor business processes across enterprise systems.

The platform enables organizations to:

- Automate repetitive operational activities
- Standardize approval workflows
- Integrate business applications
- Track service-level commitments
- Improve process visibility
- Generate operational analytics
- Reduce manual processing effort

ProductX supports cloud-native deployment and integrates with enterprise systems including:

- SAP S/4HANA
- Salesforce CRM
- ServiceNow ITSM
- Microsoft 365

- Jira Software
 - Workday
 - Oracle ERP Cloud
 - Slack
 - Microsoft Teams
-

2.2 Primary Business Objectives

Organizations typically implement ProductX to achieve:

Objective	Expected Outcome
Process Automation	Reduced manual effort
Governance	Improved auditability
Compliance	Standardized approval controls
Visibility	Real-time process monitoring
Integration	Reduced system silos
Efficiency	Faster turnaround times

2.3 Platform Architecture Overview

ProductX consists of five primary service layers:

Workflow Engine

Executes business logic, approvals, routing rules, and automation actions.

Integration Hub

Provides API and connector-based integration with third-party systems.

Analytics Engine

Processes workflow execution data for reporting and dashboard visualization.

Notification Service

Delivers email, SMS, Teams, Slack, and in-app notifications.

Security Layer

Provides authentication, authorization, encryption, audit logging, and compliance controls.

3. Scope

This guide applies to:

- Employees of AeroNexus Technologies
- Managed service teams
- Platform administrators
- Business process owners
- Customer tenant administrators
- Authorized external partners

This guide does not cover:

- Platform infrastructure maintenance
 - Source code customization
 - Database administration
 - Internal engineering deployment procedures
-

4. Definitions

Term	Definition
Workflow	Sequence of automated tasks and approvals
Trigger	Event that starts a workflow
Action	Automated activity executed by ProductX
Approval Step	Human decision point within a workflow
Connector	Integration component used to communicate with external systems
Workspace	Logical environment for workflows and users
Execution Instance	Single run of a workflow
SLA	Service Level Agreement
Business Rule	Conditional logic controlling workflow behavior
Queue	Collection of pending work items
Tenant	Dedicated customer environment

5. User Roles and Responsibilities

5.1 Standard User

Responsibilities:

- Submit requests
- Review assigned tasks
- Approve or reject workflow actions
- Monitor personal workload

Permissions:

- Create records
- View assigned workflows
- Update owned records

Restrictions:

- Cannot publish workflows
- Cannot manage integrations
- Cannot assign system permissions

5.2 Workflow Designer

Responsibilities:

- Build workflows
- Configure business rules
- Create forms
- Test process automation

Permissions:

- Design workflows
- Configure notifications
- Create workflow templates

Restrictions:

- Cannot modify security settings
 - Cannot access tenant-wide audit logs
-

5.3 Business Administrator

Responsibilities:

- Manage departmental workflows
- Review analytics
- Monitor SLA compliance
- Approve workflow publication

Permissions:

- Publish approved workflows
 - Configure business groups
 - Access department reporting
-

5.4 Platform Administrator

Responsibilities:

- Tenant administration
- User management
- Integration management
- Security governance

Permissions:

- Full administrative access
 - Role assignment
 - System configuration
 - Audit management
-

6. Getting Started

6.1 System Requirements

Supported browsers:

- Google Chrome (latest 3 versions)
- Microsoft Edge (latest 3 versions)
- Mozilla Firefox ESR
- Safari 17+

Minimum network bandwidth:

- 10 Mbps recommended

Screen resolution:

- 1366 × 768 minimum
 - 1920 × 1080 recommended
-

6.2 Logging In

1. Navigate to ProductX portal URL.
2. Select "Sign In".
3. Authenticate using:
 4. SSO
 5. Azure AD
 6. Okta
 7. Corporate Identity Provider
8. Complete Multi-Factor Authentication.

After successful authentication, users are redirected to their assigned workspace dashboard.

7. Dashboard Navigation

7.1 Dashboard Components

Global Navigation Bar

Provides access to:

- Home
- Workflows
- Tasks
- Reports
- Integrations
- Administration

My Tasks Widget

Displays:

- Pending approvals
- Assigned work items
- Escalated requests

Workflow Health Widget

Displays:

- Running workflows
- Failed executions
- SLA breaches
- Completion rates

Activity Feed

Shows:

- Recent submissions
- Workflow updates
- Approval actions
- System alerts

7.2 Dashboard Personalization

Users may configure:

- Widget placement
- Theme preferences
- Favorite workflows
- Notification shortcuts
- Report bookmarks

Changes are automatically saved to user profiles.

8. Workflow Creation

8.1 Workflow Design Lifecycle

Every workflow follows the following lifecycle:

Draft → Validation → Testing → Approval → Published → Retired

8.2 Creating a New Workflow

Steps:

1. Navigate to Workflows.
 2. Select Create Workflow.
 3. Enter:
 4. Workflow Name
 5. Business Unit
 6. Process Category
 7. Owner Group
 8. Select workflow template.
 9. Configure trigger conditions.
 10. Add workflow actions.
 11. Define approval paths.
 12. Save draft.
-

8.3 Trigger Types

Supported triggers include:

Manual Trigger

Workflow starts when a user submits a request.

Example:

Employee submits laptop replacement request.

Schedule Trigger

Workflow runs based on schedule.

Example:

Monthly vendor compliance review.

API Trigger

Workflow starts through external system call.

Example:

Salesforce opportunity reaches closed-won status.

Event Trigger

Workflow begins when system event occurs.

Example:

Critical incident created in ServiceNow.

9. Workflow Components

9.1 Forms

Forms collect structured business data.

Supported fields:

- Text
- Number
- Currency
- Date
- Dropdown
- Multi-select
- Attachment
- User reference

Maximum attachment size:

- 50 MB per file

Maximum form payload:

- 25 MB

9.2 Approval Steps

Approval types:

Single Approver

One approver required.

Sequential Approval

Approvers act in predefined order.

Parallel Approval

Multiple approvers review simultaneously.

Consensus Approval

All approvers must approve.

9.3 Business Rules

Business rules define workflow behavior.

Example:

IF Purchase Amount > \$50,000

THEN Route to Director Approval

ELSE Route to Department Manager

10. Real Business Use Cases

Use Case 1 – Employee Onboarding

Trigger:

HR marks candidate as hired.

Workflow Actions:

1. Create employee profile.
2. Provision laptop.
3. Create email account.
4. Assign mandatory training.
5. Notify manager.

Expected completion SLA:

5 business days.

Use Case 2 – Purchase Approval

Request Value:

\$75,000

Approval Chain:

Department Manager → Finance Controller → Procurement Director

Required documents:

- Vendor Quote
 - Budget Approval
 - Risk Assessment
-

Use Case 3 – Security Exception Request

Scenario:

Developer requires temporary firewall access.

Workflow Steps:

1. Submit justification.
2. Security review.
3. Risk approval.
4. Expiration date assignment.

Maximum approval duration:

30 days.

11. Notifications

11.1 Supported Channels

- Email
 - SMS
 - Microsoft Teams
 - Slack
 - Mobile Push
 - In-App Notification Center
-

11.2 Escalation Rules

Condition	Escalation
Task pending 24 hours	Reminder sent
Task pending 72 hours	Manager notified
Task pending 5 days	Director escalation
SLA breach	Compliance notification

11.3 Notification Preferences

Users may configure:

- Delivery channel
 - Quiet hours
 - Escalation alerts
 - Daily digest frequency
-

12. Reporting and Analytics

12.1 Standard Reports

Available reports include:

Workflow Performance Report

Metrics:

- Completion time
 - Success rate
 - Failure rate
-

SLA Compliance Report

Metrics:

- SLA achievement %
 - Breach count
 - Average resolution time
-

Approval Efficiency Report

Metrics:

- Approval duration
 - Rejection rates
 - Escalation frequency
-

12.2 Report Retention

Report Type	Retention Period
Operational Reports	18 months
Audit Reports	7 years
Compliance Reports	10 years
Execution Logs	3 years

12.3 Scheduled Reporting

Supported frequencies:

- Daily
- Weekly

- Monthly
- Quarterly

Reports may be exported in:

- PDF
 - Excel
 - CSV
-

13. Permissions and Access Management

13.1 Role-Based Access Control

ProductX uses RBAC architecture.

Access decisions are based on:

- Role
 - Department
 - Workspace
 - Business Unit
 - Data Classification
-

13.2 Access Request Process

1. Employee submits access request.
2. Manager approval required.
3. Application owner review.
4. Identity Governance validation.
5. Access granted.

Target fulfillment:

Within 8 business hours.

13.3 Privileged Access Controls

Administrative accounts require:

- MFA enforcement
- Quarterly review
- Session logging

- Just-in-Time elevation
-

14. Approval Workflow Governance

Workflow Publication Approval

Publication requires:

Workflow Designer

Completes testing.

Business Owner

Approves business logic.

Compliance Reviewer

Verifies regulatory requirements.

Platform Administrator

Publishes workflow.

No workflow may be deployed without all required approvals.

15. Exception Management

Exceptions may be granted for:

- Regulatory requirements
- Customer contractual obligations
- Business continuity events

Approval authority:

Exception Type	Approver
Department Process	Director
Security Control	CISO Delegate
Compliance Rule	Compliance Office

Exception Type	Approver
Enterprise Policy	Executive Steering Committee

Exception validity:

Maximum 180 days unless renewed.

16. Compliance Requirements

ProductX supports compliance programs including:

- ISO 27001
- SOC 2 Type II
- GDPR
- HIPAA
- PCI DSS
- NIST 800-53

Audit records are immutable and retained according to enterprise retention policies.

All workflow actions are timestamped in UTC.

Administrative activities are logged within 30 seconds of execution.

17. Best Practices

Workflow Design

- Keep workflows modular.
- Reuse approved templates.
- Minimize approval layers.
- Define SLA targets before deployment.

Security

- Apply least privilege principles.
 - Review permissions quarterly.
 - Avoid shared accounts.
 - Enable MFA for all users.
-

Reporting

- Monitor SLA trends monthly.
 - Review workflow failures weekly.
 - Archive obsolete reports.
-

Change Management

- Test before publication.
 - Document workflow modifications.
 - Maintain rollback plans.
-

18. Troubleshooting Guide

Issue: Workflow Not Starting

Possible Causes:

- Trigger misconfiguration
- Integration failure
- Missing permissions

Resolution:

1. Validate trigger settings.
 2. Review execution logs.
 3. Confirm connector health.
-

Issue: Approval Task Missing

Possible Causes:

- Incorrect routing rule
- User inactive
- Escalation configuration error

Resolution:

1. Verify workflow path.
 2. Check approver status.
 3. Reprocess workflow instance.
-

Issue: Report Data Inaccurate

Possible Causes:

- Incomplete data refresh
- Report filter mismatch
- Connector synchronization delay

Resolution:

1. Refresh report cache.
 2. Validate filters.
 3. Check integration status.
-

Issue: Notification Not Received

Possible Causes:

- User preferences disabled
- Mail gateway issue
- Teams connector outage

Resolution:

1. Verify notification settings.
 2. Review delivery logs.
 3. Contact platform support.
-

19. Frequently Asked Questions

Q1. How many workflows can a workspace contain?

Default limit is 2,000 active workflows per workspace. Higher limits require platform review.

Q2. Can workflows be restored after deletion?

Deleted workflows remain recoverable for 30 days.

Q3. What is the maximum workflow execution duration?

A workflow execution may remain active for up to 365 days.

Q4. How often are analytics refreshed?

Operational dashboards refresh every 15 minutes.

Executive dashboards refresh every 4 hours.

Q5. Can external users participate in approvals?

Yes. External approvers may be configured through federated identity integration.

Q6. What happens when an approver is on leave?

Delegation rules automatically route tasks to designated delegates.

Q7. Can workflows call external APIs?

Yes. REST, SOAP, GraphQL, and webhook integrations are supported.

Q8. Are workflow changes audited?

All workflow modifications are recorded in the Audit History service.

Q9. What is the maximum attachment size supported?

50 MB per individual file.

Q10. How long are audit logs retained?

Seven years by default unless overridden by regulatory requirements.

20. Reference Documents

Document ID	Document Name
ANX-PX-SEC-014	ProductX Security Administration Guide
ANX-PX-OPS-009	ProductX Operations Handbook

Document ID	Document Name
ANX-PX-CMP-021	ProductX Compliance Controls Standard
ANX-IDM-005	Enterprise Identity Governance Policy
ANX-DRM-011	Data Retention Management Standard
ANX-CHG-003	Enterprise Change Management Procedure

21. Document Approval Record

Role	Department	Approval Status
Director, Product Engineering	Enterprise Automation Solutions	Approved
Director, Information Security	Security & Risk	Approved
Head of Compliance	Corporate Compliance	Approved
VP, Enterprise Platforms	Technology Operations	Approved

End of Document