baka-pwapi-6

GET API Request in Playwright

```
2 const { test, expect } = require("@playwright/test");
 3 import { faker } from "@faker-js/faker";
 4 const { DateTime } = require("luxon");
 5 var dynamicPostRequest = require("../test-data/dynamicrequestbody.json");
 6 import { stringFormat } from "../utils/commons";
10 test("Create GET api request in playwright", async ({
11 request,
    // const dynamicRequestBody=stringFormat(JSON.stringify(dynamicPostRequest),
20  var updatedRequestBody = stringFormat(
      JSON.stringify(dynamicPostRequest),
       "apple"
```

codesnap.dev

```
1  // validate api response nested json obj
2    expect(postAPIResponseBody.booking.bookingdates).toHaveProperty(
3       "checkin",
4       "2018-01-01"
5    );
6    expect(postAPIResponseBody.booking.bookingdates).toHaveProperty(
7       "checkout",
8       "2019-01-01"
9    );
10
11    console.log("=======post response======")
12
13    //get api call
14    const getAPIResponse = await request.get(`/booking/${bid}`)
15
16    console.log(await getAPIResponse.json())
17
18    await expect(getAPIResponse.ok()).toBeTruthy();
19    await expect(getAPIResponse.status()).toBe(200);
20
21 });
```

codesnap.dev