

baka-pwapi-11

Allure Report with Playwright | Screenshot | Videos | Traces

Allure Report with Playwright [Screenshots, Videos & Traces]

- Step1: Install Allure Report command-line tool

```
npm install --save-dev allure-commandline
```

- Step2: Install the Allure Playwright adapter.

```
npm install --save-dev allure-playwright
```

- Step3: Add below config in playwright.config.js file.

```
reporter:[  
  
  ['html'],  
  
  ['allure-playwright']  
  
],
```

- Step4: Run Playwright tests.

```
npx playwright test
```


- Step5: Generate Allure Report


```
npx allure serve allure-results
```

run specific test file-

```
npx playwright test groupptest.spec.js
```

Spec file in bakapa –





```
1  //
2  const {test, expect} = require('@playwright/test')
3
4  test.describe("smoke testing", async() => {
5
6      //test1
7      test("test1", async({page}) => {
8
9      })
10
11     //test2
12     test("test2", async({page}) => {
13
14     })
15 })
16
17 test.describe("sanity testing", async() => {
18
19     //test3
20     test("test3", async({page}) => {
21
22     })
23
24     //test4
25     test("test4", async({page}) => {
26
27     })
28
29     //test5
30     test("test5", async({page}) => {
31
32     })
33 })
```