


baka-pwapi-1

POST API Request using Static Request Body

first change base url in pw config.

A screenshot of a Visual Studio Code editor window. The top bar shows 'Run' and a search icon. The editor is open to a file named 'playwright.config.js'. The code is as follows:

```
18 forbidOnly: !!process.env.CI,  
19 /* Retry on CI only */  
20 retries: process.env.CI ? 2 : 0,  
21 /* Opt out of parallel tests on CI. */  
22 workers: process.env.CI ? 1 : undefined,  
23 /* Reporter to use. See https://playwright.dev/docs/test-reporters  
24 reporter: 'html',  
25 /* Shared settings for all the projects below. See https://playwrig  
26 use: {}  
27 /* Base URL to use in actions like `await page.goto('/')`. */  
28 baseURL: 'https://restful-booker.herokuapp.com',  
29
```

```
1 //
2 const { test, expect } = require("@playwright/test");
3
4 //we need request fixture to work with apis.
5 test("Create POST api request using static request body in playwright", async ({
6   request,
7 }) => {
8   // create post api request using playwright
9   //data is for api request body.
10  const postAPIResponse = await request.post("/booking", {
11    data: {
12      firstname: "testers talk playwright",
13      lastname: "testers talk api testing",
14      totalprice: 1000,
15      depositpaid: true,
16      bookingdates: {
17        checkin: "2018-01-01",
18        checkout: "2019-01-01",
19      },
20      additionalneeds: "super bowls",
21    },
22  });
23
24  //get the response in json format using json()
25  // validate status code
26  const postapiresponsebody=await postAPIResponse.json();
27  console.log(postapiresponsebody)
28
29  });
```