

pavanpw-11

drop down with select tag-

select option-

pass in label and value.

```
//await page.locator("#country").selectOption({label:'India'});
```

pass the visible text-

```
//await page.locator("#country").selectOption('India'); //visible text
```

\$\$-

using value attribute -

```
//await page.locator("#country").selectOption({value: 'uk'}); // by using value
```

select by index-

```
//await page.locator("#country").selectOption({index: 1}); // by using index
```

select by the text-

pass in the locator and the value to select in it.

```
//await page.selectOption("#country",'India'); //by text
```

returns values in form of array.

```
//const options=await page.$$('#country option')
```

```
1 test("Handle dropdowns", async ({page}) => {
2
3     await page.goto('https://testautomationpractice.blogspot.com/');
4
5     // Multiple ways to select option from the dropdown
6
7     // Assertions
8     // (1) check number of options in dropdown - Approach 1
9     // const options = await page.locator('#country option')
10    // await expect(options).toHaveCount(10);
11
12    // (2) check number of options in dropdown - Approach 2
13    // const options = await page.$$('#country option')
14    // console.log("Number of options:", options.length)
15    // await expect(options.length).toBe(10);
16
17    // (3) check presence of value in the dropdown - Approach 1
18    // const content = await page.locator('#country').textContent()
19    // await expect(content.includes('India')).toBeTruthy();
20
21    // (4) check presence of value in the dropdown - Approach 2 - using looping
22    /* const options = await page.$$('#country option')
23    let status = false;
24    for (const option of options)
25    {
26        // console.log(await option.textContent())
27        let value = await option.textContent();
28        if (value.includes('France'))
29        {
30            status = true;
31            break;
32        }
33    }
34    expect(status).toBeTruthy();
35    */
36
37
38    // (5) select option from dropdown using loop
39    const options = await page.$$('#country option')
40    for (const option of options)
41    {
42        let value = await option.textContent();
43        let value1 = value.trim();
44        if (value1.includes('France'))
45        {
46            await page.selectOption("#country", value1);
47            break;
48        }
49    }
50
51
52    await page.waitForTimeout(5000);
53
54 }
```

