Package.json is same as pom.

If playwright not there or to upgrade run this -

```
o naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$
o naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$ npm install playwright ---save-dev
```

Playwright has come in package ison file.

Second command to create tests module-

```
o naveenautomationlabss—MacBook—Pro:PWS naveenautomationlabs$ npm install @playwright test —save—dev
```

Seen in package file.

```
"devDependencies": {
"@playwright/test": "^1.41.0",
"@types/node": "^20.11.0",
"playwright": "^1.41.0"
}
```

Version of pw test and pw should be same.

Install typescript-

```
    naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$
    naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$
    naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$ npm install typescript ---save-dev
```

Present in package file.

```
"devDependencies": {
    "@playwright/test": "^1.41.0",
    "@types/node": "^20.11.0",
    "playwright": "^1.41.0",
    "typescript": "^5.3.3"
}
```

Initialise ts in project-

```
o naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$
o naveenautomationlabss-MacBook-Pro:PWS naveenautomationlabs$ npx tsc --init

Ts playwright.config.ts
tsconfig.json

file is created.
```


Change target to es6 in the file-

```
12
13 /* Language and Environment */
14 "target": "ES6", I
```


Module should be common js-

```
26
27  /* Modules */
28  "module": "commonjs",
29  // "rootDir": "./",
```


Install extension to run pw test-



Install it



Right click on runner-Reveal in explorer.



Select whatever option you like-

