LAB ASSIGNMENT 5

TEAM MEMBER DETAILS

MEMBER_1 :KARAN (LEADER)

COLLEGE_ID :20261651048

MEMBER_2 :HIMANSHU BAJPAI

COLLEGE_ID :20261651041


MEMBER_3 :DIVYANSHU TIWARI

COLLEGE_ID :20261651034

MEMBER_4 : ETNI HARSHITHA

COLLEGE_ID :20261651036

W3C CSS Validation



The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Jump to: Validated CSS

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !


To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss"
            alt="Valid CSS!" />
    </a>
</p>
```


```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss-blue"
            alt="Valid CSS!" />
    </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)


Web Page Full Screen View




Web Page Narrow view



Web Page Phone View



1. Show your :root palette. Why are named variables better than repeating hex codes across the file?



Named variables are better than repeatedly writing hex color codes because they improve code readability, consistency, and maintainability. A descriptive variable name, such as --brand-dark, clearly indicates the purpose of the value instead of requiring the developer to understand a hex code like #163b5c.
If the color needs to be changed, the value can be updated once in the variable, and all elements using that variable will automatically use the new color. This reduces repetition and makes the CSS easier to manage, especially in large projects.
2. Give one use each of hex, rgb() and hsl() from your CSS, and say where you used a semi-transparent colour
and why.

Semi-transparent colour usage: the hero section layers rgb(0 0 0 / 40%) twice as a gradient "wash" on top of the banner photo (.hero in overlay to rgb(0 0 0 / 55%) in style.css), and the dark theme deepens that same theme-dark.css . The overlay exists so the white heading and paragraph text sitting on top of a busy photograph stay readable — it darkens the image without hiding it completely. A second semi-transparent use is the pill-shaped theme toggle button, background-color: rgb(255 255 255 / 15%) with a rgb(255 255 255 / 40%) border, which lets it sit as a soft "glass" chip on the brand-coloured header instead of a flat opaque box.

```
303     background-image:
304       linear-gradient(
305         rgb(0 0 0 / 40%),
306         rgb(0 0 0 / 40%)
307       ),
308       url("event-banner.jpg");
```

```
84      color: white;
85      background-color: rgb(255 255 255 / 15%);
86
87      border: 1px solid rgb(255 255 255 / 40%);
88      border-radius: 2rem;
```

2. Why rem over px — the calc() and clamp() used

   Why rem: rem is relative to the root font-size, not to a parent element, so nothing compounds unpredictably the way nested em values can. More importantly, if a visitor bumps their browser's default text size for accessibility, everything sized in padding, gaps — scales together, while anything fixed in rem — headings, paragraph text, px stays frozen and the layout can break. The project keeps borders. calc() used: px only for the one place it should be exact and non-scaling: the 1–5px hairline borders.

```
781
782   .hero .container {
783     width: calc(100% - 2rem);
784   }
```

   This keeps the hero's inner content inset by a fixed 2rem "gutter" on each side (1rem effectively per side once centred) regardless of how wide the viewport is — a mix of a relative unit (absolute one (rem) in a single expression, which only calc() can do.

   clamp() used:

```
44    h1 {
45      font-size: clamp(2rem, 5vw, 3.5rem);
46    }
47    h2 {
48      font-size: clamp(1.5rem, 4vw, 2.5rem);
49    }
```

Each heading has a floor, a fluid middle, and a ceiling: it never shrinks below legible on tiny phones), it scales smoothly with viewport width via between, and it never grows past 3.5rem / 2rem / 1.5rem (stays 5vw / 4vw on everything in 2.5rem on very wide monitors. It gives fluid type without writing a single media query.

4. Box width: 200px content, 20px padding, 5px border

```
/* Box model */
* {
  box-sizing: border-box;
}
```

Box model	Rendered width	Why
`box-sizing: content-box` (default)	**250px**	`width` sets only the content box; padding and border are added on top: 200 + (20×2) + (5×2) = 250px.
`box-sizing: border-box`	**200px**	`width` now includes padding and border; the browser shrinks the content area to 200 − 40 − 10 = 150px so the outer box still measures exactly 200px.

This is used because it makes every declared width the final, predictable on-screen size. Without it, adding padding or a border to any card, input or container (which this project does constantly — event cards, the form, the fieldset) would silently push elements wider than intended, especially inside the fixed-width .container and the CSS Grid tracks, where overflow is easy to trigger by accident.

5. The four layers of the box model, inside out

1. Content — the actual text/image, sized by width / height .
2. Padding — transparent space between the content and the border (e.g. { padding: 1.5rem; }).
3. Border — the line drawn around the padding (e.g. .event-card .event-card { border: 1px solid var(--border); }).

4. Margin — transparent space outside the border, separating the element from its neighbours

6. What repeat(auto-fit, minmax(15rem, 1fr)) does

   minmax(15rem, 1fr) tells every column "be at least 15rem wide, but stretch to share any leftover space equally (1fr)." auto-fit then asks the grid: fit as many of those columns as will comfortably reach 15rem across the current row — and collapses columns that would have no content into nothing, letting the remaining ones stretch to fill the gap. As the viewport narrows, fewer 15rem columns can fit side by side, so the grid automatically drops from three columns to two to one. It needs no media query because the browser recalculates "how many 15rem-or-wider columns fit right now" continuously, on every resize, rather than at fixed breakpoints chosen in advance

```
377 .event-grid {
378   display: grid;
379
380   grid-template-columns:
381     repeat(
382       auto-fit,
383       minmax(15rem, 1fr)
384     );
385
386   gap: 1.25rem;
387 }
```

7. Mobile-first: why phone-first base styles, and why the viewport meta tag matters

   Why write phone styles as the base: phones are the most constrained target — narrowest width, slowest connections, one-column reading. Writing that constrained layout first forces a simple, essential design, and then @media (min-width: …) queries only ever add complexity (extra columns, a sidebar) as more screen space becomes available. The alternative — writing a wide desktop layout first and using max-width queries to strip it back down — means shipping heavier desktop-oriented CSS to every phone and then fighting it with overrides.

In this project, .about is single-column by default and only becomes two columns at min-width: 40rem ; .event-grid is auto-fit by default and gets a forced 3-column track at — both additive, both mobile-first.

Why the viewport meta tag is essential:

```
6    <meta name="viewport" content="width=device-width, initial-scale=1">
```

Without it, a mobile browser renders the page in a fake desktop-width "layout viewport" (typically 980px) and then zooms the whole thing out to fit the screen — so text looks tiny and every media query keyed to real device widths (like min-width: 40rem) never fires, because the browser thinks it's 980px wide no matter what. This tag tells the browser to use the device's actual physical width as the layout width and start at 100% zoom, which is the precondition for any responsive CSS to work at all on a phone.

8. The grid-template-areas map, and which regions span more than one column

```
111  body {
112    display: grid;
113
114    grid-template-columns: 1fr;
115
116    grid-template-areas:
117      "header"
118      "nav"
119      "main"
120      "footer";
121  }
```


```
111  body {
112    display: grid;
113
114    grid-template-columns: 1fr;
115
116    grid-template-areas:
117      "header"
118      "nav"
119      "main"
120      "footer";
121  }
```

9. One image technique and one type technique that need no media query

```
.about img {
  width: 100%;
  height: 20rem;
  object-fit: cover;
}
```

Set once in base.css , this makes every image shrink to fit its container at any width, continuously, with no breakpoints at all

```
h1 {
  font-size: clamp(2rem, 5vw, 3.5rem);
}
```

clamp() lets the heading's size flow smoothly with the viewport (via its between a minimum and maximum, again with zero media queries.

10. GitHub repository, README, commit history

Github repository link : https://github.com/karanbaira5/event-board

Git page link : https://karanbaira5.github.io/event-board/

A README.md is already included in the project (see the file list) describing the project, features, technologies and file structure, which satisfies the README requirement. Commit history readability depends on how you split the work into commits when you push — aim for a few labelled commits (e.g. one per lab/feature) rather than a single "final commit" if you want the history to show progressive work.

HTML Appendix :

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <title>Campus Event Board</title>

  <meta
    name="description"
    content="Campus Event Board for discovering and submitting campus events."
  >
  <link rel="shortcut icon" href="images.ico" type="image/x-icon">

  <link rel="icon" href="event-banner.jpg">

  <!-- Open Graph -->
  <meta property="og:title" content="Campus Event Board">
  <meta
    property="og:description"
    content="Discover upcoming campus events and submit new events."
  >
  <meta property="og:image" content="event-banner.jpg">

  <!-- External CSS files -->
  <link rel="stylesheet" href="base.css">
  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="theme-dark.css">

</head>


<body>

  <!-- Skip link for accessibility -->
  <a href="#main" class="skip">Skip to content</a>


  <!-- ================ HEADER ================ -->

  <header id="site-header">

    <div class="container">

      <p class="eyebrow">IIIT Vadodara</p>
```

```
    <h1>Campus Event Board</h1>

    <p>
      Discover workshops, competitions and activities happening
      on campus.
    </p>

    <div class="theme-switcher">
    <input type="checkbox" id="theme-toggle">

    <label for="theme-toggle">
      <span class="light-icon">☼</span>
      <span class="dark-icon">☾</span>
      Theme
    </label>
  </div>


  </div>

</header>


<!-- ================= NAVIGATION ================= -->

<nav class="site-nav" aria-label="Main navigation">

  <div class="container">

    <a class="active" href="#home">Home</a>
    <a href="#events">Events</a>
    <a href="#submit">Submit Event</a>
    <a href="#schedule">Schedule</a>
    <a href="#faq">FAQ</a>

  </div>

</nav>


<!-- ================= MAIN ================= -->

<main id="main">

  <!-- ================= HERO ================= -->

  <section id="home" class="hero">
```

```
    <div class="container">

      <p class="eyebrow">Campus Life</p>

      <h2>What's happening on campus?</h2>

      <p>
        Find upcoming events, workshops and activities in one place.
      </p>

      <a class="button" href="#events">
        View Events
      </a>

    </div>

  </section>


  <!-- ================= UPCOMING EVENTS ================= -->

  <section id="events" class="events container">

    <div class="section-heading">

      <p class="eyebrow">Upcoming</p>

      <h2>Upcoming Events</h2>

      <p>
        Explore our upcoming campus events.
      </p>

    </div>


    <div class="event-grid">

      <!-- Event 1 -->
      <article class="event-card">

        <p class="event-type">Technology</p>

        <h3>AI & Machine Learning Workshop</h3>

        <p>
          Learn the basics of artificial intelligence and
          machine learning through practical examples.
        </p>
```

```
    <p>
      <strong>Date:</strong>
      <time datetime="2026-09-28">
        28 September 2026
      </time>
    </p>

    <p>
      <strong>Time:</strong> 10:00 AM
    </p>

    <p>
      <strong>Venue:</strong> Seminar Hall
    </p>

    <a href="#submit">Register</a>

  </article>


  <!-- Event 2 -->
  <article class="event-card">

    <p class="event-type">Programming</p>

    <h3>CodeSprint Challenge</h3>

    <p>
      Test your programming and problem-solving skills
      in a competitive coding challenge.
    </p>

    <p>
      <strong>Date:</strong>
      <time datetime="2026-10-02">
        2 October 2026
      </time>
    </p>

    <p>
      <strong>Time:</strong> 2:00 PM
    </p>

    <p>
      <strong>Venue:</strong> Computer Lab
    </p>

    <a href="#submit">Register</a>
```

```
    </article>


    <!-- Event 3 -->
    <article class="event-card">

      <p class="event-type">Cultural</p>

      <h3>Campus Cultural Evening</h3>

      <p>
        Enjoy music, performances and creative activities
        presented by students.
      </p>

      <p>
        <strong>Date:</strong>
        <time datetime="2026-10-10">
          10 October 2026
        </time>
      </p>

      <p>
        <strong>Time:</strong> 6:00 PM
      </p>

      <p>
        <strong>Venue:</strong> Open Auditorium
      </p>

      <a href="#submit">Register</a>

    </article>

  </div>

</section>


<!-- ================= IMAGE / ABOUT ================= -->

<section class="about container">

  <div>

    <p class="eyebrow">About</p>

    <h2>Campus Event Board</h2>
```

```
      <h2 class="small-heading">Stay Connected</h2>

      <p>
        The Campus Event Board helps students discover
        useful academic, technical and cultural activities.
      </p>

      <p>
        Visit the
        <a
          href="https://www.iiitvadodara.ac.in"
          target="_blank"
          rel="noopener"
        >
          institute website
        </a>
        for more information.
      </p>

    </div>


    <figure>

      <img
        src="event-banner.jpg"
        alt="Students participating in a campus event"
      >

      <figcaption>
        Students participating in a campus event.
      </figcaption>

    </figure>

  </section>


  <!-- ================= FORM ================= -->

  <section id="submit" class="submit-section container">

    <div class="section-heading">

      <p class="eyebrow">Create</p>

      <h2>Submit an Event</h2>
```

```
    <p>
      Fill in the form to submit a new campus event.
    </p>

  </div>


  <form class="event-form" action="#" method="post">

    <fieldset>

      <legend>Event Information</legend>


      <label for="event-name">
        Event Name
      </label>

      <input
        id="event-name"
        name="event-name"
        type="text"
        placeholder="Enter event name"
        required
      >


      <label for="email">
        Organizer Email
      </label>

      <input
        id="email"
        name="email"
        type="email"
        placeholder="student@example.com"
        required
      >


      <label for="date">
        Event Date
      </label>

      <input
        id="date"
        name="date"
        type="date"
        required
```

```
        >


        <label for="description">
          Description
        </label>

        <textarea
          id="description"
          name="description"
          rows="5"
          placeholder="Describe your event"
          required
        ></textarea>


        <button type="submit">
          Submit Event
        </button>

      </fieldset>

    </form>

  </section>


  <!-- ================= TABLE ================= -->

  <section id="schedule" class="schedule container">

    <div class="section-heading">

      <p class="eyebrow">Schedule</p>

      <h2>Event Schedule</h2>

    </div>


    <table>

      <caption>
        Campus event categories
      </caption>

      <thead>

        <tr>
```

```
          <th scope="col">Category</th>
          <th scope="col">Day</th>
          <th scope="col">Venue</th>
        </tr>

      </thead>

      <tbody>

        <tr>
          <td>Technology</td>
          <td>Monday</td>
          <td>Computer Lab</td>
        </tr>

        <tr>
          <td>Programming</td>
          <td>Tuesday</td>
          <td>Programming Lab</td>
        </tr>

        <tr>
          <td>Cultural</td>
          <td>Friday</td>
          <td>Auditorium</td>
        </tr>

      </tbody>

    </table>

  </section>


  <!-- ================ FAQ ================ -->

  <section id="faq" class="faq container">

    <div class="section-heading">

      <p class="eyebrow">Help</p>

      <h2>Frequently Asked Questions</h2>

    </div>


    <details>
```

```
      <summary>
        How can I submit an event?
      </summary>

      <p>
        Fill in the Submit an Event form with the required
        information and click Submit Event.
      </p>

    </details>


    <details>

      <summary>
        Can students attend campus events?
      </summary>

      <p>
        Students can attend events according to the rules
        specified by the event organizer.
      </p>

    </details>

  </section>

</main>


<!-- ================= FOOTER ================= -->

<footer>

  <div class="container">

    <h2>Campus Event Board</h2>

    <nav aria-label="Footer navigation">

      <a href="#home">Home</a>
      <a href="#events">Events</a>
      <a href="#submit">Submit Event</a>

    </nav>

    <address>
      Contact:
      <a href="mailto:karanbaira5775@gmail.com">
```

```
          karanbaira5775@gmail.com
        </a>
      </address>

      <p>
        <small>
          © 2026 Sankalp Campus Event Board
        </small>
      </p>

    </div>

  </footer>

</body>

</html>
```

CSS appendix.

```css
/* ======================================================
   STYLE.CSS
   Main Campus Event Board stylesheet
   ====================================================== */


/* ======================================================
   DESIGN SYSTEM
   ====================================================== */

:root {
  --brand: #24527a;
  --brand-dark: #163b5c;
  --accent: #e76f51;

  --ink: #17212b;
  --muted: #64748b;
  --paper: #f5f7fa;
  --surface: #ffffff;
  --border: #d8dee6;

  --space: 1rem;
  --container: min(90%, 60rem);
}


/* ======================================================
   BODY
   ====================================================== */

body {
  color: var(--ink);
  background-color: var(--paper);

  font-size: 1rem;
  line-height: 1.5;
}


/* ======================================================
   TYPOGRAPHY
   ====================================================== */

h1 {
  font-size: clamp(2rem, 5vw, 3.5rem);
}
```

```css
h2 {
  font-size: clamp(1.5rem, 4vw, 2.5rem);
}


h3 {
  font-size: 1.3rem;
}


p {
  max-width: 65ch;
}

/* ======================================================
   THEME SWITCHER
   ====================================================== */

.theme-switcher {
  margin-top: 1rem;
}

.theme-switcher input {
  position: absolute;
  opacity: 0;
}

.theme-switcher label {
  display: inline-flex;

  align-items: center;
  gap: 0.5rem;

  padding: 0.6rem 1rem;

  color: white;
  background-color: rgb(255 255 255 / 15%);

  border: 1px solid rgb(255 255 255 / 40%);
  border-radius: 2rem;

  cursor: pointer;

  font-weight: bold;
}

.theme-switcher label:hover {
  background-color: var(--accent);
}
```

```css
.theme-switcher label:focus-within {
  outline: 3px solid var(--accent);
  outline-offset: 3px;
}

.dark-icon {
  display: none;
}

/* ========================================================
   GRID PAGE LAYOUT
   Assignment 5
   ======================================================== */

body {
  display: grid;

  grid-template-columns: 1fr;

  grid-template-areas:
    "header"
    "nav"
    "main"
    "footer";
}


header {
  grid-area: header;
}


.site-nav {
  grid-area: nav;
}


main {
  grid-area: main;
}


footer {
  grid-area: footer;
}


/* ========================================================
```

```
   CONTAINER
   ========================================================== */

.container {
  width: var(--container);
  margin: 0 auto;
}


/* ==========================================================
   HEADER
   ========================================================== */

#site-header {
  padding: 2rem 0;

  color: white;

  background-color: var(--brand);
}


#site-header h1 {
  margin: 0.25rem 0;
}


/* ID selector specificity demonstration */
#site-header .eyebrow {
  color: #ffffff;
}


/* ==========================================================
   EYEBROW
   ========================================================== */

.eyebrow {
  color: var(--accent);

  font-size: 0.8rem;

  font-weight: bold;

  letter-spacing: 0.1em;

  text-transform: uppercase;
}
```

```css
/* ======================================================
   NAVIGATION
   ====================================================== */

.site-nav {
  background-color: var(--brand-dark);
}


.site-nav .container {
  display: flex;

  flex-wrap: wrap;

  gap: 0.5rem;
}


/* Descendant selector */
nav a {
  padding: 0.7rem 0.9rem;

  color: white;
}


/* Child combinator */
.site-nav > .container > a {
  font-weight: bold;
}


/* LVHA link order */
.site-nav a:link {
  color: white;
}


.site-nav a:visited {
  color: #dce8f2;
}


.site-nav a:hover {
  color: white;

  background-color: var(--accent);
}
```

```css
.site-nav a:focus {
  outline: 3px solid var(--accent);

  outline-offset: 2px;
}


.site-nav a:active {
  background-color: var(--brand-dark);
}


/* :not() selector */
.site-nav a:not(.active) {
  opacity: 0.9;
}


/* Attribute selector */
a[href^="https"]::after {
  content: " ↗";
}


/* ======================================================
   SKIP LINK
   ====================================================== */

.skip {
  position: absolute;

  left: 1rem;
  top: -4rem;

  padding: 0.7rem 1rem;

  color: white;

  background-color: var(--brand);
}


.skip:focus {
  top: 1rem;
}


/* ======================================================
   HERO
```

```css
   ========================================================== */

.hero {
  padding: 5rem 0;

  color: white;

  background-image:
    linear-gradient(
      rgb(0 0 0 / 40%),
      rgb(0 0 0 / 40%)
    ),
    url("event-banner.jpg");

  background-size: cover;

  background-position: center;
}


.hero h2 {
  max-width: 20ch;
}


/* ==========================================================
   BUTTON
   ========================================================== */

.button {
  display: inline-block;

  margin-top: 1rem;

  padding: 0.75rem 1.2rem;

  color: white;

  background-color: var(--accent);

  border-radius: 0.5rem;
}


.button:hover {
  background-color: var(--brand-dark);
}
```

```css
/* ======================================================
   GENERAL SECTIONS
   ====================================================== */

.events,
.about,
.submit-section,
.schedule,
.faq {
  padding-top: 4rem;
  padding-bottom: 4rem;
}


.section-heading {
  margin-bottom: 2rem;
}


.section-heading h2 + p {
  color: var(--brand);
}


/* General sibling selector */
.section-heading h2 ~ p {
  max-width: 65ch;
}


/* ======================================================
   UPCOMING EVENTS
   ====================================================== */

.event-grid {
  display: grid;

  grid-template-columns:
    repeat(
      auto-fit,
      minmax(15rem, 1fr)
    );

  gap: 1.25rem;
}


/* ======================================================
   EVENT CARD
```

```
   ========================================================= */

.event-card {
  padding: 1.5rem;

  background-color: var(--surface);

  border: 1px solid var(--border);

  border-radius: 0.8rem;

  box-shadow:
    0 2px 8px rgb(0 0 0 / 8%);
}


/* nth-child */
.event-card:nth-child(even) {
  border-top: 4px solid var(--accent);
}


.event-card h3 {
  color: var(--brand);
}


.event-type {
  color: var(--accent);

  font-size: 0.8rem;

  font-weight: bold;

  text-transform: uppercase;
}


.event-card a {
  color: var(--brand);

  font-weight: bold;

  text-decoration: underline;
}


/* =========================================================
   ABOUT + IMAGE
```

```
   ================================================== */

.about {
  display: grid;

  gap: 2rem;
}


.about figure {
  margin: 0;

  overflow: hidden;

  background-color: var(--surface);

  border-radius: 0.8rem;

  border: 1px solid var(--border);
}


.about img {
  width: 100%;

  height: 20rem;

  object-fit: cover;
}


.about figcaption {
  padding: 0.75rem;

  color: var(--muted);
}


/* ::before */
.about figure::before {
  content: "Campus Event";

  position: absolute;

  margin: 1rem;

  padding: 0.3rem 0.6rem;

  color: white;
```

```
  background-color: var(--accent);

  border-radius: 0.3rem;
}


/* ======================================================
   FORM
   ====================================================== */

.event-form {
  max-width: 45rem;

  margin: 0 auto;

  padding: 1.5rem;

  background-color: var(--surface);

  border: 1px solid var(--border);

  border-radius: 0.8rem;
}


fieldset {
  padding: 1.5rem;

  border: 1px solid var(--border);

  border-radius: 0.5rem;
}


legend {
  padding: 0 0.5rem;

  color: var(--brand);

  font-weight: bold;
}


.event-form label {
  display: block;

  margin-top: 1rem;
```

```
  font-weight: bold;
}


.event-form input,
.event-form textarea {
  width: 100%;

  margin-top: 0.4rem;

  padding: 0.75rem;

  color: var(--ink);

  background-color: white;

  border: 1px solid var(--border);

  border-radius: 0.4rem;
}


/* Attribute selectors */
input[type="email"] {
  border-left: 4px solid var(--accent);
}


input[type="date"] {
  border-left: 4px solid #2a9d8f;
}


/* Placeholder */
input::placeholder,
textarea::placeholder {
  color: var(--muted);
}


/* Focus */
.event-form input:focus,
.event-form textarea:focus {
  outline: 3px solid rgb(231 111 81 / 30%);

  outline-offset: 2px;
}
```

```css
button {
  margin-top: 1.25rem;

  padding: 0.75rem 1.2rem;

  color: white;

  background-color: var(--brand);

  border: 1px solid var(--brand);

  border-radius: 0.4rem;

  cursor: pointer;
}


button:hover {
  background-color: var(--brand-dark);
}


/* ======================================================
   TABLE
   ====================================================== */

table {
  width: 100%;

  background-color: var(--surface);

  border: 1px solid var(--border);
}


caption {
  padding: 0.75rem;

  font-weight: bold;

  text-align: left;
}


th,
td {
  padding: 0.8rem;

  border-bottom: 1px solid var(--border);
```

```
  text-align: left;
}


/* nth-child */
tbody tr:nth-child(even) {
  background-color: rgb(36 82 122 / 8%);
}


/* last-child */
tbody tr:last-child td {
  border-bottom: 0;
}


/* ==================================================
   FAQ
   ================================================== */

.faq details {
  margin-bottom: 1rem;

  padding: 1rem;

  background-color: var(--surface);

  border: 1px solid var(--border);

  border-radius: 0.5rem;
}


.faq summary {
  cursor: pointer;

  color: var(--brand);

  font-weight: bold;
}


/* ==================================================
   FOOTER
   ================================================== */

footer {
  padding: 2.5rem 0;
```

```
  color: white;

  background-color: var(--brand-dark);
}


footer nav {
  display: flex;

  flex-wrap: wrap;

  gap: 1rem;

  margin: 1rem 0;
}


footer a {
  color: white;
}


footer a:hover {
  color: var(--accent);
}


footer address {
  font-style: normal;
}


/* ======================================================
   INHERIT / INITIAL / UNSET
   Assignment 4
   ====================================================== */

footer {
  text-align: inherit;
}


footer h2 {
  letter-spacing: initial;
}


footer a {
  text-decoration: unset;
```

```
}


/* ================================================
   SPECIFICITY EXAMPLES
   ================================================ */


/* p = (0,0,1) */
.specificity-example {
  color: red;
}


/* .events = (0,1,0) */
.events {
  color: green;
}


/* nav .events = (0,1,1) */
nav .events {
  color: blue;
}


/* ================================================
   MODERN SELECTORS
   ================================================ */

.event-card :is(h3, .event-type) {
  letter-spacing: 0.02em;
}


:where(.event-card) {
  min-width: 0;
}


/* ================================================
   CALC()
   ================================================ */

.hero .container {
  width: calc(100% - 2rem);
}


/* ================================================
```

```
   RESPONSIVE DESIGN
   Mobile first
   ========================================================== */

@media (min-width: 40rem) {

  .about {
    grid-template-columns: 1fr 1fr;

    align-items: center;
  }

}


@media (min-width: 64rem) {

  .event-grid {
    grid-template-columns:
      repeat(3, minmax(0, 1fr));
  }

}


/* ==========================================================
   SHORTHANDS USED:
   padding, margin, border, background
   ========================================================== */


/*
  No !important is used.
  Conflicts are solved using specificity and source order.
*/
```