



A detailed microscopic image showing two insect wings against a white background. The wings have a light brown color with prominent dark brown veins. There are several black scale bars overlaid on the image, pointing to specific features like veins and the body area. In the bottom right corner, there is a logo consisting of a stylized '15' shape with 'MM' above it and 'COLOR BODY' below it.

800X
2400MM



\ | < | > | < | > | / \ | / \ | / \ | / \ | / \ | > |
| / \ | 2022 COLLECTION | / \ | / \ | / \ | / \ | / \ | / \ | / \ | / \ | / \ | / \ | < |
/ | < | > | < | > | / \ | / \ | / \ | / \ | / \ | > | < |

There are no
limits to space,
there are no
limits to design.

— / —
/ — \—
— \ —
\ — /—
— / —
/ — \

Geo Slab by GeoGres is an 800x2400mm and 15mm thick full-body tiles. These slabs are so innovative and versatile that they break down the barriers between surfaces for architecture and furnishing, between indoor and outdoor use. With Geo Slab, the freedom to design grows, with solutions that were impossible until yesterday.




Exemplify the flair of artistry at your routine

Geo Gres was founded in 2006. We manufacture products which are powered by next generation technology.


High quality material combined with unrivaled technology has enabled us to re-interpret some of the rarest, most refined and valuable products of nature, while also enhancing their technical and qualitative properties.

Our products suit indoor and outdoor spaces no matter what you have in mind. They stand out and dazzle you because each of our tiles are inspired by the latest trends in the worlds of interior.





ONE OF THE
MOST COMPLETE
11 Colours
RANGE OF
FULLBODY
ON THE MARKET



**80X
240
CM**

Instill the verve and vivacity of details

There are so many materials inspirations and colours to be combined, and the results are original and surprising every time. Tiles with marble, concrete, stone effects can easily be combined with no laying difficulties.



There are no
limits to space,
there are no
limits to design.



Features



Lowest maintenance



Antibacterial surface



Water resistant



Impact resistant



Frost resistant



Stain resistant



Fire resistant



Heat resistant



Resistant to bending

15 MM
THICKNESS



Application



Kitchen countertop



Dining table



Table top



Door and window frame



Shelves



Shower base



Vanity top



Wash basin






Staircase



Bathtub



Floor & Wall



Amaron black



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Antique white



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Avocado



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending






800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Azul california



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Bamboo



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Black dune



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Blue pearl



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Calcatta borghini



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800 X 2400 MM
80 X 240 CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Calcatta montreal



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Calcatta oro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800 X 2400 MM
80 X 240 CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Cilvia white



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Colonial white



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Golden Portoro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Lambradorite



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Lambradorite



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Nero Brasiliiana



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Nero Persia



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Pantagonia



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Picasso Black



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Santiago Azul



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Sienna Pearl



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM


www.geogres.in

FINISH
GLOSSY

RANDOM
3

Silver Portoro



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending





800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

Statuario Oro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800 X 2400 MM
80 X 240 CM

www.geogres.in

FINISH
GLOSSY

RANDOM
3

Volga Blue



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

www.geogres.in

FINISH
GLOSSY

RANDOM
2

TECHNICAL SPECIFICATION

TEST DESCRIPTION				
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUES	
Deviation in Length	ISO 10545-2	31 mm	Ave. + 0.28 mm Ave. - 0.00 mm	
Deviation in Width	ISO 10545-2	31 mm	Ave. + 0.21 mm Ave. - 0.00 mm	
Deviation in Thickness	ISO 10545-2	3.05 mm	Ave. + 0.00 mm Ave. - 0.16 mm	
Straightness of Sides	ISO 10545-2	3.08 mm	Max. + 0.18 mm Max. - 0.20 mm	
Rectangularity	ISO 10545-2	3.08 mm	Max. + 0.20 mm Max. - 0.22 mm	
Surface Flatness	ISO 10545-2	31.8 mm	Max + 0.14 mm Max - 0.00 mm	
Surface Quality	ISO 10545-2	Min. 95%	Min. 99%	
PHYSICAL PROPERTIES				
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUES	
Water Absorption	ISO 10545-3	0.50%	Avg. 0.0606 %	
Modulus of Rapture(N/mm ²)	ISO 10545-4	min 35	Avg. 43.11 N/mm ²	
Breaking Strength(N)	ISO 10545-4	>7.5mm	6270.45 N	
THERMAL SHOCK RESISTANCE 15/145.C 10cycle	ISO 10545-9	10 cycle, Min	Conform	
Co-Efficient of Linear Thermal Expansion	ISO 10545-8	9x10 ⁻⁶ Max	2.84x10 ⁻⁶	
Deep Abrasion Resistance	ISO 10545-6	Max 175mm	123mm ³	
Scratch Hardness of Surface	IS-13630-13	Min 5 Moh's	5 Moh's Scale	
Bulk Density (g/cc)		2.2 Min	2.2748g/cc	
Moisture Expansion(mm/m)	ISO 10545-10	0.02mm/m max	No Expansion	
Impact Resistance-Coefficient of Restitution	ISO 10545-5	0.55 Min.	0.57 Min	
Small Colour Differences	ISO 10545-16		No Difference	
Resistance to Stain	ISO 10545-14	Min Class-3	Class-5	
Lead and Cadmium Release in mg/dm ²	ISO 10545-15	0.1mg/dm ²	0.00mg/dm ²	
PACKING DETAIL				
SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	69 KG (approx)	20.66 Sq.ft.