```
┌──(kali㉿kali)-[~]
└─$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 192.168.126.128  netmask 255.255.255.0  broadcast 192.168.126.255
        inet6 fe80::f469:a45f:2d71:ee39  prefixlen 64  scopeid 0x20<link>
        ether 00:0c:29:73:4e:a0  txqueuelen 1000  (Ethernet)
        RX packets 41  bytes 5128 (5.0 KiB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 38  bytes 4248 (4.1 KiB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 8  bytes 480 (480.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 8  bytes 480 (480.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 00:0c:29:f2:cb:06
          inet addr:192.168.126.129  Bcast:192.168.126.255  Mask:255.255.255.0
          inet6 addr: fe80::20c:29ff:fef2:cb06/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:41 errors:0 dropped:0 overruns:0 frame:0
          TX packets:68 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:4394 (4.2 KB)  TX bytes:6976 (6.8 KB)
          Interrupt:17 Base address:0x2000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:97 errors:0 dropped:0 overruns:0 frame:0
          TX packets:97 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:21529 (21.0 KB)  TX bytes:21529 (21.0 KB)

msfadmin@metasploitable:~$ _
```

```
┌──(kali㉿kali)-[~]
└─$ nmap --version
Nmap version 7.98 ( https://nmap.org )
Platform: x86_64-pc-linux-gnu
Compiled with: liblua-5.4.8 openssl-3.5.5 libssh2-1.11.1 libz-1.3.1 libpcre2-10.46 libpcap-1.10.5 nmap-libdnet-1.18.0 ipv6
Compiled without:
Available nsock engines: epoll poll select
```

```
┌──(kali㉿kali)-[~]
└─$ nmap --help
Nmap 7.98 ( https://nmap.org )
Usage: nmap [Scan Type(s)] [Options] {target specification}
TARGET SPECIFICATION:
  Can pass hostnames, IP addresses, networks, etc.
  Ex: scanme.nmap.org, microsoft.com/24, 192.168.0.1; 10.0.0-255.1-254
  -iL <inputfilename>: Input from list of hosts/networks
  -iR <num hosts>: Choose random targets
  --exclude <host1[,host2][,host3],...>: Exclude hosts/networks
  --excludefile <exclude_file>: Exclude list from file
HOST DISCOVERY:
  -sL: List Scan - simply list targets to scan
  -sn: Ping Scan - disable port scan
  -Pn: Treat all hosts as online -- skip host discovery
  -PS/PA/PU/PY[portlist]: TCP SYN, TCP ACK, UDP or SCTP discovery to given ports
  -PE/PP/PM: ICMP echo, timestamp, and netmask request discovery probes
  -PO[protocol list]: IP Protocol Ping
  -n/-R: Never do DNS resolution/Always resolve [default: sometimes]
  --dns-servers <serv1[,serv2],...>: Specify custom DNS servers
  --system-dns: Use OS's DNS resolver
  --traceroute: Trace hop path to each host
SCAN TECHNIQUES:
  -sS/sT/sA/sW/sM: TCP SYN/Connect()/ACK/Window/Maimon scans
  -sU: UDP Scan
  -sN/sF/sX: TCP Null, FIN, and Xmas scans
  --scanflags <flags>: Customize TCP scan flags
  -sI <zombie host[:probeport]>: Idle scan
  -sY/sZ: SCTP INIT/COOKIE-ECHO scans
  -sO: IP protocol scan
  -b <FTP relay host>: FTP bounce scan
PORT SPECIFICATION AND SCAN ORDER:
  -p <port ranges>: Only scan specified ports
    Ex: -p22; -p1-65535; -p U:53,111,137,T:21-25,80,139,8080,S:9
  --exclude-ports <port ranges>: Exclude the specified ports from scanning
  -F: Fast mode - Scan fewer ports than the default scan
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sn
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:09 -0500
Nmap scan report for 192.168.126.129
Host is up (0.00096s latency).
MAC Address: 00:0C:29:F2:CB:06 (VMware)
Nmap done: 1 IP address (1 host up) scanned in 0.66 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sL
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:09 -0500
Nmap scan report for 192.168.126.129
Nmap done: 1 IP address (0 hosts up) scanned in 0.50 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -Pn
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:09 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0039s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.89 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PS
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:09 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0028s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.83 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PA
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:09 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0023s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.87 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PU
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0020s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.84 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PY
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0025s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.85 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PE
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0019s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.82 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PP
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0034s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.82 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -PM
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0020s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.86 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -P0
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:10 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0015s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.85 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sT
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:31 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0014s latency).
Not shown: 977 closed tcp ports (conn-refused)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.72 seconds
```


Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp.port == 80
No. Time Source Destination Protocol Length Info
30 5.270255152 192.168.126.128 192.168.126.129 TCP 74 51738 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
42 5.270931206 192.168.126.129 192.168.126.128 TCP 74 80 → 51738 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959211 WS=128
43 5.270965008 192.168.126.128 192.168.126.129 TCP 66 51738 → 80 [ACK] Seq=1 Ack=1 Win=64256 Len=0 TSval=4273959212 TSecr=251547
45 5.271053805 192.168.126.128 192.168.126.129 TCP 66 51738 → 80 [RST, ACK] Seq=1 Ack=1 Win=64256 Len=0 TSval=4273959212 TSecr=251547
Frame 30: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface eth0, id 0
Ethernet II, Src: VMware_73:4e:a0 (00:0c:29:73:4e:a0), Dst: VMware_f2:cb:06 (00:0c:29:f2:cb:06)
Internet Protocol Version 4, Src: 192.168.126.128, Dst: 192.168.126.129
Transmission Control Protocol, Src Port: 51738, Dst Port: 80, Seq: 0, Len: 0
0000 00 0c 29 f2 cb 06 00 0c 29 73 4e a0 08 00 45 00
0010 00 3c 5b 51 40 00 40 06 61 18 c0 a8 7e 80 c0 a8
0020 7e 81 ca 1a 00 50 f6 ae 62 d7 00 00 00 00 a0 02
0030 fa f0 7e 81 00 00 02 04 05 b4 04 02 08 0a fe bf
0040 71 2b 00 00 00 00 01 03 03 08

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sS
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:40 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0016s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.88 seconds
```

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.flags.syn == 1

No.	Time	Source	Destination	Protocol	Length	Info
15	5.268740535	192.168.126.128	192.168.126.129	TCP	74	41006 → 53 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959209 TSecr=0 WS=256
16	5.269769019	192.168.126.129	192.168.126.128	TCP	74	60268 → 1720 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959210 TSecr=0 WS=256
17	5.269730300	192.168.126.129	192.168.126.128	TCP	74	111 → 46640 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959209 WS=128
18	5.269730810	192.168.126.129	192.168.126.128	TCP	74	445 → 34142 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959209 WS=128
20	5.269731060	192.168.126.129	192.168.126.128	TCP	74	5900 → 36848 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959209 WS=128
30	5.270255152	192.168.126.128	192.168.126.129	TCP	74	51738 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
32	5.270339670	192.168.126.128	192.168.126.129	TCP	74	5900[illegible] → 8080 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
33	5.270392142	192.168.126.129	192.168.126.128	TCP	74	53 → 41006 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959209 WS=128
35	5.270395276	192.168.126.128	192.168.126.129	TCP	74	35876 → 2389 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
37	5.270477483	192.168.126.128	192.168.126.129	TCP	74	60326 → 25 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
38	5.270576701	192.168.126.128	192.168.126.129	TCP	74	55706 → 110 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
39	5.270628816	192.168.126.128	192.168.126.129	TCP	74	56734 → 199 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
40	5.270720255	192.168.126.128	192.168.126.129	TCP	74	57154 → 995 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959211 TSecr=0 WS=256
41	5.270879874	192.168.126.128	192.168.126.129	TCP	74	34154 → 256 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959212 TSecr=0 WS=256
42	5.270931206	192.168.126.129	192.168.126.128	TCP	74	80 → 51738 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959211 WS=128
46	5.271132274	192.168.126.128	192.168.126.129	TCP	74	52812 → 139 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959212 TSecr=0 WS=256
48	5.271200350	192.168.126.128	192.168.126.129	TCP	74	51642 → 135 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959212 TSecr=0 WS=256
50	5.271266658	192.168.126.128	192.168.126.129	TCP	74	50536 → 23 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=4273959212 TSecr=0 WS=256
51	5.271313814	192.168.126.129	192.168.126.128	TCP	74	25 → 60326 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1460 SACK_PERM TSval=251547 TSecr=4273959211 WS=128

```
▸ Frame 37: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface eth0, id 0
▸ Ethernet II, Src: VMware_73:4e:a0 (00:0c:29:73:4e:a0), Dst: VMware_f2:cb:06 (00:0c:29:f2:cb:06)
▸ Internet Protocol Version 4, Src: 192.168.126.128, Dst: 192.168.126.129
▸ Transmission Control Protocol, Src Port: 60326, Dst Port: 25, Seq: 0, Len: 0

0000  00 0c 29 f2 cb 06 00 0c  29 73 4e a0 08 00 45 00   ··)····· )sN···E·
0010  00 3c 4c 63 40 00 40 06  70 06 c0 a8 7e 80 c0 a8   ·<Lc@·@· p···~···
0020  7e 81 eb a6 00 19 32 10  45 68 00 00 00 00 a0 02   ~·····2· Eh======
0030  fa f0 7e 81 00 00 02 04  05 b4 04 02 08 0a fe bf   ··~·····
0040  71 2b 00 00 00 00 01 03  03 08                     q+····
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sF
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:43 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0012s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE          SERVICE
21/tcp   open|filtered ftp
22/tcp   open|filtered ssh
23/tcp   open|filtered telnet
25/tcp   open|filtered smtp
53/tcp   open|filtered domain
80/tcp   open|filtered http
111/tcp  open|filtered rpcbind
139/tcp  open|filtered netbios-ssn
445/tcp  open|filtered microsoft-ds
512/tcp  open|filtered exec
513/tcp  open|filtered login
514/tcp  open|filtered shell
1099/tcp open|filtered rmiregistry
1524/tcp open|filtered ingreslock
2049/tcp open|filtered nfs
2121/tcp open|filtered ccproxy-ftp
3306/tcp open|filtered mysql
5432/tcp open|filtered postgresql
5900/tcp open|filtered vnc
6000/tcp open|filtered X11
6667/tcp open|filtered irc
8009/tcp open|filtered ajp13
8180/tcp open|filtered unknown
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 2.05 seconds
```

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.flags.fin == 1

No.	Time	Source	Destination	Protocol	Length	Info
4186	720.660742606	192.168.126.128	192.168.126.129	TCP	54	47527 → 23 [FIN] Seq=1 Win=1024 Len=0
4187	720.663839784	192.168.126.128	192.168.126.129	TCP	54	47527 → 993 [FIN] Seq=1 Win=1024 Len=0
4188	720.663860382	192.168.126.128	192.168.126.129	TCP	54	47527 → 53 [FIN] Seq=1 Win=1024 Len=0
4189	720.663976530	192.168.126.128	192.168.126.129	TCP	54	47527 → 21 [FIN] Seq=1 Win=1024 Len=0
4190	720.663989755	192.168.126.128	192.168.126.129	TCP	54	47527 → 445 [FIN] Seq=1 Win=1024 Len=0
4191	720.664003237	192.168.126.128	192.168.126.129	TCP	54	47527 → 25 [FIN] Seq=1 Win=1024 Len=0
4192	720.664010009	192.168.126.128	192.168.126.129	TCP	54	47527 → 443 [FIN] Seq=1 Win=1024 Len=0
4193	720.664030900	192.168.126.128	192.168.126.129	TCP	54	47527 → 199 [FIN] Seq=1 Win=1024 Len=0
4194	720.664043936	192.168.126.128	192.168.126.129	TCP	54	47527 → 22 [FIN] Seq=1 Win=1024 Len=0
4195	720.664058299	192.168.126.128	192.168.126.129	TCP	54	47527 → 1723 [FIN] Seq=1 Win=1024 Len=0
4200	720.666796281	192.168.126.128	192.168.126.129	TCP	54	47527 → 995 [FIN] Seq=1 Win=1024 Len=0
4201	720.666913209	192.168.126.128	192.168.126.129	TCP	54	47527 → 1720 [FIN] Seq=1 Win=1024 Len=0
4202	720.666930577	192.168.126.128	192.168.126.129	TCP	54	47527 → 143 [FIN] Seq=1 Win=1024 Len=0
4203	720.666944693	192.168.126.128	192.168.126.129	TCP	54	47527 → 8888 [FIN] Seq=1 Win=1024 Len=0
4204	720.666959277	192.168.126.128	192.168.126.129	TCP	54	47527 → 3306 [FIN] Seq=1 Win=1024 Len=0
4205	720.666973228	192.168.126.128	192.168.126.129	TCP	54	47527 → 1025 [FIN] Seq=1 Win=1024 Len=0
4206	720.666986634	192.168.126.128	192.168.126.129	TCP	54	47527 → 587 [FIN] Seq=1 Win=1024 Len=0
4207	720.667001375	192.168.126.128	192.168.126.129	TCP	54	47527 → 113 [FIN] Seq=1 Win=1024 Len=0
4215	720.670000836	192.168.126.128	192.168.126.129	TCP	54	47527 → 80 [FIN] Seq=1 Win=1024 Len=0

```
▸ Frame 4186: Packet, 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface eth0, id 0
▸ Ethernet II, Src: VMware_73:4e:a0 (00:0c:29:73:4e:a0), Dst: VMware_f2:cb:06 (00:0c:29:f2:cb:06)
▸ Internet Protocol Version 4, Src: 192.168.126.128, Dst: 192.168.126.129
▾ Transmission Control Protocol, Src Port: 47527, Dst Port: 23, Seq: 1, Len: 0
    Source Port: 47527
    Destination Port: 23
    [Stream index: 2080]
    [Stream Packet Number: 1]
  ▸ [Conversation completeness: Incomplete (0)]
    [TCP Segment Len: 0]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 3087177644
    [Next Sequence Number: 2    (relative sequence number)]
    Acknowledgment Number: 0
    Acknowledgment number (raw): 0
    0101 .... = Header Length: 20 bytes (5)
  ▸ Flags: 0x001 (FIN)
```

```
0000  00 0c 29 f2 cb 06 00 0c  29 73 4e a0 08 00 45 00   ··)····· )sN··E·
0010  00 28 f3 15 00 00 36 06  13 68 c0 a8 7e 80 c0 a8   ·(····6· ·h··~···
0020  7e 81 b9 a7 00 17 b3 3d  e3 ac 00 00 00 00 50 01   ~·····=· ......P·
0030  04 00 dc e7 00 00                                  ......
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.126.129 -sA
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:45 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0025s latency).
All 1000 scanned ports on 192.168.126.129 are in ignored states.
Not shown: 1000 unfiltered tcp ports (reset)
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.82 seconds
```

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.flags.ack == 1

No.	Time	Source	Destination	Protocol	Length	Info
4144	570.776279186	192.168.126.129	192.168.126.128	TCP	60	722 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4145	570.776279263	192.168.126.129	192.168.126.128	TCP	60	2522 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4146	570.776378608	192.168.126.129	192.168.126.128	TCP	60	9920 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4147	570.776378783	192.168.126.129	192.168.126.128	TCP	60	34573 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4148	570.776378861	192.168.126.129	192.168.126.128	TCP	60	51493 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4149	570.776378938	192.168.126.129	192.168.126.128	TCP	60	3268 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4150	570.776379049	192.168.126.129	192.168.126.128	TCP	60	4242 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4151	570.778399256	192.168.126.129	192.168.126.128	TCP	60	44442 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4152	570.778399661	192.168.126.129	192.168.126.128	TCP	60	7930 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4153	570.778399744	192.168.126.129	192.168.126.128	TCP	60	1007 → 50337 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
4196	720.664452168	192.168.126.129	192.168.126.128	TCP	60	993 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4197	720.664452438	192.168.126.129	192.168.126.128	TCP	60	443 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4198	720.664452465	192.168.126.129	192.168.126.128	TCP	60	199 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4199	720.664452494	192.168.126.129	192.168.126.128	TCP	60	1723 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4208	720.667316529	192.168.126.129	192.168.126.128	TCP	60	995 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4209	720.667316700	192.168.126.129	192.168.126.128	TCP	60	1720 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4210	720.667316812	192.168.126.129	192.168.126.128	TCP	60	143 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4211	720.667316845	192.168.126.129	192.168.126.128	TCP	60	8888 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0
4212	720.667452915	192.168.126.129	192.168.126.128	TCP	60	1025 → 47527 [RST, ACK] Seq=1 Ack=2 Win=0 Len=0

```
▸ Frame 4153: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface eth0, id 0
▸ Ethernet II, Src: VMware_f2:cb:06 (00:0c:29:f2:cb:06), Dst: VMware_73:4e:a0 (00:0c:29:73:4e:a0)
▸ Internet Protocol Version 4, Src: 192.168.126.129, Dst: 192.168.126.128
▾ Transmission Control Protocol, Src Port: 1007, Dst Port: 50337, Seq: 1, Ack: 1, Len: 0
    Source Port: 1007
    Destination Port: 50337
    [Stream index: 1999]
    [Stream Packet Number: 2]
  ▸ [Conversation completeness: Incomplete (37)]
    [TCP Segment Len: 0]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 8
    [Next Sequence Number: 1    (relative sequence number)]
    Acknowledgment Number: 1    (relative ack number)
    Acknowledgment number (raw): 1460202024
    0101 .... = Header Length: 20 bytes (5)
  ▸ Flags: 0x014 (RST, ACK)
    Window: 0
    [Calculated window size: 0]
    [Window size scaling factor: -2 (no window scaling used)]
```

```
0000  00 0c 29 73 4e a0 00 0c  29 f2 cb 06 08 00 45 00    )sN·····)·····E·
0010  00 28 00 00 40 00 40 06  bc 7d c0 a8 7e 81 c0 a8    ·(··@·@· ·}··~···
0020  7e 80 03 ef c4 a1 00 00  00 08 57 08 aa 28 50 14    ~·····W· ·(P·
0030  00 00 27 bc 00 00 00 00  00 00 00 00                ··'·····
```

```
┌──(kali㉿kali)-[~]
└─$ nmap -sU -p 53,67,123,161 192.168.126.129
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-26 07:57 -0500
Nmap scan report for 192.168.126.129
Host is up (0.0014s latency).

PORT    STATE  SERVICE
53/udp  open   domain
67/udp  closed dhcps
123/udp closed ntp
161/udp closed snmp
MAC Address: 00:0C:29:F2:CB:06 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.79 seconds
```

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Screenshot taken

udp

No.	Time	Source	Destination	Protocol	Length	Info
2106	414.192812660	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
2109	446.271161512	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
2110	446.448570850	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
2113	478.521311143	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
2114	478.090110828	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
2117	510.771301462	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
2118	510.944095565	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
2121	522.004584889	192.168.126.129	192.168.126.255	BROWSER	286	Local Master Announcement METASPLOITABLE, Workstation, Server, Print Queue Server, Xenix Server, NT Workstation, NT Server, Maste…
2122	522.004585468	192.168.126.129	192.168.126.255	BROWSER	257	Domain/Workgroup Announcement WORKGROUP, NT Workstation, Domain Enum
2123	543.021201664	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
2124	543.199931022	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
2129	570.131454174	192.168.126.128	192.168.126.2	DNS	88	Standard query 0x2d28 PTR 129.126.168.192.in-addr.arpa
2130	570.139530864	192.168.126.2	192.168.126.128	DNS	165	Standard query response 0x2d28 No such name PTR 129.126.168.192.in-addr.arpa SOA prisoner.iana.org
4154	575.271356052	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
4155	575.446201556	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
4160	607.521380497	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
4161	607.713440974	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server
4164	639.771265482	192.168.126.128	95.216.192.15	NTP	90	NTP Version 4, client
4167	639.945545208	95.216.192.15	192.168.126.128	NTP	90	NTP Version 4, server

```
› Frame 2130: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits) on interface eth0, id
› Ethernet II, Src: VMware_e6:d0:50 (00:50:56:e6:d0:50), Dst: VMware_73:4e:a0 (00:0c:29:73:4e:a0)
› Internet Protocol Version 4, Src: 192.168.126.2, Dst: 192.168.126.128
› User Datagram Protocol, Src Port: 53, Dst Port: 36766
› Domain Name System (response)
```

```
0000  00 0c 29 73 4e a0 00 50  56 e6 d0 50 08 00 45 00   ··)sN··P V··P··E·
0010  00 97 ff 74 00 00 80 11  bd 0d c0 a8 7e 02 c0 a8   ···t···· ····~···
0020  7e 80 00 35 8f 9e 00 83  7f f7 2d 28 81 83 00 01   ~··5···· ··-(····
0030  00 00 00 01 00 00 03 31  32 39 03 31 32 36 03 31   ·******· 1 29 126 1
0040  36 38 03 31 39 32 07 69  6e 2d 61 64 64 72 04 61   68 192 i n-addr a
0050  72 70 61 00 00 0c 00 01  c0 14 00 06 00 01 00 00   rpa····· ********
0060  00 05 00 41 08 70 72 69  73 6f 6e 65 72 04 69 61   ···A pri soner ia
0070  6e 61 03 6f 72 67 00 0a  68 6f 73 74 6d 61 73 74   na org·· hostmast
0080  65 72 0c 72 6f 6f 74 2d  73 65 72 76 65 72 73 c0   er root- servers·
0090  48 00 00 00 01 00 09 3a  80 00 00 00 3c 00 09 3a   H******: ····<··:
00a0  80 00 09 3a 00                                     ···:·
```