VITOLON CHEMICALS

FORMULATING SOLUTIONS. MANUFACTURING TRUST.

VITOLON INDIA LIMITED – A PUBLIC LIMITED COMPANY

BUILDING AATMNIRBHAR BHARAT
BY CHEMICAL INNOVATION



- **Textile Colors & Chemicals** (ZDHC LEVEL 3 & GOTS)
- **Water-Treatment Chemicals**
- **Paint Additives**
- **Construction Chemicals**
- **Testing Lab Services**
- **Textile Job Consultancy**

Ø ZDHC LEVEL 3

GLOBAL ORGANIC TEXTILE STANDARD · GOTS

CHEMISTRY THAT CREATES IMPACT

Delivering performance, sustainability and trust across industries.

INNOVATIVE SOLUTIONS | QUALITY ASSURED | SUSTAINABLE FUTURE | CUSTOMER FOCUSED

VITOLON CHEMICALS

FORMULATING SOLUTIONS. MANUFACTURING TRUST.

VITOLON INDIA LIMITED - A PUBLIC LIMITED COMPANY

OUR CERTIFICATIONS

Globally Recognized Standards. Responsible Performance.

GOTS CERTIFICATION

ECOCERT GROUP

LETTER OF APPROVAL

for Colourants / Textile Auxiliaries
No. GOTS-ECOCERT-08-01793

ECOCERT GREENLIFE declares that the Colourants / Textile Auxiliaries listed below have been evaluated and assessed for

VITOLON INDIA LIMITED

7th Floor, 724, City Gate, Vasan, Shahwadi,
Ahmedabad 380055 / Ahmedabad (IN)

on basis of information requested and provided according to the applicable criteria of the

Global Organic Textile Standard (GOTS) - Version 7.0

Accordingly the listed Colourants and/or Textile Auxiliaries are approved for use as inputs for application in the processing of GOTS certified textile products.

Since the company is not a formulator, an audit has not been performed.

GLOBAL ORGANIC TEXTILE STANDARD · GOTS ·

ZDHC CERTIFICATION

Proudly a part of

BluWin™

CERTIFICATE OF ZDHC MRSL V3.1
LEVEL 2 / LEVEL 3
PRODUCT CONFORMANCE

Certificate No: 0037-BWSTSUK-ZDHCv3.1-2023-OE/07/08H-R-Z/7F

Sustainable Textile Solutions by BluWin Limited declares that

VITOLON INDIA LIMITED
724 City Gate, Vasan Circle, Shahwadi,
Vasan-Narol Road, Vasan, Ahmedabad 380055
GUJARAT, INDIA

has been assessed against

ZDHC MRSL V3.1 Level 3
Conformance Criteria Ver 2.0
and products as mentioned in the annex conform with these requirements.

This certificate is valid from
2023 – OCTOBER – 27th
This certificate is valid until
2026 – OCTOBER – 26th OR 1st Validity of ZDHC MRSL V3.1

Dr. Sara Pinto
Conformance Expert

Sudhir Woonasignhe
Senior Project Officer

BOUNDED TO ZERO

Building Aatmnirbhar Bharat
by Chemical Innovation

VITOLON INDIA LIMITED

VITOLON PRODUCT RANGE

SIZING PRODUCTS

1.	**SIZING AGENT**	VITOSIZE PVA 17, 20 & 24 GRADE
2.	**SIZING BINDERS**	VITOSIZE BIND-R
3.	**SIZING LUBRICANTS**	VITOSIZE LUBE Q
4.	**SIZING SOFTNERS**	VITOSIZE SOFTY
5.	**SIZING ADHESIVE VAM**	VITOSIZE MBXS
6.	**SIZING ANTIFUNGAL**	BIOGUARD AMB
7.	**SIZING PLASTICIZER**	VITOCOAT PLAST (PEG/DEG)


DESIZING PRODUCTS

8.	**DESIZING PVA & ACRYLATE SIZE**	VITOL BXL25
9.	**DESIZING STARCH SIZE ENZYME**	VITOZYME ADZ
10.	**DESIZING TAPIOCA SIZE IN H2O2 BATH**	VITOL ODZS
11.	**DESIZING ANTI REDEPOSITING AGENT**	VITOL ADTN

MAKING IODINE SOLUTION TO CHECK SIZE:

4.15gm Potassium Iodide neutral (KI) is dissolved in 20ml of distilled water, 0.0635gm Iodine Purris is added in same, dissolved and made up to 100ml with distilled water… CHECK ON TEGEWA

DESIZING ASSESMENT: TEGEWA VIOLET SCALE:



POST PRETREATMENT CHECKING:

ABSORBENCY, WHITENESS, EVENNESS, PEROXIDE-0, CHLORINE-0, PH 6-8, TEGEWA, CONSISTENCY, LEVELLING, WICKING, WATER RETENTION

SCOURING PRODUCTS

12. **WETTING - ANIONIC**	VITOL OT LIQ & PASTE
13. **WETTING DEGREASING FOR WOOL**	VITOL RW
14. WETTING REWETTING LOW FOAMING - TOWEL	VITOL BXL25
15. WETTING ANIONIC EMULSIFIER - DENIM	VITOL RWAN
16. **DETERGENT WITH SOLVENT - SYNTHETICS**	VITOL RS
17. **STAIN REMOVER – PURE SOLVENT BASED**	VITOL XNI
18. **COMPLETE WOOL SCOURING**	VITOL BXL + VITOL XNI
19. **SYNTHETIC SCOURING**	VITOL BXL + VITOL XNI

CHELATING PRODUCTS

20. **CHELATION 600 PPM CAO & CACO3**	VITOL 600 AC ACIDIC PH
21. **CHELATION 600 PPM CAO & CACO3**	VITOL 600 AN NEUTRAL PH
22. **CHELATION 600 PPM CAO & CACO3**	VITOL 600 ALK ALKALINE PH
23. **CHELATION IRON 2250 PPM**	VITOL IR
24. **DEMINERALIZATION WOOL**	VITOL IR + VITOL BXL
25. **DYEING COMPATIBLE CHELATING**	VITOLEV STB
26. **DYEING COMPATIBLE POLYMER CHELATING**	VITOL ADT CONC

MERCERIZING WETTING WITH BRIGHTNESS & LEVELLING

27. **WETING WITH LEVELING AND BRIGHTNESS**	VITOL MAD
28. **DENIM SPECIAL**	VITOL MJ300

PEROXIDE STABLIZER

29. **REGULAR H202 STABLISER**	VITOL BLEACH R
30. **STABLIZER WITH IRON CHELATION**	VITOL STB - IR

PEROXIDE KILLER

31. **PEROXIDE KILLER**	VITOL PK

ANTI BACK STAINING

32. **ANTI BACK STAINING FOR DENIMS**	VITOL ABS

LINT DISPERSING & REMOVAL FOR TOWELS

33. **LINT REMOVAL**	VITOL ADTN

CORE ALKALI NEUTRAL

34. **CHELATION WITH CORE ALKALI NEUTRAL**	VITOL AX

WATER SAVER – LOW MLR PROCESS

35. **WATER SAVER – ALL PROCESS IN LOW MLR**	VITOL ADTN + VITOL BXL

ACIDS & ALAKALIES

36. **SODA SUBSTITUTE**	VITOL SA 200
37. **SILICATE SUBSTITUTE**	VITOL SITS
38. **ACID SUBSTITUTE - NEUTRALISING**	VITOL AX
39. **ACID SUBSTITUTE - POLYESTER DYEING**	VITOL POB
40. **ACIDIC REDUCTION CLEARING**	VITOSOAP RC
41. **RO MEMBRANE CLEANER - ACIDIC**	VITOCLEAN MCAC
42. **RO MEMBRANE CLEANER - ALKALINE**	VITOCLEAN MCALK
43. **CHELATING & CORE ALKALI NEUTRALISER**	VITOL AX
44. **CHELATING - ACIDIC**	VITOL 600 AC
45. **CHELATING - ALKALINE**	VITOL 600 ALK
46. **CHELATING - NEUTRAL PH**	VITOL 600 NUT
47. **ACID BUFFER**	VITOL AB55

LUBRICANTS & ANTICREASE

48. **LUBRICANT – OIL BASE**	VITOLUBE PQ
49. **LUBRICANT – WAX BASE**	VITOLUBE ACA
50. **LUBRICANT WITH WOOL PROTECTION**	VITOLAN Q
51. **SCOURING TO DYEING & FINISHING – NON IONIC**	VITOLUBE Q

DYEING AUXILLARIES – LEVELLING AGENTS

52. **LEVELLING POLYESTER RETARDING BASE**	VITOLEV DFT
53. **LEVELLING POLYESTER MIGRATION DIFFUSION BASE**	VITOLEV PESI
54. **LEVELLING POLYESTER WTH STAIN REMOVING**	VITOLEV PESI + VITOL XNI
55. **LEVELLING DISPERSING POLYESTER ONE BATH**	VITOL POB
56. **LEVELLING COTTON**	VITOL ADTN + VITOL BXL
57. **LEVELLING VAT – SULPHUR**	VITOLEV PESI + VITOL ADTN
58. **LEVELLING WOOL – NYLON**	VITOLEV SMK
59. **LEVELLING ACRYLIC**	VITOLEV AMBR
60. **LEVELLING LINEN**	VITOL ADTN + VITOL BXL

DEFOAMERS

61. **JET STABLE DYEING DEFOAMER**	VITOFOAM DFM
62. **PRINTING DEFOAMER**	VITOPRINT DFM 3000

DYEING AUXILLARIES – WASHING OFF

63. **SOAPING COTTON (POLYMER + EMULSIFIER BASE)**	VITOL ADTN + VITOL BXL
64. **ACID RC POLYESTER**	VITOSOAP RC
65. **SOAPING POLYESTER (POLYMER + SOLVENT BASE)**	VITOL ADTN + VITOL XNI
66. **SOAPING VAT – SULPHUR**	VITOL ADTN + VITOL XNI
67. **SOAPING WOOL – NYLON**	VITOL ADTN + VITOL XNI
68. **LEVELLING RETARDING MIGRATING ACRYLIC**	VITOLEV AMBR
69. **LEVELLING LINEN**	VITOL ADTN + VITOL BXL
70. **PRINTING SOAPING GUM REMOVAL**	VITOL ADTN + VITOL XNI
71. **OLIGOMER REMOVAL**	VITOL ORN

DYEING AUXILLARIES – DYEFIXER

72. **DYEFIXER COTTON FORMELDEHYDE**	VITOFIX DF-L (FORMELDEHYDE)
73. **DYEFIXER COTTON NON FORMELDEHYDE**	VITOFIX DF (HYDRIN BASE)
74. **DYEFIXER COTTON NON FORMELDEHYDE PREMIUM**	VITOFIX DF-A (AMINE BASE)
75. **DYEFIXER COTTON NON FORMELDEHYDE CRUDE**	VITOFIX DFDM (DADMAC BASE)
76. **DYEFIXER COTTON ECONOMICAL**	VITOFIX DFL - A NEW (HYBRID)
77. **DYEFIXER SILK NYLON WOOL**	VITOFIX DF – AN (ANIONIC)
78. **DYEFIXER FOR VAT – SULPHUR**	VITOFIX DF-A (AMINE BASE)
79. **DYEFIXER ACRYLIC**	VITOFIX DF – AN (ANIONIC)

CATIONIC SOFTNERS

80.	**COLD WATER SOLUBLE FLAKES 100%**	VITOSOFT CWS FLAKES
81.	**HOT WATER SOLUBLE CAKES 100% OILY FEEL**	VITOSOFT CVP CAKE
82.	**CATIONIC HYDROPHILLIC 90%**	VITOSOFT EXC 90%
83.	**CATIONIC 90% CRUDE**	VITOSOFT TTQ 90%
84.	**CATIONIC FOR FULL WHITE**	VITOSOFT OCV – 20%
85.	**CATIONIC FOR ACRYLIC**	VITOSOFT OCP – 20%
86.	**CATASILICON – SILICON MIX**	VITOSOFT CWP – 25 %
87.	**NON IONIC SOFTNER**	VITOSOFT NIS

SILICON SOFTNERS

88.	**HYDROPHILIC, DURABLE, NANO, BLOCKED, FULL WHITE, PH- TEMP - SHEAR STABLE, SUBLIMATION FAST, SPORTS WEAR, TOWEL**	VITOSOFT NTK
89.	**ELASTOMERIC, DURABLE, WHITES, SUBLIMATION FAST**	VITOSOFT WM
90.	**BODY BREAKING SILKY OILY FEEL**	VITOSOFT PS700
91.	**SILICON FOR DENIMS - SHEAR STABLE**	VITOSOFT DNM
92.	**YARN LUBRICANT WITH NANO SILICON**	VITOSOFT YLN
93.	**SWEING THREAD LUBRICANT**	VITOSOFT SEW
94.	**BLOCKED SILICON**	VITOSOFT BPS
95.	**FINISH EFFECT & PICK UP ENHANCER**	VITOL PBN

RESIN & HARD FINISH

96.	**MELAMINE FORMELDEHYDE RESIN**	VITOCOAT CCL –H/C
97.	**VAM – MB WITH PLASTICIZER**	VITOSOL 5505
98.	**VAM – MB WITHOUT PLASTICIZER**	VITOSOL EMD50
99.	**WEIGHT ENHANCER FOR CARPETS**	VITOSOL MB 600
100.	**MOISTURE RESISTANT VAM ACRYLATE HARD FINISH**	VITOSOL BDI
101.	**ACRYLATE BASE PERMANENT HARD FINISH**	VITOCOAT 1600
102.	**CONVENTIONAL RESIN**	VITOCOAT KVS
103.	**PU RESIN**	VITOCOAT TX85
104.	**DISPERSING EMULSIFIER FOR HARD FINISH WITH POWDER**	VITOL 106
105.	**ADHESIVE FOR HARD FINISH WITH POWDER**	VITOL 101 BOUNCER

ELASTOMERS & WAXES

106.	**PE ELASTOMER**	VITOSOFT PET30
107.	**WEIGHT ENHANCER PE ELASTOMER**	VITOSOFT PEW 50
108.	**BOUNCE & NAIL MARKS FREE**	VITOSOFT HD
109.	**ELASTOMERIC SILICON**	VITOSOFT WM

CSP - TEAR & TENSILE STRENGTH IMPROVER FINISH PILLING, FRAYING & CROCKING IMPROVER IN FINISH BOUNCE FINISH WITH ANTICREASE

110.	**HYBRID PU FINISHING ADDITIVE**	VITOCOAT TX85
111.	**PARAFFIN WAX ADHESIVE**	VITOSOFT HD
112.	**ELASTMER FOR ELONGATION**	VITOSOFT PET
113.	**ELASTOMERIC CATASILICON**	VITOSOFT CWP
114.	**ELASTOMERIC SILICON**	VITOSOFT WM

NO SILICON STAIN /DAAGI
NO SHADE CHANGE AFTER OD/KD - FULL WHITE
NO FASTNESS DOWN AFTER HIGH TEMP FINISH

115.	**SHEAR - PH - TEMP STABLE SILICON**	VITOSOFT NTK

COOL COMFORT FINISH

116.	**HYDRYPHILIC WATER RETENTION SILICON**	VITOSOFT NTK
117.	**HYDROPHILLIC CATIONIC**	VITOSOFT EXC
118.	**REWETTING ENHANCEMENT**	VITOL BXL

DEPTH ENHANCER FINISH

119.	**DEPTH ENHANCER FINISH**	VITOBLOOM WMK

OWR – WATER PROOF & REPELLENT

120.	**OWR – FLUOROCHEMICAL C8**	VITOGUARD FC8 CRUDE
121.	**OWR – FLUOROCHEMICAL C-ZERO**	VITOGUARD FC-ZERO CRUDE
122.	**PU FOR PRESSURE HEAD & BUNDASMAN & CONE TEST**	VITOGUARD WPU
123.	**OWR COMPATABLE SILICON**	VITOSOFT WM

FLAME RETARDENT FINISH

124.	**DURABLE FR FOR PES**	VITOFLAME DPS SA
125.	**NON DURABLE FR FOR PES**	VITOFLAME NDFR

ANTIMICROBIAL ANTI FUNGAL ANTI MOTH

126.	**WOOL ANTIMOTH**	BIOGUARD AMBW - WOOL
127.	**CANVAS OUTDOOR FABRICS – ANTIFUNGAL**	BIOGUARB AMBF - CRUDE
128.	**ANTIMICROBIAL – ARMY & OTHERS**	BIOGUARB AMBM - LIQ

FOAM FINISHING & BLACK OUT COATING

129.	**FOAM STABLISER**	VITOL AS
130.	**FOAM GENERATOR**	VITOL RWAN
131.	**FOAM FINISHING AGENT**	VITOSOFT FSO
132.	**NON TACKY BINDER**	VITOCOAT 7800
133.	**DISPERSING**	VITOL DS 800

134.	**THICKENER**	VITOTHICK TH70

GARMENT SPECIAL

135.	**DESIZING ENZYME AMYLASE**	VITOZYME ADZ
136.	**BIO ENZYME CATYLASE**	VITOZYME BIO CZ
137.	**SCOURING AGENT**	VITOL BXL
138.	**STAIN REMOVER**	VITOL XNI
139.	**ANTI LINT & ANTI BACK STAINING**	VITOL ABS
140.	**FABRIC CONDITIONER**	VITOSOFT CWP
141.	**FABRIC BOUNCER**	VITOSOFT HD
142.	**FABRIC SILICON**	VITOSOFT WM
143.	**COLOR FIXER**	VITOFIX DFL/DFLA

DENIM SPECIAL

144.	**FAST WETTING – OT BASE**	VITOL RW30
145.	**NON IONIC INSTANT WETTING WITH CAUSTIC STABILITY**	VITOL RWA50
146.	**MERCERISING WETTING**	VITOL MJ60/MAD
147.	**ANTIBACK STAINING**	VITOL ABS/ADTSN
148.	**SEQUESTERING AGENT ACIDIC**	VITOL 600 ACIDIC
149.	**SEQUESTERING AGENT NEUTRAL PH**	VITOL 600 NEUTRAL
150.	**CORE ALKALI NEUTRAL FOR NON IONIC WETTING USED**	VITOL AX40 (PH2)
151.	**CORE ALKALI NEUTRAL WHEN ANIONIC WETTING USED**	VITOL AX45 (PH6)
152.	**DYES DISPERSING POLYMER BASE WITH CHELATION**	VITOL ADT CONC
153.	**DYES DISPERSING SULPHONTED BASE**	VITOL WL45
154.	**DYE-FIXER CRUDE NON FORMELDEHYDE**	VITOFIX DF -65
155.	**CATIONIC SOFTNER**	VITOSOFT CWP
156.	**AMINO SILICON**	VITOSOFT WF/3P LIQ
157.	**FOAM FINISHING**	VITOSOFT FSO
158.	**SILICON DENIM GARMENT**	VITOSOFT WM50
159.	**YARN LUBRICANT**	VITOSOFT YLN
160.	**WAX EMULSION**	VITOSOFT HD
161.	**DYEFIXER HYDRIN BASE FOR GUM**	VITOFIX DF ECO PURE

WOOL CARPET SPECIAL

162.	**ANTI SHEDDING & ANTI PILLING**	VITOCOAT TX85
163.	**MOTH PROOFING & ANTIFUNGAL**	BIOGUARD AMB
164.	**WOOL PROTECTING – ANTIFELTING**	VITOLAN Q
165.	**BACK COATING**	VITOCOAT 4700
166.	**WOOL DEMINERALISATION**	VITOL IR
167.	**WOOL WAX REMOVAL**	VITOL RW/BXL
168.	**WOOL DYEING LEVELLING**	VITOLEV SMK
169.	**BRIGHTNESS & SOAPING**	VITOL ADTN+ BXL + XNI
170.	**OIL & WATER RESISTANT**	VITOGUARD FC8

ELASTANE POLYESTER & RAYON SPECIAL

171.	**SILICON OIL EMULSIFIER (EXHAUST/PADING RW)**	VITOL BXL/RW + XNI
172.	**LOW TEMPERATURE DYEING @ 120/125°C - LEVELLING**	VITOLEV PESI
173.	**BOUNCE FINISH**	VITOSOFT WM + TX85

POLYESTER SPECIAL – WR WEIGHT REDUCTION

174.	**PREWASH / PRE ADD IN CAUSTIC DE COMPLEXING**	VITOL IR
175.	**EITHER CATALYST CATIONIC OR BELOW**	VITOL AMBR LIQ
176.	**CAUSTIC WETTING AGENT ANIONIC**	VITOL MAD
177.	**OLIGOMER & LIQUID POLYESTER DISPERSANT**	VITOL ORN
178.	**POST WASHING**	VITOL ORN + XNI

POLYESTER SPECIAL

179.	**ONE BATH DISPERSING CHELATING LEVELLING**	VITOL POB
180.	**ONE BATH STAIN REMOVING WITH DYEING**	VITOLEV PESI + VITOL XNI
181.	**LOW TEMPERATURE DYEING**	VITOLEV PESI
182.	**RETARDING BASE LEVELLING**	VITOLEV DFT
183.	**ACIDIC RC**	VITOSOAP RC
184.	**BLOCKED SILICON**	VITOSOFT BPS

WOOL FULL OPTIC WHITE

185.	**DEMINERALISING AGENT**	VITOL IR
186.	**OXIDATIVE BLEACHING WITH**	VITOL RW
187.	**REDUCTIVE BLEACH WITH**	VITOL BXL
188.	**WOOL OBA**	VITOWHITE WHN

PROBLEM: RUBBING FASTNESS

189.	**DYEING WITH VITOCRON CRUDE DYES**	VITOCRON
190.	**SOAPING**	VITOL ADTN + BXL + XNI
191.	**DYEFIXING**	VITOFIX DFL A
192.	**FINISH**	VITOCOAT TX85

PROBLEM: LOW DEPTH IN DYEING/PRINTING

193.	**PREWASH**	VITOL ADTN + BXL + RS
194.	**DYEING**	VITOL ADTN + BXL + RS

PIGMENT PRINTING BINDERS

195.	**HIGH FAST WITH SOFT BINDER**	VITOPRINT EBS / BT
196.	**ZERO FORMELDEHYDE**	VITOPRINT SA40
197.	**AIR DRY LOW TEMP CURING**	VITOPRINT AIR DRY
198.	**DISCHARGE STABLE**	VITOPRINT 4100
199.	**KHADI - FAST SOFT & WHITE**	VITOPRINT 5401
200.	**KHADI – HIGH FAST & BRIGHT**	VITOPRINT KBR
201.	**KHADI - STRECHABLE**	VITOPRINT KBS
202.	**GOLD BINDER**	VITOPRINT GB24
203.	**FOIL BINDER**	VITOPRINT FB500
204.	**FLOCK BINDER**	VITOPRINT HS-ECO
205.	**PEARL BINDER**	VITOPRINT GB PEARL
206.	**VERY HARD BINDER**	VITOCOAT 1600/243
207.	**SOFTTEST NANO BINDER MINUS 40 TG**	VITOPRINT 9000
208.	**NON IONIC BINDER FOR PADDING & EXHAUST**	VITOCOAT TX85

PRESSURE SENSITIVE ADHESIVES

209.	**PRINT TABLE ADHESIVE**	VITOBOND PACR
210.	**STICKER ADHESIVE**	VITOBOND SACR
211.	**BOPP TAPE ADHESIVE**	VITOBOND TACR
212.	**ROLL ADHESIVE**	VITOBOND RACR

COATING BINDERS - WATER BASED

213.	**HOME FURNISHING - NON TACKY**	VITOPRINT EB6650
214.	**CANVAS - LONG WHITE- NON TACKY**	VITOCOAT 1602-BTL
215.	**BLACK OUT – LIGHT RESISTANT**	VITOCOAT 7800
216.	**BULLET RESISTANT (BINDER FOR ARMY)**	VITOCOAT BULL
217.	**AUTOMOBILE - FLAME RESISTANT**	VITOCOAT FRBN
218.	**CARPET BACK COATING**	VITOCOAT 4700
219.	**DENIM RUBBING ENHANCER**	VITOCOAT TX85
220.	**GEO TEXTILE (CHEMICAL & FUNGAL RESISTANT)**	VITOCOAT GEOT
221.	**BITUMIN BINDER**	VITOCOAT BIT
222.	**BINDER EVA BASE NEVER CRACK**	VITCOAT EVAS
223.	**BINDER PU ACRYLATE HYBRID**	VITOCOAT TX85
224.	**PRESSURE SENSITIVE ADHESIVE**	VITOCOAT PSA
225.	**NON WOVEN LAMINATION ADHESIVE**	VITOCOAT LSA

PRINTING THICKENERS

226.	**PIGMENT SYNTHETIC THICEKNER**	EUROPRINT TH100
227.	**KHADI COATING ACRYLIC THICKENER**	VITOPRINT TH70
228.	**REACTIVE THICKENER**	VITOPRINT RTH 300
229.	**DISPERSE THICKENER**	VITOPRINT DTH 200

PIGMENT PRINTING FIXERS

230.	**HIGH FAST – FORMELDEHYDE**	VITOPRINT CCL-FIX
231.	**LOW FORMELDEHYDE**	VITOPRINT LF-FIX
232.	**MEDIUM FORMELDEHYDE**	VITOPRINT MF-FIX

PIGMENT PRINTING SOFTNERS

233.	**SOFTNER WITH RUBBING FASTNESS IMPROVER- CRUDE**	VITOPRINT SIG RUB
234.	**PIGMENT PRINTING SOFTNER - CRUDE**	VITOSOFT R75
235.	**KHADI SOFTNER**	VITOSOFT KHDI

FLOCK PREPARATORY AGENT

236.	**FLOCK PREPARATORY AGENT**	VITOFLOC RVT

OTHER PRINTING CHEMICALS

237.	**LOOP ACCELERATOR**	VITOPRINT HDN
238.	**KHADI DISPERSING AGENT**	VITOL DS800
239.	**DEFOAMER FOR PRINT PASTE**	VITOFOAM DFM 3000
240.	**ANTI TACKY AGENT**	VITOSOFT HD300

PRINTING ANTI-CHOCKING & PENETRATION

241.	**ANTICHOCKING**	VITOPRINT EPC30
242.	**RHEOLOGY MODIFIER**	VITOPRINT R30
243.	**FASTNESS IMPROVER - PREMIUM CRUDE**	VITOPRINT SIG
244.	**PENETRATION & WETTING**	VITOPRINT KBI
245.	**MTO SUBSTITUTE WITH BETTER EMULSION**	VITOPRINT PAD-MTS
246.	**KEROSENE SUBSTITUTE**	VITOPRINT ECO KEROS

PAINT ADDITIVE & CEMENT ADDITIVE

247.	**PURE PU PAINT ADDITIVE**	VITOBOND PU- PNT 200
248.	**PU ACRYLATE CEMENT ADDITIVE WATER PROOFING**	VITOBOND PU-CMT 100

WOOD ADHESIVE – BULK PACKING ONLY

249.	**HIGH FAST**	VITOBOND D3
250.	**BWR – BOILING WATER RESISTANT**	VITOBOND BWR

OPTICAL BRIGHNERS

251.	**LIQUID EXHAUST – MEDIUM - HIGH AFFINITY**	VITOWHITE SI LIQ
252.	**POWDER - MEDIUM - HIGH AFFINITY**	VITOWHITE 2B/4BB
253.	**LOW AFFINITY – PADDING**	VITOWHITE CBS
254.	**FOR WOOL & ACRYLIC & NYLON**	VITOWHITE WHN

WASTE WATER DIVISION - ETP

255.	**COLOR REMOVAL COAGULANT**	VITOL ETP FLP
256.	**POLY-ELECTROLYTE**	VITOL POLY-E (CAT/AN/NI)
257.	**ANTICALLENT**	AQUAGUARD 600/300

RO – WATER TREATMENT & COOLING TOWERS

258.	**RO & HUMIDIFICATION PLANT ANTISCALLENT**	AQUAGUARD ROA
259.	**RO MEMBRANE CLEANER – ALKALINE ACIDIC**	AQUAGUARD MCAC
260.	**RO MEMBRANE CLEANER – ACIDIC**	AQUAGUARD MCALK
261.	**BIOCIDES – ANTISMELL - ANTIALGAE**	BIOGUARD AMB
262.	**DEFOAMER**	VITOFOAM DFM

COAL ADDITIVE & BOILER CHEMICALS

263.	**COAL ADDITIVE – COMBUSTION ENHANCER**	**VITOCOAL FIRE X**
264.	**BOILER ANTISCALLENT**	AQUAGUARD 1100 BOA
265.	**OXYGEN SCAVENGER**	AQUAGUARD 1300 OXY

SOLAR PLATES, GLASS & CAR WASHING

266.	**ANTISCALLENT & DISPERSING (NO WATER STAIN)**	VITOL 600
267.	**SOLVENT BASED CLEANING**	VITOL XNI
268.	**CONDITIONER & LUBRICANT**	VITOSOFT WMK

MACHINE CLAENING & HANDWASH

269.	**MACHINE CLEANING AGENT**	VITOCLEAN MC
270.	**HANDWASH**	HANDWASH
271.	**LIQUID DETERGENT – GARMENT WASHING**	LIQIMATIC

LAB TESTING SERVICES

272. **BINDERS:** FORMALDEHYDE, PARTICLE SIZE, PURITY OF MONOMER, FREE MONOMER APEO/NPEO/OPEO BANNED PTHALATES AMINES
273. **WATER:** COD, TSS, TDS, HARDNESS, CHELATION
274. **ADHESIVES**: GLOSS, TENSILE STRENTH & ELONGATION, IS 4835, EN 204/205, ISO 19209/19210, BOPP (Shear adhesion, loop test and tack)
275. **CHEMICALS:** PA, IONICITY, SOLID/ACTIVE/ASH/MOISTURE CONTENT, PH, SPECIFIC GRAVITY & VISCOSITY, BULK DENSITIY, MELTING-BOILING-FREEZING POINT, SOLUBILITY, COMPATIBILITY, STABILITY
276. **SCOURING AGENTS:** WETTING TIME, FOAM HEIGHT & SUPPRESSING TIME, HYDROPHILICITY, WICKING, MERCERISING
277. **SILICONES:** CLOUD POINT, ACID VALUE, AMINE VALUE, RI VALUE, PARTICLE SIZE

VITOLON FINISHING PACKAGES	
CSP/TENSILE/TEAR STRENGTH	VITOSOFT PEW35 + VITOSOFT CWP + VITOSOFT WM+ VITOSOFT HD OR VITOCOAT XSB IN FINISHING
WEIGHT INCREASE	VITOSOFT PEW50
DRAPE / DURABILITY	VITOSOFT WM + VITOSOFT CWP
LUSTURE	VITOCOAT XSB + CALENDERING
MATT FINISH	VITOCOAT TX85 + VITOSOFT WM
HYDROPHILLIC	VITOSOFT NTK + VITOSOFT EXC+ VITOL BXL2 GPL
NON YELLOWING/NO SHADE CHANGE AFTER MECHANICAL	VITOSOFT NTK/WM + VITOSOFT CWP /EXC
FRILLING/CUTTING	VITOCOAT TX85 + VITOSOFT WM/CWP
PILLING - MARTINDALE	VITOCOAT TX85/XSB + VITOSOFT WM/CWP
BOUNCE	VITOCOAT TX85/XSB + VITOSOFT WM/CWP
NO SILICON STAIN	VITOSOFT WM/NTK /CWP
WRINKLE FREE / CRA	VITEX WFF (FORMELDEHYDE) VITOCOAT TX85/XSB + VITOSOFT WM/CWP (ECO)
BRIGHTNESS & DEPTH ENHANCER	VITOL ADT 0.5-1GPL IN DYEING, VITOBLOOM WMK IN FINISH 10-30GPL

INNER SOFTNESS	VITOSOFT NTK + VITOSOFT PS800
SURFACE SOFTNESS	VITOSOFT CWP/OCP
DURABILITY (100 WASH)	VITOSOFT WM/NTK/CWP
PH STABILITY (3-9 PH)	VITOSOFT WM/NTK/CWP
TEMP. STABILITY (UPTO 70°C)	VITOSOFT WM/NTK/CWP
SHEAR & JET STABILITY	VITOSOFT WM/NTK/CWP
SUBLIMATION FAST	VITOSOFT WM/NTK/CWP
MULTIFIBER FASTNESS (NO IMPACT)	VITOSOFT WM/NTK/CWP
POLYESTER WEIGHT REDUCTION - WHITE PATCHES AND OTHER PROBLEMS	1. CATALYST VITOL AMB25 (CATIONIC AGENT WITH CAUSTIC) 2. ADD VITOL 600 + VITOL ORN (NON IONIC DISPERSANT) 1-2 GPL IN WR AND WASHING 3. PROPER HOT WASH FIRST THEN NEUTRALISE WITH VITOL AX

VITOSOFT SOFTENERS

Product	NTK	WM	NTM	PS 700	CWP	OCP	PET	PEW50
Type of silicon	Pure Hydrophillic, Nano Blocked Antistatic Silicon, wash durable	Wash Durable, Elestomeric, Micro Amino Silicon	Nano Micro Blocked mix silicon	Ultra Nano blocked mix Silicon	Elastomeric Cata Silicon Mix	Reactive Cationic Softner	Elastomer	Elastomer with HD wax
Ionic nature	Mild Cationic	Mild Cationic	Mild Cationic	Mild Cationic	Strong Cationic	Strong Cationic	Non ionic	Non ionic
Softness	best Inner soft feel	Inner and outer mix feel	Inner more	body breaking	Inner Outer Both	Outer Softness	inner & outer both soft	inner & outer both soft
Feel	Dry Matt Antistatic finish	Mild Oil finish	Mix feel Oily & dry both	Silky - Oily feel	Surface waxy feel with little inner softness	Surface waxy feel	Surface waxy feel	Surface waxy feel
Used for	Yarn/Towel/Sportswear/ moisture management/ sublimation fastness/ Full white/ no silicon stain/ upto 9 ph & 40°c stable / Soft flow stable	Rayon/PV/ synthetic/ Sublimation fastness/ Full white/ no silicon stain/ upto 9 ph & 70°c stable / Soft flow stable	Mild hydrophillic with oily touch/ Full white/ no silicon stain/ upto 9 ph stable / Soft flow stable	To break Harsh/ hard fabric / not for full whites / upto 7 ph & 40°c stable	Mild hydrophillic with wax feel/ Full white/ no silicon stain/ upto 9 ph stable/ jet stable	Non hydrophillic with wax feel/ Full white/ no silicon stain/ upto 9 ph stable/ jet stable	Non hydrophillic with wax feel/ Full white/ no silicon stain/ upto 9 ph stable/ jet stable	for weigth increase of fabric
Application	Exhaust/Padding	Exhaust/Padding	Exhaust/Padding	Only padding	Exhaust/Padding	Exhaust/Padding	Exhaust/Padding	Exhaust/Padding
Shade Change after finishing	NO SHADE CHANGE	NO SHADE CHANGE	NO SHADE CHANGE	Mild Yellowing	NO SHADE CHANGE at neutral ph	NO SHADE CHANGE at neutral ph	NO SHADE CHANGE at neutral ph	NO SHADE CHANGE at neutral ph

HARD FINISH

Product	TX85	BD	EM	MBX	1600	1500	6600	HD
Type	Hybrid PU - acrylate mix	Hybrid Acrylate - vam mix	VAM based	VAM with plasticizer	VAM RESIN HYBRID	EVA PU HYBRID	flame retardent mix PU	Wax mix
Ionic nature	Non Ionic	Mild Anionic	Mild Anionic	Mild Anionic	Mild Anionic	Anionic	Anionic	Non Ionic
Softness	Bounce with body	water resistant body	hard body	flexible hard body	very hard body	flexible durable body	Special FR mix coating	Soft wax feel
Used for	shirting dress material for bounce, tear strength, seam, frilling, abreasion resistant, fastness inprover, tear strength improver, dimesntional & heat stability	Hard finish very durable in moist condition & no body breaking even in rainy season, water resistant,	Hard finish	Hard finish with flexibility	bukram fabric, full hard	technical textile for bounce, tear strength, seam, frilling, abrasion resistant, fastness inprover, tear strength improver, dimesntional & heat stability	FR COATING	Tear strength, needle holes, garment, heat dessipation, filler
Application	Exhaust/Padding	only Padding	only Padding	only Padding	only Padding	only Padding	only Padding	Exhaust/Padding

VITOLON CHEMICALS

FORMULATING SOLUTIONS. MANUFACTURING TRUST.

SELF MAROON

VIBRANT | ECONOMICAL
RELIABLE

For All Dyeing Techniques


No Value Sacrificed in Chemistry

VITOCRON MAROON & RED XF –

SELF MAROON & BRIGHT RED

- SINGLE MAROON DYE – BOILING WATER RESISTANT
- FOR EXHAUST, CONTINUOUS & PRINTING ALL DYEING
- 95% EXHAUSTION & FIXATION
- 4-5 LIGHT FASTNESS AT 0.2% SHADE
- 4-5 WASHING FASTNESS, 4 – RUBBING FASTNESS
- 4 – CHLORINE FASTNESS, 4-5 FASTNESS COLOR BLEEDING
- 50% LESS WATER IN SOAPING, 80% LESS ETP LOAD, 30% LESS SALT
- 50% LESS STEAM COST, 40% LESS PRODUCTION TIME, NO ADDITION
- 100 WASH DURABLE LONG LASTING COLOR
- DRY ON DRYING RANGE WITHOUT SPOTTING
- BETTER FABRIC QUALITY LESS PILLING & ABRASION
- WHITE DISCHARGE PRINTING WITH BRIGHT RED 3RXF & MARROON

100% FULL WHITE DISCHARGEABLE BRIGHT RED



- BRIGHT REDDISH PINK DYE
- NO BLEEDING, NO FLUSHING, NO GELLING
- HIGH DEFINITION PRINT, FULL CUT 100% WHITE DISCHARGE

SELF GREY & EASY EARTH COLORS

VITOCRON XFGR DYES – SELF LEVELLING DYES

(FOR GREY OLIVE BAIZE KHAKHI CHARCOAL BROWN SHADES)



- FULL TRICHROMY FOR EARTH COLORS
- 4-5 LIGHT FASTNESS AT 0.1% SHADE
- NO CS, NO TAILING, NO LISTING, NO GROUPING, BEST LEVELLING
- NO CENTER TO SELVEDGE
- RIGHT FIRST TIME DYEING, NO ADDITION BLIND DYEING
- BETTER FABRIC QUALITY, LESS PILLING & ABRASION
- FOR EXHAUST & CONTINUOUS BOTH

Building Aatmnirbhar Bharat by Chemical Innovation

VITOLON CHEMICALS

FORMULATING SOLUTIONS. MANUFACTURING TRUST.

VITOLON INDIA LIMITED – A PUBLIC LIMITED COMPANY

Advanced Polymer Technology for Better Textile Performance



ABOUT US

VITOLON INDIA LIMITED is a ZDHC Level 3 & GOTS certified Public Limited Company specializing in Advanced Polymers, Specialty Chemicals, Dyes, and Textile Technologies. With a strong focus on Research & Development and Reverse Engineering, we develop innovative Make in India solutions, contributing to "Building Aatmnirbbar Bharat through Chemical Innovation."

Our backward-integrated, SCADA-controlled manufacturing facility has a production capacity of 1,000 MT per month and is supported by a modern R&D and Quality Control Laboratory equipped with HPLC, GC-MS, TGA, PSA, HS, and advanced reactors, ensuring consistent quality, innovation, and technical excellence.

OUR SOLUTIONS

TECHNICAL TEXTILE CHEMICALS

350+ specialty chemicals for sizing, pretreatment, dyeing, printing, finishing, coating, denim, garment, yarn, and technical textiles.

PROTECTION CHEMICALS

Antimicrobial, Oil & Water Repellent (OWR), Flame Retardant (FR), Moisture Management (MM), Anti-Pilling, Moth Proofing, and Functional Coatings.

COLORANTS

Reactive, Direct, Acid Dyes & Pigments.

WATER TREATMENT CHEMICALS

ETP, RO, Boiler, Cooling Tower, Humidification & Colour Removal Solutions.

POLYMER & COATING SYSTEMS

Acrylic, PU, EVA, Hybrid, SBR & Specialty Polymers.

PRINTING CHEMICALS

Low Tg Binders, Fastness Improvers & Advanced Printing Polymers.

CHEMICAL SUBSTITUTES

Sustainable alternatives to silicates, alkalis, solvents, kerosene, chlorine, reducing agents & chlorides.

ADHESIVES & CONSTRUCTION CHEMICALS

PU, Wood, Lamination & BOPP Adhesives, Waterproofing, Concrete Additives & Tile Adhesives.

PAINT ADDITIVES & TECHNICAL SERVICES

Waterproofing, Antifungal, Scratch-Resistant Additives, Laboratory Testing & Reverse Engineering.

WHY VITOLON?

- ZDHC Level 3 & GOTS Certified
- Public Limited Company
- 1,000 MT/Month Manufacturing Capacity
- SCADA-Controlled Manufacturing
- State-of-the-Art R&D & Testing Laboratory
- 350+ Innovative Specialty Chemical Solutions
- Sustainable Technologies with Complete Technical Support

VITOLON INDIA LIMITED

Advanced Polymers • Specialty Chemicals • Textile Technology

MAKE IN INDIA

Building Aatmnirbhar Bharat through Chemical Innovation

SUSTAINABLE INNOVATIVE RESPONSIBLE

VITOLON CHEMICALS


FORMULATION SOLUTIONS.
MANUFACTURING TRUST.



- **Textile Colors & Chemicals** — ZDHC LEVEL 3 & GOTS
- **Water-Treatment Chemicals**
- **Paint Additives**
- **Construction Chemicals**
- **Testing Lab Services**
- **Textile Job Consultancy**

ABOUT US

VITOLON INDIA LIMITED is a responsible public limited company technically integrated manufacturer of specialty chemicals for technical textiles, dyes, advance coating polymers, adhesives, construction chemicals, coal additives, and water treatment chemicals. With modern manufacturing facilities, advanced R&D laboratories, and a strong commitment to innovation, we deliver customized solutions for the textile and allied industries. Our products are designed to improve process efficiency, sustainability, fabric performance, and customer profitability.



City Office	:	724 City Gate, New Vasna, Ahmedabad 380055 Guj
Site 1	:	Survey No 178/179, Kanera, NH –8, Kheda 387540 Guj
Site 2	:	11 Popular Estate, Aslali, Ahmedabad 382427 Guj
Site 3	:	Plot no. 39, Industrial Area, Mujaras, Bhilwara Raj 311802
Site 4	:	Plot no. 44, Industrial Area, Mujaras, Bhilwara Raj 311802
Site 5	:	Plot No. 358, kh no. 58, Ambe Velly, Temawas, Balotra, 344022 Raj

Mobile : +91 9558888743 | www.vitolon.in | vitolonindia@gmail.com

CIN NO. U24290GJ2021PTC126205, PAN No. : AAICV3235D, TAN No. : AHMV10459B
PF. Code GJAHD2486312000, ESI Code :37001266570000304

Building AatmaNirbhar Bharat by Chemical Innovation

Advanced Polymer Technology for Better Textile Performance

Quality You Trust | Sustainability We Care | Partnership We Value