



what's new with CF Services?

async operations, service keys, and arbitrary parameters

Michael Maximilien and Beijing team (IBM)

David Sabeti (Pivotal)



agenda

CF services - architecture (brief history)

what's new?

- (1) async service operations
- (2) service keys
- (3) arbitrary parameters

demo

next steps



problem

enable developers to **discover** and **integrate third-party software** (services) with their CF applications **through the platform**



discover third-party software:

```
> cf marketplace
```

```
p-mysql 100mb, 1gb MySQL databases on demand
p-riakcs developer An S3-compatible object store based on Riak CS
```



integrate:

```
> cf create-service myService somePlan myDB
Creating service instance myDB in org myOrg / space mySpace as myUser...
OK
> cf bind-service myApp myDB
Binding service myDB to app myApp in org myOrg / space mySpace as myUser...
OK
> cf restage myApp
...
// Your app can now use your service
```



through the platform



other goals

deployment and maintenance are **opaque** to developer



other goals

don't be prescriptive about what a service is



other goals

external vendors can bring their service to CF



other goals

added, discovered, & integrated dynamically



solution


the cf services model (service broker architecture)




service brokers

translation layer small HTTP interface
















CF services - what's new

so what's new?




problem

how does the existing API support long running operations?



use cases

long running provisioning and de-provisioning







solution


future object: last_operation with state

•clients must poll to find service instance


operation state

tighter CF <-> broker interaction











services keys

problem

CF services must be **bound** to an application to **obtain credentials** via platform



services keys

use cases: using services outside of CF
redentials per service instance
reivileged credentials for admins
read-only credentials for some apps
reasier accounting for service usage



services keys

solution: creation of new endpoint

```
POST /v2/service_keys/service_instance_guid
```

•GET /v2/service_keys/:guid

DELETE /v2/service_keys/:guid

... and the broker API requires no changes because we can use binding endpoints



problem

current CF Service APIs **limit** what can be passed to a service broker during service lifecycle operations



use cases

Optional service configuration

- ex. Number of nodes in a cluster

Instance-specific configuration

- service plans assume all instances need same config
- removing dashboard work-around
- ex. SSL certificates as a service



solution

service lifecycle operations take additional JSON parameter



solution

```
$cf create-service my-service somePlan myDB
then out-of-band configuration via UI
is now
$cf create-service my-service somePlan myDB -p "{"sharding": true,
"size": "large", ...}"
```



demo

Async: https://www.youtube.com/watch?v=lj5KSKrAq9Q Keys: https://www.youtube.com/watch?v=V5uzLcPQPmo Params: https://www.youtube.com/watch?v=Qc3bZljGscs



feedback

need feedback from community

- real-world usage will drive future improvements
- where else can CF services improve?
- contact Shannon Coen (scoen@pivotal.io)

team





Raina Masand (incoming anchor)



Whitney Schaefer



Yotam Kadishay



Shannon Coen (Product Manager)



Glen Tona



Jeff Hui



Greg Cobb

thank you





credit: http://knowyourmeme.com/photos/522333-language

backup



backup