1.matrix two arr

```
import java.util.Scanner;
class math{
   public static void main(String[]args){
      Scanner scan= new Scanner(System.in);
      int n = scan.nextInt();

      int[][]arr1=new int [n][n];
      int[][] arr2=new int [n][n];
      int[][] sum= new int[n][n];
      System.out.print("enter arr1");
      for(int i=0;i<n;i++){
         for(int j=0;j<n;j++){
            arr1[i][j]=scan.nextInt();

         }
      }
       System.out.print("enter arr2");
      for(int i=0;i<n;i++){
         for(int j=0;j<n;j++){
            arr2[i][j]=scan.nextInt();
   }
}
 System.out.print("the sum of arr");
      for(int i=0;i<n;i++){
         for(int j=0;j<n;j++){
            sum[i][j]=arr1[i][j]+arr2[i][j];
         }
```

```
        }
         for(int i=0;i<n;i++){
            for(int j=0;j<n;j++){
                System.out.print(sum[i][j]+" ");
            }
            System.out.println();
        }
}
}
```

1.matrix two sum transpose

```
import java.util.Scanner;
class math{
    public static void main(String[]args){
        Scanner scan= new Scanner(System.in);
        int n = scan.nextInt();

        int[][]arr1=new int [n][n];
        int[][] arr2=new int [n][n];
        int[][] sum= new int[n][n];
        System.out.print("enter arr1");
        for(int i=0;i<n;i++){
            for(int j=0;j<n;j++){
                arr1[i][j]=scan.nextInt();

            }
        }
```

```
        System.out.print("enter arr2");
       for(int i=0;i<n;i++){
          for(int j=0;j<n;j++){
             arr2[i][j]=scan.nextInt();
    }
 }
 System.out.print("the sum of arr");
       for(int i=0;i<n;i++){
          for(int j=0;j<n;j++){
             sum[i][j]=arr1[i][j]+arr2[i][j];
          }
       }
        for(int i=0;i<n;i++){
          for(int j=0;j<n;j++){
             System.out.print(sum[i][j]+" ");
          }
          System.out.println();
       }
}
}
```

3.spiral model

```
import java.util.Scanner;
class karan{
public static void main (String[]args){
   Scanner sc=new Scanner(System.in);
   int n=sc.nextInt();
   int[][]arr1=new int[n][n];
   int top=0;
   int bottom=n-1;
```

```
int left=0;
int right=n-1;
System.out.print("the enter arr value:");
for(int i=0;i<n;i++){
  for(int j=0;j<n;j++){
      arr1[i][j]=sc.nextInt();
      //top
  }
}
      for(int i=left;i<=right;i++){
       System.out.println(arr1[top][i]+"");
      }
      //right
      top++;

         for(int i=top;i<=bottom;i++){
   System.out.println(arr1[i][right]+"");



      }
      //bottom
      right--;
       for(int i=right;i>=left;i--){
   System.out.println(arr1[bottom][i]+"");




  }
  //left3
  bottom--;
   for(int i=bottom;i>=top;i--){
```

```
        System.out.println(arr1[i][left]+"");



    }
}
}
```

1. In each line of output there should be two columns:
The first column contains the *String* and is left justified using exactly characters.
The second column contains the *integer*, expressed in exactly digits; if the original input has less than three digits, you must pad your output's leading digits with zeroes.

```
import java.util.Scanner;

public class Solution {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("================================");

        for (int i = 0; i < 3; i++) {
            String s1 = sc.next();
            int x = sc.nextInt();

            System.out.printf("%-15s%03d%n", s1, x);
        }

        System.out.println("================================");
```

```
    sc.close();
}
```