MongoDB Queries: Design and Develop MongoDB Queries using CRUD operations.

Create collection "student" and make entry of 5 or more students

1. **select all documents from the collection "student" which satisfying the following condition -**
   a. gender of student is male or
   b. grd_point of the student is greater than equal to 31 with comparison operator.

   Db.student.find({$or:[{gender:"male"},{$get:{grade:"31"}}]})

2. **Update age to 20 from collection "student" whose first name is " Riyansh"**

Db.student.update({fname:riyansh},{$set:{age:"20"}})

3. Update or save the city to nagpur and State to MH **collection "student"** whose last name is "**soniminde**"

   db.student.updateMany(

   { last_name: "soniminde" },

   {

   $set: { city: "Nagpur", state: "MH" }

   }

   );

4. Students have cancelled admission from the college who is belongs to state "**KA**".

   db.student.deleteMany(

   { state: "KA" }

)

1. Ans =**Select all documents from the collection "student" where:**

   o Gender is male **or**

   o Grade point is greater than or equal to 31.

   javascript

   Copy code

   db.student.find({

   $or: [

   {gender: "male"},

   {grd_point: {$gte: 31}}

   ]

   })

   2. **Update the age to 20 for the student whose first name is "Riyansh":**

   javascript

Copy code

```
db.student.updateOne(
  {fname: "Riyansh"},
  {$set: {age: 20}}
)
```

3. **Update the city to "Nagpur" and state to "MH" for the student whose last name is "Soniminde":**

javascript

Copy code

```
db.student.updateMany(
  {lname: "Soniminde"},
  {$set: {city: "Nagpur", state: "MH"}}
)
```

4. **Delete all students from the state "KA" (who have canceled their admission):**

javascript

Copy code

```
db.student.deleteMany(
  {state: "KA"}
)
```