SAMPLE SUPER STORE

NAME:- KARAN KUDTE
INSTITUTE:-BESANT TECHNOLOGY
GUIDE:-KAVIBHARATHI

PROJECT OVERVIEW:

THIS PROJECT ANALYZES SUPERMARKET SALES DATA USING SQL TO UNCOVER INSIGHTS ON SALES PERFORMANCE, PROFIT TRENDS, CUSTOMER SEGMENTS, AND PRODUCT CATEGORIES.

SAMPLE DATA

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

Ship_Mode	Segment	Country	City	State	Postal_Code	Region	Category	Sub_Catego
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs
Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Appliances
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Tables

DATASET COLUMNS OVERVIEW – SUPERMARKET SALES DATASET

SHIP-MODE – METHOD USED TO SHIP THE ORDER (E.G., STANDARD, FIRST CLASS).

SEGMENT – TYPE OF CUSTOMER (CONSUMER, CORPORATE, OR HOME OFFICE).

COUNTRY – COUNTRY WHERE THE SALE OCCURRED.

CITY – CITY WHERE THE ORDER WAS PLACED.

STATE – STATE OR PROVINCE OF THE CUSTOMER.

POSTAL-CODE – POSTAL OR ZIP CODE OF THE SHIPPING ADDRESS.

REGION – GEOGRAPHICAL REGION (EAST, WEST, CENTRAL, SOUTH, ETC.).

CATEGORY – MAIN PRODUCT CATEGORY (FURNITURE, OFFICE SUPPLIES, TECHNOLOGY).

SUBCATEGORY – MORE SPECIFIC PRODUCT TYPE (E.G., CHAIRS, PHONES, BINDERS).

SALES – TOTAL REVENUE FROM THE SALE.

QUANTITY – NUMBER OF UNITS SOLD.

DISCOUNT – DISCOUNT APPLIED TO THE SALE.

PROFIT – PROFIT EARNED AFTER SUBTRACTING COSTS AND DISCOUNTS

SQL Queries for sampleSuperstore Sales Data

1. **Write a query to display segment,category,sales from samplesuperstore.**

➢ **select category,segment,sales from samplesuperstore;**

category	segment	sales
Furniture	Consumer	261.96
Furniture	Consumer	731.94
Office Supplies	Corporate	14.62
Furniture	Consumer	957.5775
Office Supplies	Consumer	22.368
Furniture	Consumer	48.86
Office Supplies	Consumer	7.28
Technology	Consumer	907.152
Office Supplies	Consumer	18.504
Office Supplies	Consumer	114.9
Furniture	Consumer	1706.184
Technology	Consumer	911.424
Office Supplies	Consumer	15.552
Office Supplies	Consumer	407.976
Office Supplies	Home Off...	68.81
Office Supplies	Home Off...	2.544
Office Supplies	Consumer	665.88
Office Supplies	Consumer	55.5

2. Write a query to display half term sales and half term profit in samplesuperstore.

- select sales*6,profit*6
  from samplesuperstore;

sales*6	profit*6
1571.7599999999998	251.48160000000001
4391.64	1317.492
87.72	41.2284
5745.465	-2298.186
134.208	15.0984
293.15999999999997	85.0164
43.68	11.7936
5442.912	544.2912
111.024	34.695
689.4000000000001	206.82
10237.104	511.8552
5468.544	410.1408
93.312	32.6592
2447.8559999999998	795.5532
412.86	-743.148
15.264	-22.896
3995.2799999999997	79.9056
333	59.94
51.36	14.894400000000001
1280.8799999999999	96.066
136.32	44.304
116.76	30.357599999999998

3. Write a query to display category and sub-category without repetation.

- select distinc category,SubCategoryfrom samplesuperstore;

category	SubCategory
Furniture	Bookcases
Furniture	Chairs
Office Supplies	Labels
Furniture	Tables
Office Supplies	Storage
Furniture	Furnishings
Office Supplies	Art
Technology	Phones
Office Supplies	Binders
Office Supplies	Appliances
Office Supplies	Paper
Technology	Accessories
Office Supplies	Envelopes
Office Supplies	Fasteners
Office Supplies	Supplies
Technology	Machines

4.write a query to display half term profit from samplesuperstore with alternate name as half profit.

- select profit,profit*6 as halftermprofitfrom samplesuperstore;

profit	halftermprofit
41.9136	251.48160000000001
219.582	1317.492
6.8714	41.2284
-383.031	-2298.186
2.5164	15.0984
14.1694	85.0164
1.9656	11.7936
90.7152	544.2912
5.7825	34.695
34.47	206.82
85.3092	511.8552
68.3568	410.1408
5.4432	32.6592
132.5922	795.5532
-123.858	-743.148
-3.816	-22.896
13.3176	79.9056
9.99	59.94
2.4824	14.894400000000001
16.011	96.066
7.384	44.304
5.0596	30.357599999999998

5.write a query to display name of state which having postal code 90032.

- select distinct state,PostalCode
  from samplesuperstorewhere
  postalcode=90032;

	state	PostalCode
▶	California	90032

6.write a query to display details of sales along with 50% hick of profit,30% deduction of sales,2000/- increment in annual sales and 3000/-decrement in half term profit who has state name is California

- select distinct sales,profit+profit*50/100,sales-sales*30/100,sales*12+2000,profit*6-3000
  from samplesuperstore
  where state='california';

sales	profit+profit*50/100	sales-sales*30/100	sales*12+2000	profit*6-3000
14.62	10.3071	10.234	2175.44	-2958.7716
48.86	21.2541	34.202	2586.3199999999997	-2914.9836
7.28	2.9484	5.096	2087.36	-2988.2064
907.152	136.0728	635.0064	12885.824	-2455.7088
18.504	8.67375	12.952800000000002	2222.048	-2965.305
114.9	51.705	80.43	3378.8	-2793.18
1706.184	127.9638	1194.3288	22474.208	-2488.1448
911.424	102.5352	637.9967999999999	12937.088	-2589.8592
8.56	3.7236000000000002	5.992000000000001	2102.72	-2985.1056
213.48	24.0165	149.43599999999998	4561.76	-2903.934
22.72	11.076	15.904	2272.64	-2955.696
11.648	6.333600000000001	8.153599999999999	2139.776	-2974.6656
90.57	17.66115	63.398999999999994	3086.84	-2929.3554
77.88	5.841	54.516	2934.56	-2976.636
13.98	9.2268	9.786000000000001	2167.76	-2963.0928
25.824	14.0418	18.076800000000002	2309.888	-2943.8328
146.73	103.44465	102.71099999999998	3760.7599999999998	-2586.2214
79.76	33.4992	55.83200000000001	2957.12	-2866.0032
14.9	6.257999999999999	10.43	2178.8	-2974.968
21.39	9.30465	14.972999999999999	2256.68	-2962.7814
20.1	9.9495	14.07	2241.2	-2960.202
73.584	12.417300000000001	51.50880000000001	2883.008	-2950.3308

7. write a query to display state,postal code with profit greater than 500 and postal code is 90032

- select distinct state,city
  from samplesuperstore
  where profit>500 and PostalCode=90032;

	state	city
▶	California	Los Angeles

8.write a query to display state, postal code, profit and profit greater than 500 or postal code 90032

- select distinct state,city,profit
  from samplesuperstore
  where profit>500 or PostalCode=90032;

state	city	profit
California	Los Angeles	14.1694
California	Los Angeles	1.9656
California	Los Angeles	90.7152
California	Los Angeles	5.7825
California	Los Angeles	34.47
California	Los Angeles	85.3092
California	Los Angeles	68.3568
Wisconsin	Franklin	585.552
California	Los Angeles	22.984
California	Los Angeles	26.0568
California	Los Angeles	22.6782
Minnesota	Lakeville	580.5394
California	San Diego	636.0003
New York	New York ...	1995.99
New York	New York ...	1415.4...
Washing...	Des Moines	701.9883
Georgia	Atlanta	3177.475
Montana	Great Falls	1379.977
California	Los Angeles	-12.4146
California	Los Angeles	27.1666
California	Los Angeles	2.397
California	Santa Ana	601.9699

9.wrrite a query to display state, postal code, profit who does not have postal code 90032.

- select distinct state,city,profit
  from samplesuperstore
  where not PostalCode=90032;

state	city	profit
Kentucky	Henderson	41.9136
Kentucky	Henderson	219.582
California	Los Angeles	6.8714
Florida	Fort Lauderdale	-383.031
Florida	Fort Lauderdale	2.5164
North Carolina	Concord	5.4432
Washington	Seattle	132.5922
Texas	Fort Worth	-123.858
Texas	Fort Worth	-3.816
Wisconsin	Madison	13.3176
Utah	West Jordan	9.99
California	San Francisco	2.4824
California	San Francisco	16.011
California	San Francisco	7.384
Nebraska	Fremont	5.0596
Nebraska	Fremont	15.6884
Pennsylvania	Philadelphia	-1.0196
Utah	Orem	240.2649
California	Los Angeles	4.2224
California	Los Angeles	11.7741
Pennsylvania	Philadelphia	-1665.0...
Pennsylvania	Philadelphia	-7.0532

10.write a query to display state, postal code of samplesuperstore where states are California, Florida, Texas and postal code 90032,76106,94109

- select distinct state,PostalCode
  from samplesuperstore
  where state in('california','florida','texsas') and postalcode in(90032,76106,94109);

	state	PostalCode
▶	California	90032
	California	94109

11.. write a query to display state, postal code of samplesuperstore where not in states are California, Florida, Texas and postal code 33311,90036,28027

- select distinct state,PostalCode
  from samplesuperstore
  where state not in('california','florida','texsas') and postalcode in(90032,76106,94109);

	state	PostalCode
▶	Texas	76106

12.write a query to display state, postal code, profit where profit in between the 100 to 500

- select state,profit
  from samplesuperstore
  where profit between 100 and 500;

state	profit
Kentucky	219.582
Washington	132.5922
Utah	240.2649
Texas	123.4737
New York	298.6855
Arizona	111.3024
Washington	165.3813
Missouri	218.2518
Wisconsin	103.8015
Oklahoma	236.2325
Louisiana	131.0296
New York	112.392
Michigan	136.939
Minnesota	496.0725
New York	162.864
California	210.4936
Texas	376.11
New York	129.6
California	335.9944
Georgia	168.4384
Connecticut	271.4192
Arizona	179.1888

13.write a query to display the state, postal code, profit, where profit not between 100 to 500

- select state,profit
  from samplesuperstore
  where profit not between 100 and 500;

	state	profit
▶	Kentucky	41.9136
	California	6.8714
	Florida	-383.031
	Florida	2.5164
	California	14.1694
	California	1.9656
	California	90.7152
	California	5.7825
	California	34.47
	California	85.3092
	California	68.3568
	North C...	5.4432
	Texas	-123.858
	Texas	-3.816
	Wisconsin	13.3176
	Utah	9.99
	California	2.4824
	California	16.011
	California	7.384
	Nebraska	5.0596

14.write a query to display state, profit where discount is not null and state is california

- select state,profit,discount
  from samplesuperstore
  where state='california' and discount is not null;

state	profit	discount
California	6.8714	0
California	14.1694	0
California	1.9656	0
California	90.7152	0.2
California	5.7825	0.2
California	34.47	0
California	85.3092	0.2
California	68.3568	0.2
California	2.4824	0
California	16.011	0.2
California	7.384	0.2
California	4.2224	0.2
California	11.7741	0
California	3.894	0
California	6.1512	0
California	9.3612	0.2
California	68.9631	0
California	22.3328	0
California	4.172	0
California	6.2031	0
California	6.633	0

15.write a query to display state, discount where discount is null and state is California.

- select state,profit,discount
  from samplesuperstore
  where state='california' and discount is null;

	state	profit	discount

16.write a query to display customer name, product name where the customer's name starts with the 'c' and fourth character is 'I' and product name start with 'x'.

- select customername,productname
from store
where customername like'c%__%i' and productname like'x%';

	customername	productname
▶	Charles Crestani	Xerox 1931
	Charles Crestani	Xerox 1954
	Charles Crestani	Xerox 189
	Charles Crestani	Xerox 1897

17. write a query to display customer name, product name where the customer's name not starts with the 'c' and does not have fourth character is 'I' and product name start with 'x'.

- select customername,productname
from store
where customername not like'c%__%i' and
productname like'x%';

customername	productname
Andrew Allen	Xerox 1967
Ted Butterfield	Xerox 232
Kunst Miller	Xerox 1943
Jim Sink	Xerox 1995
Karl Braun	Xerox 1999
Ryan Crowe	Xerox 1921
Dorothy Wardle	Xerox 1916
Lena Creighton	Xerox 195
Lena Creighton	Xerox 1880
Sally Hughsby	Xerox 1911
Stephanie Phelps	Xerox 1883
Ted Trevino	Xerox 1920
Chad Sievert	Xerox 1913
Mark Packer	Xerox 205
David Bremer	Xerox 4200 ...
Ken Lonsdale	Xerox 1957
Dianna Wilson	Xerox 205
Sean Braxton	Xerox Work...
Tracy Blumstein	Xerox 216
Jonathan Dohe...	Xerox 223
Jonathan Dohe...	Xerox 1939
Andy Gerbode	Xerox 21
Adam Bellavance	Xerox 1881

18.write a query to display maximum profit of samplesuperstore

- Select max(profit)
  from samplesuperstore;

	max(profit)
▶	8399.976

19.write a query to display minimum profit of samplesuperstore

- Select min(profit)
  from samplesuperstore;

	min(profit)
▶	-6599.978

20.write a query to display average profit of samplesuperstore

- Select avg(profit)
  from samplesuperstore;

	avg(profit)
▶	28.656896307784802

21.write a query to display sum profit of samplesuperstore

- Select sum(profit)
  from samplesuperstore;

	sum(profit)
▶	286397.0217000013

22. write a query to display the number of category present in samplesuperstore.

- select count(category)
  from samplesuperstore;

	sum(profit)
▶	286397.0217000013

23.write query to display the state on each postal code.

- select count(state),postalcode
  from samplesuperstore
  group by postalcode;

count(state)	postalcode
48	42420
122	90036
15	33311
108	90032
8	28027
151	98103
27	76106
10	53711
5	84084
141	94109
8	68025
150	19140
9	84057
151	90049
104	77095
2	75080
117	77041
8	60540
1	32935
8	55122
13	48185
9	19901

24.write a query to display the postal code, state where each postal code have atleast have two states in each postal code

- select count(state),postalcode
  from samplesuperstore
  group by postalcode
  having count(*)>2;

count(state)	postalcode
48	42420
122	90036
15	33311
108	90032
8	28027
151	98103
27	76106
10	53711
5	84084
141	94109
8	68025
150	19140
9	84057
151	90049
104	77095
117	77041
8	60540
8	55122
13	48185
9	19901
4	47150
230	10024

25.write a query to display postal code in ascending order.

- select postalcode
  from samplesuperstore
  order by postalcode;

postalcode
1040
1453
1453
1453
1453
1453
1453
1453
1752
1752
1810
1810
1810
1810
1841
1841
1841
1841
1841
1841
1841
1841
1841

26.write a query to display profit, state and where state getting more profit than Florida.

```
select state,profit
from samplesuperstore
where profit>all(select profit
                 from samplesuperstore
                 where state='florida');
```

state	profit
Wisconsin	585.552
Minnesota	580.5394
Minnesota	496.0725
California	636.0003
Texas	376.11
New York	1995.99
California	335.9944
New York	1415.4296
Washington	701.9883
California	434.9913
Washington	377.9622
Illinois	341.994
Georgia	3177.475
Montana	1379.977
California	434.9913
California	374.9925
California	601.9699
Michigan	829.3754
Michigan	679.996
Virginia	1276.4871
New York	762.1845
Washington	356.0414

27.write a query to display customer name, postal code where we have a category of furniture.

- Select customername,postalcode
  from store
  where postalcode in (select postalcode
  from samplesuperstore
  where category='furniture');

customername	postalcode
Claire Gute	42420
Claire Gute	42420
Darrin Van Huff	90036
Sean O'Donnell	33311
Sean O'Donnell	33311
Brosina Hoffman	90032
Brosina Hoffman	90032
Brosina Hoffman	90032
Brosina Hoffman	90032
Brosina Hoffman	90032
Brosina Hoffman	90032
Brosina Hoffman	90032
Andrew Allen	28027
Irene Maddox	98103
Harold Pawlan	76106
Harold Pawlan	76106
Pete Kriz	53711
Alejandro Grove	84084
Zuschuss Donatelli	94109
Zuschuss Donatelli	94109
Zuschuss Donatelli	94109
Ken Black	68025
Ken Black	68025

28.write a query to display the state, customer name with the help of the cross join.

- select state,customername
  from samplesuperstore
  cross join store
  on samplesuperstore.PostalCode=store.PostalCode;

state	customername
Kentucky	Alan Hwang
Kentucky	Giulietta Weimer
Kentucky	Giulietta Weimer
Kentucky	Dorothy Badders
Kentucky	Kimberly Carter
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Sample Compan...
Kentucky	Arthur Prichep

29. write a query to display the state, customer name with the help of the inner join.

- select state,customername
  from samplesuperstore
  inner join store
  on samplesuperstore.PostalCode=store.PostalCode;

state	customername
Kentucky	Alan Hwang
Kentucky	Giulietta Weimer
Kentucky	Giulietta Weimer
Kentucky	Dorothy Badders
Kentucky	Kimberly Carter
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Maria Etezadi
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Craig Carroll
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Thomas Boland
Kentucky	Sample Compan...
Kentucky	Arthur Prichep

30.write a query to display the state, country where they have different cities with respect to self-join.

- select a.state,a.city,b.city
  from samplesuperstore a
  join samplesuperstore b
  where a.state=b.state and a.city<>b.city;

state	city	city
Kentucky	Florence	Henderson
Kentucky	Richmond	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Georgetown	Henderson
Kentucky	Georgetown	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Florence	Henderson
Kentucky	Florence	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Louisville	Henderson
Kentucky	Richmond	Henderson
Kentucky	Richmond	Henderson
Kentucky	Richmond	Henderson
Kentucky	Richmond	Henderson
Kentucky	Richmond	Henderson

31.write a query to display city, customer name of store with help of left outer.

- select customername,city
  from store
  left join samplesuperstore
  on samplesuperstore.PostalCode=store.PostalCode;

customername	city
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson
Claire Gute	Henderson

32. write a query to display city, customer name of store with help of right outer.

```
select customername,city
from store
right join samplesuperstore
on samplesuperstore.PostalCode=store.PostalCode;
```

customername	city
Alan Hwang	Henderson
Giulietta Weimer	Henderson
Giulietta Weimer	Henderson
Dorothy Badders	Henderson
Kimberly Carter	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Sample Compan...	Henderson
Arthur Prichep	Henderson

33.. write a query to display city, customer name of store with help of full outer.

- select customername,city
  from store
  full join samplesuperstore;

customername	city
Chris Cortes	Henderson
Dave Brooks	Henderson
Dave Brooks	Henderson
Dave Brooks	Henderson
Tom Boeckenhauer	Henderson
Ruben Ausman	Henderson
Ruben Ausman	Henderson
Maris LaWare	Henderson
Dianna Vittorini	Henderson
Ryan Crowe	Henderson
Ted Butterfield	Henderson
Shaun Weien	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Anne Pryor	Henderson
Ryan Crowe	Henderson
Mark Packer	Henderson

34. write a query to display city, customer name of store with help of natural outer.

- select customername,city
  from store
  natural join samplesuperstore;

customername	city
Alan Hwang	Henderson
Giulietta Weimer	Henderson
Giulietta Weimer	Henderson
Dorothy Badders	Henderson
Kimberly Carter	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Maria Etezadi	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Craig Carroll	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Thomas Boland	Henderson
Sample Compan...	Henderson
Arthur Prichep	Henderson

35.write a query to display postal code of both two table with the help of union set operator.

```
select postalcode
from samplesuperstore
union
select PostalCode
from store ;
```

postalcode
42420
90036
33311
90032
28027
98103
76106
53711
84084
94109
68025
19140
84057
90049
77095
75080
77041
60540
32935
55122
48185

36.write a query to display postal code of both two table with the help of union all set operator.

```
select postalcode
from samplesuperstore
union all
select PostalCode
from store ;
```

postalcode
42420
42420
90036
33311
33311
90032
90032
90032
90032
90032
90032
90032
28027
98103
76106
76106
53711
84084
94109
94109
94109
68025

37.write a query to display postal code of both two table with the help of intersect set operator.

```
select postalcode
from samplesuperstore
intersect
select PostalCode
from store ;
```

postalcode
42420
90036
33311
90032
28027
98103
76106
53711
84084
94109
68025
19140
84057
90049
77095
75080
77041
60540
32935
55122
48185
19901

38.write a query to display postal code of both two table with the help of minius or except set operator.

```
select postalcode
from samplesuperstore
except
select PostalCode
from store ;
```

postalcode
84041
38134

THANK YOU