Experiment : 6

1. Display empno, ename, deptno from employee table. Instead of display department numbers display the related department name (Use decode function).

= SELECT E.EMPNO,E.ENAME,D.DNAME FROM EMPLOYEE E JOIN DEPARTMENT D ON E.DEPTNO=D.DEPTNO;

Output :-

```
MariaDB [2CSE16_1722]> SELECT E.EMPNO,E.ENAME,D.DNAME FROM EMPLOYEE E JOIN DEPARTMENT D ON E.DEPTNO=D.DEPTNO;
+-------+--------+------------+
| EMPNO | ENAME  | DNAME      |
+-------+--------+------------+
|  7369 | SMITH  | ACCOUNTING |
|  7499 | ALLEN  | SALES      |
|  7521 | WARD   | SALES      |
|  7566 | JONES  | ACCOUNTING |
|  7654 | MARTIN | SALES      |
|  7698 | BLAKE  | SALES      |
|  7782 | CLARK  | ACCOUNTING |
|  7788 | SCOTT  | OPERATIONS |
|  7839 | KING   | ACCOUNTING |
|  7844 | TURNER | SALES      |
|  7876 | ADAMS  | ACCOUNTING |
|  7900 | JAMES  | SALES      |
|  7902 | FORD   | ACCOUNTING |
|  7934 | MILLER | RESEARCH   |
+-------+--------+------------+
14 rows in set (0.001 sec)
```

2. Display your age in days.

= SELECT DATEDIFF(CURDATE(),'2005-04-10') AS MY_CURRENT_AGE_IN_DAYS;

Output :-

```
MariaDB [2CSE16_1722]> SELECT DATEDIFF(CURDATE(),'2005-04-10') AS MY_CURRENT_AGE_IN_DAYS ;
+------------------------+
| MY_CURRENT_AGE_IN_DAYS |
+------------------------+
|                   7623 |
+------------------------+
1 row in set (0.003 sec)
```

3. Display your age in months.

= SELECT TIMESTAMPDIFF(MONTH,'2005–04-10',CURDATE()) AS MY_CURRENT_AGE_IN_MONTH;

Output :-

```
MariaDB [2CSE16_1722]> SELECT TIMESTAMPDIFF(MONTH,'2005-04-10',CURDATE()) AS MY_CURRENT_AGE_IN_MONTH;
+-------------------------+
| MY_CURRENT_AGE_IN_MONTH |
+-------------------------+
|                     250 |
+-------------------------+
1 row in set (0.001 sec)
```

4. Display the current date as 15th August Friday Nineteen Ninety-Seven.

= SELECT CONCAT(DATE_FORMAT('1997—08-15','%D %M %W')'' Nineteen Ninety Seven') AS FORMATTED_DATE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT CONCAT(DATE_FORMAT('1997-08-15','%D %M %W'),' Nineteen Ninety Seven') AS FORMATTED_DATE;
+----------------------------------------+
| FORMATTED_DATE                         |
+----------------------------------------+
| 15th August Friday Nineteen Ninety Seven |
+----------------------------------------+
1 row in set (0.000 sec)
```

5. Display the following output for each row from employee table.

= SELECT CONCAT(ENAME,' has joined the company on', DATE_FORMAT(HIREDATE,'%W %D %M %Y')) AS DETAILS FROM EMPLOYEE ;

Output :-

```
MariaDB [2CSE16_1722]> SELECT CONCAT(ENAME,' has joined the company on ' , DATE_FORMAT(HIREDATE,'%W %D %M %Y')) AS DETAILS FROM EMP
LOYEE;
+-------------------------------------------------------------+
| DETAILS                                                     |
+-------------------------------------------------------------+
| SMITH has joined the company on Wednesday 17th December 1980 |
| ALLEN has joined the company on Friday 20th February 1981    |
| WARD has joined the company on Sunday 22nd February 1981     |
| JONES has joined the company on Thursday 2nd April 1981      |
| MARTIN has joined the company on Monday 28th September 1981  |
| BLAKE has joined the company on Friday 1st May 1981          |
| CLARK has joined the company on Tuesday 9th June 1981        |
| SCOTT has joined the company on Thursday 9th December 1982   |
| KING has joined the company on Tuesday 17th November 1981    |
| TURNER has joined the company on Tuesday 8th September 1981  |
| ADAMS has joined the company on Wednesday 12th January 1983  |
| JAMES has joined the company on Thursday 3rd December 1981   |
| FORD has joined the company on Thursday 3rd December 1981    |
| MILLER has joined the company on Saturday 23rd January 1982  |
+-------------------------------------------------------------+
14 rows in set (0.001 sec)
```

6. Scott has joined the company on Wednesday 13th August Nineteen Ninety.

= SELECT CONCAT(ENAME,' has joined the company on ', DATE_FORMAT('1990-08-13','%W %D %M'),' Nineteen Ninety') AS DETAILS FROM EMPLOYEE WHERE ENAME='SCOTT';

Output :-

```
MariaDB [2CSE16_1722]> SELECT CONCAT(ENAME,' has joined the company on ' , DATE_FORMAT('1990-08-13','%W %D %M'),' Nineteen Ninety')
 AS DETAILS FROM EMPLOYEE WHERE ENAME='SCOTT';
+-----------------------------------------------------------------+
| DETAILS                                                         |
+-----------------------------------------------------------------+
| SCOTT has joined the company on Monday 13th August Nineteen Ninety |
+-----------------------------------------------------------------+
1 row in set (0.001 sec)
```

7. Find the date for nearest Saturday after current date.

= SELECT DATE_ADD(CURDATE(),INTERVAL(7-DAYOFWEEK(CURDATE())) DAY) AS NEXT_SATURDAY;

Output :-

```
MariaDB [2CSE16_1722]> SELECT DATE_ADD(CURDATE(),INTERVAL(7-DAYOFWEEK(CURDATE())) DAY) AS NEXT_SATURDAY;
+---------------+
| NEXT_SATURDAY |
+---------------+
| 2026-02-28    |
+---------------+
1 row in set (0.001 sec)
```

8. Display current time.

= SELECT CURTIME() AS TIME_NOW;

Output :-

```
MariaDB [2CSE16_1722]> SELECT CURTIME() AS TIME_NOW;
+----------+
| TIME_NOW |
+----------+
| 16:45:42 |
+----------+
1 row in set (0.003 sec)
```

9. Display the date three months Before the current date.

= SELECT DATE_SUB(CURDATE(), INTERVAL 3 MONTH) AS DATE_THREE_MONTHS_BEFORE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT DATE_SUB(CURDATE(), INTERVAL 3 MONTH) AS DATE_THREE_MONTHS_BEFORE;
+--------------------------+
| DATE_THREE_MONTHS_BEFORE |
+--------------------------+
| 2025-11-22               |
+--------------------------+
1 row in set (0.000 sec)
```

10. Display those employees who joined in the company in the month of Dec.

= SELECT ENAME FROM EMPLOYEE WHERE MONTH(HIREDATE)=12;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME FROM EMPLOYEE WHERE MONTH(HIREDATE)=12;
+-------+
| ENAME |
+-------+
| SMITH |
| SCOTT |
| JAMES |
| FORD  |
+-------+
4 rows in set (0.001 sec)
```

11. Display those employees whose first 2 characters from hire date -last 2 characters of salary.

= SELECT * FROM EMPLOYEE WHERE LEFT(HIREDATE,2) = RIGHT(SAL,2);

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE LEFT(HIREDATE,2) = RIGHT(SAL,2);
Empty set (0.001 sec)
```

12. Display those employees whose 10% of salary is equal to the year of joining.

= SELECT * FROM EMPLOYEE WHERE SAL*0.10 = YEAR(HIREDATE);

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE SAL*0.10 = YEAR(HIREDATE);
Empty set (0.001 sec)
```

13. Display those employees who joined the company before 15 of the months.

= SELECT * FROM EMPLOYEE WHERE HIREDATE < DATE_SUB(CURDATE(), INTERVAL 15 MONTH);

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE HIREDATE < DATE_SUB(CURDATE(), INTERVAL 15 MONTH);
+-------+--------+-----------+------+------------+------+------+--------+
| EMPNO | ENAME  | JOB       | MGR  | HIREDATE   | SAL  | COMM | DEPTNO |
+-------+--------+-----------+------+------------+------+------+--------+
|  7369 | SMITH  | CLERK     | 7902 | 1980-12-17 |  880 | NULL |     20 |
|  7499 | ALLEN  | SALESMAN  | 7698 | 1981-02-20 | 1600 |  300 |     30 |
|  7521 | WARD   | SALESMAN  | 7698 | 1981-02-22 | 1250 |  300 |     30 |
|  7566 | JONES  | MANAGER   | 7839 | 1981-04-02 | 3273 | NULL |     20 |
|  7654 | MARTIN | SALESMAN  | 7698 | 1981-09-28 | 1250 | 1400 |     30 |
|  7698 | BLAKE  | MANAGER   | 7839 | 1981-05-01 | 3135 | NULL |     30 |
|  7782 | CLARK  | MANAGER   | 7839 | 1981-06-09 | 2695 | NULL |     20 |
|  7788 | SCOTT  | ANALYST   | 7566 | 1982-12-09 | 3300 | NULL |     40 |
|  7839 | KING   | PRESIDENT | NULL | 1981-11-17 | 5500 | NULL |     20 |
|  7844 | TURNER | SALESMAN  | 7698 | 1981-09-08 | 1500 |    0 |     30 |
|  7876 | ADAMS  | CLERK     | 7788 | 1983-01-12 | 1210 | NULL |     20 |
|  7900 | JAMES  | CLERK     | 7698 | 1981-12-03 | 1045 | NULL |     30 |
|  7902 | FORD   | ANALYST   | 7566 | 1981-12-03 | 3300 | NULL |     20 |
|  7934 | MILLER | CLERK     | 7782 | 1982-01-23 | 1430 | NULL |     10 |
+-------+--------+-----------+------+------------+------+------+--------+
14 rows in set (0.001 sec)
```

14. Display those employees who has joined before 15th of the month.

= SELECT * FROM EMPLOYEE WHERE DAY(HIREDATE) < 15;

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE DAY(HIREDATE) < 15;
+-------+--------+----------+------+------------+------+------+--------+
| EMPNO | ENAME  | JOB      | MGR  | HIREDATE   | SAL  | COMM | DEPTNO |
+-------+--------+----------+------+------------+------+------+--------+
|  7566 | JONES  | MANAGER  | 7839 | 1981-04-02 | 3273 | NULL |     20 |
|  7698 | BLAKE  | MANAGER  | 7839 | 1981-05-01 | 3135 | NULL |     30 |
|  7782 | CLARK  | MANAGER  | 7839 | 1981-06-09 | 2695 | NULL |     20 |
|  7788 | SCOTT  | ANALYST  | 7566 | 1982-12-09 | 3300 | NULL |     40 |
|  7844 | TURNER | SALESMAN | 7698 | 1981-09-08 | 1500 |    0 |     30 |
|  7876 | ADAMS  | CLERK    | 7788 | 1983-01-12 | 1210 | NULL |     20 |
|  7900 | JAMES  | CLERK    | 7698 | 1981-12-03 | 1045 | NULL |     30 |
|  7902 | FORD   | ANALYST  | 7566 | 1981-12-03 | 3300 | NULL |     20 |
+-------+--------+----------+------+------------+------+------+--------+
8 rows in set (0.001 sec)
```

15. Display those employees whose joining DATE is available in deptno .

= SELECT * FROM EMPLOYEE WHERE DAY(HIREDATE) = DEPTNO;

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE DAY(HIREDATE) = DEPTNO;
Empty set (0.001 sec)
```