Experiment : 4

1. Display the list of employees who have joined the company before 30th June 80 or after 31st Dec 81.

= SELECT * FROM EMPLOYEE WHERE HIREDATE < '1980-06-30' OR HIREDATE > '1981-12-31';

Output :-

```
MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE WHERE HIREDATE < '1980-06-30' OR HIREDATE > '1981-12-31';
+-------+--------+---------+------+------------+------+------+--------+
| EMPNO | ENAME  | JOB     | MGR  | HIREDATE   | SAL  | COMM | DEPTNO |
+-------+--------+---------+------+------------+------+------+--------+
|  7788 | SCOTT  | ANALYST | 7566 | 1982-12-09 | 3000 | NULL |     40 |
|  7876 | ADAMS  | CLERK   | 7788 | 1983-01-12 | 1100 | NULL |     20 |
|  7934 | MILLER | CLERK   | 7782 | 1982-01-23 | 1300 | NULL |     10 |
+-------+--------+---------+------+------------+------+------+--------+
3 rows in set (0.003 sec)
```

2. Display the names of employees whose names have second alphabet A in their names.

= SELECT ENAME FROM EMPLOYEE WHERE ENAME LIKE '_A%';

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME FROM EMPLOYEE WHERE ENAME LIKE '_A%';
+--------+
| ENAME  |
+--------+
| WARD   |
| MARTIN |
| JAMES  |
+--------+
3 rows in set (0.001 sec)
```

3. Display the names of employees whose name is exactly five characters in length.

= SELECT ENAME FROM EMPLOYEE WHERE ENAME LIKE '_ _ _ _ _' ;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME FROM EMPLOYEE WHERE ENAME LIKE '_____';
+-------+
| ENAME |
+-------+
| SMITH |
| ALLEN |
| JONES |
| BLAKE |
| CLARK |
| SCOTT |
| ADAMS |
| JAMES |
+-------+
8 rows in set (0.001 sec)
```

4. Display the names of employees who are not working as salesman or clerk or analyst.

= SELECT ENAME FROM EMPLOYEE WHERE JOB NOT IN ('SALESMAN','CLERK','ANALYST');

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME FROM EMPLOYEE WHERE JOB NOT IN ('SALESMAN','CLERK','ANALYST');
+-------+
| ENAME |
+-------+
| JONES |
| BLAKE |
| CLARK |
| KING  |
+-------+
4 rows in set (0.001 sec)
```

5. Display the name of the employee along with their annual salary (sal*12). The name of the employee earning highest salary should appear first.

= SELECT ENAME,SAL*12 AS ANNUAL_SALARY FROM EMPLOYEE ORDER BY ANNUAL_SALARY DESC;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME,SAL*12 AS ANNUAL_SALARY FROM EMPLOYEE ORDER BY ANNUAL_SALARY DESC;
+--------+---------------+
| ENAME  | ANNUAL_SALARY |
+--------+---------------+
| KING   |         60000 |
| SCOTT  |         36000 |
| FORD   |         36000 |
| JONES  |         35700 |
| BLAKE  |         34200 |
| CLARK  |         29400 |
| ALLEN  |         19200 |
| TURNER |         18000 |
| MILLER |         15600 |
| MARTIN |         15000 |
| WARD   |         15000 |
| ADAMS  |         13200 |
| JAMES  |         11400 |
| SMITH  |          9600 |
+--------+---------------+
14 rows in set (0.001 sec)
```

6. Display name, sal, hra, pf, da, totalsal for each employee. The output should be in the order of total sal, hra 15% of sal, da 10% of sal, pf 5% of sal. Total salary will be (sal*hra*da)-pf.

= SELECT ENAME, SAL, SAL*0.15 AS HRA, SAL*0.10 AS DA, SAL*0.05 AS PF, (SAL + SAL*0.15 + SAL*.10) - SAL*0.05 AS TOTAL_SALARY FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME,SAL, SAL*0.15 AS HRA, SAL*0.10 AS DA, SAL*0.05 AS PF, (SAL + SAL*0.15 + SAL*0.10) - SAL*0.05 AS
 TOTAL_SALARY FROM EMPLOYEE
    -> ;
+--------+------+--------+--------+--------+--------------+
| ENAME  | SAL  | HRA    | DA     | PF     | TOTAL_SALARY |
+--------+------+--------+--------+--------+--------------+
| SMITH  |  800 | 120.00 |  80.00 |  40.00 |       960.00 |
| ALLEN  | 1600 | 240.00 | 160.00 |  80.00 |      1920.00 |
| WARD   | 1250 | 187.50 | 125.00 |  62.50 |      1500.00 |
| JONES  | 2975 | 446.25 | 297.50 | 148.75 |      3570.00 |
| MARTIN | 1250 | 187.50 | 125.00 |  62.50 |      1500.00 |
| BLAKE  | 2850 | 427.50 | 285.00 | 142.50 |      3420.00 |
| CLARK  | 2450 | 367.50 | 245.00 | 122.50 |      2940.00 |
| SCOTT  | 3000 | 450.00 | 300.00 | 150.00 |      3600.00 |
| KING   | 5000 | 750.00 | 500.00 | 250.00 |      6000.00 |
| TURNER | 1500 | 225.00 | 150.00 |  75.00 |      1800.00 |
| ADAMS  | 1100 | 165.00 | 110.00 |  55.00 |      1320.00 |
| JAMES  |  950 | 142.50 |  95.00 |  47.50 |      1140.00 |
| FORD   | 3000 | 450.00 | 300.00 | 150.00 |      3600.00 |
| MILLER | 1300 | 195.00 | 130.00 |  65.00 |      1560.00 |
+--------+------+--------+--------+--------+--------------+
14 rows in set (0.004 sec)
```

7. Update the salary of each employee by 10% increment who are not eligible for commission.

= UPDATE EMPLOYEE SET SAL=SAL*1.10 WHERE COMM IS NULL;

Output :-

```
MariaDB [2CSE16_1722]> UPDATE EMPLOYEE  SET SAL=SAL*1.10 WHERE COMM IS NULL;
Query OK, 10 rows affected (0.004 sec)
Rows matched: 10  Changed: 10  Warnings: 0

MariaDB [2CSE16_1722]> SELECT * FROM EMPLOYEE;
+-------+--------+-----------+------+------------+------+------+--------+
| EMPNO | ENAME  | JOB       | MGR  | HIREDATE   | SAL  | COMM | DEPTNO |
+-------+--------+-----------+------+------------+------+------+--------+
|  7369 | SMITH  | CLERK     | 7902 | 1980-12-17 |  880 | NULL |     20 |
|  7499 | ALLEN  | SALESMAN  | 7698 | 1981-02-20 | 1600 |  300 |     30 |
|  7521 | WARD   | SALESMAN  | 7698 | 1981-02-22 | 1250 |  300 |     30 |
|  7566 | JONES  | MANAGER   | 7839 | 1981-04-02 | 3273 | NULL |     20 |
|  7654 | MARTIN | SALESMAN  | 7698 | 1981-09-28 | 1250 | 1400 |     30 |
|  7698 | BLAKE  | MANAGER   | 7839 | 1981-05-01 | 3135 | NULL |     30 |
|  7782 | CLARK  | MANAGER   | 7839 | 1981-06-09 | 2695 | NULL |     20 |
|  7788 | SCOTT  | ANALYST   | 7566 | 1982-12-09 | 3300 | NULL |     40 |
|  7839 | KING   | PRESIDENT | NULL | 1981-11-17 | 5500 | NULL |     20 |
|  7844 | TURNER | SALESMAN  | 7698 | 1981-09-08 | 1500 |    0 |     30 |
|  7876 | ADAMS  | CLERK     | 7788 | 1983-01-12 | 1210 | NULL |     20 |
|  7900 | JAMES  | CLERK     | 7698 | 1981-12-03 | 1045 | NULL |     30 |
|  7902 | FORD   | ANALYST   | 7566 | 1981-12-03 | 3300 | NULL |     20 |
|  7934 | MILLER | CLERK     | 7782 | 1982-01-23 | 1430 | NULL |     10 |
+-------+--------+-----------+------+------------+------+------+--------+
14 rows in set (0.001 sec)
```

8. Display those employees whose salary is more than 3000 after giving 20% increment.

= SELECT ENAME FROM EMPLOYEE WHERE SAL*1.20 >3000;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME FROM EMPLOYEE WHERE SAL*1.20 >3000;
+-------+
| ENAME |
+-------+
| JONES |
| BLAKE |
| CLARK |
| SCOTT |
| KING  |
| FORD  |
+-------+
6 rows in set (0.001 sec)
```

9. Display those employees whose salary contains at least 3 digits.

= SELECT ENAME FROM EMPLOYEE WHERE SAL >= 100;

Output :-

```
MariaDB [2CSE16_1722]>  SELECT ENAME FROM EMPLOYEE WHERE SAL >= 100;
+--------+
| ENAME  |
+--------+
| SMITH  |
| ALLEN  |
| WARD   |
| JONES  |
| MARTIN |
| BLAKE  |
| CLARK  |
| SCOTT  |
| KING   |
| TURNER |
| ADAMS  |
| JAMES  |
| FORD   |
| MILLER |
+--------+
14 rows in set (0.001 sec)
```