Experiment : 5

1. Display the total number of employee working in the company.

= SELECT COUNT(*) AS TOTAL_EMPLOYEES FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT COUNT(*) AS TOTAL_EMPLOYEES FROM EMPLOYEE;
+----------------+
| TOTAL_EMPLOYEES |
+----------------+
|              14 |
+----------------+
1 row in set (0.003 sec)
```

2. Display the total salary being paid to all employees.

= SELECT SUM(SAL) AS TOTAL_SALARY FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT SUM(SAL) AS TOTAL_SALARY FROM EMPLOYEE;
+--------------+
| TOTAL_SALARY |
+--------------+
|        31368 |
+--------------+
1 row in set (0.001 sec)
```

3. Display the maximum salary from employee table.

= SELECT MAX(SAL) AS MAX_SALARY FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT MAX(SAL) AS MAX_SALARY FROM EMPLOYEE;
+------------+
| MAX_SALARY |
+------------+
|       5500 |
+------------+
1 row in set (0.001 sec)
```

4. Display the minimum salary from employee table.

= SELECT MIN(SAL) AS MIN_SALARY FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT MIN(SAL) AS MIN_SALARY FROM EMPLOYEE;
+------------+
| MIN_SALARY |
+------------+
|        880 |
+------------+
1 row in set (0.001 sec)
```

5. Display the average salary from employee table.

= SELECT AVG(SAL) AS AVERAGE_SALARY FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT AVG(SAL) AS AVERAGE_SALARY FROM EMPLOYEE;
+----------------+
| AVERAGE_SALARY |
+----------------+
|      2240.5714 |
+----------------+
1 row in set (0.001 sec)
```

6. Display the maximum salary being paid to clerk.

= SELECT MAX(SAL) AS MAX_CLERK_SAL FROM EMPLOYEE WHERE JOB='CLERK';

Output :-

```
MariaDB [2CSE16_1722]> SELECT MAX(SAL) AS MAX_CLERK_SAL FROM EMPLOYEE WHERE JOB='CLERK';
+---------------+
| MAX_CLERK_SAL |
+---------------+
|          1430 |
+---------------+
1 row in set (0.001 sec)
```

7. Display the maximum salary being paid in dept no 20.

= SELECT MAX(SAL) AS MAX_DEPT20_SAL FROM EMPLOYEE WHERE DEPTNO=20;

Output :-

```
MariaDB [2CSE16_1722]> SELECT MAX(SAL) AS MAX_DEPT20_SAL FROM EMPLOYEE WHERE DEPTNO=20;
+----------------+
| MAX_DEPT20_SAL |
+----------------+
|           5500 |
+----------------+
1 row in set (0.001 sec)
```

8. Display the minimum salary paid to any salesman.

= SELECT MIN(SAL) AS MIN_SALESMAN_SAL FROM EMPLOYEE WHERE JOB='SALESMAN';

Output :-

```
MariaDB [2CSE16_1722]> SELECT MIN(SAL) AS MIN_SALESMAN_SAL FROM EMPLOYEE WHERE JOB='SALESMAN';
+------------------+
| MIN_SALESMAN_SAL |
+------------------+
|             1250 |
+------------------+
1 row in set (0.001 sec)
```

9. Display the average salary drawn by managers.

= SELECT AVG(SAL) AS AVG_MANAGERS_SAL FROM EMPLOYEE WHERE JOB='MANAGER';

Output :-

```
MariaDB [2CSE16_1722]> SELECT AVG(SAL) AS AVG_MANAGERS_SAL FROM EMPLOYEE WHERE JOB='MANAGER';
+------------------+
| AVG_MANAGERS_SAL |
+------------------+
|        3034.3333 |
+------------------+
1 row in set (0.001 sec)
```

10. Display the total salary drawn by analyst working in dept no 40.

= SELECT SUM(SAL) AS TOTAL_ANALYST_SAL_DEPT40 FROM EMPLOYEE WHERE JOB='ANALYST' AND DEPTNO=40;

Output :-

```
MariaDB [2CSE16_1722]> SELECT SUM(SAL) AS TOTAL_ANALYST_SAL_DEPT40 FROM EMPLOYEE WHERE JOB='ANALYST' AND DEPTNO=40;
+-------------------------+
| TOTAL_ANALYST_SAL_DEPT40 |
+-------------------------+
|                    3300 |
+-------------------------+
1 row in set (0.001 sec)
```

11. Display the names of the employee in Uppercase.

= SELECT UPPER(ENAME) AS ENAME_IN_UPPERCASE FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT UPPER(ENAME) AS ENAME_IN_UPPERCASE FROM EMPLOYEE;
+--------------------+
| ENAME_IN_UPPERCASE |
+--------------------+
| SMITH              |
| ALLEN              |
| WARD               |
| JONES              |
| MARTIN             |
| BLAKE              |
| CLARK              |
| SCOTT              |
| KING               |
| TURNER             |
| ADAMS              |
| JAMES              |
| FORD               |
| MILLER             |
+--------------------+
14 rows in set (0.003 sec)
```

12. Display the names of the employee in Lowercase.

= SELECT LOWER(ENAME) AS ENAME_IN_LOWERCASE FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT LOWER(ENAME) AS ENAME_IN_LOWERCASE FROM EMPLOYEE;
+--------------------+
| ENAME_IN_LOWERCASE |
+--------------------+
| smith              |
| allen              |
| ward               |
| jones              |
| martin             |
| blake              |
| clark              |
| scott              |
| king               |
| turner             |
| adams              |
| james              |
| ford               |
| miller             |
+--------------------+
14 rows in set (0.000 sec)
```

13. Display the names of the employee in Proper case.

= SELECT CONCAT(UPPER(LEFT(ENAME,1)),LOWER(SUBSTRING(ENAME,2))) AS ENAME_IN_PROPER_CASE FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT CONCAT(UPPER(LEFT(ENAME,1)),LOWER(SUBSTRING(ENAME,2))) AS ENAME_IN_PROPER_CASE FROM EMPLOYEE;
+----------------------+
| ENAME_IN_PROPER_CASE |
+----------------------+
| Smith                |
| Allen                |
| Ward                 |
| Jones                |
| Martin               |
| Blake                |
| Clark                |
| Scott                |
| King                 |
| Turner               |
| Adams                |
| James                |
| Ford                 |
| Miller               |
+----------------------+
14 rows in set (0.001 sec)
```

14. Display the length of Your name using appropriate function.

= SELECT LENGTH('KARAN') AS MY_NAME_LENGHT;

Output :-

```
MariaDB [2CSE16_1722]>  SELECT LENGTH('KARAN') AS MY_NAME_LENGHT;
+----------------+
| MY_NAME_LENGHT |
+----------------+
|              5 |
+----------------+
1 row in set (0.003 sec)
```

15. Display the length of all the employee names.

= SELECT ENAME, LENGTH(ENAME) AS EMPLOYEES_NAME_LENGHT FROM EMPLOYEE;

Output :-

```
MariaDB [2CSE16_1722]> SELECT ENAME,LENGTH(ENAME) AS EMPLOYEES_NAME_LENGHT FROM EMPLOYEE;
+--------+----------------------+
| ENAME  | EMPLOYEES_NAME_LENGHT |
+--------+----------------------+
| SMITH  |                    5 |
| ALLEN  |                    5 |
| WARD   |                    4 |
| JONES  |                    5 |
| MARTIN |                    6 |
| BLAKE  |                    5 |
| CLARK  |                    5 |
| SCOTT  |                    5 |
| KING   |                    4 |
| TURNER |                    6 |
| ADAMS  |                    5 |
| JAMES  |                    5 |
| FORD   |                    4 |
| MILLER |                    6 |
+--------+----------------------+
14 rows in set (0.001 sec)
```