



Roll No - 130

Enrollment No - 24010101694

Lab - 5

Karan Sonagara

1) First, you need to read the titanic dataset from local disk and display Last five records

```
In [2]: import pandas as pd  
import numpy as ny
```

```
In [4]: df = pd.read_csv("titanic.csv", encoding='cp1258')  
df
```

Out[4]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599 7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803 5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536 1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053 3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607 2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369 3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376

891 rows × 12 columns



In [8]: df.tail(5)

Out[8]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7



2) Handle Missing Values in data set [use dropna(), fillna(), and interpolate]

```
In [10]: data_withdropna = df.dropna(how='all') #how = any # how = all # axis=1
data_withdropna
```

Out[10]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599 7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803 5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536 1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053 3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607 2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369 3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376

891 rows × 12 columns



```
In [20]: data_withfillna = df.fillna({'Age':30,'ICabin':"Not Avail"}) #({'Age':30,'ICabin':data_withfillna
```

Out[20]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	
...	
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	30.0	1	2	W./C. 6607	2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	

891 rows × 12 columns



In [30]:

```
datawithfillna = df.copy()
meanAge = datawithfillna['Age'].mean()
datawithfillna['Age'] = datawithfillna['Age'].fillna(meanAge)
datawithfillna
```

Out[30]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	
...	
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	28.0	1	2	W./C. 6607	2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	

891 rows × 12 columns



In [34]:

```
datawithfillna = df.copy()
medianAge = datawithfillna['Age'].median()
datawithfillna['Age'] = datawithfillna['Age'].fillna(medianAge)
datawithfillna
```

Out[34]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	
...	
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	28.0	1	2	W./C. 6607	2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	

891 rows × 12 columns



In [38]:

```
data_interpolate = df.copy()
data_interpolate['NewAge'] = data_interpolate['Age'].interpolate()
data_interpolate
```

Out[38]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599 7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803 5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536 1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053 3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607 2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369 3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376

891 rows × 13 columns



3) Apply Scaling to AGE attribute with min max, decimal scaling and z score.


```
In [40]: data_minmax = df.copy()
age_main = data_minmax['Age']
age_min = age_main.min()
age_max = age_main.max()
data_minmax['MinMaxAge'] = (age_main-age_min) / (age_max-age_min)
data_minmax
```

Out[40]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599 7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803 5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536 1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053 3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607 2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369 3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376

891 rows × 13 columns



```
In [64]: data_max = df.copy()
age_main = data_max['Age']
age_max = age_main.abs().max()
temp = len(str(int(age_max)))
```

```
data_max["DecimalScaleAge"] = age_main/(10**temp)
data_max
```

Out[64]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599 7
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803 5
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536 1
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053 3
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607 2
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369 3
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376

891 rows × 13 columns

