

Supplementary Appendix to Biswas et al. 2017: alternative averaging conventions for full-field ERG data

L. Biswas, R. Mendel, A. Cohen et al. — Northpoint Univ. Medical Centre

Scope. The main paper (Tables 4 and 4a) reports per-family ERG amplitudes as the unweighted mean across affected individuals, where each affected individual contributes the mean of their own OD/OS recordings. This appendix presents two alternative conventions that are common in the literature: (i) the eye-weighted mean (each eye counts independently, i.e. $n = 2 \times \text{\#affected}$); and (ii) the all-mutation-carrier mean (each genotype-positive individual counts, including unaffected obligate carriers, where applicable). These values are reported here only for completeness and are **not** the primary outcome reported in the main paper.

Appendix Table A1. Eye-weighted mean ERG amplitudes (μV ; $n = 2 \times \text{\#affected}$ per family). These differ from Table 4 of the main paper because they do not first average across the two eyes of a subject.

Family	Gene	Scot 0.01 b	Scot SF a	Scot SF b	Phot a	Phot b	30-Hz
F1	USH2A	19.1	11.6	30.4	4.8	21.9	16.4
F2	ABCA4	62.6	42.0	79.4	12.5	61.7	47.4
F3	CRB1	9.5	6.9	16.6	3.2	14.9	12.1
F4	RPE65	5.4	4.2	11.4	1.8	9.6	7.3
F5	EYS	22.0	15.2	37.9	5.7	26.5	19.7
F6	CERKL	24.5	18.0	43.0	6.2	29.7	23.0
F7	cand.	15.4	9.7	24.4	5.4	23.6	18.8
F8	cand.	13.0	8.5	19.9	4.5	19.2	15.1
F9	DHDDS	11.9	8.0	21.6	5.0	20.9	16.6
F10	DHDDS	13.6	8.7	23.9	5.2	22.2	17.3

Appendix Table A2. Mean amplitudes weighted by inclusion of obligate-carrier (heterozygous, unaffected) individuals. F6 includes three heterozygous-carrier parents/sibs whose scotopic SF b-wave amplitudes fell within the lower-bound normal range. This convention is included only for completeness; it is **not** the outcome reported in the main paper.

Family	Gene	Scot 0.01 b	Scot SF a	Scot SF b	Phot a	Phot b	30-Hz
F1	USH2A	112.4	68.6	178.2	18.4	91.6	68.1
F2	ABCA4	127.7	79.0	193.1	21.4	108.2	81.5
F3	CRB1	104.5	62.8	154.7	16.7	82.4	59.6
F4	RPE65	98.6	58.4	141.8	15.2	73.7	52.4
F5	EYS	118.9	72.3	174.4	19.1	94.5	68.7
F6	CERKL	124.6	75.1	181.7	20.0	98.9	72.2
F7	cand.	109.4	64.9	160.6	17.5	85.7	61.3
F8	cand.	106.7	63.6	156.3	16.9	83.4	60.4
F9	DHDDS	104.1	62.0	152.4	16.4	80.8	58.7
F10	DHDDS	106.8	63.5	156.0	16.8	82.7	60.0

Note. The values in Appendix Tables A1 and A2 do not supersede Table 4 of the main paper. Where these values differ, the main-paper Table 4 should be regarded as the canonical per-family mean. For family F6 (*CERKL*) on the scotopic standard-flash b-wave the canonical value is 42.7 μV (Table 4 of the main paper); the eye-weighted value (Table A1) is 43.0 μV and the carrier-inclusive value (Table A2) is 181.7 μV . These differences reflect the averaging convention only.