

ICPSR 21600

**National Longitudinal Study of  
Adolescent Health (Add Health),  
1994-2008**

Kathleen Mullan Harris

*University of North Carolina-Chapel Hill*

J. Richard Udry

*University of North Carolina-Chapel Hill*

Wave III Public In-Home Questionnaire

Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/21600/terms>

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## **ICPSR 21600 PROCESSING NOTES**

*National Longitudinal Study of Adolescent Health (Add Health), 1994-2008 Wave 3  
In-Home Questionnaire Codebook*

- 1) The word "drinks" in the response category value labels for the variables H3TO41 ("During the past two weeks, how many times did you have five or more drinks on a single occasion, for example, in the same evening?") and H3TO42 ("During the past two weeks, how many times did you have four or more drinks on a single occasion, for example, in the same evening?") has been changed to "times" in this codebook, but not in the datafile. Users should be aware that the word "times" should replace the word "drinks" in the value labels for both variables in the datafile.



# **ICPSR 21600**

## **National Longitudinal Study of Adolescent Health (Add Health), 1994-2008**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## National Longitudinal Study of Adolescent Health (Add Health), 1994-2008

### Wave 3, Public In-Home Questionnaire

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric Based upon 4882 valid cases out of 4882 total cases.

AID	RESPONDENT IDENTIFIER
Location:	5-12 (width: 8; decimal: 0)
Variable Type:	character
Question:	Respondent identifier number Based upon 4882 valid cases out of 4882 total cases.

IMONTH3	MONTH OF INTERVIEW-W3	Unweighted Frequency	%
Location:	13-14 (width: 2; decimal: 0)		
Variable Type:	numeric		
Question:	Month interview completed		
	<i>Value</i>	<i>Label</i>	
	1	January	426 8.7 %
	2	February	264 5.4 %
	3	March	472 9.7 %
	4	April	253 5.2 %
	7	July	25 0.5 %
	8	August	726 14.9 %
	9	September	732 15.0 %
	10	October	773 15.8 %
	11	November	619 12.7 %
	12	December	592 12.1 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 7.70
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.64

IDAY3	DAY OF INTERVIEW-W3
Location:	15-16 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Day interview completed

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	135	2.8 %
2	157	3.2 %
3	151	3.1 %
4	143	2.9 %
5	175	3.6 %
6	167	3.4 %
7	155	3.2 %
8	185	3.8 %
9	146	3.0 %
10	181	3.7 %
11	170	3.5 %
12	167	3.4 %
13	170	3.5 %
14	158	3.2 %
15	200	4.1 %
16	156	3.2 %
17	176	3.6 %
18	162	3.3 %
19	154	3.2 %
20	172	3.5 %
21	160	3.3 %
22	129	2.6 %
23	186	3.8 %
24	132	2.7 %
25	140	2.9 %
26	147	3.0 %
27	173	3.5 %
28	167	3.4 %
29	168	3.4 %
30	129	2.6 %
31	71	1.5 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 15.64
- Median: 15.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.63

- Study 21600 -

<b>IYEAR3</b>	<b>YEAR OF INTERVIEW-W3</b>		
Location:	17-20 (width: 4; decimal: 0)		
Variable Type:	numeric		
Question:	Year interview completed		
	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2001	3533	72.4 %
	2002	1349	27.6 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 2001.28
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2002.00
- Standard Deviation: 0.45

<b>MACNO3</b>	<b>INTERVIEWER MACHINE NUMBER-W3</b>
Location:	21-23 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Machine number on which the adolescent interview was recorded
	Based upon 4882 valid cases out of 4882 total cases.
	<ul style="list-style-type: none"> <li>• Mean: 504.77</li> <li>• Minimum: 1.00</li> <li>• Maximum: 992.00</li> <li>• Standard Deviation: 281.33</li> </ul>

<b>INTID3</b>	<b>INTERVIEWER ID NUMBER-W3</b>
Location:	24-29 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Interviewer identification number
	Based upon 4882 valid cases out of 4882 total cases.
	<ul style="list-style-type: none"> <li>• Mean: 551347.87</li> <li>• Minimum: 200048.00</li> <li>• Maximum: 700701.00</li> <li>• Standard Deviation: 73012.09</li> </ul>

<b>BIO_SEX3</b>	<b>BIOLOGICAL SEX-W3</b>
Location:	30-30 (width: 1; decimal: 0)
Variable Type:	numeric

- Study 21600 -

Question:

Respondent's Gender

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2253	46.1 %
2	Female	2629	53.9 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**VERSION3**

**QUESTIONNAIRE VERSION-W3**

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Question: Version number of the instrument administered

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Version 1	66	1.4 %
2	Version 2	2	0.0 %
3	Version 3	27	0.6 %
4	Version 4	20	0.4 %
5	Version 5	11	0.2 %
6	Version 6	292	6.0 %
7	Version 7	54	1.1 %
8	Version 8	860	17.6 %
9	Version 9	427	8.7 %
10	Version 10	256	5.2 %
11	Version 11	710	14.5 %
12	Version 12	177	3.6 %
13	Version 13	849	17.4 %
14	Version 14	25	0.5 %
15	Version 15	258	5.3 %
16	Version 16	409	8.4 %
17	Version 17	439	9.0 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 11.24
- Median: 11.00
- Mode: 8.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 3.55

**FRIEND**

**FRIEND SAMPLE-W3**

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

Question: Friend Sample

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not in Friend Sample	3525	72.2 %
1	In Friend Sample	1357	27.8 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**SIBLING**

**SIBLING SAMPLE-W3**

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Question: Sibling Sample

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not in Sibling Sample	4135	84.7 %
1	1 sibling	656	13.4 %
2	2 siblings	80	1.6 %
3	3 siblings	11	0.2 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.44

**PARTNER**

**PARTNER SAMPLE-W3**

Location: 35-35 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Partner Sample. When the Wave III field work began, approximately one half of the fielded Add Health respondents were randomly flagged to be part of the Partner Sample. When a respondent with PARTNER = 1 was interviewed and if the respondent had an eligible relationship, the respondent was asked to recruit his/ her partner for the study. This relationship is identified as the Couple Sample (CP) relationship in Section 19. Additional information about the Couple Sample is available in the document "sect19\_descriptions.pdf."

Value	Label	Unweighted Frequency	%
0	Not in Partner Sample	2465	50.5 %
1	In Partner Sample	2417	49.5 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.50
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.50

BINGE

BINGE SAMPLE-W3

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

## Question: Binge Sample

Value	Label	Unweighted Frequency	%
0	Not in Binge Sample	4011	82.2 %
1	In Binge Sample	871	17.8 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.18
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.38

## **COUPLE**

## **COUPLE INTERVIEW-W3**

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

**Question:** Couple Sample. The eligible partner, when interviewed for the Couple Sample, has a value of 1 for COUPLE. Original Add Health respondents only have a value of 0 for COUPLE. This variable was used for questionnaire branching and to identify interviews from partners of Add Health respondents. The partner interview data are available in separate files by special request.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not in Couple Sample	4882	100.0 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**PRMOM**

**MOTHER FIGURE AT LAST INTERVIEW-W3**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99 , .

Question: Mother Figure at Last Interview. Variables PRMOM and PRPOP were created from responses to the Wave I or II household roster information. If a respondent indicated that he/she lived with a mother figure, but not a father figure, then the value for the father figure would be coded as missing and likewise if they lived with a father figure and not a mother figure. When a respondent did not list both a mother and father figure, then he/she was asked the questions "Who in your household acts a mother figure?" and "Who in your household acts as a father figure?" which had no one as an allowable response. Respondents who lived alone at the time of their last interview also received codes of (99) (no one) for PRMOM and PRPOP.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Partner	1	0.0 %
4	Brother	2	0.0 %
13	Grandfather	2	0.0 %
20	Wife	1	0.0 %
23	Sister	14	0.3 %
26	Brother's female partner	1	0.0 %
27	Mother	3	0.1 %
30	Father's female partner	2	0.0 %
31	Mother-in-law	2	0.0 %
32	Grandmother	81	1.7 %
33	Great-grandmother	2	0.0 %
34	Aunt	33	0.7 %
37	Relative who acted as a mother to you	2	0.0 %
38	Non-relative who acted as a mother to you	13	0.3 %
68	Biological mother	4256	87.2 %
69	Adopted mother	47	1.0 %
70	Step-mother who adopted you	7	0.1 %
71	Step-mother	109	2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	Foster mother	11	0.2 %
99 (M)	No one	148	3.0 %
. (M)	-	145	3.0 %

Based upon 4589 valid cases out of 4882 total cases.

- Mean: 66.82
- Median: 68.00
- Mode: 68.00
- Minimum: 2.00
- Maximum: 72.00
- Standard Deviation: 6.86

#### PRPOP

#### FATHER FIGURE AT LAST INTERVIEW-W3

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99 , .

Question: Father Figure at Last Interview. Variables PRMOM and PRPOP were created from responses to the Wave I or II household roster information. If a respondent indicated that he/she lived with a mother figure, but not a father figure, then the value for the father figure would be coded as missing and likewise if they lived with a father figure and not a mother figure. When a respondent did not list both a mother and father figure, then he/she was asked the questions "Who in your household acts a mother figure?" and "Who in your household acts as a father figure?" which had no one as an allowable response. Respondents who lived alone at the time of their last interview also received codes of (99) (no one) for PRMOM and PRPOP.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Partner	1	0.0 %
4	Brother	4	0.1 %
6	Sister's husband	2	0.0 %
8	Father	5	0.1 %
10	Mother's husband	1	0.0 %
12	Father-in-law	2	0.0 %
13	Grandfather	38	0.8 %
14	Great-grandfather	1	0.0 %
15	Uncle	21	0.4 %
23	Sister	2	0.0 %
32	Grandmother	6	0.1 %
34	Aunt	3	0.1 %
35	Cousin	1	0.0 %
38	Non-relative who acted as a mother to you	13	0.3 %
63	Biological father	2900	59.4 %
64	Adopted father	60	1.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	Step-father who adopted you	26	0.5 %
66	Step-father	475	9.7 %
67	Foster father	9	0.2 %
99 (M)	No one	209	4.3 %
. (M)	-	1103	22.6 %

Based upon 3570 valid cases out of 4882 total cases.

- Mean: 62.18
- Median: 63.00
- Mode: 63.00
- Minimum: 2.00
- Maximum: 67.00
- Standard Deviation: 7.77

<b>PRYEAR</b>	<b>LAST INTERVIEW YEAR-W3</b>
Location:	42-45 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Previous Interview Year

  

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	1036	21.2 %
1996	3846	78.8 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1995.79
- Median: 1996.00
- Mode: 1996.00
- Minimum: 1995.00
- Maximum: 1996.00
- Standard Deviation: 0.41

<b>CALCAGE3</b>	<b>CALCULATED AGE-W3</b>
Location:	46-47 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Calculated Age at Time of Interview

  

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	36	0.7 %
19	540	11.1 %
20	766	15.7 %

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	801	16.4 %
22	877	18.0 %
23	833	17.1 %
24	747	15.3 %
25	229	4.7 %
26	40	0.8 %
27	12	0.2 %
28	1	0.0 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 21.82
- Median: 22.00
- Mode: 22.00
- Minimum: 18.00
- Maximum: 28.00
- Standard Deviation: 1.81

**PRETEST**

**PRETEST INTERVIEW-W3**

Location: 48-48 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Pretest Interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not a Pretest Interview	4816	98.6 %
1	Pretest Interview	66	1.4 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**PRISON**

**PRISON INTERVIEW-W3**

Location: 49-49 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Interview Conducted in Prison

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not interviewed in prison	4875	99.9 %
1	Interviewed in prison	7	0.1 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

**H3OD1M**
**S1Q1 BIRTH MONTH-W3**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Question: Confirm birth date. [month and year]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	382	7.8 %
2	February	374	7.7 %
3	March	413	8.5 %
4	April	393	8.0 %
5	May	425	8.7 %
6	June	393	8.0 %
7	July	438	9.0 %
8	August	407	8.3 %
9	September	448	9.2 %
10	October	431	8.8 %
11	November	377	7.7 %
12	December	401	8.2 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 6.56
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.40

**H3OD1Y**
**S1Q1 BIRTH YEAR-W3**

Location: 52-55 (width: 4; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Confirm birth date. [month and year]

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1974	13	0.3 %
1975	40	0.8 %
1976	274	5.6 %
1977	803	16.4 %
1978	853	17.5 %
1979	851	17.4 %
1980	850	17.4 %
1981	717	14.7 %
1982	476	9.8 %
1983	5	0.1 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1979.05
- Median: 1979.00
- Mode: 1978.00
- Minimum: 1974.00
- Maximum: 1983.00
- Standard Deviation: 1.79

#### H3OD2

#### S1Q2 ARE YOU OF HISPANIC ORIGIN-W3

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: Are you of Hispanic or Latino origin?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.4)	4353	89.2 %
1	Yes	522	10.7 %
8 (M)	Don't know	7	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

#### H3OD3A

#### S1Q3A HISPANIC-MEXICAN-W3

- Study 21600 -

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: What is your Hispanic or Latino background? You may give more than one answer. Mexican/Mexican American

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	207	4.2 %
1	Marked	321	6.6 %
7 (M)	Legitimate skip	4353	89.2 %
8 (M)	Don't know	1	0.0 %

Based upon 528 valid cases out of 4882 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

### H3OD3B

### S1Q3B HISPANIC-CHICANO-W3

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Hispanic or Latino background? You may give more than one answer. Chicano/Chicana

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	505	10.3 %
1	Marked	24	0.5 %
7 (M)	Legitimate skip	4353	89.2 %

Based upon 529 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

### H3OD3C

### S1Q3C HISPANIC-CUBAN-W3

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

7

Question:

What is your Hispanic or Latino background? You may give more than one answer. Cuban/Cuban American

Value	Label	Unweighted Frequency	%
0	Not marked	503	10.3 %
1	Marked	26	0.5 %
7 (M)	Legitimate skip	4353	89.2 %

Based upon 529 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3OD3D**

**S1Q3D HISPANIC-PUERTO RICAN-W3**

Location:

60-60 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

What is your Hispanic or Latino background? You may give more than one answer. Puerto Rican

Value	Label	Unweighted Frequency	%
0	Not marked	459	9.4 %
1	Marked	70	1.4 %
7 (M)	Legitimate skip	4353	89.2 %

Based upon 529 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**H3OD3E**

**S1Q3E HISPANIC-CENTRAL/SO AMERICAN-W3**

Location:

61-61 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

What is your Hispanic or Latino background? You may give more than one answer. Central/South American

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	466	9.5 %
1	Marked	63	1.3 %
7 (M)	Legitimate skip	4353	89.2 %

Based upon 529 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3OD3F

#### S1Q3F HISPANIC-OTHER-W3

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Hispanic or Latino background? You may give more than one answer. other Hispanic

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	467	9.6 %
1	Marked	62	1.3 %
7 (M)	Legitimate skip	4353	89.2 %

Based upon 529 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3OD4A

#### S1Q4A RACE-WHITE-W3

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: What is your race? You may give more than one answer. White

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1467	30.0 %
1	Marked	3376	69.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	16	0.3 %
9 (M)	Not applicable	15	0.3 %

Based upon 4843 valid cases out of 4882 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

#### H3OD4B

#### S1Q4B RACE-BLACK/AFRICAN AM-W3

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: What is your race? You may give more than one answer. Black or African American

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3664	75.1 %
1	Marked	1213	24.8 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

#### H3OD4C

#### S1Q4C RACE-AMER INDIAN/NATIVE AM-W3

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: What is your race? You may give more than one answer. American Indian or Native American

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4650	95.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	226	4.6 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	3	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

#### H3OD4D

#### S1Q4D RACE-ASIAN-W3

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: What is your race? You may give more than one answer. Asian or Pacific Islander

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4650	95.2 %
1	Marked	227	4.6 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

#### H3OD5A

#### S1Q5A ASIAN-CHINESE-W3

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: What is your Asian background? You may give more than one answer. Chinese

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	186	3.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	45	0.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4650	95.2 %

Based upon 231 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

#### H3OD5B

#### S1Q5B ASIAN-FILIPINO-W3

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Asian background? You may give more than one answer. Filipini

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	147	3.0 %
1	Marked	85	1.7 %
7 (M)	Legitimate skip	4650	95.2 %

Based upon 232 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3OD5C

#### S1Q5C ASIAN-JAPANESE-W3

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Asian background? You may give more than one answer. Japanese

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	201	4.1 %
1	Marked	31	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4650	95.2 %

Based upon 232 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

#### H3OD5D

#### S1Q5D ASIAN-ASIAN INDIAN-W3

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Asian background? You may give more than one answer. Asian Indian

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	222	4.5 %
1	Marked	10	0.2 %
7 (M)	Legitimate skip	4650	95.2 %

Based upon 232 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

#### H3OD5E

#### S1Q5E ASIAN-KOREAN-W3

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What is your Asian background? You may give more than one answer. Korean

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	207	4.2 %
1	Marked	25	0.5 %
7 (M)	Legitimate skip	4650	95.2 %

Based upon 232 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H3OD5F	S1Q5F ASIAN-VIETNAMESE-W3		
	Value	Label	Unweighted Frequency
			%
Location:	72-72 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7		
Question:	What is your Asian background? You may give more than one answer. Vietnamese		
	0	Not marked	217
	1	Marked	15
	7 (M)	Legitimate skip	4650

Based upon 232 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H3OD5G	S1Q5G ASIAN-OTHER-W3		
	Value	Label	Unweighted Frequency
			%
Location:	73-73 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	What is your Asian background? You may give more than one answer. Other		
	0	Not marked	183
	1	Marked	47
	7 (M)	Legitimate skip	4650
	8 (M)	Don't know	1
	9 (M)	Not applicable	1

Based upon 230 valid cases out of 4882 total cases.

- Mean: 0.20
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H3OD6	S1Q6 RACE-SINGLE CATEGORY-W3			
	Value	Label	Unweighted Frequency	%
Location:	74-74 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9			
Question:	Which one category best describes your racial background?			
	1	White	93	1.9 %
	2	Black/African American	57	1.2 %
	3	American Indian/Native American	12	0.2 %
	4	Asian/Pacific Islander	14	0.3 %
	6 (M)	Refused	3	0.1 %
	7 (M)	Legitimate skip	4698	96.2 %
	8 (M)	Don't know	3	0.1 %
	9 (M)	Not applicable	2	0.0 %

Based upon 176 valid cases out of 4882 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.91

H3OD7A	S1Q7A FAMILY ANCESTRY-1ST COUNTRY-W3			
	Value	Label	Unweighted Frequency	%
Location:	75-77 (width: 3; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	994 , 998 , 999			
Question:	What are your family ancestries? First country selected.			
	1	Afghanistan	3	0.1 %
	2	Africa	466	9.5 %
	3	Albania	1	0.0 %
	5	America, includes Native American/Eskimo	1365	28.0 %
	9	Armenia	8	0.2 %
	11	Australia	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Austria	7	0.1 %
14	Bahamas	2	0.0 %
16	Barbados	1	0.0 %
22	British Isles	8	0.2 %
25	Cambodia	5	0.1 %
27	Canada	27	0.6 %
30	China	25	0.5 %
31	Colombia	7	0.1 %
33	Cuba	24	0.5 %
35	Czech Republic	17	0.3 %
36	Czechoslovakia	19	0.4 %
37	Denmark	18	0.4 %
39	Dominican Republic	9	0.2 %
40	Ecuador	6	0.1 %
41	Egypt	3	0.1 %
42	El Salvador	5	0.1 %
43	England	217	4.4 %
47	Finland	4	0.1 %
48	France	114	2.3 %
49	Germany	669	13.7 %
51	Great Britain	5	0.1 %
52	Greece	16	0.3 %
54	Guatemala	4	0.1 %
56	Haiti	9	0.2 %
57	Honduras	10	0.2 %
58	Hong Kong	3	0.1 %
59	Hungary	26	0.5 %
61	India	18	0.4 %
63	Iran	2	0.0 %
66	Israel	3	0.1 %
68	Jamaica	13	0.3 %
69	Japan	23	0.5 %
74	Laos	5	0.1 %
76	Lebanon	4	0.1 %
79	Lithuania	3	0.1 %
81	Macau	1	0.0 %
82	Malaysia	1	0.0 %
84	Mexico	260	5.3 %
88	Netherlands	18	0.4 %
91	Nicaragua	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
92	Nigeria	6	0.1 %
94	Norway	44	0.9 %
99	Panama	6	0.1 %
101	Peru	3	0.1 %
102	Philippines	67	1.4 %
103	Poland	97	2.0 %
104	Portugal	31	0.6 %
105	Romania	5	0.1 %
106	Russia	23	0.5 %
107	Saudi Arabia	3	0.1 %
108	Scotland	99	2.0 %
112	Slovakia	3	0.1 %
117	Spain	37	0.8 %
124	Sweden	45	0.9 %
125	Switzerland	9	0.2 %
126	Syria	2	0.0 %
127	Taiwan	5	0.1 %
129	Thailand	4	0.1 %
131	Trinidad and Tobago	5	0.1 %
134	Uganda	3	0.1 %
135	Ukraine	6	0.1 %
139	Vietnam	15	0.3 %
140	Wales	20	0.4 %
143	Yugoslavia	13	0.3 %
200	American Indian	36	0.7 %
201	Other, ethnicity or race listed	2	0.0 %
202	Other, continent or geographic area listed	1	0.0 %
203	Adopted, respondent doesn't know ancestry	1	0.0 %
300	Puerto Rico	25	0.5 %
402	Northern Africa excluding Egypt	1	0.0 %
406	Eastern and Southern Africa excluding Uganda	1	0.0 %
408	Western Africa excluding Nigeria	6	0.1 %
414	West Indies excluding Bahamas	3	0.1 %
419	Belize and Costa Rica	1	0.0 %
426	Argentina/Chile/Uruguay	5	0.1 %
427	Brazil/Bolivia/Paraguay	1	0.0 %
428	Guyana/Suriname/Venezuela	3	0.1 %
434	Indonesia and Singapore	1	0.0 %
438	Bangladesh/Nepal/Pakistan/Sri Lanka	5	0.1 %
442	Middle East	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
444	Turkey and Cyprus	1	0.0 %
447	North and South Korea	23	0.5 %
452	Iceland and Atlantic Islands	12	0.2 %
453	Italy and Malta	217	4.4 %
455	Belgium and Luxembourg	4	0.1 %
463	Estonia/Latvia/Bulgaria	3	0.1 %
468	Iceland and Northern Ireland	443	9.1 %
481	Pacific Islands excluding Western Samoa	11	0.2 %
994 (M)	Invalid country given/unable to code	1	0.0 %
998 (M)	Don't know	47	1.0 %
999 (M)	Not applicable	2	0.0 %

Based upon 4832 valid cases out of 4882 total cases.

- Mean: 106.46
- Median: 49.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 481.00
- Standard Deviation: 157.03

#### H3OD7B

#### S1Q7B FAMILY ANCESTRY-2ND COUNTRY-W3

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 994 , 997 , 998 , 999

Question: What are your family ancestries? Second country selected.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No other country	2069	42.4 %
2	Africa	70	1.4 %
3	Albania	2	0.0 %
5	America, includes Native American/Eskimo	492	10.1 %
9	Armenia	2	0.0 %
12	Austria	10	0.2 %
14	Bahamas	1	0.0 %
16	Barbados	3	0.1 %
22	British Isles	9	0.2 %
25	Cambodia	1	0.0 %
27	Canada	21	0.4 %
30	China	19	0.4 %
31	Colombia	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	Cuba	6	0.1 %
35	Czech Republic	12	0.2 %
36	Czechoslovakia	6	0.1 %
37	Denmark	29	0.6 %
39	Dominican Republic	3	0.1 %
40	Ecuador	3	0.1 %
41	Egypt	2	0.0 %
42	El Salvador	4	0.1 %
43	England	189	3.9 %
47	Finland	4	0.1 %
48	France	123	2.5 %
49	Germany	414	8.5 %
51	Great Britain	6	0.1 %
52	Greece	14	0.3 %
54	Guatemala	1	0.0 %
56	Haiti	2	0.0 %
57	Honduras	1	0.0 %
58	Hong Kong	3	0.1 %
59	Hungary	15	0.3 %
61	India	20	0.4 %
63	Iran	3	0.1 %
66	Israel	2	0.0 %
68	Jamaica	7	0.1 %
69	Japan	9	0.2 %
76	Lebanon	4	0.1 %
79	Lithuania	6	0.1 %
82	Malaysia	1	0.0 %
84	Mexico	45	0.9 %
88	Netherlands	29	0.6 %
91	Nicaragua	2	0.0 %
94	Norway	33	0.7 %
99	Panama	1	0.0 %
101	Peru	1	0.0 %
102	Philippines	23	0.5 %
103	Poland	97	2.0 %
104	Portugal	19	0.4 %
105	Romania	6	0.1 %
106	Russia	35	0.7 %
107	Saudi Arabia	2	0.0 %
108	Scotland	116	2.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
112	Slovakia	8	0.2 %
117	Spain	67	1.4 %
124	Sweden	56	1.1 %
125	Switzerland	7	0.1 %
126	Syria	3	0.1 %
127	Taiwan	3	0.1 %
129	Thailand	4	0.1 %
131	Trinidad and Tobago	1	0.0 %
135	Ukraine	4	0.1 %
139	Vietnam	1	0.0 %
140	Wales	15	0.3 %
141	Western Samoa	1	0.0 %
143	Yugoslavia	7	0.1 %
200	American Indian	47	1.0 %
201	Other, ethnicity or race listed	4	0.1 %
202	Other, continent or geographic area listed	2	0.0 %
300	Puerto Rico	11	0.2 %
402	Northern Africa excluding Egypt	1	0.0 %
406	Eastern and Southern Africa excluding Uganda	1	0.0 %
408	Western Africa excluding Nigeria	1	0.0 %
414	West Indies excluding Bahamas	6	0.1 %
419	Belize and Costa Rica	1	0.0 %
426	Argentina/Chile/Uruguay	2	0.0 %
428	Guyana/Suriname/Venezuela	1	0.0 %
438	Bangladesh/Nepal/Pakistan/Sri Lanka	3	0.1 %
442	Middle East	1	0.0 %
444	Turkey and Cyprus	1	0.0 %
447	North and South Korea	5	0.1 %
452	Iceland and Atlantic Islands	4	0.1 %
453	Italy and Malta	100	2.0 %
455	Belgium and Luxembourg	5	0.1 %
463	Estonia/Latvia/Bulgaria	1	0.0 %
468	Iceland and Northern Ireland	442	9.1 %
481	Pacific Islands excluding Western Samoa	4	0.1 %
994 (M)	Invalid country given/unable to code	1	0.0 %
997 (M)	Legitimate skip	49	1.0 %
998 (M)	Don't know	9	0.2 %
999 (M)	Not applicable	3	0.1 %

Based upon 4820 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 81.42
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 481.00
- Standard Deviation: 147.42

H3OD7C	S1Q7C FAMILY ANCESTRY-3RD COUNTRY-W3		
Value	Label	Unweighted Frequency	%
0	No other country	1383	28.3 %
1	Afghanistan	1	0.0 %
2	Africa	19	0.4 %
5	America, includes Native American/Eskimo	210	4.3 %
12	Austria	6	0.1 %
22	British Isles	4	0.1 %
27	Canada	19	0.4 %
30	China	7	0.1 %
31	Colombia	3	0.1 %
33	Cuba	4	0.1 %
35	Czech Republic	3	0.1 %
36	Czechoslovakia	8	0.2 %
37	Denmark	22	0.5 %
40	Ecuador	2	0.0 %
43	England	149	3.1 %
47	Finland	3	0.1 %
48	France	74	1.5 %
49	Germany	160	3.3 %
51	Great Britain	5	0.1 %
52	Greece	3	0.1 %
56	Haiti	2	0.0 %
59	Hungary	8	0.2 %
61	India	11	0.2 %
66	Israel	2	0.0 %
68	Jamaica	3	0.1 %
69	Japan	3	0.1 %
74	Laos	1	0.0 %
76	Lebanon	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	Lithuania	6	0.1 %
84	Mexico	7	0.1 %
88	Netherlands	22	0.5 %
94	Norway	21	0.4 %
99	Panama	1	0.0 %
102	Philippines	5	0.1 %
103	Poland	37	0.8 %
104	Portugal	6	0.1 %
105	Romania	5	0.1 %
106	Russia	15	0.3 %
108	Scotland	76	1.6 %
112	Slovakia	7	0.1 %
117	Spain	25	0.5 %
124	Sweden	27	0.6 %
125	Switzerland	7	0.1 %
129	Thailand	1	0.0 %
131	Trinidad and Tobago	1	0.0 %
134	Uganda	1	0.0 %
135	Ukraine	5	0.1 %
140	Wales	23	0.5 %
143	Yugoslavia	9	0.2 %
200	American Indian	39	0.8 %
201	Other, ethnicity or race listed	3	0.1 %
202	Other, continent or geographic area listed	1	0.0 %
300	Puerto Rico	4	0.1 %
402	Northern Africa excluding Egypt	2	0.0 %
406	Eastern and Southern Africa excluding Uganda	2	0.0 %
408	Western Africa excluding Nigeria	1	0.0 %
414	West Indies excluding Bahamas	1	0.0 %
427	Brazil/Bolivia/Paraguay	1	0.0 %
428	Guyana/Suriname/Venezuela	1	0.0 %
434	Indonesia and Singapore	3	0.1 %
438	Bangladesh/Nepal/Pakistan/Sri Lanka	2	0.0 %
447	North and South Korea	1	0.0 %
452	Iceland and Atlantic Islands	4	0.1 %
453	Italy and Malta	42	0.9 %
455	Belgium and Luxembourg	3	0.1 %
463	Estonia/Latvia/Bulgaria	1	0.0 %
468	Iceland and Northern Ireland	203	4.2 %
481	Pacific Islands excluding Western Samoa	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	2132	43.7 %
998 (M)	Don't know	1	0.0 %
999 (M)	Not applicable	1	0.0 %

Based upon 2748 valid cases out of 4882 total cases.

- Mean: 71.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 481.00
- Standard Deviation: 138.08

#### H3OD7D

#### S1Q7D FAMILY ANCESTRY-4TH COUNTRY-W3

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , 999

Question: What are your family ancestries? Fourth country selected.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No other country	846	17.3 %
1	Afghanistan	1	0.0 %
2	Africa	5	0.1 %
5	America, includes Native American/Eskimo	86	1.8 %
9	Armenia	1	0.0 %
11	Australia	1	0.0 %
12	Austria	1	0.0 %
22	British Isles	3	0.1 %
25	Cambodia	1	0.0 %
27	Canada	8	0.2 %
30	China	3	0.1 %
35	Czech Republic	6	0.1 %
37	Denmark	10	0.2 %
41	Egypt	2	0.0 %
43	England	61	1.2 %
47	Finland	2	0.0 %
48	France	30	0.6 %
49	Germany	54	1.1 %
51	Great Britain	1	0.0 %
59	Hungary	5	0.1 %
61	India	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
69	Japan	1	0.0 %
79	Lithuania	3	0.1 %
84	Mexico	5	0.1 %
88	Netherlands	8	0.2 %
94	Norway	11	0.2 %
101	Peru	1	0.0 %
102	Philippines	2	0.0 %
103	Poland	16	0.3 %
104	Portugal	3	0.1 %
106	Russia	4	0.1 %
108	Scotland	34	0.7 %
112	Slovakia	1	0.0 %
117	Spain	9	0.2 %
124	Sweden	7	0.1 %
125	Switzerland	3	0.1 %
126	Syria	1	0.0 %
131	Trinidad and Tobago	1	0.0 %
135	Ukraine	2	0.0 %
140	Wales	12	0.2 %
143	Yugoslavia	2	0.0 %
200	American Indian	12	0.2 %
202	Other, continent or geographic area listed	2	0.0 %
300	Puerto Rico	2	0.0 %
406	Eastern and Southern Africa excluding Uganda	2	0.0 %
426	Argentina/Chile/Uruguay	1	0.0 %
438	Bangladesh/Nepal/Pakistan/Sri Lanka	1	0.0 %
442	Middle East	1	0.0 %
444	Turkey and Cyprus	1	0.0 %
453	Italy and Malta	21	0.4 %
455	Belgium and Luxembourg	3	0.1 %
468	Iceland and Northern Ireland	58	1.2 %
481	Pacific Islands excluding Western Samoa	2	0.0 %
997 (M)	Legitimate skip	3518	72.1 %
998 (M)	Don't know	1	0.0 %
999 (M)	Not applicable	2	0.0 %

Based upon 1361 valid cases out of 4882 total cases.

- Mean: 49.58
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 481.00
- Standard Deviation: 116.62

**H3OD8**

**S1Q8 BEST COUNTRY FAMILY ORIGIN-W3**

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: Which one country, group, or geographic area best describes your family's origins? Country List.

Value	Label	Unweighted Frequency	%
2	Africa	128	2.6 %
5	America, includes Native American/Eskimo	663	13.6 %
12	Austria	5	0.1 %
22	British Isles	7	0.1 %
27	Canada	19	0.4 %
30	China	3	0.1 %
33	Cuba	15	0.3 %
35	Czech Republic	15	0.3 %
36	Czechoslovakia	9	0.2 %
37	Denmark	13	0.3 %
42	El Salvador	1	0.0 %
43	England	160	3.3 %
47	Finland	3	0.1 %
48	France	55	1.1 %
49	Germany	419	8.6 %
51	Great Britain	3	0.1 %
52	Greece	10	0.2 %
56	Haiti	5	0.1 %
57	Honduras	5	0.1 %
58	Hong Kong	3	0.1 %
59	Hungary	20	0.4 %
61	India	7	0.1 %
65	Ireland/Erie	358	7.3 %
68	Jamaica	10	0.2 %
69	Japan	10	0.2 %
76	Lebanon	3	0.1 %
84	Mexico	117	2.4 %
91	Nicaragua	6	0.1 %
94	Norway	38	0.8 %
102	Philippines	30	0.6 %
103	Poland	70	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
104	Portugal	19	0.4 %
106	Russia	23	0.5 %
108	Scotland	72	1.5 %
112	Slovakia	1	0.0 %
117	Spain	14	0.3 %
124	Sweden	26	0.5 %
125	Switzerland	7	0.1 %
127	Taiwan	3	0.1 %
135	Ukraine	5	0.1 %
139	Vietnam	2	0.0 %
140	Wales	7	0.1 %
200	American Indian	23	0.5 %
201	Other, ethnicity or race listed	3	0.1 %
300	Puerto Rico	10	0.2 %
413	West Indies excluding Cuba/Haiti/Jamaica/Puerto Rico	7	0.1 %
416	Central America excluding El Salvador/Honduras/Nicaragua	7	0.1 %
424	South America excluding Colombia/Guyana/Venezuela	6	0.1 %
425	Columbia/Guyana/Venezuela	5	0.1 %
433	Southeastern Asia excluding Philippines/Vietnam/Burma	7	0.1 %
441	Middle East excluding Lebanon/Armenia	9	0.2 %
447	North and South Korea	8	0.2 %
453	Italy and Malta	184	3.8 %
454	Belgium/Luxembourg/Netherlands	16	0.3 %
461	Albania/Bulgaria/Romania/Yugoslavia	12	0.2 %
462	All of Baltic states	3	0.1 %
482	Pacific Islands, Australia, and Atlantic islands	13	0.3 %
996 (M)	Refused	2	0.0 %
997 (M)	Legitimate skip	2130	43.6 %
998 (M)	Don't know	44	0.9 %
999 (M)	Not applicable	4	0.1 %

Based upon 2702 valid cases out of 4882 total cases.

- Mean: 89.55
- Median: 49.00
- Mode: 5.00
- Minimum: 2.00
- Maximum: 482.00
- Standard Deviation: 128.39

- Study 21600 -

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

Question: What language do you use most with your family and close relatives?

Value	Label	Unweighted Frequency	%
1	English	4568	93.6 %
2	Spanish	175	3.6 %
3	Another European language	7	0.1 %
4	An Asian language	38	0.8 %
6	Half English and half another language	82	1.7 %
7	Other	12	0.2 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.77

**H3OD10**

**S1Q10 LANG USED MOST W/CLOSE FRIENDS-W3**

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

Question: What language do you use most with your close friends?

Value	Label	Unweighted Frequency	%
1	English	4755	97.4 %
2	Spanish	64	1.3 %
3	Another European language	1	0.0 %
4	An Asian language	11	0.2 %
5	A non-European/non-Asian language	1	0.0 %
6	Half English and half another language	43	0.9 %
7	Other	7	0.1 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.55

**H3OD11**

**S1Q11 OFTEN BUY MUSIC IN NON ENGLISH-W3**

- Study 21600 -

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Do you often buy recorded music that is sung in a language other than English?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4040	82.8 %
1	Yes	833	17.1 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

#### H3OD12

#### S1Q12 OFTEN USE MEDIA IN NON ENGLISH-W3

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Do you often read newspapers, watch television shows, or listen to radio programs that are in a language other than English?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4098	83.9 %
1	Yes	781	16.0 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

#### H3OD13

#### S1Q13 BORN IN THE UNITED STATES-W3

Location: 94-94 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Were you born in the United States?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	261	5.3 %
1	Yes (skip to Q.20)	4621	94.7 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

#### H3OD14

#### S1Q14 COUNTRY OF BIRTH-W3

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 995

Question: In what country were you born?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
995 (M)	Not asked of original respondents	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3OD15

#### S1Q15 PLAN TO LIVE IN US NEXT 10 YRS-W3

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Are you planning to live in the US for at least the next 10 years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18	0.4 %
1	Yes	235	4.8 %
7 (M)	Legitimate skip	4621	94.7 %
8 (M)	Don't know	8	0.2 %

Based upon 253 valid cases out of 4882 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.26

**H3OD16**

**S1Q16 BORN A US CITIZEN-W3**

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Were you born a US citizen?

Value	Label	Unweighted Frequency	%
0	No	208	4.3 %
1	Yes (skip to Q.20)	53	1.1 %
7 (M)	Legitimate skip	4621	94.7 %

Based upon 261 valid cases out of 4882 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3OD17**

**S1Q17 HAVE BECOME A US CITIZEN-W3**

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Have you become a US citizen?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.19)	109	2.2 %
1	Yes	98	2.0 %
7 (M)	Legitimate skip	4674	95.7 %
8 (M)	Don't know	1	0.0 %

Based upon 207 valid cases out of 4882 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

- Study 21600 -

<b>H3OD18M</b>	<b>S1Q18M MONTH BECAME A US CITIZEN-W3</b>			
Location:	101-102 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 98			
Question:	In what month (and year) did you become a citizen? Month			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	January	4	0.1 %
	2	February	7	0.1 %
	3	March	3	0.1 %
	4	April	6	0.1 %
	5	May	11	0.2 %
	6	June	10	0.2 %
	7	July	11	0.2 %
	8	August	10	0.2 %
	9	September	13	0.3 %
	10	October	3	0.1 %
	11	November	3	0.1 %
	12	December	3	0.1 %
	97 (M)	Legitimate skip	4784	98.0 %
	98 (M)	Don't know	14	0.3 %

Based upon 84 valid cases out of 4882 total cases.

- Mean: 6.42
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.82

<b>H3OD18Y</b>	<b>S1Q18Y YEAR BECAME A US CITIZEN-W3</b>			
Location:	103-106 (width: 4; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	9997 , 9998			
Question:	In what month (and year) did you become a citizen? Year			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1980	-	1	0.0 %
	1981	-	3	0.1 %
	1983	-	1	0.0 %
	1984	-	2	0.0 %
	1985	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1986	-	5	0.1 %
1987	-	3	0.1 %
1988	-	1	0.0 %
1989	-	4	0.1 %
1990	-	1	0.0 %
1991	-	1	0.0 %
1993	-	2	0.0 %
1994	-	5	0.1 %
1995	-	9	0.2 %
1996	-	10	0.2 %
1997	-	7	0.1 %
1998	-	9	0.2 %
1999	-	4	0.1 %
2000	-	11	0.2 %
2001	-	11	0.2 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4784	98.0 %
9998 (M)	Don't know	6	0.1 %

Based upon 92 valid cases out of 4882 total cases.

- Mean: 1994.74
- Median: 1996.00
- Minimum: 1980.00
- Maximum: 2002.00
- Standard Deviation: 5.78

#### H3OD19

#### S1Q19 TRYING TO BECOME A US CITIZEN-W3

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Are you trying to become a US citizen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	19	0.4 %
1	Yes	90	1.8 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %

Based upon 109 valid cases out of 4882 total cases.

- Mean: 0.83

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**H3OD20**

**S1Q20 EVER LIVED ON WORKING FARM-W3**

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Have you ever lived on a working farm?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.23)	4481	91.8 %
1	Yes	401	8.2 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**H3OD21A**

**S1Q21A LIVED ON FARM-BEFORE GRADE SCH-W3**

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: During which periods of your life have you lived on a working farm? Indicate all that apply. Before grade school

Value	Label	Unweighted Frequency	%
0	Not marked	163	3.3 %
1	Marked	237	4.9 %
7 (M)	Legitimate skip	4481	91.8 %
8 (M)	Don't know	1	0.0 %

Based upon 400 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

- Study 21600 -

**H3OD21B**

**S1Q21B LIVED ON FARM-DURING GRADE SCH-W3**

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During which periods of your life have you lived on a working farm? Indicate all that apply. During grade school

Value	Label	Unweighted Frequency	%
0	Not marked	165	3.4 %
1	Marked	236	4.8 %
7 (M)	Legitimate skip	4481	91.8 %

Based upon 401 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3OD21C**

**S1Q21C LIVED ON FARM-MIDDLE SCHOOL-W3**

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During which periods of your life have you lived on a working farm? Indicate all that apply. During middle school

Value	Label	Unweighted Frequency	%
0	Not marked	195	4.0 %
1	Marked	206	4.2 %
7 (M)	Legitimate skip	4481	91.8 %

Based upon 401 valid cases out of 4882 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3OD21D**

**S1Q21D LIVED ON FARM-DURING HIGH SCH-W3**

Location: 112-112 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M):

## Question:

During which periods of your life have you lived on a working farm? Indicate all that apply. During high school

Value	Label	Unweighted Frequency	%
0	Not marked	232	4.8 %
1	Marked	169	3.5 %
7 (M)	Legitimate skip	4481	91.8 %

Based upon 401 valid cases out of 4882 total cases.

- Mean: 0.42
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.49

H3OD21E

S1Q21E LIVED ON FARM-AFTER HIGH SCH-W3

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

### Question:

During which periods of your life have you lived on a working farm? Indicate all that apply. After high school

Value	Label	Unweighted Frequency	%
0	Not marked	267	5.5 %
1	Marked	134	2.7 %
7 (M)	Legitimate skip	4481	91.8 %

Based upon 401 valid cases out of 4882 total cases.

- Mean: 0.33
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.47

H3OD22

S1Q22 NOW LIVE ON WORKING FARM-W3

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

## Question:

Do you live on a working farm now?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	342	7.0 %
1	Yes	59	1.2 %
7 (M)	Legitimate skip	4481	91.8 %

Based upon 401 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

#### H3OD23

#### S1Q23 EVER ADOPTED-W3

Location: 115-115 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 8  
 Question: Were you ever adopted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.31)	4739	97.1 %
1	Yes	140	2.9 %
8 (M)	Don't know	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

#### H3OD24

#### S1Q24 ADOPTED BY BLOOD RELATIVE-W3

Location: 116-116 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Were you adopted by a blood relative?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	105	2.2 %
1	Yes (skip to Q.26)	35	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4742	97.1 %

Based upon 140 valid cases out of 4882 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3OD25**
**S1Q25 ADOPTED BY SPOUSE OF BIO PARENT-W3**

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Were you adopted by a new spouse of one of your biological parents?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	51	1.0 %
1	Yes (skip to Q.31)	54	1.1 %
7 (M)	Legitimate skip (skip to Q.31)	4777	97.8 %

Based upon 105 valid cases out of 4882 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3OD26**
**S1Q26 AGE WHEN ADOPTED-W3**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you were adopted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year old	44	0.9 %
1	1 year old	4	0.1 %
2	2 years old	3	0.1 %
3	3 years old	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	4 years old	2	0.0 %
5	5 years old	3	0.1 %
6	6 years old	1	0.0 %
7	7 years old	2	0.0 %
8	8 years old	3	0.1 %
9	9 years old	2	0.0 %
10	10 years old	3	0.1 %
11	11 years old	2	0.0 %
12	12 years old	5	0.1 %
13	13 years old	1	0.0 %
14	14 years old	3	0.1 %
15	15 years old	2	0.0 %
16	16 years old	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4796	98.2 %
98 (M)	Don't know	1	0.0 %

Based upon 84 valid cases out of 4882 total cases.

- Mean: 3.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 5.28

**H3OD27**

**S1Q27 MONTHS OLD WHEN ADOPTED-W3**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How many months old were you when you were adopted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 month	17	0.3 %
1	1 month old	4	0.1 %
2	2 months old	4	0.1 %
3	3 months old	9	0.2 %
4	4 months old	2	0.0 %
5	5 months old	1	0.0 %
6	6 months old	3	0.1 %
7	7 months old	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	9 months old	1	0.0 %
11	11 months old	2	0.0 %
97 (M)	Legitimate skip	4838	99.1 %

Based upon 44 valid cases out of 4882 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.94

### H3OD28

### S1Q28 AGE FOUND OUT ADOPTED-W3

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you found out that you had been adopted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	2	0.0 %
1	-	4	0.1 %
2	-	7	0.1 %
3	-	4	0.1 %
4	-	9	0.2 %
5	-	12	0.2 %
6	-	4	0.1 %
7	-	1	0.0 %
8	-	4	0.1 %
10	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
22	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4822	98.8 %
98 (M)	Don't know	3	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 5.62

- Study 21600 -

- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 4.35

<b>H3OD29</b>	<b>S1Q29 TRANSRACIAL ADOPTION-W3</b>
---------------	--------------------------------------

Location:	124-124 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8
Question:	Was this a transracial adoption--that is, are you of a different race from both of your adoptive parents?

Value	Label	<i>Unweighted Frequency</i>	%
0	No	45	0.9 %
1	Yes	5	0.1 %
7 (M)	Legitimate skip	4831	99.0 %
8 (M)	Don't know	1	0.0 %

Based upon 50 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

<b>H3OD30</b>	<b>S1Q30 INTERNATIONAL ADOPTION-W3</b>
---------------	--

Location:	125-125 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	Was this an international adoption--that is, were both of your adoptive parents living in the United State and you were living in another country?

Value	Label	<i>Unweighted Frequency</i>	%
0	No	45	0.9 %
1	Yes	6	0.1 %
7 (M)	Legitimate skip	4831	99.0 %

Based upon 51 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.33

**H3OD31**

**S1Q31 EVER LIVE IN FOSTER HOME-W3**

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Did you ever live in a foster home?

Value	Label	Unweighted Frequency	%
0	No	4802	98.4 %
1	Yes	76	1.6 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**H3OD32**

**S1Q32 NO OF FOSTER HOMES LIVED IN-W3**

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In how many foster homes have you lived?

Value	Label	Unweighted Frequency	%
1	1 home	54	1.1 %
2	2 homes	9	0.2 %
3	3 homes	6	0.1 %
4	4 homes	3	0.1 %
5	5 homes	1	0.0 %
6	6 homes	1	0.0 %
8	8 homes	1	0.0 %
97 (M)	Legitimate skip	4806	98.4 %
98 (M)	Don't know	1	0.0 %

Based upon 75 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.28

H3OD33	S1Q33 NEG/ABUSE IN FOSTER/ADOPT-W3																			
Location:	129-129 (width: 1; decimal: 0)																			
Variable Type:	numeric																			
Range of Missing Values (M):	7																			
Question:	[If Q.23=1 and Q.31=0, ask:] Were you ever in an adoptive placement in which you experienced neglect, or physical or sexual abuse? [If Q.23=0 and Q.31=1, ask:] Were you ever in a foster placement in which you experienced neglect, or physical or sexual abuse? [If Q.23=1 and Q.31=1, ask:] Were you ever in an adoptive or foster placement in which you experienced neglect, or physical or sexual abuse?																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No (skip to Q.35)</td> <td style="text-align: right; padding: 2px;">129</td> <td style="text-align: right; padding: 2px;">2.6 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes</td> <td style="text-align: right; padding: 2px;">12</td> <td style="text-align: right; padding: 2px;">0.2 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4741</td> <td style="text-align: right; padding: 2px;">97.1 %</td> </tr> </tbody> </table>					Value	Label	Unweighted Frequency	%	0	No (skip to Q.35)	129	2.6 %	1	Yes	12	0.2 %	7 (M)	Legitimate skip	4741	97.1 %
Value	Label	Unweighted Frequency	%																	
0	No (skip to Q.35)	129	2.6 %																	
1	Yes	12	0.2 %																	
7 (M)	Legitimate skip	4741	97.1 %																	

Based upon 141 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H3OD34A	S1Q34A MONTHS LIVED IN FOSTER/ADOPT-W3																															
Location:	130-131 (width: 2; decimal: 0)																															
Variable Type:	numeric																															
Range of Missing Values (M):	97																															
Question:	How long did you live there (months)?																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">Less than 1 month</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">1 month</td> <td style="text-align: right; padding: 2px;">3</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">2 months</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">3</td> <td style="text-align: left; padding: 2px;">3 months</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">6</td> <td style="text-align: left; padding: 2px;">6 months</td> <td style="text-align: right; padding: 2px;">3</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7</td> <td style="text-align: left; padding: 2px;">7 months</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>					Value	Label	Unweighted Frequency	%	0	Less than 1 month	1	0.0 %	1	1 month	3	0.1 %	2	2 months	1	0.0 %	3	3 months	1	0.0 %	6	6 months	3	0.1 %	7	7 months	1	0.0 %
Value	Label	Unweighted Frequency	%																													
0	Less than 1 month	1	0.0 %																													
1	1 month	3	0.1 %																													
2	2 months	1	0.0 %																													
3	3 months	1	0.0 %																													
6	6 months	3	0.1 %																													
7	7 months	1	0.0 %																													

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	8 months	1	0.0 %
11	11 months	1	0.0 %
97 (M)	Legitimate skip	4870	99.8 %

Based upon 12 valid cases out of 4882 total cases.

- Mean: 4.33
- Median: 4.50
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.47

<b>H3OD34B</b>	<b>S1Q34B YEARS LIVED IN FOSTER/ADOPT-W3</b>
----------------	--

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How long did you live there (years)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	8	0.2 %
1	1 year	1	0.0 %
2	2 years	1	0.0 %
3	3 years	1	0.0 %
6	6 years	1	0.0 %
97 (M)	Legitimate skip	4870	99.8 %

Based upon 12 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.86

<b>H3OD35</b>	<b>S1Q35 EVER LIVED W/EITHER BIO PARENTS-W3</b>
---------------	---

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you ever live with either of your biological parents?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to next section)	45	0.9 %
1	Yes	95	1.9 %
7 (M)	Legitimate skip	4741	97.1 %
8 (M)	Don't know	1	0.0 %

Based upon 140 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3OD36M**

**S1Q36M MONTH 1ST LIVED W/ BIO PARENT-W3**

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did you first live with either of your biological parents?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	8	0.2 %
2	February	9	0.2 %
3	March	10	0.2 %
4	April	6	0.1 %
5	May	4	0.1 %
6	June	5	0.1 %
7	July	6	0.1 %
8	August	9	0.2 %
9	September	11	0.2 %
10	October	3	0.1 %
11	November	4	0.1 %
12	December	10	0.2 %
97 (M)	Legitimate skip	4787	98.1 %
98 (M)	Don't know	10	0.2 %

Based upon 85 valid cases out of 4882 total cases.

- Mean: 6.32
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 12.00
- Standard Deviation: 3.62

**H3OD36Y**

**S1Q36Y YEAR 1ST LIVED W/ BIO PARENT-W3**

Location: 137-140 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what (month and) year did you first live with either of your biological parents?

Value	Label	Unweighted Frequency	%
1975	-	4	0.1 %
1976	-	7	0.1 %
1977	-	11	0.2 %
1978	-	14	0.3 %
1979	-	15	0.3 %
1980	-	13	0.3 %
1981	-	9	0.2 %
1982	-	7	0.1 %
1983	-	3	0.1 %
1984	-	1	0.0 %
1985	-	1	0.0 %
1989	-	1	0.0 %
1991	-	3	0.1 %
1995	-	2	0.0 %
1997	-	1	0.0 %
9997 (M)	Legitimate skip	4787	98.1 %
9998 (M)	Don't know	3	0.1 %

Based upon 92 valid cases out of 4882 total cases.

- Mean: 1980.07
- Median: 1979.00
- Mode: 1979.00
- Minimum: 1975.00
- Maximum: 1997.00
- Standard Deviation: 4.28

**H3OD37M**

**S1Q37M MON LAST LIVED W/ BIO PARENT-W3**

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did you most recently live with either of your biological parents?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	8	0.2 %
2	February	2	0.0 %
3	March	6	0.1 %
4	April	8	0.2 %
5	May	2	0.0 %
6	June	10	0.2 %
7	July	4	0.1 %
8	August	15	0.3 %
9	September	7	0.1 %
10	October	8	0.2 %
11	November	3	0.1 %
12	December	8	0.2 %
97 (M)	Legitimate skip	4787	98.1 %
98 (M)	Don't know	14	0.3 %

Based upon 81 valid cases out of 4882 total cases.

- Mean: 6.81
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.32

**H3OD37Y**

**S1Q37Y YR LAST LIVED W/R BIO PARENT-W3**

Location: 143-146 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what (month and) year did you most recently live with either of your biological parents?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1977	-	1	0.0 %
1978	-	1	0.0 %
1979	-	2	0.0 %
1980	-	1	0.0 %
1981	-	3	0.1 %
1982	-	2	0.0 %
1983	-	2	0.0 %
1984	-	1	0.0 %
1985	-	3	0.1 %
1986	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1987	-	4	0.1 %
1988	-	1	0.0 %
1989	-	1	0.0 %
1990	-	4	0.1 %
1991	-	3	0.1 %
1993	-	2	0.0 %
1994	-	3	0.1 %
1995	-	4	0.1 %
1996	-	5	0.1 %
1997	-	4	0.1 %
1998	-	8	0.2 %
1999	-	10	0.2 %
2000	-	8	0.2 %
2001	-	14	0.3 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4787	98.1 %
9998 (M)	Don't know	4	0.1 %

Based upon 91 valid cases out of 4882 total cases.

- Mean: 1993.70
- Median: 1996.00
- Mode: 2001.00
- Minimum: 1977.00
- Maximum: 2002.00
- Standard Deviation: 7.13

#### H3OD38

#### S1Q38 NEGL/ABUSE BY BIO PARENT-W3

Location:	147-147 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7
Question:	Did you experience neglect, or physical or sexual abuse while you were in the custody of a biological parent?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	70	1.4 %
1	Yes	24	0.5 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4787	98.1 %

Based upon 94 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H3HR1	S2Q1 RESPONDENT LIVES AT INT SITE-W3			
	Value	Label	Unweighted Frequency	%
Location:	148-148	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	9 , .			
Question:	[Do you live here or somewhere else?]			
	1	R lives at interview site	4054	83.0 %
	2	R lives somewhere else	807	16.5 %
	9 (M)	Not applicable	5	0.1 %
	. (M)	-	16	0.3 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.37

H3HR2	S2Q2 WHERE RESPONDENT LIVES AT-W3			
	Value	Label	Unweighted Frequency	%
Location:	149-150	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	99			
Question:	Where do you live now? That is, where do you stay most often?			
	1	Your parent's home	1909	39.1 %
	2	Another person's home	276	5.7 %
	3	Your own place (apt, house, trailer, etc)	2423	49.6 %
	4	Group quarters	246	5.0 %
	5	Homeless-you have no regular place to stay	1	0.0 %
	6	Other (skip to Q.5)	26	0.5 %
	99 (M)	Not applicable	1	0.0 %

Based upon 4881 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.23
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.06

H3HR3	S2Q3 LAST/WEEK STAYING AT SHELTER-W3
Location:	151-151 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	Have you been staying at a shelter in the last week?

Value	Label	Unweighted Frequency	%
0	No	2	0.0 %
7 (M)	Legitimate skip	4880	100.0 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H3HR4	S2Q4 PERSON RESPONDENT LIVES WITH-W3
Location:	152-153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97
Question:	Who is this person?

  

Value	Label	Unweighted Frequency	%
1	A relative	167	3.4 %
2	A friend	59	1.2 %
3	A spouse or partner	33	0.7 %
4	An employer	3	0.1 %
5	Other	14	0.3 %
97 (M)	Legitimate skip	4606	94.3 %

Based upon 276 valid cases out of 4882 total cases.

- Mean: 1.69

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

**H3HR5**

**S2Q5 RESP LIVES ALONE OR W/OTHERS-W3**

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Do you live {HERE/THERE} alone or with others?

Value	Label	Unweighted Frequency	%
1	Alone (skip to Q.16)	432	8.8 %
2	With others	4197	86.0 %
6 (M)	Refused (skip to Q.16)	3	0.1 %
7 (M)	Legitimate skip (skip to Q.16)	248	5.1 %
8 (M)	Don't know (skip to Q.16)	1	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4629 valid cases out of 4882 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

**H3HR6**

**S2Q6 HOW MANY PEOPLE RESP LIVES WITH-W3**

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How many people live with you?

Value	Label	Unweighted Frequency	%
1	-	1161	23.8 %
2	-	1192	24.4 %
3	-	959	19.6 %
4	-	474	9.7 %
5	-	231	4.7 %
6	-	105	2.2 %
7	-	43	0.9 %
8	-	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	10	0.2 %
10	-	6	0.1 %
97 (M)	Legitimate skip	685	14.0 %

Based upon 4197 valid cases out of 4882 total cases.

- Mean: 2.55
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.47

#### H3HR7A

#### S2Q7A HH MEMBER 1-GENDER-W3

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? FIRST HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2040	41.8 %
2	Female	2157	44.2 %
7 (M)	Legitimate skip	685	14.0 %

Based upon 4197 valid cases out of 4882 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

#### H3HR8A

#### S2Q8A HH MEMBER 1-AGE-W3

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: How old is {HE/SHE}? FIRST HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	30	0.6 %
1	-	41	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	64	1.3 %
3	-	45	0.9 %
4	-	42	0.9 %
5	-	26	0.5 %
6	-	18	0.4 %
7	-	9	0.2 %
8	-	5	0.1 %
9	-	7	0.1 %
10	-	7	0.1 %
11	-	7	0.1 %
12	-	4	0.1 %
13	-	9	0.2 %
14	-	10	0.2 %
15	-	12	0.2 %
16	-	22	0.5 %
17	-	35	0.7 %
18	-	55	1.1 %
19	-	119	2.4 %
20	-	204	4.2 %
21	-	262	5.4 %
22	-	246	5.0 %
23	-	257	5.3 %
24	-	237	4.9 %
25	-	182	3.7 %
26	-	102	2.1 %
27	-	90	1.8 %
28	-	72	1.5 %
29	-	47	1.0 %
30	-	38	0.8 %
31	-	32	0.7 %
32	-	22	0.5 %
33	-	16	0.3 %
34	-	19	0.4 %
35	-	17	0.3 %
36	-	15	0.3 %
37	-	21	0.4 %
38	-	36	0.7 %
39	-	46	0.9 %
40	-	56	1.1 %
41	-	49	1.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	89	1.8 %
43	-	82	1.7 %
44	-	76	1.6 %
45	-	111	2.3 %
46	-	76	1.6 %
47	-	79	1.6 %
48	-	85	1.7 %
49	-	99	2.0 %
50	-	121	2.5 %
51	-	95	1.9 %
52	-	113	2.3 %
53	-	82	1.7 %
54	-	74	1.5 %
55	-	49	1.0 %
56	-	43	0.9 %
57	-	28	0.6 %
58	-	20	0.4 %
59	-	28	0.6 %
60	-	28	0.6 %
61	-	21	0.4 %
62	-	12	0.2 %
63	-	9	0.2 %
64	-	5	0.1 %
65	-	11	0.2 %
66	-	5	0.1 %
67	-	9	0.2 %
68	-	7	0.1 %
69	-	2	0.0 %
70	-	6	0.1 %
71	-	1	0.0 %
72	-	12	0.2 %
73	-	12	0.2 %
74	-	1	0.0 %
75	-	2	0.0 %
76	-	1	0.0 %
77	-	2	0.0 %
78	-	4	0.1 %
79	-	2	0.0 %
80	-	4	0.1 %
81	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
82	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	3	0.1 %
87	-	2	0.0 %
88	-	1	0.0 %
89	-	1	0.0 %
94	-	1	0.0 %
996 (M)	Refused	6	0.1 %
997 (M)	Legitimate skip	685	14.0 %
998 (M)	Don't know	33	0.7 %
. (M)	-	6	0.1 %

Based upon 4152 valid cases out of 4882 total cases.

- Mean: 32.86
- Median: 27.00
- Mode: 21.00
- Minimum: 0.00
- Maximum: 94.00
- Standard Deviation: 16.29

#### H3HR9A

#### S2Q9A HH MEMBER 1-APPROXIMATE AGE-W3

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: About how old is {HE/SHE}? FIRST HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
42	-	2	0.0 %
43	-	3	0.1 %
45	-	4	0.1 %
46	-	2	0.0 %
48	-	2	0.0 %
50	-	3	0.1 %
55	-	3	0.1 %
57	-	1	0.0 %
996 (M)	Refused	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4849	99.3 %
998 (M)	Don't know	8	0.2 %

Based upon 24 valid cases out of 4882 total cases.

- Mean: 46.25
- Median: 45.00
- Mode: 45.00
- Minimum: 38.00
- Maximum: 57.00
- Standard Deviation: 5.38

**H3HR10A**

**S2Q10A HH MEMBER 1-RELATION TO RESP-W3**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 99

Question: What is {HIS/HER} relationship to you? FIRST HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	407	8.3 %
2	Partner/boyfriend	262	5.4 %
3	Son	126	2.6 %
4	Brother	172	3.5 %
6	Sister's husband	4	0.1 %
7	Sister's male partner	1	0.0 %
8	Father	600	12.3 %
10	Mother's husband	22	0.5 %
11	Mother's male partner	6	0.1 %
12	Father-in-law	10	0.2 %
13	Grandfather	18	0.4 %
15	Uncle	12	0.2 %
16	Cousin-male	17	0.3 %
17	Nephew	4	0.1 %
18	Other relative - male	14	0.3 %
19	Non-relative - male	364	7.5 %
20	Wife	229	4.7 %
21	Partner/girlfriend	221	4.5 %
22	Daughter	140	2.9 %
23	Sister	154	3.2 %
26	Brother's female partner	1	0.0 %
27	Mother	934	19.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	Father's wife	2	0.0 %
30	Father's female partner	4	0.1 %
31	Mother-in-law	13	0.3 %
32	Grandmother	78	1.6 %
34	Aunt	28	0.6 %
35	Cousin-female	22	0.5 %
36	Niece	5	0.1 %
37	Other relative - female	5	0.1 %
38	Non-relative - female	318	6.5 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	685	14.0 %
99 (M)	Not applicable	3	0.1 %

Based upon 4193 valid cases out of 4882 total cases.

- Mean: 17.53
- Median: 20.00
- Mode: 27.00
- Minimum: 1.00
- Maximum: 38.00
- Standard Deviation: 11.52

**H3HR11A**
**S2Q11A HH MEMBER 1-BEST/FIT RELATION-W3**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: Which description best fits {HIS/HER} relationship to you? FIRST HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	125	2.6 %
41	Step-son	1	0.0 %
44	Biological daughter	134	2.7 %
45	Adopted daughter	2	0.0 %
46	Step-daughter	4	0.1 %
49	Full brother	149	3.1 %
50	Twin brother	7	0.1 %
51	Half-brother	12	0.2 %
52	Step-brother	1	0.0 %
53	Adoptive brother	3	0.1 %
56	Full sister	129	2.6 %
57	Twin sister	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	Half-sister	18	0.4 %
59	Step-sister	2	0.0 %
60	Adoptive sister	2	0.0 %
63	Biological father	563	11.5 %
64	Adopted father	10	0.2 %
65	Step-father who has adopted you	4	0.1 %
66	Step-father	23	0.5 %
68	Biological mother	919	18.8 %
69	Adopted mother	6	0.1 %
71	Step-mother	7	0.1 %
97 (M)	Legitimate skip	2756	56.5 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 2124 valid cases out of 4882 total cases.

- Mean: 60.98
- Median: 63.00
- Mode: 68.00
- Minimum: 39.00
- Maximum: 71.00
- Standard Deviation: 9.14

**H3HR7B**
**S2Q7B HH MEMBER 2-GENDER-W3**

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? SECOND HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1544	31.6 %
2	Female	1492	30.6 %
7 (M)	Legitimate skip	1846	37.8 %

Based upon 3036 valid cases out of 4882 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

- Study 21600 -

**H3HR8B**

**S2Q8B HH MEMBER 2-AGE-W3**

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: How old is {HE/SHE}? SECOND HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	127	2.6 %
1	-	128	2.6 %
2	-	132	2.7 %
3	-	85	1.7 %
4	-	83	1.7 %
5	-	58	1.2 %
6	-	48	1.0 %
7	-	17	0.3 %
8	-	18	0.4 %
9	-	7	0.1 %
10	-	11	0.2 %
11	-	16	0.3 %
12	-	15	0.3 %
13	-	27	0.6 %
14	-	18	0.4 %
15	-	25	0.5 %
16	-	37	0.8 %
17	-	40	0.8 %
18	-	56	1.1 %
19	-	66	1.4 %
20	-	96	2.0 %
21	-	118	2.4 %
22	-	88	1.8 %
23	-	76	1.6 %
24	-	54	1.1 %
25	-	52	1.1 %
26	-	35	0.7 %
27	-	28	0.6 %
28	-	29	0.6 %
29	-	16	0.3 %
30	-	13	0.3 %
31	-	11	0.2 %
32	-	14	0.3 %
33	-	8	0.2 %
34	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	6	0.1 %
36	-	9	0.2 %
37	-	17	0.3 %
38	-	37	0.8 %
39	-	26	0.5 %
40	-	38	0.8 %
41	-	33	0.7 %
42	-	64	1.3 %
43	-	53	1.1 %
44	-	57	1.2 %
45	-	90	1.8 %
46	-	82	1.7 %
47	-	88	1.8 %
48	-	81	1.7 %
49	-	78	1.6 %
50	-	90	1.8 %
51	-	83	1.7 %
52	-	71	1.5 %
53	-	59	1.2 %
54	-	49	1.0 %
55	-	48	1.0 %
56	-	31	0.6 %
57	-	23	0.5 %
58	-	19	0.4 %
59	-	13	0.3 %
60	-	15	0.3 %
61	-	19	0.4 %
62	-	16	0.3 %
63	-	10	0.2 %
64	-	6	0.1 %
65	-	5	0.1 %
66	-	2	0.0 %
67	-	7	0.1 %
68	-	5	0.1 %
69	-	3	0.1 %
71	-	3	0.1 %
72	-	2	0.0 %
73	-	3	0.1 %
74	-	5	0.1 %
75	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	-	2	0.0 %
79	-	3	0.1 %
82	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	1846	37.8 %
998 (M)	Don't know	16	0.3 %
. (M)	-	1	0.0 %

Based upon 3016 valid cases out of 4882 total cases.

- Mean: 29.49
- Median: 26.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 19.94

#### H3HR9B

#### S2Q9B HH MEMBER 2-APPROXIMATE AGE-W3

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? SECOND HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
78	-	1	0.0 %
997 (M)	Legitimate skip	4866	99.7 %
998 (M)	Don't know	9	0.2 %

Based upon 7 valid cases out of 4882 total cases.

- Mean: 48.71

- Study 21600 -

- Median: 50.00
- Minimum: 20.00
- Maximum: 78.00
- Standard Deviation: 18.59

H3HR10B	S2Q10B HH MEMBER 2-RELATION TO RESP-W3		
Location:	175-176 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99		
Question:	What is {HIS/HER} relationship to you? SECOND HOUSEHOLD MEMBER		
Value	Label	Unweighted Frequency	%
1	Husband	33	0.7 %
2	Partner/boyfriend	52	1.1 %
3	Son	326	6.7 %
4	Brother	208	4.3 %
6	Sister's husband	9	0.2 %
7	Sister's male partner	5	0.1 %
8	Father	492	10.1 %
10	Mother's husband	48	1.0 %
11	Mother's male partner	19	0.4 %
12	Father-in-law	4	0.1 %
13	Grandfather	18	0.4 %
15	Uncle	22	0.5 %
16	Cousin-male	13	0.3 %
17	Nephew	20	0.4 %
18	Other relative - male	22	0.5 %
19	Non-relative - male	247	5.1 %
20	Wife	18	0.4 %
21	Partner/girlfriend	26	0.5 %
22	Daughter	302	6.2 %
23	Sister	186	3.8 %
25	Brother's wife	9	0.2 %
26	Brother's female partner	3	0.1 %
27	Mother	633	13.0 %
29	Father's wife	10	0.2 %
30	Father's female partner	2	0.0 %
31	Mother-in-law	11	0.2 %
32	Grandmother	28	0.6 %
34	Aunt	22	0.5 %
35	Cousin-female	15	0.3 %
36	Niece	14	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	Other relative - female	23	0.5 %
38	Non-relative - female	189	3.9 %
73	Same-sex partner of another household member	1	0.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1846	37.8 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	3	0.1 %

Based upon 3030 valid cases out of 4882 total cases.

- Mean: 17.69
- Median: 19.00
- Mode: 27.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 10.98

<b>H3HR11B</b>	<b>S2Q11B HH MEMBER 2-BEST/FIT RELATION-W3</b>		
Location:	177-178 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 98 , 99		
Question:	Which description best fits {HIS/HER} relationship to you? SECOND HOUSEHOLD MEMBER		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	299	6.1 %
40	Adopted son	5	0.1 %
41	Step-son	20	0.4 %
44	Biological daughter	279	5.7 %
45	Adopted daughter	2	0.0 %
46	Step-daughter	20	0.4 %
47	Step-daughter whom you have adopted	1	0.0 %
49	Full brother	169	3.5 %
50	Twin brother	4	0.1 %
51	Half-brother	31	0.6 %
52	Step-brother	1	0.0 %
53	Adoptive brother	2	0.0 %
55	Brother-in-law	1	0.0 %
56	Full sister	157	3.2 %
57	Twin sister	2	0.0 %
58	Half-sister	24	0.5 %
59	Step-sister	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	Adoptive sister	2	0.0 %
63	Biological father	455	9.3 %
64	Adopted father	7	0.1 %
65	Step-father who has adopted you	4	0.1 %
66	Step-father	26	0.5 %
68	Biological mother	625	12.8 %
69	Adopted mother	4	0.1 %
71	Step-mother	4	0.1 %
97 (M)	Legitimate skip	2735	56.0 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 2145 valid cases out of 4882 total cases.

- Mean: 56.37
- Median: 63.00
- Mode: 68.00
- Minimum: 39.00
- Maximum: 71.00
- Standard Deviation: 11.03

#### H3HR7C

#### S2Q7C HH MEMBER 3-GENDER-W3

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? THIRD HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	959	19.6 %
2	Female	885	18.1 %
7 (M)	Legitimate skip	3038	62.2 %

Based upon 1844 valid cases out of 4882 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

#### H3HR8C

#### S2Q8C HH MEMBER 3-AGE-W3

- Study 21600 -

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999 , .

Question: How old is {HE/SHE}? THIRD HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	88	1.8 %
1	-	66	1.4 %
2	-	55	1.1 %
3	-	67	1.4 %
4	-	39	0.8 %
5	-	32	0.7 %
6	-	30	0.6 %
7	-	21	0.4 %
8	-	19	0.4 %
9	-	21	0.4 %
10	-	22	0.5 %
11	-	19	0.4 %
12	-	23	0.5 %
13	-	29	0.6 %
14	-	31	0.6 %
15	-	61	1.2 %
16	-	67	1.4 %
17	-	77	1.6 %
18	-	82	1.7 %
19	-	86	1.8 %
20	-	105	2.2 %
21	-	105	2.2 %
22	-	87	1.8 %
23	-	51	1.0 %
24	-	47	1.0 %
25	-	46	0.9 %
26	-	30	0.6 %
27	-	23	0.5 %
28	-	22	0.5 %
29	-	13	0.3 %
30	-	18	0.4 %
31	-	5	0.1 %
32	-	5	0.1 %
33	-	9	0.2 %
34	-	4	0.1 %
35	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	5	0.1 %
37	-	6	0.1 %
38	-	4	0.1 %
39	-	7	0.1 %
40	-	18	0.4 %
41	-	13	0.3 %
42	-	19	0.4 %
43	-	11	0.2 %
44	-	14	0.3 %
45	-	18	0.4 %
46	-	18	0.4 %
47	-	17	0.3 %
48	-	15	0.3 %
49	-	12	0.2 %
50	-	18	0.4 %
51	-	19	0.4 %
52	-	11	0.2 %
53	-	11	0.2 %
54	-	11	0.2 %
55	-	11	0.2 %
56	-	6	0.1 %
57	-	4	0.1 %
58	-	3	0.1 %
59	-	2	0.0 %
60	-	3	0.1 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	4	0.1 %
64	-	2	0.0 %
66	-	1	0.0 %
67	-	5	0.1 %
68	-	4	0.1 %
69	-	2	0.0 %
70	-	2	0.0 %
73	-	3	0.1 %
74	-	2	0.0 %
75	-	2	0.0 %
76	-	1	0.0 %
77	-	3	0.1 %
78	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	1	0.0 %
80	-	3	0.1 %
81	-	2	0.0 %
84	-	1	0.0 %
86	-	1	0.0 %
90	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	3038	62.2 %
998 (M)	Don't know	8	0.2 %
. (M)	-	2	0.0 %

Based upon 1833 valid cases out of 4882 total cases.

- Mean: 21.33
- Median: 19.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 16.29

**H3HR9C**

**S2Q9C HH MEMBER 3-APPROXIMATE AGE-W3**

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: About how old is {HE/SHE}? THIRD HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1	0.0 %
22	-	1	0.0 %
60	-	1	0.0 %
84	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	4874	99.8 %
998 (M)	Don't know	3	0.1 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 46.50
- Median: 41.00
- Minimum: 20.00
- Maximum: 84.00
- Standard Deviation: 31.04

- Study 21600 -

**H3HR10C**

**S2Q10C HH MEMBER 3-RELATION TO RESP-W3**

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? THIRD HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	33	0.7 %
2	Partner/boyfriend	27	0.6 %
3	Son	172	3.5 %
4	Brother	402	8.2 %
6	Sister's husband	3	0.1 %
7	Sister's male partner	2	0.0 %
8	Father	81	1.7 %
10	Mother's husband	11	0.2 %
11	Mother's male partner	6	0.1 %
12	Father-in-law	10	0.2 %
13	Grandfather	6	0.1 %
15	Uncle	13	0.3 %
16	Cousin-male	17	0.3 %
17	Nephew	30	0.6 %
18	Other relative - male	13	0.3 %
19	Non-relative - male	126	2.6 %
20	Wife	17	0.3 %
21	Partner/girlfriend	25	0.5 %
22	Daughter	163	3.3 %
23	Sister	332	6.8 %
25	Brother's wife	4	0.1 %
26	Brother's female partner	4	0.1 %
27	Mother	129	2.6 %
29	Father's wife	2	0.0 %
31	Mother-in-law	6	0.1 %
32	Grandmother	32	0.7 %
34	Aunt	10	0.2 %
35	Cousin-female	13	0.3 %
36	Niece	31	0.6 %
37	Other relative - female	16	0.3 %
38	Non-relative - female	100	2.0 %
73	Same-sex partner of another household member	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3038	62.2 %
98 (M)	Don't know	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	4	0.1 %

Based upon 1837 valid cases out of 4882 total cases.

- Mean: 16.49
- Median: 19.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 11.32

**H3HR11C**

**S2Q11C HH MEMBER 3-BEST/FIT RELATION-W3**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: Which description best fits {HIS/HER} relationship to you? THIRD HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	161	3.3 %
41	Step-son	10	0.2 %
44	Biological daughter	147	3.0 %
46	Step-daughter	16	0.3 %
49	Full brother	346	7.1 %
50	Twin brother	5	0.1 %
51	Half-brother	44	0.9 %
52	Step-brother	3	0.1 %
53	Adoptive brother	3	0.1 %
55	Brother-in-law	1	0.0 %
56	Full sister	299	6.1 %
57	Twin sister	3	0.1 %
58	Half-sister	19	0.4 %
59	Step-sister	6	0.1 %
60	Adoptive sister	5	0.1 %
63	Biological father	72	1.5 %
64	Adopted father	1	0.0 %
66	Step-father	8	0.2 %
68	Biological mother	127	2.6 %
69	Adopted mother	1	0.0 %
70	Step-mother who has adopted you	1	0.0 %
97 (M)	Legitimate skip	3603	73.8 %
98 (M)	Don't know	1	0.0 %

- Study 21600 -

Based upon 1278 valid cases out of 4882 total cases.

- Mean: 51.87
- Median: 49.00
- Mode: 49.00
- Minimum: 39.00
- Maximum: 70.00
- Standard Deviation: 8.45

<b>H3HR7D</b>	<b>S2Q7D HH MEMBER 4-GENDER-W3</b>
---------------	------------------------------------

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? FOURTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	448	9.2 %
2	Female	437	9.0 %
7 (M)	Legitimate skip	3997	81.9 %

Based upon 885 valid cases out of 4882 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>H3HR8D</b>	<b>S2Q8D HH MEMBER 4-AGE-W3</b>
---------------	---------------------------------

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? FOURTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	57	1.2 %
1	-	39	0.8 %
2	-	54	1.1 %
3	-	32	0.7 %
4	-	24	0.5 %
5	-	24	0.5 %
6	-	22	0.5 %
7	-	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	21	0.4 %
9	-	8	0.2 %
10	-	16	0.3 %
11	-	16	0.3 %
12	-	16	0.3 %
13	-	23	0.5 %
14	-	20	0.4 %
15	-	27	0.6 %
16	-	44	0.9 %
17	-	28	0.6 %
18	-	32	0.7 %
19	-	28	0.6 %
20	-	38	0.8 %
21	-	29	0.6 %
22	-	26	0.5 %
23	-	31	0.6 %
24	-	16	0.3 %
25	-	20	0.4 %
26	-	10	0.2 %
27	-	8	0.2 %
28	-	5	0.1 %
29	-	5	0.1 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	5	0.1 %
33	-	3	0.1 %
34	-	2	0.0 %
35	-	3	0.1 %
36	-	4	0.1 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	4	0.1 %
40	-	4	0.1 %
41	-	1	0.0 %
42	-	4	0.1 %
43	-	13	0.3 %
44	-	6	0.1 %
45	-	10	0.2 %
46	-	6	0.1 %
47	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	-	9	0.2 %
49	-	3	0.1 %
50	-	8	0.2 %
51	-	4	0.1 %
52	-	4	0.1 %
53	-	6	0.1 %
55	-	4	0.1 %
56	-	5	0.1 %
58	-	2	0.0 %
60	-	2	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	3	0.1 %
67	-	1	0.0 %
70	-	3	0.1 %
73	-	2	0.0 %
74	-	2	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	2	0.0 %
80	-	2	0.0 %
88	-	1	0.0 %
93	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	3997	81.9 %
998 (M)	Don't know	5	0.1 %
999 (M)	Not applicable	1	0.0 %

Based upon 878 valid cases out of 4882 total cases.

- Mean: 18.50
- Median: 16.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 93.00
- Standard Deviation: 16.53

**H3HR9D**
**S2Q9D HH MEMBER 4-APPROXIMATE AGE-W3**

Location: 194-196 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 997 , 998

- Study 21600 -

Question:

About how old is {HE/SHE}? FOURTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	1	0.0 %
50	-	1	0.0 %
997 (M)	Legitimate skip	4877	99.9 %
998 (M)	Don't know	3	0.1 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 45.00
- Median: 45.00
- Minimum: 40.00
- Maximum: 50.00
- Standard Deviation: 7.07

**H3HR10D**

**S2Q10D HH MEMBER 4-RELATION TO RESP-W3**

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? FOURTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	13	0.3 %
2	Partner/boyfriend	13	0.3 %
3	Son	83	1.7 %
4	Brother	168	3.4 %
6	Sister's husband	5	0.1 %
7	Sister's male partner	5	0.1 %
8	Father	36	0.7 %
10	Mother's husband	2	0.0 %
11	Mother's male partner	2	0.0 %
12	Father-in-law	2	0.0 %
13	Grandfather	5	0.1 %
15	Uncle	8	0.2 %
16	Cousin-male	17	0.3 %
17	Nephew	24	0.5 %
18	Other relative - male	15	0.3 %
19	Non-relative - male	46	0.9 %
20	Wife	14	0.3 %
21	Partner/girlfriend	5	0.1 %
22	Daughter	81	1.7 %
23	Sister	160	3.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	Brother's female partner	3	0.1 %
27	Mother	44	0.9 %
29	Father's wife	2	0.0 %
30	Father's female partner	2	0.0 %
31	Mother-in-law	5	0.1 %
32	Grandmother	11	0.2 %
34	Aunt	2	0.0 %
35	Cousin-female	13	0.3 %
36	Niece	38	0.8 %
37	Other relative - female	10	0.2 %
38	Non-relative - female	41	0.8 %
73	Same-sex partner of another household member	1	0.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	3997	81.9 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	4	0.1 %

Based upon 876 valid cases out of 4882 total cases.

- Mean: 17.14
- Median: 19.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 11.51

**H3HR11D**
**S2Q11D HH MEMBER 4-BEST/FIT RELATION-W3**

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? FOURTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	80	1.6 %
41	Step-son	3	0.1 %
44	Biological daughter	75	1.5 %
46	Step-daughter	6	0.1 %
49	Full brother	140	2.9 %
50	Twin brother	1	0.0 %
51	Half-brother	18	0.4 %
52	Step-brother	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	Adoptive brother	3	0.1 %
54	Foster brother	1	0.0 %
56	Full sister	135	2.8 %
57	Twin sister	1	0.0 %
58	Half-sister	21	0.4 %
59	Step-sister	3	0.1 %
63	Biological father	29	0.6 %
64	Adopted father	1	0.0 %
66	Step-father	6	0.1 %
68	Biological mother	42	0.9 %
71	Step-mother	2	0.0 %
97 (M)	Legitimate skip	4310	88.3 %

Based upon 572 valid cases out of 4882 total cases.

- Mean: 51.43
- Median: 49.00
- Mode: 49.00
- Minimum: 39.00
- Maximum: 71.00
- Standard Deviation: 8.31

**H3HR7E**
**S2Q7E HH MEMBER 5-GENDER-W3**

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? FIFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	214	4.4 %
2	Female	197	4.0 %
7 (M)	Legitimate skip	4471	91.6 %

Based upon 411 valid cases out of 4882 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3HR8E**
**S2Q8E HH MEMBER 5-AGE-W3**

- Study 21600 -

Location: 202-204 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? FIFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	27	0.6 %
1	-	31	0.6 %
2	-	22	0.5 %
3	-	21	0.4 %
4	-	13	0.3 %
5	-	12	0.2 %
6	-	7	0.1 %
7	-	10	0.2 %
8	-	10	0.2 %
9	-	7	0.1 %
10	-	11	0.2 %
11	-	7	0.1 %
12	-	9	0.2 %
13	-	6	0.1 %
14	-	6	0.1 %
15	-	14	0.3 %
16	-	8	0.2 %
17	-	9	0.2 %
18	-	15	0.3 %
19	-	15	0.3 %
20	-	16	0.3 %
21	-	12	0.2 %
22	-	14	0.3 %
23	-	7	0.1 %
24	-	8	0.2 %
25	-	9	0.2 %
26	-	4	0.1 %
27	-	6	0.1 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	2	0.0 %
31	-	5	0.1 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	1	0.0 %
41	-	4	0.1 %
42	-	4	0.1 %
43	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	5	0.1 %
49	-	3	0.1 %
50	-	4	0.1 %
51	-	4	0.1 %
52	-	3	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	2	0.0 %
57	-	2	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
63	-	2	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
72	-	2	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	3	0.1 %
86	-	1	0.0 %
997 (M)	Legitimate skip	4471	91.6 %
998 (M)	Don't know	1	0.0 %

Based upon 410 valid cases out of 4882 total cases.

- Mean: 18.15
- Median: 15.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 86.00
- Standard Deviation: 18.00

- Study 21600 -

**H3HR9E**
**S2Q9E HH MEMBER 5-APPROXIMATE AGE-W3**

Location: 205-207 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? FIFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4881	100.0 %
998 (M)	Don't know	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10E**
**S2Q10E HH MEMBER 5-RELATION TO RESP-W3**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? FIFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	6	0.1 %
2	Partner/boyfriend	7	0.1 %
3	Son	38	0.8 %
4	Brother	63	1.3 %
6	Sister's husband	2	0.0 %
7	Sister's male partner	3	0.1 %
8	Father	14	0.3 %
10	Mother's husband	3	0.1 %
12	Father-in-law	1	0.0 %
13	Grandfather	5	0.1 %
15	Uncle	6	0.1 %
16	Cousin-male	8	0.2 %
17	Nephew	29	0.6 %
18	Other relative - male	9	0.2 %
19	Non-relative - male	17	0.3 %
20	Wife	4	0.1 %
21	Partner/girlfriend	6	0.1 %
22	Daughter	39	0.8 %
23	Sister	61	1.2 %
25	Brother's wife	3	0.1 %
26	Brother's female partner	1	0.0 %
27	Mother	19	0.4 %
32	Grandmother	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	Aunt	3	0.1 %
35	Cousin-female	11	0.2 %
36	Niece	19	0.4 %
37	Other relative - female	5	0.1 %
38	Non-relative - female	18	0.4 %
73	Same-sex partner of another household member	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4471	91.6 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 408 valid cases out of 4882 total cases.

- Mean: 17.77
- Median: 19.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 11.56

#### H3HR11E

#### S2Q11E HH MEMBER 5-BEST/FIT RELATION-W3

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? FIFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	37	0.8 %
41	Step-son	1	0.0 %
44	Biological daughter	36	0.7 %
45	Adopted daughter	1	0.0 %
46	Step-daughter	2	0.0 %
49	Full brother	56	1.1 %
50	Twin brother	1	0.0 %
51	Half-brother	4	0.1 %
52	Step-brother	2	0.0 %
56	Full sister	46	0.9 %
57	Twin sister	1	0.0 %
58	Half-sister	7	0.1 %
59	Step-sister	3	0.1 %
60	Adoptive sister	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	Biological father	14	0.3 %
68	Biological mother	18	0.4 %
71	Step-mother	1	0.0 %
97 (M)	Legitimate skip	4648	95.2 %

Based upon 234 valid cases out of 4882 total cases.

- Mean: 51.03
- Median: 49.00
- Mode: 49.00
- Minimum: 39.00
- Maximum: 71.00
- Standard Deviation: 8.58

<b>H3HR7F</b>	<b>S2Q7F HH MEMBER 6-GENDER-W3</b>		
Location:	212-212 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7		
Question:	Is {THIS PERSON/NAME} male or female? SIXTH HOUSEHOLD MEMBER		
Value	Label	Unweighted Frequency	%
1	Male	91	1.9 %
2	Female	89	1.8 %
7 (M)	Legitimate skip	4702	96.3 %

Based upon 180 valid cases out of 4882 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>H3HR8F</b>	<b>S2Q8F HH MEMBER 6-AGE-W3</b>		
Location:	213-215 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	996 , 997 , 998 , 999		
Question:	How old is {HE/SHE}? SIXTH HOUSEHOLD MEMBER		
Value	Label	Unweighted Frequency	%
0	0 years	14	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	9	0.2 %
2	-	11	0.2 %
3	-	12	0.2 %
4	-	9	0.2 %
5	-	9	0.2 %
6	-	3	0.1 %
7	-	6	0.1 %
8	-	7	0.1 %
9	-	3	0.1 %
10	-	2	0.0 %
11	-	5	0.1 %
12	-	4	0.1 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	3	0.1 %
17	-	6	0.1 %
18	-	2	0.0 %
19	-	5	0.1 %
20	-	7	0.1 %
21	-	7	0.1 %
22	-	5	0.1 %
23	-	5	0.1 %
24	-	5	0.1 %
25	-	5	0.1 %
26	-	2	0.0 %
28	-	3	0.1 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	-	1	0.0 %
49	-	3	0.1 %
51	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
69	-	1	0.0 %
997 (M)	Legitimate skip	4702	96.3 %
998 (M)	Don't know	1	0.0 %

Based upon 179 valid cases out of 4882 total cases.

- Mean: 15.44
- Median: 11.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 14.60

**H3HR9F**
**S2Q9F HH MEMBER 6-APPROXIMATE AGE-W3**

Location: 216-218 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? SIXTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4881	100.0 %
998 (M)	Don't know	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10F**
**S2Q10F HH MEMBER 6-RELATION TO RESP-W3**

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? SIXTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	2	0.0 %
2	Partner/boyfriend	3	0.1 %
3	Son	16	0.3 %
4	Brother	26	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Sister's male partner	2	0.0 %
8	Father	7	0.1 %
10	Mother's husband	1	0.0 %
11	Mother's male partner	1	0.0 %
12	Father-in-law	1	0.0 %
15	Uncle	2	0.0 %
16	Cousin-male	5	0.1 %
17	Nephew	12	0.2 %
18	Other relative - male	2	0.0 %
19	Non-relative - male	10	0.2 %
20	Wife	2	0.0 %
22	Daughter	17	0.3 %
23	Sister	19	0.4 %
25	Brother's wife	1	0.0 %
26	Brother's female partner	4	0.1 %
27	Mother	6	0.1 %
32	Grandmother	1	0.0 %
34	Aunt	1	0.0 %
35	Cousin-female	5	0.1 %
36	Niece	17	0.3 %
37	Other relative - female	4	0.1 %
38	Non-relative - female	12	0.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4702	96.3 %

Based upon 179 valid cases out of 4882 total cases.

- Mean: 19.01
- Median: 19.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 38.00
- Standard Deviation: 12.13

**H3HR11F**

**S2Q11F HH MEMBER 6-BEST/FIT RELATION-W3**

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? SIXTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	15	0.3 %
41	Step-son	1	0.0 %
44	Biological daughter	16	0.3 %
46	Step-daughter	1	0.0 %
49	Full brother	21	0.4 %
51	Half-brother	3	0.1 %
52	Step-brother	1	0.0 %
53	Adoptive brother	1	0.0 %
56	Full sister	14	0.3 %
57	Twin sister	1	0.0 %
58	Half-sister	1	0.0 %
59	Step-sister	2	0.0 %
60	Adoptive sister	1	0.0 %
63	Biological father	7	0.1 %
68	Biological mother	6	0.1 %
97 (M)	Legitimate skip	4791	98.1 %

Based upon 91 valid cases out of 4882 total cases.

- Mean: 50.43
- Median: 49.00
- Mode: 49.00
- Minimum: 39.00
- Maximum: 68.00
- Standard Deviation: 8.51

**H3HR7G**

**S2Q7G HH MEMBER 7-GENDER-W3**

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? SEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	37	0.8 %
2	Female	38	0.8 %
7 (M)	Legitimate skip	4807	98.5 %

Based upon 75 valid cases out of 4882 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3HR8G**

**S2Q8G HH MEMBER 7-AGE-W3**

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? SEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	11	0.2 %
1	-	3	0.1 %
2	-	5	0.1 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	4	0.1 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
18	-	4	0.1 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	3	0.1 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
61	-	1	0.0 %
71	-	1	0.0 %
997 (M)	Legitimate skip	4807	98.5 %
999 (M)	Not applicable	1	0.0 %

Based upon 74 valid cases out of 4882 total cases.

- Mean: 16.55
- Median: 11.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 71.00
- Standard Deviation: 16.80

**H3HR9G**
**S2Q9G HH MEMBER 7-APPROXIMATE AGE-W3**

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? SEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10G**
**S2Q10G HH MEMBER 7-RELATION TO RESP-W3**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? SEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband	1	0.0 %
2	Partner/boyfriend	1	0.0 %
3	Son	7	0.1 %
4	Brother	6	0.1 %
6	Sister's husband	1	0.0 %
8	Father	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	Uncle	1	0.0 %
16	Cousin-male	2	0.0 %
17	Nephew	5	0.1 %
18	Other relative - male	3	0.1 %
19	Non-relative - male	6	0.1 %
21	Partner/girlfriend	2	0.0 %
22	Daughter	7	0.1 %
23	Sister	8	0.2 %
27	Mother	6	0.1 %
34	Aunt	1	0.0 %
35	Cousin-female	3	0.1 %
36	Niece	7	0.1 %
38	Non-relative - female	3	0.1 %
97 (M)	Legitimate skip	4807	98.5 %
99 (M)	Not applicable	2	0.0 %

Based upon 73 valid cases out of 4882 total cases.

- Mean: 19.52
- Median: 21.00
- Mode: 23.00
- Minimum: 1.00
- Maximum: 38.00
- Standard Deviation: 11.18

**H3HR11G**

**S2Q11G HH MEMBER 7-BEST/FIT RELATION-W3**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? SEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	7	0.1 %
44	Biological daughter	7	0.1 %
49	Full brother	5	0.1 %
52	Step-brother	1	0.0 %
56	Full sister	5	0.1 %
59	Step-sister	2	0.0 %
60	Adoptive sister	1	0.0 %
63	Biological father	3	0.1 %
68	Biological mother	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4845	99.2 %

Based upon 37 valid cases out of 4882 total cases.

- Mean: 52.24
- Median: 49.00
- Minimum: 39.00
- Maximum: 68.00
- Standard Deviation: 10.29

**H3HR7H**
**S2Q7H HH MEMBER 8-GENDER-W3**

Location: 234-234 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? EIGHTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	14	0.3 %
2	Female	18	0.4 %
7 (M)	Legitimate skip	4850	99.3 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 1.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3HR8H**
**S2Q8H HH MEMBER 8-AGE-W3**

Location: 235-237 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? EIGHTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	4	0.1 %
1	-	2	0.0 %
2	-	2	0.0 %
3	-	4	0.1 %
4	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	1	0.0 %
7	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	2	0.0 %
17	-	1	0.0 %
19	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
37	-	2	0.0 %
45	-	2	0.0 %
50	-	1	0.0 %
78	-	1	0.0 %
997 (M)	Legitimate skip	4850	99.3 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 16.06
- Median: 11.50
- Minimum: 0.00
- Maximum: 78.00
- Standard Deviation: 18.53

**H3HR9H**
**S2Q9H HH MEMBER 8-APPROXIMATE AGE-W3**

Location: 238-240 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? EIGHTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10H**
**S2Q10H HH MEMBER 8-RELATION TO RESP-W3**

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? EIGHTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son	2	0.0 %
4	Brother	2	0.0 %
8	Father	2	0.0 %
15	Uncle	1	0.0 %
16	Cousin-male	1	0.0 %
17	Nephew	2	0.0 %
19	Non-relative - male	4	0.1 %
22	Daughter	4	0.1 %
23	Sister	5	0.1 %
32	Grandmother	1	0.0 %
35	Cousin-female	3	0.1 %
36	Niece	3	0.1 %
37	Other relative - female	1	0.0 %
38	Non-relative - female	1	0.0 %
97 (M)	Legitimate skip	4850	99.3 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 21.69
- Median: 22.00
- Mode: 23.00
- Minimum: 3.00
- Maximum: 38.00
- Standard Deviation: 10.79

**H3HR11H**
**S2Q11H HH MEMBER 8-BEST/FIT RELATION-W3**

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? EIGHTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Biological son	2	0.0 %
44	Biological daughter	4	0.1 %
49	Full brother	2	0.0 %
56	Full sister	4	0.1 %
59	Step-sister	1	0.0 %
63	Biological father	1	0.0 %
66	Step-father	1	0.0 %
97 (M)	Legitimate skip	4867	99.7 %

Based upon 15 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 50.93
- Median: 49.00
- Minimum: 39.00
- Maximum: 66.00
- Standard Deviation: 8.56

### H3HR7I

### S2Q7I HH MEMBER 9-GENDER-W3

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? NINTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	6	0.1 %
2	Female	10	0.2 %
7 (M)	Legitimate skip	4866	99.7 %

Based upon 16 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

### H3HR8I

### S2Q8I HH MEMBER 9-AGE-W3

Location: 246-248 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? NINTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	1	0.0 %
1	-	3	0.1 %
2	-	2	0.0 %
4	-	2	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
11	-	1	0.0 %
13	-	1	0.0 %
22	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	1	0.0 %
47	-	1	0.0 %
997 (M)	Legitimate skip	4866	99.7 %

Based upon 16 valid cases out of 4882 total cases.

- Mean: 9.56
- Median: 4.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 47.00
- Standard Deviation: 12.45

#### H3HR9I

#### S2Q9I HH MEMBER 9-APPROXIMATE AGE-W3

Location: 249-251 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? NINTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3HR10I

#### S2Q10I HH MEMBER 9-RELATION TO RESP-W3

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is {HIS/HER} relationship to you? NINTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son	2	0.0 %
4	Brother	1	0.0 %
18	Other relative - male	1	0.0 %
19	Non-relative - male	2	0.0 %
22	Daughter	1	0.0 %
23	Sister	2	0.0 %
27	Mother	1	0.0 %
35	Cousin-female	3	0.1 %
36	Niece	2	0.0 %
38	Non-relative - female	1	0.0 %
97 (M)	Legitimate skip	4866	99.7 %

- Study 21600 -

Based upon 16 valid cases out of 4882 total cases.

- Mean: 23.50
- Median: 23.00
- Mode: 35.00
- Minimum: 3.00
- Maximum: 38.00
- Standard Deviation: 12.18

**H3HR11I****S2Q11I HH MEMBER 9-BEST/FIT RELATION-W3**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? NINTH HOUSEHOLD MEMBER

Value	Label	Unweighted Frequency	%
39	Biological son	2	0.0 %
44	Biological daughter	1	0.0 %
49	Full brother	1	0.0 %
56	Full sister	2	0.0 %
68	Biological mother	1	0.0 %
97 (M)	Legitimate skip	4875	99.9 %

Based upon 7 valid cases out of 4882 total cases.

- Mean: 50.14
- Median: 49.00
- Minimum: 39.00
- Maximum: 68.00
- Standard Deviation: 10.61

**H3HR7J****S2Q7J HH MEMBER 10-GENDER-W3**

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? TENTH HOUSEHOLD MEMBER

Value	Label	Unweighted Frequency	%
1	Male	3	0.1 %
2	Female	3	0.1 %
7 (M)	Legitimate skip	4876	99.9 %

Based upon 6 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.55

<b>H3HR8J</b>	<b>S2Q8J HH MEMBER 10-AGE-W3</b>			
Location:	257-259 (width: 3; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	996 , 997 , 998 , 999			
Question:	How old is {HE/SHE}? TENTH HOUSEHOLD MEMBER			
		<i>Unweighted Frequency</i>	<i>%</i>	
0	0 years	1	0.0 %	
1	-	1	0.0 %	
8	-	1	0.0 %	
14	-	1	0.0 %	
25	-	1	0.0 %	
26	-	1	0.0 %	
997 (M)	Legitimate skip	4876	99.9 %	

Based upon 6 valid cases out of 4882 total cases.

- Mean: 12.33
- Median: 11.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 11.40

<b>H3HR9J</b>	<b>S2Q9J HH MEMBER 10-APPROXIMATE AGE-W3</b>			
Location:	260-262 (width: 3; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	997 , 998			
Question:	About how old is {HE/SHE}? TENTH HOUSEHOLD MEMBER			
		<i>Unweighted Frequency</i>	<i>%</i>	
997 (M)	Legitimate skip	4882	100.0 %	

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR10J</b>	<b>S2Q10J HH MEMBER 10-RELATION TO RESP-W3</b>			
Location:	263-264 (width: 2; decimal: 0)			
Variable Type:	numeric			

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98 , 99

Question:

What is {HIS/HER} relationship to you? TENTH HOUSEHOLD MEMBER

Value	Label	Unweighted Frequency	%
3	Son	1	0.0 %
6	Sister's husband	1	0.0 %
17	Nephew	1	0.0 %
36	Niece	1	0.0 %
37	Other relative - female	1	0.0 %
38	Non-relative - female	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 22.83
- Median: 26.50
- Minimum: 3.00
- Maximum: 38.00
- Standard Deviation: 16.22

**H3HR11J**

**S2Q11J HH MEMBER 10-BEST/FIT RELATION-W3**

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question:

Which description best fits {HIS/HER} relationship to you? TENTH HOUSEHOLD MEMBER

Value	Label	Unweighted Frequency	%
39	Biological son	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 39.00
- Median: 39.00
- Mode: 39.00
- Minimum: 39.00
- Maximum: 39.00
- Standard Deviation: 0.00

**H3HR7K**

**S2Q7K HH MEMBER 11-GENDER-W3**

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question:

Is {THIS PERSON/NAME} male or female? ELEVENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR8K</b>	<b>S2Q8K HH MEMBER 11-AGE-W3</b>		
---------------	----------------------------------	--	--

Location: 268-270 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 996 , 997 , 998 , 999  
 Question: How old is {HE/SHE}? ELEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR9K</b>	<b>S2Q9K HH MEMBER 11-APPROXIMATE AGE-W3</b>		
---------------	--	--	--

Location: 271-273 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 997 , 998  
 Question: About how old is {HE/SHE}? ELEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR10K</b>	<b>S2Q10K HH MEMBER 11-RELATION TO RESP-W3</b>		
----------------	--	--	--

Location: 274-275 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: What is {HIS/HER} relationship to you? ELEVENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR11K</b>	<b>S2Q11K HH MEMBER 11-BEST/FIT RELATION-W3</b>		
----------------	---	--	--

Location: 276-277 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: Which description best fits {HIS/HER} relationship to you? ELEVENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR7L</b>	<b>S2Q7L HH MEMBER 12-GENDER-W3</b>
---------------	-------------------------------------

Location:	278-278 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7		
Question:	Is {THIS PERSON/NAME} male or female? TWELFTH HOUSEHOLD MEMBER		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR8L</b>	<b>S2Q8L HH MEMBER 12-AGE-W3</b>
---------------	----------------------------------

Location:	279-281 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	996 , 997 , 998 , 999		
Question:	How old is {HE/SHE}? TWELFTH HOUSEHOLD MEMBER		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR9L</b>	<b>S2Q9L HH MEMBER 12-APPROXIMATE AGE-W3</b>
---------------	--

Location:	282-284 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	997 , 998		
Question:	About how old is {HE/SHE}? TWELFTH HOUSEHOLD MEMBER		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR10L</b>	<b>S2Q10L HH MEMBER 12-RELATION TO RESP-W3</b>
----------------	--

Location:	285-286 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97
Question:	What is {HIS/HER} relationship to you? TWELFTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11L S2Q11L HH MEMBER 12-BEST/FIT RELATION-W3**

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? TWELFTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7M S2Q7M HH MEMBER 13-GENDER-W3**

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? THIRTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR8M S2Q8M HH MEMBER 13-AGE-W3**

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? THIRTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR9M S2Q9M HH MEMBER 13-APPROXIMATE AGE-W3**

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? THIRTEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10M S2Q10M HH MEMBER 13-RELATION TO RESP-W3**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? THIRTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11M S2Q11M HH MEMBER 13-BEST/FIT RELATION-W3**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? THIRTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7N S2Q7N HH MEMBER 14-GENDER-W3**

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? FOURTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR8N S2Q8N HH MEMBER 14-AGE-W3**

Location: 301-303 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? FOURTEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR9N S2Q9N HH MEMBER 14-APPROXIMATE AGE-W3**

Location: 304-306 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? FOURTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10N S2Q10N HH MEMBER 14-RELATION TO RESP-W3**

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? FOURTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11N S2Q11N HH MEMBER 14-BEST/FIT RELATION-W3**

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? FOURTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7O S2Q7O HH MEMBER 15-GENDER-W3**

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? FIFTHEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR8O</b>	<b>S2Q8O HH MEMBER 15-AGE-W3</b>
---------------	----------------------------------

Location: 312-314 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? FIFTHEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR9O</b>	<b>S2Q9O HH MEMBER 15-APPROXIMATE AGE-W3</b>
---------------	--

Location: 315-317 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? FIFTHEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR10O</b>	<b>S2Q10O HH MEMBER 15-RELATION TO RESP-W3</b>
----------------	--

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? FIFTHEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR11O</b>	<b>S2Q11O HH MEMBER 15-BEST/FIT RELATION-W3</b>
----------------	---

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? FIFTHEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7P S2Q7P HH MEMBER 16-GENDER-W3**

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? SIXTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR8P S2Q8P HH MEMBER 16-AGE-W3**

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? SIXTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR9P S2Q9P HH MEMBER 16-APPROXIMATE AGE-W3**

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? SIXTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10P S2Q10P HH MEMBER 16-RELATION TO RESP-W3**

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? SIXTEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11P S2Q11P HH MEMBER 16-BEST/FIT RELATION-W3**

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? SIXTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7Q S2Q7Q HH MEMBER 17-GENDER-W3**

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? SEVENTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR8Q S2Q8Q HH MEMBER 17-AGE-W3**

Location: 334-336 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? SEVENTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR9Q S2Q9Q HH MEMBER 17-APPROXIMATE AGE-W3**

Location: 337-339 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? SEVENTEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10Q S2Q10Q HH MEMBER 17-RELATION TO RESP-W3**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? SEVENTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11Q S2Q11Q HH MEMBER 17-BEST/FIT RELATION-W3**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? SEVENTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7R S2Q7R HH MEMBER 18-GENDER-W3**

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? EIGHTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR8R S2Q8R HH MEMBER 18-AGE-W3**

Location: 345-347 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How old is {HE/SHE}? EIGHTEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR9R S2Q9R HH MEMBER 18-APPROXIMATE AGE-W3**

Location: 348-350 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998

Question: About how old is {HE/SHE}? EIGHTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR10R S2Q10R HH MEMBER 18-RELATION TO RESP-W3**

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is {HIS/HER} relationship to you? EIGHTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR11R S2Q11R HH MEMBER 18-BEST/FIT RELATION-W3**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: Which description best fits {HIS/HER} relationship to you? EIGHTEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR7S S2Q7S HH MEMBER 19-GENDER-W3**

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is {THIS PERSON/NAME} male or female? NINETEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR8S</b>	<b>S2Q8S HH MEMBER 19-AGE-W3</b>
---------------	----------------------------------

Location: 356-358 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 996 , 997 , 998 , 999  
 Question: How old is {HE/SHE}? NINETEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR9S</b>	<b>S2Q9S HH MEMBER 19-APPROXIMATE AGE-W3</b>
---------------	--

Location: 359-361 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 997 , 998  
 Question: About how old is {HE/SHE}? NINETEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR10S</b>	<b>S2Q10S HH MEMBER 19-RELATION TO RESP-W3</b>
----------------	--

Location: 362-363 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: What is {HIS/HER} relationship to you? NINETEENTH HOUSEHOLD MEMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3HR11S</b>	<b>S2Q11S HH MEMBER 19-BEST/FIT RELATION-W3</b>
----------------	---

Location: 364-365 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: Which description best fits {HIS/HER} relationship to you? NINETEENTH HOUSEHOLD MEMBER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3HR12**
**S2Q12 WHO ACTS AS THE MOTHER TO RESP-W3**

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Does anyone in your household act as a mother to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.14)	1290	26.4 %
1	Yes	151	3.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3423	70.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	4	0.1 %
. (M)	-	11	0.2 %

Based upon 1441 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3HR13**
**S2Q13 WHICH PERSON IS THAT-W3**

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which person is that?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Person number 1	82	1.7 %
2	Person number 2	39	0.8 %
3	Person number 3	15	0.3 %
4	Person number 4	8	0.2 %
7	Person number 7	2	0.0 %
8	Person number 8	1	0.0 %
97 (M)	Legitimate skip	4720	96.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	15	0.3 %

Based upon 147 valid cases out of 4882 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.19

**H3HR14**
**S2Q14 WHO ACTS AS THE FATHER TO RESP-W3**

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: Does anyone in your household act as a father to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.16)	1781	36.5 %
1	Yes	181	3.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2890	59.2 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	26	0.5 %

Based upon 1962 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3HR15**
**S2Q15 WHICH PERSON IS THAT-W3**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which person is that?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Person number 1	76	1.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Person number 2	68	1.4 %
3	Person number 3	22	0.5 %
4	Person number 4	7	0.1 %
5	Person number 5	3	0.1 %
7	Person number 7	1	0.0 %
9	Person number 9	1	0.0 %
97 (M)	Legitimate skip	4675	95.8 %
. (M)	-	29	0.6 %

Based upon 178 valid cases out of 4882 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.13

**H3HR16**
**S2Q16 ALWAYS LIVE AT CURRENT ADDRESS-W3**

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you always lived at your current address?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4008	82.1 %
1	Yes (skip to Q.23)	870	17.8 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**H3HR17M**
**S2Q17M MONTH MOVED CURRENT ADDRESS-W3**

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question:

In what month (and year) did you move {HERE/THERE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	249	5.1 %
2	February	204	4.2 %
3	March	217	4.4 %
4	April	217	4.4 %
5	May	292	6.0 %
6	June	443	9.1 %
7	July	409	8.4 %
8	August	757	15.5 %
9	September	401	8.2 %
10	October	296	6.1 %
11	November	216	4.4 %
12	December	216	4.4 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	870	17.8 %
98 (M)	Don't know	83	1.7 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	6	0.1 %

Based upon 3917 valid cases out of 4882 total cases.

- Mean: 6.83
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.98

**H3HR17Y**

**S2Q17Y YEAR MOVED CURRENT ADDRESS-W3**

Location: 375-378 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question:

In what (month and) year did you move {HERE/THERE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1978	-	2	0.0 %
1979	-	7	0.1 %
1980	-	5	0.1 %
1981	-	4	0.1 %
1982	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1983	-	17	0.3 %
1984	-	10	0.2 %
1985	-	25	0.5 %
1986	-	26	0.5 %
1987	-	26	0.5 %
1988	-	24	0.5 %
1989	-	47	1.0 %
1990	-	63	1.3 %
1991	-	39	0.8 %
1992	-	50	1.0 %
1993	-	40	0.8 %
1994	-	51	1.0 %
1995	-	70	1.4 %
1996	-	100	2.0 %
1997	-	125	2.6 %
1998	-	235	4.8 %
1999	-	413	8.5 %
2000	-	793	16.2 %
2001	-	1704	34.9 %
2002	-	109	2.2 %
9996 (M)	Refused	5	0.1 %
9997 (M)	Legitimate skip	874	17.9 %
9998 (M)	Don't know	11	0.2 %
. (M)	-	4	0.1 %

Based upon 3988 valid cases out of 4882 total cases.

- Mean: 1998.80
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1978.00
- Maximum: 2002.00
- Standard Deviation: 3.84

**H3HR18**

**S2Q18 SINCE 6/95 ADDRESSES LIVED-W3**

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: Since the beginning of June 1995...[If Q.3=0, ask:] At how many addresses have you lived? Since the beginning of June 1995...[If Q.3 not=0, ask:] At how many other addresses have you lived?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 addresses	82	1.7 %
1	1 address	990	20.3 %
2	2 addresses	859	17.6 %
3	3 addresses	560	11.5 %
4	4 addresses	386	7.9 %
5	5 addresses	271	5.6 %
6	6 addresses	185	3.8 %
7	7 addresses	95	1.9 %
8	8 addresses	52	1.1 %
9	9 addresses	33	0.7 %
10	10 addresses	62	1.3 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1278	26.2 %
98 (M)	Don't know	2	0.0 %
. (M)	-	25	0.5 %

Based upon 3575 valid cases out of 4882 total cases.

- Mean: 2.91
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.10

#### H3HR19

#### S2Q19 COUNTRY/STATE OTH THAN CURRENT-W3

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: [If Q.18=1, ask:] Was that in a state or country other than <CURRENT STATE>? [If Q.18>1, ask:] Were any of those places in a state or country other than <CURRENT STATE>?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.23)	2337	47.9 %
1	Yes	1150	23.6 %
7 (M)	Legitimate skip	1381	28.3 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	8	0.2 %

Based upon 3487 valid cases out of 4882 total cases.

- Mean: 0.33

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

<b>H3HR20</b>	<b>S2Q20 HOW MANY STATE/COUNTRIES LIVED-W3</b>
---------------	--

Location: 382-383 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: How many other states or countries have you lived since June 1995?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 states or countries	221	4.5 %
1	1 state or country	711	14.6 %
2	2 states or countries	190	3.9 %
3	3 states or countries	70	1.4 %
4	4 states or countries	30	0.6 %
5	5 states or countries	11	0.2 %
6	6 states or countries	1	0.0 %
7	7 states or countries	3	0.1 %
10	10 states or countries	1	0.0 %
97 (M)	Legitimate skip	3614	74.0 %
. (M)	-	30	0.6 %

Based upon 1238 valid cases out of 4882 total cases.

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.02

<b>H3HR21M</b>	<b>S2Q21M MONTH MOVED CURRENT STATE-W3</b>
----------------	--

Location: 384-385 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , 99 , .  
 Question: In what month (and year) did you move to {CURRENT STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	56	1.1 %
2	February	39	0.8 %
3	March	55	1.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	April	36	0.7 %
5	May	78	1.6 %
6	June	122	2.5 %
7	July	88	1.8 %
8	August	224	4.6 %
9	September	127	2.6 %
10	October	45	0.9 %
11	November	51	1.0 %
12	December	60	1.2 %
97 (M)	Legitimate skip	3865	79.2 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	6	0.1 %
. (M)	-	10	0.2 %

Based upon 981 valid cases out of 4882 total cases.

- Mean: 6.98
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.87

**H3HR21Y**

**S2Q21Y YEAR MOVED CURRENT STATE-W3**

Location: 386-389 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {CURRENT STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	1	0.0 %
1977	-	10	0.2 %
1978	-	11	0.2 %
1979	-	12	0.2 %
1980	-	5	0.1 %
1981	-	5	0.1 %
1982	-	2	0.0 %
1983	-	1	0.0 %
1985	-	4	0.1 %
1986	-	1	0.0 %
1987	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1988	-	5	0.1 %
1989	-	4	0.1 %
1990	-	2	0.0 %
1991	-	2	0.0 %
1992	-	3	0.1 %
1993	-	2	0.0 %
1994	-	2	0.0 %
1995	-	27	0.6 %
1996	-	45	0.9 %
1997	-	71	1.5 %
1998	-	130	2.7 %
1999	-	144	2.9 %
2000	-	236	4.8 %
2001	-	259	5.3 %
2002	-	10	0.2 %
9997 (M)	Legitimate skip	3865	79.2 %
9998 (M)	Don't know	3	0.1 %
9999 (M)	Not applicable	5	0.1 %
. (M)	-	11	0.2 %

Based upon 998 valid cases out of 4882 total cases.

- Mean: 1998.03
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1976.00
- Maximum: 2002.00
- Standard Deviation: 4.91

### H3HR22MA

### S2Q22MA MONTH MOVED PREV STATE 1-W3

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	68	1.4 %
2	February	61	1.2 %
3	March	54	1.1 %
4	April	55	1.1 %
5	May	91	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	June	121	2.5 %
7	July	93	1.9 %
8	August	144	2.9 %
9	September	101	2.1 %
10	October	62	1.3 %
11	November	43	0.9 %
12	December	55	1.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	3835	78.6 %
98 (M)	Don't know	43	0.9 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	49	1.0 %

Based upon 948 valid cases out of 4882 total cases.

- Mean: 6.56
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.05

#### H3HR22YA

#### S2Q22YA YEAR MOVED PREV STATE 1-W3

Location: 392-395 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1975	-	1	0.0 %
1976	-	15	0.3 %
1977	-	50	1.0 %
1978	-	50	1.0 %
1979	-	47	1.0 %
1980	-	65	1.3 %
1981	-	44	0.9 %
1982	-	33	0.7 %
1983	-	15	0.3 %
1984	-	6	0.1 %
1985	-	5	0.1 %
1986	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1987	-	8	0.2 %
1988	-	11	0.2 %
1989	-	13	0.3 %
1990	-	8	0.2 %
1991	-	12	0.2 %
1992	-	13	0.3 %
1993	-	10	0.2 %
1994	-	17	0.3 %
1995	-	64	1.3 %
1996	-	61	1.2 %
1997	-	86	1.8 %
1998	-	102	2.1 %
1999	-	87	1.8 %
2000	-	94	1.9 %
2001	-	56	1.1 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	3835	78.6 %
9998 (M)	Don't know	7	0.1 %
9999 (M)	Not applicable	5	0.1 %
. (M)	-	54	1.1 %

Based upon 980 valid cases out of 4882 total cases.

- Mean: 1991.04
- Median: 1995.00
- Mode: 1998.00
- Minimum: 1975.00
- Maximum: 2001.00
- Standard Deviation: 8.76

**H3HR22MB**
**S2Q22MB MONTH MOVED PREV STATE 2-W3**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	21	0.4 %
2	February	9	0.2 %
3	March	19	0.4 %
4	April	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	May	18	0.4 %
6	June	26	0.5 %
7	July	25	0.5 %
8	August	41	0.8 %
9	September	40	0.8 %
10	October	11	0.2 %
11	November	15	0.3 %
12	December	15	0.3 %
97 (M)	Legitimate skip	4546	93.1 %
98 (M)	Don't know	16	0.3 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	63	1.3 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 6.73
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.08

#### H3HR22YB

#### S2Q22YB YEAR MOVED PREV STATE 2-W3

Location: 398-401 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	6	0.1 %
1977	-	14	0.3 %
1978	-	15	0.3 %
1979	-	10	0.2 %
1980	-	11	0.2 %
1981	-	8	0.2 %
1982	-	6	0.1 %
1983	-	3	0.1 %
1984	-	1	0.0 %
1985	-	1	0.0 %
1986	-	3	0.1 %
1987	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1989	-	2	0.0 %
1991	-	3	0.1 %
1992	-	1	0.0 %
1993	-	2	0.0 %
1994	-	8	0.2 %
1995	-	20	0.4 %
1996	-	31	0.6 %
1997	-	26	0.5 %
1998	-	24	0.5 %
1999	-	33	0.7 %
2000	-	25	0.5 %
2001	-	9	0.2 %
9997 (M)	Legitimate skip	4546	93.1 %
9998 (M)	Don't know	5	0.1 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	65	1.3 %

Based upon 265 valid cases out of 4882 total cases.

- Mean: 1991.92
- Median: 1996.00
- Mode: 1999.00
- Minimum: 1976.00
- Maximum: 2001.00
- Standard Deviation: 8.53

**H3HR22MC**
**S2Q22MC MONTH MOVED PREV STATE 3-W3**

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	8	0.2 %
2	February	2	0.0 %
3	March	8	0.2 %
4	April	3	0.1 %
5	May	3	0.1 %
6	June	10	0.2 %
7	July	10	0.2 %
8	August	18	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	September	15	0.3 %
10	October	7	0.1 %
11	November	3	0.1 %
12	December	4	0.1 %
97 (M)	Legitimate skip	4736	97.0 %
98 (M)	Don't know	6	0.1 %
. (M)	-	49	1.0 %

Based upon 91 valid cases out of 4882 total cases.

- Mean: 6.85
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.98

#### H3HR22YC

#### S2Q22YC YEAR MOVED PREV STATE 3-W3

Location: 404-407 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	4	0.1 %
1977	-	2	0.0 %
1978	-	7	0.1 %
1979	-	4	0.1 %
1980	-	3	0.1 %
1981	-	2	0.0 %
1982	-	2	0.0 %
1988	-	1	0.0 %
1989	-	4	0.1 %
1991	-	1	0.0 %
1992	-	2	0.0 %
1993	-	2	0.0 %
1994	-	2	0.0 %
1995	-	6	0.1 %
1996	-	10	0.2 %
1997	-	15	0.3 %
1998	-	13	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	6	0.1 %
2000	-	7	0.1 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4736	97.0 %
9998 (M)	Don't know	2	0.0 %
. (M)	-	50	1.0 %

Based upon 94 valid cases out of 4882 total cases.

- Mean: 1991.84
- Median: 1996.00
- Mode: 1997.00
- Minimum: 1976.00
- Maximum: 2001.00
- Standard Deviation: 8.25

### H3HR22MD

### S2Q22MD MONTH MOVED PREV STATE 4-W3

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	3	0.1 %
2	February	1	0.0 %
4	April	1	0.0 %
5	May	6	0.1 %
6	June	4	0.1 %
7	July	1	0.0 %
8	August	2	0.0 %
9	September	6	0.1 %
10	October	2	0.0 %
11	November	2	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4806	98.4 %
98 (M)	Don't know	3	0.1 %
. (M)	-	44	0.9 %

Based upon 29 valid cases out of 4882 total cases.

- Mean: 6.69
- Median: 6.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.09

**H3HR22YD**

**S2Q22YD YEAR MOVED PREV STATE 4-W3**

Location: 410-413 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

Value	Label	Unweighted Frequency	%
1977	-	1	0.0 %
1978	-	3	0.1 %
1983	-	1	0.0 %
1985	-	1	0.0 %
1992	-	2	0.0 %
1993	-	1	0.0 %
1994	-	2	0.0 %
1995	-	3	0.1 %
1996	-	2	0.0 %
1997	-	4	0.1 %
1998	-	5	0.1 %
1999	-	2	0.0 %
2000	-	2	0.0 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4806	98.4 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	45	0.9 %

Based upon 30 valid cases out of 4882 total cases.

- Mean: 1993.27
- Median: 1996.00
- Mode: 1998.00
- Minimum: 1977.00
- Maximum: 2001.00
- Standard Deviation: 7.31

**H3HR22ME**

**S2Q22ME MONTH MOVED PREV STATE 5-W3**

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	1	0.0 %
4	April	1	0.0 %
5	May	1	0.0 %
6	June	4	0.1 %
7	July	2	0.0 %
8	August	1	0.0 %
97 (M)	Legitimate skip	4836	99.1 %
98 (M)	Don't know	2	0.0 %
. (M)	-	34	0.7 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 5.60
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.96

### H3HR22YE

### S2Q22YE YEAR MOVED PREV STATE 5-W3

Location: 416-419 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1979	-	1	0.0 %
1980	-	1	0.0 %
1981	-	1	0.0 %
1983	-	1	0.0 %
1993	-	1	0.0 %
1996	-	1	0.0 %
1997	-	3	0.1 %
1998	-	1	0.0 %
1999	-	1	0.0 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4836	99.1 %
. (M)	-	34	0.7 %

Based upon 12 valid cases out of 4882 total cases.

- Mean: 1991.75

- Study 21600 -

- Median: 1996.50
- Mode: 1997.00
- Minimum: 1979.00
- Maximum: 2001.00
- Standard Deviation: 8.38

**H3HR22MF**

**S2Q22MF MONTH MOVED PREV STATE 6-W3**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

Value	Label	Unweighted Frequency	%
1	January	1	0.0 %
2	February	1	0.0 %
10	October	1	0.0 %
97 (M)	Legitimate skip	4847	99.3 %
. (M)	-	32	0.7 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 4.33
- Median: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 4.93

**H3HR22YF**

**S2Q22YF YEAR MOVED PREV STATE 6-W3**

Location: 422-425 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

Value	Label	Unweighted Frequency	%
1997	-	1	0.0 %
1998	-	1	0.0 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4847	99.3 %
. (M)	-	32	0.7 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 1998.67
- Median: 1998.00

- Study 21600 -

- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 2.08

**H3HR22MG**

**S2Q22MG MONTH MOVED PREV STATE 7-W3**

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you move to {PREVIOUS STATE}?

Value	Label	Unweighted Frequency	%
3	March	1	0.0 %
8	August	1	0.0 %
9	September	1	0.0 %
97 (M)	Legitimate skip	4848	99.3 %
. (M)	-	31	0.6 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 6.67
- Median: 8.00
- Minimum: 3.00
- Maximum: 9.00
- Standard Deviation: 3.21

**H3HR22YG**

**S2Q22YG YEAR MOVED PREV STATE 7-W3**

Location: 428-431 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you move to {PREVIOUS STATE}?

Value	Label	Unweighted Frequency	%
1978	-	1	0.0 %
1995	-	1	0.0 %
1997	-	1	0.0 %
9997 (M)	Legitimate skip	4848	99.3 %
. (M)	-	31	0.6 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 1990.00
- Median: 1995.00
- Minimum: 1978.00
- Maximum: 1997.00

- Study 21600 -

- Standard Deviation: 10.44

H3HR23	S2Q23 EVER RUN AWAY FROM HOME-W3		
Location:	432-432 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	8 , 9 , .		
Question:	[If Q.2=1, ask:] Have you ever run away from home? [If Q.2>1, ask:] Did you ever run away from home?		
Value	Label	Unweighted Frequency	%
0	No	4514	92.5 %
1	Yes	363	7.4 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H3HR24	S2Q24 EVER BEEN HOMELESS A WEEK/MORE-W3		
Location:	433-433 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9 , .		
Question:	Have you ever been homeless for a week or longer--that is, you slept in a place where people weren't meant to sleep, or slept in a homeless shelter, or didn't have a regular residence in which to sleep?		
Value	Label	Unweighted Frequency	%
0	No	4688	96.0 %
1	Yes	187	3.8 %
7 (M)	Legitimate skip	1	0.0 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

<b>H3HR25</b>	<b>S2Q25 EVER STAYED HOMELESS SHELTER-W3</b>			
Location:	434-434 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	8 , 9 , .			
Question:	Have you ever stayed in a homeless shelter?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	4819	98.7 %
	1	Yes	58	1.2 %
	8 (M)	Don't know	2	0.0 %
	9 (M)	Not applicable	2	0.0 %
	. (M)	-	1	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

<b>H3HR26</b>	<b>S2Q26 PARENTS EVER ORDERED MOVE OUT-W3</b>			
Location:	435-435 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9 , .			
Question:	[If Q.2=1, ask:] Have your parents ever ordered you to move out of their house? [If Q.2>1, ask:] Did your parents ever order you to move out of their house?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	4376	89.6 %
	1	Yes	497	10.2 %
	2	Never lived with parents	3	0.1 %
	6 (M)	Refused	1	0.0 %
	8 (M)	Don't know	3	0.1 %
	9 (M)	Not applicable	1	0.0 %
	. (M)	-	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.31

H3HR27	S2Q27 KIND GROUP QUARTERS LIVING NOW-W3			
	Value	Label	Unweighted Frequency	%
Location:	436-437 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	What kind of group quarters are you living in?			
	1	Dormitory at school	187	3.8 %
	2	Fraternity/sorority at a school	16	0.3 %
	3	Barracks in the armed services	15	0.3 %
	4	Half-way house/social rehabilitation facility	1	0.0 %
	5	Prison/penitentiary	6	0.1 %
	6	Group home (skip to next section)	3	0.1 %
	7	Hospital/nursing home/physical rehabilitation facility	2	0.0 %
	9	Communal home	6	0.1 %
	10	Other	10	0.2 %
	97 (M)	Legitimate skip	4636	95.0 %

Based upon 246 valid cases out of 4882 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.30

H3HR28	S2Q28 IS SAME-SEX OR CO-ED DORMITORY-W3			
	Value	Label	Unweighted Frequency	%
Location:	438-438 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	Is this a same-sex or a co-ed dormitory?			
	1	Same-sex	71	1.5 %
	2	Co-ed	116	2.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4695	96.2 %

Based upon 187 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

**H3HR29**
**S2Q29 IS SOCIAL/FRATERNITY/SORORITY-W3**

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is this a social or an honors fraternity or sorority?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Social	15	0.3 %
2	Honors	1	0.0 %
7 (M)	Legitimate skip	4866	99.7 %

Based upon 16 valid cases out of 4882 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

**H3HR30**
**S2Q30 EVER LIVED CARE/TREATMENT HOME-W3**

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Have you ever lived in a group home--that is, a care or treatment facility in which a number of unrelated people live in a home-like setting?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4763	97.6 %
1	Yes	113	2.3 %
7 (M)	Legitimate skip	3	0.1 %
9 (M)	Not applicable	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

### H3WP1

### S3Q1 STILL LIVE W/PREV MOM-W3

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: At your last interview, in <PRYEAR>, you were living with <PRMOMTX1>, and now you are living with <CRMOMTXT>. Are these the same person?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14	0.3 %
1	Yes	45	0.9 %
7 (M)	Legitimate skip	4823	98.8 %

Based upon 59 valid cases out of 4882 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

### H3WP2

### S3Q2 PREV MOM STILL LIVING-W3

Location: 442-442 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8 , 9

Question: Is <PRMOMTX2> from <PRYEAR> still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	71	1.5 %
1	Yes (skip to Q.4)	4450	91.2 %
5 (M)	Question not asked of this respondent	57	1.2 %
6 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	296	6.1 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4521 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

### H3WP3M

### S3Q3 PREV MOM DEATH-MONTH-W3

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: In what month (and year) did {HE/SHE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	10	0.2 %
2	February	8	0.2 %
3	March	6	0.1 %
4	April	5	0.1 %
5	May	6	0.1 %
6	June	6	0.1 %
7	July	5	0.1 %
8	August	5	0.1 %
9	September	4	0.1 %
10	October	2	0.0 %
11	November	5	0.1 %
12	December	5	0.1 %
95 (M)	Question not asked of this respondent	57	1.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4747	97.2 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 67 valid cases out of 4882 total cases.

- Mean: 5.61
- Median: 5.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

<b>H3WP3Y</b>	<b>S3Q3 PREV MOM DEATH-YEAR-W3</b>			
Location:	445-448 (width: 4; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	9995 , 9996 , 9997 , 9998 , 9999			
Question:	In what (month and) year did {HE/SHE} die?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1995	-	3	0.1 %
	1996	-	3	0.1 %
	1997	-	6	0.1 %
	1998	-	11	0.2 %
	1999	-	12	0.2 %
	2000	-	20	0.4 %
	2001	-	13	0.3 %
	9995 (M)	Question not asked of this respondent	57	1.2 %
	9996 (M)	Refused	2	0.0 %
	9997 (M)	Legitimate skip	4747	97.2 %
	9998 (M)	Don't know	5	0.1 %
	9999 (M)	Not applicable	3	0.1 %

Based upon 68 valid cases out of 4882 total cases.

- Mean: 1999.03
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1995.00
- Maximum: 2001.00
- Standard Deviation: 1.65

<b>H3WP4</b>	<b>S3Q4 STILL LIVE W/PREV DAD-W3</b>			
Location:	449-449 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	At your last interview, in <PRYEAR>, you were living with <PRPOPTX1>, and now you are living with <CRPOPTXT>. Are these the same person?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	11	0.2 %
	1	Yes	108	2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4763	97.6 %

Based upon 119 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

#### H3WP5

#### S3Q5 PREV DAD STILL LIVING-W3

Location: 450-450 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8 , 9 , .

Question: Is <PRPOPTX2> from <PRYEAR> still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	90	1.8 %
1	Yes (skip to Q.7)	3417	70.0 %
5 (M)	Question not asked of this respondent	37	0.8 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1324	27.1 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 3507 valid cases out of 4882 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

#### H3WP6M

#### S3Q6 PREV DAD DEATH-MONTH-W3

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99 , .

Question: In what month (and year) did {HE/SHE} die?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	10	0.2 %
2	February	9	0.2 %
3	March	5	0.1 %
4	April	4	0.1 %
5	May	9	0.2 %
6	June	8	0.2 %
7	July	8	0.2 %
8	August	4	0.1 %
9	September	7	0.1 %
10	October	6	0.1 %
11	November	9	0.2 %
12	December	11	0.2 %
95 (M)	Question not asked of this respondent	37	0.8 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4741	97.1 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 6.60
- Median: 6.50
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.73

**H3WP6Y**

**S3Q6 PREV DAD DEATH-YEAR-W3**

Location: 453-456 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did {HE/SHE} die? The year of death for PRPOP given by some respondents is prior to 1996, even though the values for PRPOP were from the Wave I (1995) or II (1996) interview. These values have been left as answered by the respondent.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1989	-	1	0.0 %
1993	-	1	0.0 %
1995	-	4	0.1 %
1996	-	9	0.2 %
1997	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	-	14	0.3 %
1999	-	15	0.3 %
2000	-	20	0.4 %
2001	-	18	0.4 %
9995 (M)	Question not asked of this respondent	37	0.8 %
9996 (M)	Refused	3	0.1 %
9997 (M)	Legitimate skip	4741	97.1 %
9998 (M)	Don't know	7	0.1 %
9999 (M)	Not applicable	3	0.1 %
. (M)	-	3	0.1 %

Based upon 88 valid cases out of 4882 total cases.

- Mean: 1998.67
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1989.00
- Maximum: 2001.00
- Standard Deviation: 2.15

#### H3WP7

#### S3Q7 KNOW ANYTHING ABOUT BIO MOM-W3

Location: 457-457 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9

Question: Do you know anything about your biological mother?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.11)	49	1.0 %
1	Yes	507	10.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4324	88.6 %
9 (M)	Not applicable	1	0.0 %

Based upon 556 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

#### H3WP8

#### S3Q8 IS SHE STILL LIVING-W3

## - Study 21600 -

Location: 458-458 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Is she still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	69	1.4 %
1	Yes (skip to Q.11)	429	8.8 %
7 (M)	Legitimate skip	4375	89.6 %
8 (M)	Don't know	9	0.2 %

Based upon 498 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

### H3WP9

### S3Q9 YOUR AGE WHEN SHE DIED-W3

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you when she died? The range for the age of the respondent at the death for his/her mother exceeds the range of the age of Wave III respondents for seven cases. These data values were not recoded as it is possible that the respondent could have misinterpreted the question and thought we asked for the age of his/her mother when she died.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.0 %
2	-	4	0.1 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	3	0.1 %
6	-	6	0.1 %
7	-	3	0.1 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	7	0.1 %
13	-	4	0.1 %
14	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	7	0.1 %
17	-	4	0.1 %
18	-	1	0.0 %
21	-	3	0.1 %
22	-	3	0.1 %
23	-	1	0.0 %
34	-	1	0.0 %
97 (M)	Legitimate skip	4813	98.6 %
98 (M)	Don't know	1	0.0 %

Based upon 68 valid cases out of 4882 total cases.

- Mean: 11.51
- Median: 12.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 6.53

#### H3WP10M

#### S3Q10 BIO MOM DEATH-MONTH-W3

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did she die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	4	0.1 %
2	February	5	0.1 %
3	March	1	0.0 %
4	April	4	0.1 %
5	May	3	0.1 %
6	June	3	0.1 %
7	July	4	0.1 %
8	August	5	0.1 %
9	September	4	0.1 %
10	October	12	0.2 %
11	November	6	0.1 %
12	December	7	0.1 %
97 (M)	Legitimate skip	4813	98.6 %
98 (M)	Don't know	11	0.2 %

Based upon 58 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 7.59
- Median: 8.50
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.54

H3WP10Y	S3Q10 BIO MOM DEATH-YEAR-W3			
	Value	Label	Unweighted Frequency	%
	1977	-	1	0.0 %
	1980	-	4	0.1 %
	1981	-	2	0.0 %
	1982	-	5	0.1 %
	1984	-	2	0.0 %
	1985	-	3	0.1 %
	1986	-	4	0.1 %
	1987	-	2	0.0 %
	1988	-	1	0.0 %
	1989	-	2	0.0 %
	1990	-	4	0.1 %
	1991	-	9	0.2 %
	1992	-	2	0.0 %
	1993	-	3	0.1 %
	1994	-	4	0.1 %
	1995	-	3	0.1 %
	1996	-	7	0.1 %
	1998	-	1	0.0 %
	1999	-	3	0.1 %
	2000	-	1	0.0 %
	2001	-	2	0.0 %
	9997 (M)	Legitimate skip	4813	98.6 %
	9998 (M)	Don't know	4	0.1 %

Based upon 65 valid cases out of 4882 total cases.

- Mean: 1989.97
- Median: 1991.00
- Mode: 1991.00

- Study 21600 -

- Minimum: 1977.00
- Maximum: 2001.00
- Standard Deviation: 6.09

**H3WP11**

**S3Q11 KNOW ANYTHING ABOUT BIO DAD-W3**

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9

Question: Do you know anything about your biological father?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.15)	273	5.6 %
1	Yes	1631	33.4 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	2973	60.9 %
9 (M)	Not applicable	1	0.0 %

Based upon 1904 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**H3WP12**

**S3Q12 IS HE STILL LIVING-W3**

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Is he still alive?

Value	Label	Unweighted Frequency	%
0	No	223	4.6 %
1	Yes (skip to Q.15)	1376	28.2 %
7 (M)	Legitimate skip	3251	66.6 %
8 (M)	Don't know	32	0.7 %

Based upon 1599 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.35

H3WP13	S3Q13 YOUR AGE WHEN HE DIED-W3		
Value	Label	Unweighted Frequency	%
0	0 years	4	0.1 %
1	-	7	0.1 %
2	-	10	0.2 %
3	-	6	0.1 %
4	-	2	0.0 %
5	-	6	0.1 %
6	-	7	0.1 %
7	-	5	0.1 %
8	-	10	0.2 %
9	-	10	0.2 %
10	-	13	0.3 %
11	-	8	0.2 %
12	-	24	0.5 %
13	-	18	0.4 %
14	-	13	0.3 %
15	-	12	0.2 %
16	-	10	0.2 %
17	-	13	0.3 %
18	-	12	0.2 %
19	-	11	0.2 %
20	-	7	0.1 %
21	-	2	0.0 %
22	-	6	0.1 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4659	95.4 %
98 (M)	Don't know	1	0.0 %

Based upon 221 valid cases out of 4882 total cases.

- Mean: 12.09

- Study 21600 -

- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 5.86

<b>H3WP14M</b>	<b>S3Q14 BIO DAD DEATH-MONTH-W3</b>
----------------	-------------------------------------

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: In what month (and year) did he die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	15	0.3 %
2	February	15	0.3 %
3	March	21	0.4 %
4	April	20	0.4 %
5	May	18	0.4 %
6	June	19	0.4 %
7	July	14	0.3 %
8	August	19	0.4 %
9	September	20	0.4 %
10	October	14	0.3 %
11	November	16	0.3 %
12	December	15	0.3 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4659	95.4 %
98 (M)	Don't know	16	0.3 %

Based upon 206 valid cases out of 4882 total cases.

- Mean: 6.40
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.35

<b>H3WP14Y</b>	<b>S3Q14 BIO DAD DEATH-YEAR-W3</b>
----------------	------------------------------------

Location: 473-476 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question: In what (month and) year did he die?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	1	0.0 %
1978	-	3	0.1 %
1979	-	2	0.0 %
1980	-	4	0.1 %
1981	-	7	0.1 %
1982	-	5	0.1 %
1983	-	2	0.0 %
1984	-	5	0.1 %
1985	-	5	0.1 %
1986	-	6	0.1 %
1987	-	11	0.2 %
1988	-	9	0.2 %
1989	-	9	0.2 %
1990	-	17	0.3 %
1991	-	13	0.3 %
1992	-	16	0.3 %
1993	-	15	0.3 %
1994	-	18	0.4 %
1995	-	16	0.3 %
1996	-	6	0.1 %
1997	-	12	0.2 %
1998	-	9	0.2 %
1999	-	14	0.3 %
2000	-	4	0.1 %
2001	-	6	0.1 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4659	95.4 %
9998 (M)	Don't know	6	0.1 %
. (M)	-	1	0.0 %

Based upon 215 valid cases out of 4882 total cases.

- Mean: 1991.39
- Median: 1992.00
- Mode: 1994.00
- Minimum: 1976.00
- Maximum: 2001.00
- Standard Deviation: 5.69

**H3WP15**

**S3Q15 FINANCIAL HEAD OF HH-W3**

Location:

477-477 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: In terms of finances, do you consider yourself the head of the household in which you live?

Value	Label	Unweighted Frequency	%
0	No	1806	37.0 %
1	Yes (skip to Q.18)	104	2.1 %
7 (M)	Legitimate skip	2852	58.4 %
8 (M)	Don't know	2	0.0 %
. (M)	-	118	2.4 %

Based upon 1910 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

### H3WP16

### S3Q16 YOU CONTRIB TO LIVING EXP-W3

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: During the past 12 months, have you contributed toward the cost of your room and board by paying money to another household member, paying certain household bills, or buying things--such as groceries--for the household?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.18)	791	16.2 %
1	Yes	1016	20.8 %
7 (M)	Legitimate skip	2936	60.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	138	2.8 %

Based upon 1807 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

### H3WP17

### S3Q17 EST YOUR CONTRIB TO LIV EXP-W3

- Study 21600 -

Location: 479-479 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: Please estimate how much you have contributed for room and board during the past 12 months.  
Include money you have contributed, the cost of bills you have paid, and the cost of things you have bought for the household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than \$200	175	3.6 %
2	\$200-\$499	261	5.3 %
3	\$500-\$999	208	4.3 %
4	\$1000 or more	361	7.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3727	76.3 %
8 (M)	Don't know	11	0.2 %
. (M)	-	138	2.8 %

Based upon 1005 valid cases out of 4882 total cases.

- Mean: 2.75
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.12

<b>H3WP18</b>	<b>S3Q18 ENJOY DOING THINGS W/CURR MOM-W3</b>
Location:	480-481 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , 98 , 99
Question:	You enjoy doing things with <CRMOMTXT>. CURRENT RESIDENTIAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1041	21.3 %
2	Agree	716	14.7 %
3	Neither agree nor disagree	109	2.2 %
4	Disagree	31	0.6 %
5	Strongly disagree	13	0.3 %
97 (M)	Legitimate skip	2969	60.8 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 1910 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.73

H3WP19	S3Q19 CURR MOM-WARM/LOVING TO YOU-W3		
	Value	Label	Unweighted Frequency
Location:	482-483 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 98 , 99		
Question:	Most of the time, {HE/SHE} is warm and loving toward you. CURRENT RESIDENTIAL MOTHER		
			%
	1	Strongly agree	1250 25.6 %
	2	Agree	541 11.1 %
	3	Neither agree nor disagree	79 1.6 %
	4	Disagree	34 0.7 %
	5	Strongly disagree	6 0.1 %
	97 (M)	Legitimate skip	2969 60.8 %
	99 (M)	Not applicable	3 0.1 %

Based upon 1910 valid cases out of 4882 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.69

H3WP20	S3Q20 CLOSE TO CURR RES MOM-W3		
	Value	Label	Unweighted Frequency
Location:	484-485 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	How close do you feel to <CRMOMTXT>? CURRENT RESIDENTIAL MOTHER		
			%
	1	Extremely close	1178 24.1 %
	2	Quite close	503 10.3 %
	3	Somewhat close	180 3.7 %
	4	Not very close	40 0.8 %
	5	Not close at all	10 0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	2969	60.8 %
99 (M)	Not applicable	2	0.0 %

Based upon 1911 valid cases out of 4882 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.79

<b>H3WP21</b>	<b>S3Q21 CURR MOM CONTRIB TO LIV EXP-W3</b>
---------------	---

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: Has {HE/SHE} given you any money or paid for anything significant for you during the past 12 months?  
Don't include regular birthday or holiday gifts. CURRENT RESIDENTIAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.23)	434	8.9 %
1	Yes	1475	30.2 %
7 (M)	Legitimate skip	2969	60.8 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 1909 valid cases out of 4882 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

<b>H3WP22</b>	<b>S3Q22 CURR MOM-EST CONTRIB TO LIV EXP-W3</b>
---------------	---

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Please give an estimate of this financial help in the past 12 months. Include money given directly to you and the cost of significant items bought for you by <CRMOMTXT>. CURRENT RESIDENTIAL MOTHER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than \$200	289	5.9 %
2	\$200-\$499	348	7.1 %
3	\$500-\$999	260	5.3 %
4	\$1000 or more	556	11.4 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3407	69.8 %
8 (M)	Don't know	18	0.4 %

Based upon 1453 valid cases out of 4882 total cases.

- Mean: 2.75
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.16

<b>H3WP23</b>	<b>S3Q23 ENJOY DOING THINGS W/CURR DAD-W3</b>
---------------	---

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: You enjoy doing things with <CRPOPTXT>. CURRENT RESIDENTIAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	706	14.5 %
2	Agree	530	10.9 %
3	Neither agree nor disagree	118	2.4 %
4	Disagree	29	0.6 %
5	Strongly disagree	10	0.2 %
97 (M)	Legitimate skip	3488	71.4 %
98 (M)	Don't know	1	0.0 %

Based upon 1393 valid cases out of 4882 total cases.

- Mean: 1.64
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

<b>H3WP24</b>	<b>S3Q24 CURR DAD-WARM/LOVING TO YOU-W3</b>
---------------	---

- Study 21600 -

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: Most of the time, {HE/SHE} is warm and loving toward you. CURRENT RESIDENTIAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	756	15.5 %
2	Agree	496	10.2 %
3	Neither agree nor disagree	100	2.0 %
4	Disagree	35	0.7 %
5	Strongly disagree	7	0.1 %
97 (M)	Legitimate skip	3488	71.4 %

Based upon 1394 valid cases out of 4882 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.77

### H3WP25

### S3Q25 CLOSE TO CURR DAD-W3

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How close do you feel to <CRPOPTXT>? CURRENT RESIDENTIAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Extremely close	664	13.6 %
2	Quite close	455	9.3 %
3	Somewhat close	203	4.2 %
4	Not very close	54	1.1 %
5	Not close at all	18	0.4 %
97 (M)	Legitimate skip	3488	71.4 %

Based upon 1394 valid cases out of 4882 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

- Study 21600 -

**H3WP26**

**S3Q26 CURR DAD CONTRIB TO LIV EXP-W3**

Location: 494-494 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Has {HE/SHE} given you any money or paid for anything significant for you during the past 12 months?  
 Don't include regular birthday or holiday gifts. CURRENT RESIDENTIAL FATHER

Value	Label	Unweighted Frequency	%
0	No (skip to Q.28)	368	7.5 %
1	Yes	1026	21.0 %
7 (M)	Legitimate skip	3488	71.4 %

Based upon 1394 valid cases out of 4882 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3WP27**

**S3Q27 CURR DAD-EST CONTRIB TO LIV EXP-W3**

Location: 495-495 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Please give an estimate of this financial help in the past 12 months. Include money given directly to you and the cost of significant items bought for you by <CRPOPTXT>. CURRENT RESIDENTIAL FATHER

Value	Label	Unweighted Frequency	%
1	Less than \$200	184	3.8 %
2	\$200-\$499	226	4.6 %
3	\$500-\$999	184	3.8 %
4	\$1000 or more	420	8.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3856	79.0 %
8 (M)	Don't know	9	0.2 %
9 (M)	Not applicable	2	0.0 %

Based upon 1014 valid cases out of 4882 total cases.

- Mean: 2.83
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 4.00
- Standard Deviation: 1.16

**H3WP28**

**S3Q28 PREV MOM-SMOKE CIGARETTES-W3**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: How often did <PRMOMTX1> smoke cigarettes when you lived with {HIM/HER} in <PRYEAR>?  
PREVIOUS RESIDENTIAL MOTHER

Value	Label	Unweighted Frequency	%
1	Had never smoked	3009	61.6 %
2	Used to smoke/but had stopped	330	6.8 %
3	Smoked only occasionally	196	4.0 %
4	Smoked more than occasionally/but less than pack a day	451	9.2 %
5	Smoked a pack a day or more	560	11.5 %
97 (M)	Legitimate skip	293	6.0 %
98 (M)	Don't know	14	0.3 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	24	0.5 %

Based upon 4546 valid cases out of 4882 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.49

**H3WP29**

**S3Q29 STILL IN TOUCH W/PREV MOM-W3**

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: In <PRYEAR> you were living with <PRMOMTX1>. Are you still in touch with {HIM/HER}? PREVIOUS RESIDENTIAL MOTHER

Value	Label	Unweighted Frequency	%
0	No (skip to Q.35)	44	0.9 %
1	Yes	2728	55.9 %
7 (M)	Legitimate skip	2107	43.2 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 2772 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

<b>H3WP30</b>	<b>S3Q30 ENJOY DOING THINGS W/PREV MOM-W3</b>		
Location:	499-500 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	You enjoy doing things with {HIM/HER}. PREVIOUS RESIDENTIAL MOTHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	1663	34.1 %
2	Agree	883	18.1 %
3	Neither agree nor disagree	140	2.9 %
4	Disagree	32	0.7 %
5	Strongly disagree	9	0.2 %
97 (M)	Legitimate skip	2154	44.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 2727 valid cases out of 4882 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.68

<b>H3WP31</b>	<b>S3Q31 PREV MOM-WARM/LOVING TO YOU-W3</b>		
Location:	501-502 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	Most of the time, {HE/SHE} is warm and loving toward you. PREVIOUS RESIDENTIAL MOTHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	1958	40.1 %
2	Agree	616	12.6 %
3	Neither agree nor disagree	102	2.1 %
4	Disagree	41	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Strongly disagree	11	0.2 %
97 (M)	Legitimate skip	2154	44.1 %

Based upon 2728 valid cases out of 4882 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.67

### H3WP32

### S3Q32 CLOSE TO PREV MOM-W3

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How close do you feel to {HIM/HER}? PREVIOUS RESIDENTIAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Extremely close	1647	33.7 %
2	Quite close	726	14.9 %
3	Somewhat close	268	5.5 %
4	Not very close	72	1.5 %
5	Not close at all	15	0.3 %
97 (M)	Legitimate skip	2154	44.1 %

Based upon 2728 valid cases out of 4882 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.82

### H3WP33

### S3Q33 PREV MOM CONTRIB TO LIV EXP-W3

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: Has <PRMOMTX2> given you any money or paid for anything significant for you during the past 12 months? PREVIOUS RESIDENTIAL MOTHER

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.35)	945	19.4 %
1	Yes	1782	36.5 %
7 (M)	Legitimate skip	2154	44.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 2727 valid cases out of 4882 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3WP34

#### S3Q34 PREV MOM-EST CONTRIB TO LIV EXP-W3

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Please give an estimate of this financial help in the past 12 months. Include money given directly to you and the cost of significant items bought for you by <PRMOMTX2>. PREVIOUS RESIDENTIAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than \$200	351	7.2 %
2	\$200-\$499	396	8.1 %
3	\$500-\$999	307	6.3 %
4	\$1000 or more	714	14.6 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3100	63.5 %
8 (M)	Don't know	12	0.2 %

Based upon 1768 valid cases out of 4882 total cases.

- Mean: 2.78
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.17

#### H3WP35

#### S3Q35 PREV DAD-SMOKE CIGARETTES-W3

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question:

How often did <PRPOPTX1> smoke cigarettes when you lived with {HIM/HER} in <PRYEAR>? PREVIOUS RESIDENTIAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Had never smoked	2093	42.9 %
2	Used to smoke/but had stopped	346	7.1 %
3	Smoked only occasionally	180	3.7 %
4	Snore more than occasionally/but less than pack a day	318	6.5 %
5	Smoked a pack a day or more	550	11.3 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1324	27.1 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	11	0.2 %
. (M)	-	42	0.9 %

Based upon 3487 valid cases out of 4882 total cases.

- Mean: 2.11
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.56

**H3WP36**

**S3Q36 STILL IN TOUCH W/PREV DAD-W3**

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: In <PRYEAR> you were living with <PRPOPTX1>. Are you still in touch with {HIM/HER}? PREVIOUS RESIDENTIAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.42)	118	2.4 %
1	Yes	2145	43.9 %
7 (M)	Legitimate skip	2616	53.6 %
9 (M)	Not applicable	3	0.1 %

Based upon 2263 valid cases out of 4882 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.22

H3WP37	S3Q37 ENJOY DOING THINGS W/PREV DAD-W3		
Location:	510-511 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99		
Question:	You enjoy doing things with {HIM/HER}. PREVIOUS RESIDENTIAL FATHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	1134	23.2 %
2	Agree	781	16.0 %
3	Neither agree nor disagree	156	3.2 %
4	Disagree	53	1.1 %
5	Strongly disagree	20	0.4 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2735	56.0 %
99 (M)	Not applicable	2	0.0 %

Based upon 2144 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.80

H3WP38	S3Q38 PREV DAD-WARM/LOVING TO YOU-W3		
Location:	512-513 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99		
Question:	Most of the time, {HE/SHE} is warm and loving toward you. PREVIOUS RESIDENTIAL FATHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	1265	25.9 %
2	Agree	664	13.6 %
3	Neither agree nor disagree	148	3.0 %
4	Disagree	61	1.2 %
5	Strongly disagree	10	0.2 %
97 (M)	Legitimate skip	2733	56.0 %
98 (M)	Don't know	1	0.0 %

Based upon 2148 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

<b>H3WP39</b>	<b>S3Q39 CLOSE TO PREV DAD-W3</b>																														
Location:	514-515 (width: 2; decimal: 0)																														
Variable Type:	numeric																														
Range of Missing Values (M):	97																														
Question:	How close do you feel to <PRPOPTX2>? PREVIOUS RESIDENTIAL FATHER																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Extremely close</td><td style="text-align: right; padding: 2px;">1015</td><td style="text-align: right; padding: 2px;">20.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Quite close</td><td style="text-align: right; padding: 2px;">671</td><td style="text-align: right; padding: 2px;">13.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Somewhat close</td><td style="text-align: right; padding: 2px;">341</td><td style="text-align: right; padding: 2px;">7.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">Not very close</td><td style="text-align: right; padding: 2px;">95</td><td style="text-align: right; padding: 2px;">1.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">5</td><td style="text-align: left; padding: 2px;">Not close at all</td><td style="text-align: right; padding: 2px;">27</td><td style="text-align: right; padding: 2px;">0.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">2733</td><td style="text-align: right; padding: 2px;">56.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Extremely close	1015	20.8 %	2	Quite close	671	13.7 %	3	Somewhat close	341	7.0 %	4	Not very close	95	1.9 %	5	Not close at all	27	0.6 %	97 (M)	Legitimate skip	2733	56.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																												
1	Extremely close	1015	20.8 %																												
2	Quite close	671	13.7 %																												
3	Somewhat close	341	7.0 %																												
4	Not very close	95	1.9 %																												
5	Not close at all	27	0.6 %																												
97 (M)	Legitimate skip	2733	56.0 %																												

Based upon 2149 valid cases out of 4882 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.94

<b>H3WP40</b>	<b>S3Q40 PREV DAD CONTRIB TO LIV EXP-W3</b>																		
Location:	516-516 (width: 1; decimal: 0)																		
Variable Type:	numeric																		
Range of Missing Values (M):	7																		
Question:	Has <PRPOPTX2> given you any money or paid for anything significant for you during the past 12 months? PREVIOUS RESIDENTIAL FATHER																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No (skip to Q.42)</td><td style="text-align: right; padding: 2px;">780</td><td style="text-align: right; padding: 2px;">16.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">1368</td><td style="text-align: right; padding: 2px;">28.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">2734</td><td style="text-align: right; padding: 2px;">56.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No (skip to Q.42)	780	16.0 %	1	Yes	1368	28.0 %	7 (M)	Legitimate skip	2734	56.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																
0	No (skip to Q.42)	780	16.0 %																
1	Yes	1368	28.0 %																
7 (M)	Legitimate skip	2734	56.0 %																

Based upon 2148 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.64
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.48

H3WP41	S3Q41 PREV DAD-EST CONTRIB TO LIV EXP-W3		
Location:	517-517 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9 , .		
Question:	Please give an estimate of this financial help in the past 12 months. Include money given directly to you and the cost of significant items bought for you by <PRPOPTX2>. PREVIOUS RESIDENTIAL FATHER		
Value	Label	Unweighted Frequency	%
1	Less than \$200	244	5.0 %
2	\$200-\$499	263	5.4 %
3	\$500-\$999	217	4.4 %
4	\$1000 or more	633	13.0 %
7 (M)	Legitimate skip	3514	72.0 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	3	0.1 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 2.91
  - Median: 3.00
  - Mode: 4.00
  - Minimum: 1.00
  - Maximum: 4.00
  - Standard Deviation: 1.17

H3WP42	S3Q42 PREV MOM/PREV DAD LIVE TOGETHER-W3		
Location:	518-518 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	Do <PRMOMTX2> and <PRPOPTX2> still live together in the same household? PREVIOUS RESIDENTIAL MOTHER AND FATHER		
Value	Label	Unweighted Frequency	%
0	No	367	7.5 %
1	Yes	2863	58.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	1647	33.7 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 3230 valid cases out of 4882 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3WP43

#### S3Q43 IN TOUCH W/BIO MOM-W3

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: Are you in touch with your biological mother? BIOLOGICAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.49)	39	0.8 %
1	Yes	389	8.0 %
7 (M)	Legitimate skip	4453	91.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 428 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

#### H3WP44

#### S3Q44 ENJOY DOING THINGS W/BIO MOM-W3

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99

Question: You enjoy doing things with your mother. BIOLOGICAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	190	3.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Agree	128	2.6 %
3	Neither agree nor disagree	48	1.0 %
4	Disagree	16	0.3 %
5	Strongly disagree	6	0.1 %
97 (M)	Legitimate skip	4493	92.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 388 valid cases out of 4882 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

**H3WP45**
**S3Q45 BIO MOM-WARM/LOVING TO YOU-W3**

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99

Question: Most of the time, she is warm and loving toward you. BIOLOGICAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	212	4.3 %
2	Agree	129	2.6 %
3	Neither agree nor disagree	35	0.7 %
4	Disagree	10	0.2 %
5	Strongly disagree	3	0.1 %
97 (M)	Legitimate skip	4493	92.0 %

Based upon 389 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.81

**H3WP46**
**S3Q46 CLOSE TO BIO MOM-W3**

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 97

Question:

How close do you feel to your biological mother? BIOLOGICAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Extremely close	174	3.6 %
2	Quite close	110	2.3 %
3	Somewhat close	65	1.3 %
4	Not very close	33	0.7 %
5	Not close at all	7	0.1 %
97 (M)	Legitimate skip	4493	92.0 %

Based upon 389 valid cases out of 4882 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

**H3WP47**

**S3Q47 BIO MOM CONTRIB TO LIV EXP-W3**

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: Has your biological mother given you any money or paid for anything significant for you during the past 12 months? BIOLOGICAL MOTHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.49)	197	4.0 %
1	Yes	191	3.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4493	92.0 %

Based upon 388 valid cases out of 4882 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3WP48**

**S3Q48 BIO MOM-EST CONTRIB TO LIV EXP-W3**

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 7 , 8 , 9

Question: Please give an estimate of this financial help. Include money given directly to you and the cost of significant items bought for you. BIOLOGICAL MOTHER

Value	Label	Unweighted Frequency	%
1	Less than \$200	68	1.4 %
2	\$200-\$499	58	1.2 %
3	\$500-\$999	30	0.6 %
4	\$1000 or more	31	0.6 %
7 (M)	Legitimate skip	4691	96.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 187 valid cases out of 4882 total cases.

- Mean: 2.13
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.08

**H3WP49**

**S3Q49 EVER LIVE W/BIO MOM-W3**

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9

Question: Did you ever live with your biological mother? BIOLOGICAL MOTHER

Value	Label	Unweighted Frequency	%
0	No	38	0.8 %
1	Yes	389	8.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4453	91.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 427 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3WP50**

**S3Q50 IN TOUCH W/BIO DAD-W3**

- Study 21600 -

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Are you in touch with your biological father? BIOLOGICAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.56)	285	5.8 %
1	Yes	1083	22.2 %
7 (M)	Legitimate skip	3506	71.8 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	7	0.1 %

Based upon 1368 valid cases out of 4882 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

### H3WP51

### S3Q51 ENJOY DOING THINGS W/BIO DAD-W3

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: You enjoy doing things with your father. BIOLOGICAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	369	7.6 %
2	Agree	385	7.9 %
3	Neither agree nor disagree	214	4.4 %
4	Disagree	83	1.7 %
5	Strongly disagree	26	0.5 %
97 (M)	Legitimate skip	3792	77.7 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	12	0.2 %

Based upon 1077 valid cases out of 4882 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.03

- Study 21600 -

**H3WP52**

**S3Q52 BIO DAD-WARM/LOVING TO YOU-W3**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: Most of the time, he is warm and loving toward you. BIOLOGICAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	441	9.0 %
2	Agree	388	7.9 %
3	Neither agree nor disagree	170	3.5 %
4	Disagree	64	1.3 %
5	Strongly disagree	23	0.5 %
97 (M)	Legitimate skip	3792	77.7 %
99 (M)	Not applicable	4	0.1 %

Based upon 1086 valid cases out of 4882 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

**H3WP53**

**S3Q53 CLOSE TO BIO DAD-W3**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99

Question: How close do you feel to your biological father? BIOLOGICAL FATHER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Extremely close	282	5.8 %
2	Quite close	277	5.7 %
3	Somewhat close	291	6.0 %
4	Not very close	173	3.5 %
5	Not close at all	66	1.4 %
97 (M)	Legitimate skip	3792	77.7 %
99 (M)	Not applicable	1	0.0 %

Based upon 1089 valid cases out of 4882 total cases.

- Mean: 2.51
- Median: 2.00
- Mode: 3.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

**H3WP54**

**S3Q54 BIO DAD CONTRIB TO LIV EXP-W3**

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Has your biological father given you any money or paid for anything significant for you during the past 12 months? BIOLOGICAL FATHER

Value	Label	Unweighted Frequency	%
0	No (skip to Q.56)	606	12.4 %
1	Yes	481	9.9 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3792	77.7 %
8 (M)	Don't know	1	0.0 %

Based upon 1087 valid cases out of 4882 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3WP55**

**S3Q55 BIO DAD-EST CONTRIB TO LIV EXP-W3**

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Please give an estimate of this financial help. Include money given directly to you and the cost of significant items bought for you. BIOLOGICAL FATHER

Value	Label	Unweighted Frequency	%
1	Less than \$200	129	2.6 %
2	\$200-\$499	126	2.6 %
3	\$500-\$999	76	1.6 %
4	\$1000 or more	145	3.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4401	90.1 %
8 (M)	Don't know	4	0.1 %

Based upon 476 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.50
- Median: 2.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.18

H3WP56	S3Q56 EVER LIVE W/BIO DAD-W3		
	Value	Label	Unweighted Frequency
Location:	538-538 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	Did you ever live with your biological father? BIOLOGICAL FATHER		
			%
	0	No	521 10.7 %
	1	Yes	850 17.4 %
	7 (M)	Legitimate skip	3506 71.8 %
	8 (M)	Don't know	3 0.1 %
	9 (M)	Not applicable	2 0.0 %

Based upon 1371 valid cases out of 4882 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H3WP57	S3Q57 BIO DAD/BIO MOM LIVE TOGETHER-W3		
	Value	Label	Unweighted Frequency
Location:	539-539 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	Do your biological parents live together in the same household? BIOLOGICAL MOTHER AND FATHER		
			%
	0	No	138 2.8 %
	1	Yes	54 1.1 %
	7 (M)	Legitimate skip	4688 96.0 %
	8 (M)	Don't know	1 0.0 %
	9 (M)	Not applicable	1 0.0 %

Based upon 192 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H3WP58	S3Q58 BIO DAD REMARRIED/NEW PARTNER-W3		
	Value	Label	Unweighted Frequency
Location:	540-540 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8		
Question:	Is your biological father currently married to, or the partner of, someone who is not your biological mother? NEVER-RECORDED RESIDENT STEPMOTHER		
	Value	Label	Unweighted Frequency
	0	No (skip to Q.66)	193
	1	Yes	150
	7 (M)	Legitimate skip	4529
	8 (M)	Don't know	10
			%
			4.0 %
			3.1 %
			92.8 %
			0.2 %

Based upon 343 valid cases out of 4882 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H3WP59	S3Q59 BIO DAD-SEX OF PARTNER-W3		
	Value	Label	Unweighted Frequency
Location:	541-541 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8		
Question:	Is this person male or female? NEVER-RECORDED RESIDENT STEPMOTHER		
	Value	Label	Unweighted Frequency
	2	Female	149
	7 (M)	Legitimate skip	4732
	8 (M)	Don't know	1
			%
			3.1 %
			96.9 %
			0.0 %

Based upon 149 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

H3WP60	S3Q60 EVER LIVE W/BIO DAD PARTNER-W3			
	Value	Label	Unweighted Frequency	%
Location:	542-542	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	Have you ever lived in a household with this person? NEVER-RECORDED RESIDENT STEPMOTHER			
	0	No	119	2.4 %
	1	Yes	31	0.6 %
	7 (M)	Legitimate skip	4732	96.9 %

Based upon 150 valid cases out of 4882 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H3WP61	S3Q61 IN TOUCH W/BIO DAD PARTNER-W3			
	Value	Label	Unweighted Frequency	%
Location:	543-543	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	Are you currently in touch with {HIM/HER}? NEVER-RECORDED RESIDENT STEPMOTHER			
	0	No (skip to Q.66)	66	1.4 %
	1	Yes	84	1.7 %
	7 (M)	Legitimate skip	4732	96.9 %

Based upon 150 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

- Study 21600 -

H3WP62	S3Q62 ENJY DOING THINGS BIO DAD PRTNR-W3		
Location:	544-545 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	You enjoy doing things with {HIM/HER}. NEVER-RECORDED RESIDENT STEPMOTHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	14	0.3 %
2	Agree	30	0.6 %
3	Neither agree nor disagree	29	0.6 %
4	Disagree	7	0.1 %
5	Strongly disagree	2	0.0 %
97 (M)	Legitimate skip	4798	98.3 %
99 (M)	Not applicable	2	0.0 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 2.43
  - Median: 2.00
  - Mode: 2.00
  - Minimum: 1.00
  - Maximum: 5.00
  - Standard Deviation: 0.96

H3WP63	S3Q63 DAD PRTNR-WARM/LOVING TO YOU-W3		
Location:	546-547 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	Most of the time, {HE/SHE} is warm and loving toward you. NEVER-RECORDED RESIDENT STEPMOTHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	21	0.4 %
2	Agree	37	0.8 %
3	Neither agree nor disagree	18	0.4 %
4	Disagree	6	0.1 %
5	Strongly disagree	1	0.0 %
97 (M)	Legitimate skip	4798	98.3 %
99 (M)	Not applicable	1	0.0 %

Based upon 83 valid cases out of 4882 total cases.

- Mean: 2.14
  - Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

<b>H3WP64</b>	<b>S3Q64 CLOSE TO BIO DAD PARTNER-W3</b>			
Location:	548-549 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 99			
Question:	How close do you feel to your {HIM/HER}? NEVER-RECORDED RESIDENT STEPMOTHER			
Value	Label	Unweighted Frequency	%	
1	Extremely close	8	0.2 %	
2	Quite close	15	0.3 %	
3	Somewhat close	27	0.6 %	
4	Not very close	30	0.6 %	
5	Not close at all	3	0.1 %	
97 (M)	Legitimate skip	4798	98.3 %	
99 (M)	Not applicable	1	0.0 %	

Based upon 83 valid cases out of 4882 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

<b>H3WP65</b>	<b>S3Q65 FREQ CONTACT W/BIO DAD PRTNR-W3</b>			
Location:	550-550 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	During the past 12 months, about how often have you been in contact with {HIM/HER} by telephone, by regular mail, or by e-mail? NEVER-RECORDED RESIDENT STEPMOTHER Due to a programming error, the response of not applicable was not available for these questions.			
Value	Label	Unweighted Frequency	%	
0	Not at all	6	0.1 %	
1	A few times	21	0.4 %	
2	Once or twice a month	25	0.5 %	
3	Once or twice a week	19	0.4 %	
4	Almost every day	13	0.3 %	
7 (M)	Legitimate skip	4798	98.3 %	

- Study 21600 -

Based upon 84 valid cases out of 4882 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.17

**H3WP66****S3Q66 BIO MOM REMARRIED/NEW PARTNER-W3**

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Is your biological mother currently married to, or the partner of, someone who is not your biological father? NEVER-RECORDED RESIDENT STEPFATHER

Value	Label	Unweighted Frequency	%
0	No (skip to the next section)	298	6.1 %
1	Yes	166	3.4 %
7 (M)	Legitimate skip	4415	90.4 %
8 (M)	Don't know	3	0.1 %

Based upon 464 valid cases out of 4882 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3WP67****S3Q67 BIO MOM-SEX OF PARTNER-W3**

Location: 552-552 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Is this person male or female? NEVER-RECORDED RESIDENT STEPFATHER

Value	Label	Unweighted Frequency	%
1	Male	165	3.4 %
2	Female	1	0.0 %
7 (M)	Legitimate skip	4716	96.6 %

Based upon 166 valid cases out of 4882 total cases.

- Mean: 1.01

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.08

**H3WP68**

**S3Q68 EVER LIVE W/BIO MOM PRTNR-W3**

Location: 553-553 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Have you ever lived in a household with this person? NEVER-RECORDED RESIDENT STEPFATHER

Value	Label	Unweighted Frequency	%
0	No	70	1.4 %
1	Yes	96	2.0 %
7 (M)	Legitimate skip	4716	96.6 %

Based upon 166 valid cases out of 4882 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3WP69**

**S3Q69 IN TOUCH W/BIO MOM PRTNR-W3**

Location: 554-554 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Are you currently in touch with {HIM/HER}? NEVER-RECORDED RESIDENT STEPFATHER

Value	Label	Unweighted Frequency	%
0	No (skip to the next section)	40	0.8 %
1	Yes	126	2.6 %
7 (M)	Legitimate skip	4716	96.6 %

Based upon 166 valid cases out of 4882 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

- Study 21600 -

**H3WP70**

**S3Q70 ENJY DOING THINGS BIO MOM PRTNR-W3**

Location:	555-556 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	You enjoy doing things with {HIM/HER}. NEVER-RECORDED RESIDENT STEPFATHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	36	0.7 %
2	Agree	48	1.0 %
3	Neither agree nor disagree	31	0.6 %
4	Disagree	7	0.1 %
5	Strongly disagree	2	0.0 %
97 (M)	Legitimate skip	4756	97.4 %
99 (M)	Not applicable	2	0.0 %

Based upon 124 valid cases out of 4882 total cases.

- Mean: 2.12
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

**H3WP71**

**S3Q71 MOM PRTNR-WARM/LOVING TO YOU-W3**

Location:	557-558 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	Most of the time, {HE/SHE} is warm and loving toward you. NEVER-RECORDED RESIDENT STEPFATHER		
Value	Label	Unweighted Frequency	%
1	Strongly agree	48	1.0 %
2	Agree	47	1.0 %
3	Neither agree nor disagree	24	0.5 %
4	Disagree	4	0.1 %
5	Strongly disagree	2	0.0 %
97 (M)	Legitimate skip	4756	97.4 %
99 (M)	Not applicable	1	0.0 %

Based upon 125 valid cases out of 4882 total cases.

- Mean: 1.92
- Median: 2.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

H3WP72	S3Q72 CLOSE TO BIO MOM PARTNER-W3		
Location:	559-560 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 99		
Question:	How close do you feel to your {HIM/HER}? NEVER-RECORDED RESIDENT STEPFATHER		
Value	Label	Unweighted Frequency	%
1	Extremely close	22	0.5 %
2	Quite close	38	0.8 %
3	Somewhat close	47	1.0 %
4	Not very close	12	0.2 %
5	Not close at all	6	0.1 %
97 (M)	Legitimate skip	4756	97.4 %
99 (M)	Not applicable	1	0.0 %

Based upon 125 valid cases out of 4882 total cases.

- Mean: 2.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

H3WP73	S3Q73 FREQ CONTACT W/BIO MOM PRTNR-W3		
Location:	561-561 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7		
Question:	During the past 12 months, about how often have you been in contact with {HIM/HER} by telephone, by regular mail, or by e-mail? NEVER-RECORDED RESIDENT STEPFATHER Due to a programming error, the response of not applicable was not available for these questions.		
Value	Label	Unweighted Frequency	%
0	Not at all	9	0.2 %
1	A few times	26	0.5 %
2	Once or twice a month	18	0.4 %
3	Once or twice a week	39	0.8 %
4	Almost every day	32	0.7 %
6 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4756	97.4 %

Based upon 124 valid cases out of 4882 total cases.

- Mean: 2.48
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.28

**H3WP74**
**S3Q74 LIVE W/MOM/MOM FIG IN HS-W3**

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3WP75**
**S3Q75 RELATION TO MOM/MOM FIG-W3**

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3WP76**
**S3Q76 MOM/MOM FIG EDUC LEVEL-W3**

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

**H3WP77**

**S3Q77 MOM/MOM FIG BORN IN US-W3**

Location: 567-567 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3WP78**

**S3Q78 MOM/MOM FIG COUNTRY ORIGIN-W3**

Location: 568-570 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3WP79**

**S3Q79 MOM/MOM FIG OCCUPATION-W3**

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3WP80**

**S3Q80 MOM/MOM FIG ON WELFARE-W3**

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: UNKNOWN

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

<b>H3WP81</b>	<b>S3Q81 MOM/MOM FIG MENT/PHYS DIS-W3</b>						
Location:	574-574 (width: 1; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	7						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
7 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP82</b>	<b>S3Q82 LIVE W/DAD/DAD FIG IN HS-W3</b>						
Location:	575-575 (width: 1; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	7						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
7 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP83</b>	<b>S3Q83 RELATION TO DAD/DAD FIG-W3</b>						
Location:	576-577 (width: 2; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	97						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	97 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
97 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP84</b>	<b>S3Q84 DAD/DAD FIG EDUC LEVEL-W3</b>						
Location:	578-579 (width: 2; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	97						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	97 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
97 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

<b>H3WP85</b>	<b>S3Q85 DAD/DAD FIG BORN IN US-W3</b>						
Location:	580-580 (width: 1; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	7						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
7 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP86</b>	<b>S3Q86 DAD/DAD FIG COUNTRY ORIGIN-W3</b>						
Location:	581-583 (width: 3; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	997						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">997 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	997 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
997 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP87</b>	<b>S3Q87 DAD/DAD FIG OCCUPATION-W3</b>						
Location:	584-585 (width: 2; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	97						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	97 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
97 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

<b>H3WP88</b>	<b>S3Q88 DAD/DAD FIG ON WELFARE-W3</b>						
Location:	586-586 (width: 1; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	7						
Question:	UNKNOWN						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	4882	100.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
7 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

H3WP89	S3Q89 DAD/DAD FIG MENT/PHYS DIS-W3						
Location:	587-587 (width: 1; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	7						
Question:	UNKNOWN						
	<table border="1"> <thead> <tr> <th>Value</th> <th>Unweighted Frequency</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>7 (M)</td> <td>4882</td> <td>100.0 %</td> </tr> </tbody> </table>	Value	Unweighted Frequency	%	7 (M)	4882	100.0 %
Value	Unweighted Frequency	%					
7 (M)	4882	100.0 %					

Based upon 0 valid cases out of 4882 total cases.

H3RA1	S4Q1 AGES 5-12 CARELESS MISTAKES-W3																														
Location:	588-588 (width: 1; decimal: 0)																														
Variable Type:	numeric																														
Range of Missing Values (M):	6 , 8																														
Question:	When you were between 5 and 12, you failed to pay close attention to details or made careless mistakes in your work.																														
	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Unweighted Frequency</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Never or rarely</td> <td>1241</td> <td>25.4 %</td> </tr> <tr> <td>1</td> <td>Sometimes</td> <td>2602</td> <td>53.3 %</td> </tr> <tr> <td>2</td> <td>Often</td> <td>790</td> <td>16.2 %</td> </tr> <tr> <td>3</td> <td>Very often</td> <td>218</td> <td>4.5 %</td> </tr> <tr> <td>6 (M)</td> <td>Refused</td> <td>1</td> <td>0.0 %</td> </tr> <tr> <td>8 (M)</td> <td>Don't know</td> <td>30</td> <td>0.6 %</td> </tr> </tbody> </table>	Value	Label	Unweighted Frequency	%	0	Never or rarely	1241	25.4 %	1	Sometimes	2602	53.3 %	2	Often	790	16.2 %	3	Very often	218	4.5 %	6 (M)	Refused	1	0.0 %	8 (M)	Don't know	30	0.6 %		
Value	Label	Unweighted Frequency	%																												
0	Never or rarely	1241	25.4 %																												
1	Sometimes	2602	53.3 %																												
2	Often	790	16.2 %																												
3	Very often	218	4.5 %																												
6 (M)	Refused	1	0.0 %																												
8 (M)	Don't know	30	0.6 %																												

Based upon 4851 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.77

H3RA2	S4Q2 AGES 5-12 FIDGETED-W3														
Location:	589-589 (width: 1; decimal: 0)														
Variable Type:	numeric														
Range of Missing Values (M):	6 , 8 , .														
Question:	When you were between 5 and 12, you fidgeted with your hands or feet or squirmed in your seat.														
	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Unweighted Frequency</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Never or rarely</td> <td>1288</td> <td>26.4 %</td> </tr> <tr> <td>1</td> <td>Sometimes</td> <td>1979</td> <td>40.5 %</td> </tr> </tbody> </table>	Value	Label	Unweighted Frequency	%	0	Never or rarely	1288	26.4 %	1	Sometimes	1979	40.5 %		
Value	Label	Unweighted Frequency	%												
0	Never or rarely	1288	26.4 %												
1	Sometimes	1979	40.5 %												

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Often	1040	21.3 %
3	Very often	548	11.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	25	0.5 %
. (M)	-	1	0.0 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.95

<b>H3RA3</b>	<b>S4Q3 AGES 5-12 DIFFICULTY W/ATTENTION-W3</b>
--------------	---

Location: 590-590 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you had difficulty sustaining your attention in tasks or fun activities.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2686	55.0 %
1	Sometimes	1572	32.2 %
2	Often	437	9.0 %
3	Very often	168	3.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	16	0.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4863 valid cases out of 4882 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

<b>H3RA4</b>	<b>S4Q4 AGES 5-12 LEFT SEAT-W3</b>
--------------	------------------------------------

Location: 591-591 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you left your seat in the classroom or in other situations when being seated was expected.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	3354	68.7 %
1	Sometimes	1065	21.8 %
2	Often	312	6.4 %
3	Very often	131	2.7 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4862 valid cases out of 4882 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

### H3RA5

### S4Q5 AGES 5-12 DID NOT LISTEN-W3

Location: 592-592 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you didn't listen when spoken to directly.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2804	57.4 %
1	Sometimes	1616	33.1 %
2	Often	328	6.7 %
3	Very often	116	2.4 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.54
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

H3RA6	S4Q6 AGES 5-12 FELT RESTLESS-W3		
	Value	Label	Unweighted Frequency %
Location:	593-593	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	When you were between 5 and 12, you felt restless.		
	0	Never or rarely	2022 41.4 %
	1	Sometimes	2117 43.4 %
	2	Often	519 10.6 %
	3	Very often	206 4.2 %
	6 (M)	Refused	1 0.0 %
	8 (M)	Don't know	15 0.3 %
	9 (M)	Not applicable	1 0.0 %
	. (M)	-	1 0.0 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.80

H3RA7	S4Q7 AGES 5-12 FAILED TO FINISH WORK-W3		
	Value	Label	Unweighted Frequency %
Location:	594-594	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , .		
Question:	When you were between 5 and 12, you didn't follow through on instructions and failed to finish work.		
	0	Never or rarely	2577 52.8 %
	1	Sometimes	1819 37.3 %
	2	Often	334 6.8 %
	3	Very often	137 2.8 %
	6 (M)	Refused	1 0.0 %
	8 (M)	Don't know	13 0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

#### H3RA8

#### S4Q8 AGES 5-12 DIFFICULT TO BE QUIET-W3

Location: 595-595 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you had difficulty doing fun things quietly.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2672	54.7 %
1	Sometimes	1503	30.8 %
2	Often	495	10.1 %
3	Very often	191	3.9 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

#### H3RA9

#### S4Q9 AGES 5-12 DIFFICULT TO ORGANIZE-W3

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you had difficulty organizing tasks and activities.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2522	51.7 %
1	Sometimes	1833	37.5 %
2	Often	387	7.9 %
3	Very often	113	2.3 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	24	0.5 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

**H3RA10**
**S4Q10 AGES 5-12 FELT ON THE GO-W3**

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: When you were between 5 and 12, You felt "on the go" or "driven by a motor."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1834	37.6 %
1	Sometimes	1861	38.1 %
2	Often	768	15.7 %
3	Very often	385	7.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	32	0.7 %
. (M)	-	1	0.0 %

Based upon 4848 valid cases out of 4882 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.92

**H3RA11**
**S4Q11 AGES 5-12 AVOIDED MENTAL EFFORT-W3**

- Study 21600 -

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you avoided, disliked, or were reluctant to engage in work requiring sustained mental effort.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2898	59.4 %
1	Sometimes	1541	31.6 %
2	Often	309	6.3 %
3	Very often	103	2.1 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	28	0.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4851 valid cases out of 4882 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

### H3RA12

### S4Q12 AGES 5-12 TALKED TOO MUCH-W3

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: When you were between 5 and 12, you talked too much.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1738	35.6 %
1	Sometimes	1566	32.1 %
2	Often	839	17.2 %
3	Very often	721	14.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 1.11

- Study 21600 -

- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.05

<b>H3RA13</b>	<b>S4Q13 AGES 5-12 LOST THINGS-W3</b>
---------------	---------------------------------------

Location:	600-600 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	When you were between 5 and 12, you lost things that were necessary for tasks or activities.

Value	Label	Unweighted Frequency	%
0	Never or rarely	2265	46.4 %
1	Sometimes	2034	41.7 %
2	Often	406	8.3 %
3	Very often	149	3.1 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	25	0.5 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4854 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.75

<b>H3RA14</b>	<b>S4Q14 AGES 5-12 BLURTED OUT ANSWERS-W3</b>
---------------	---

Location:	601-601 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , .
Question:	When you were between 5 and 12, you blurted out answers before the questions had been completed.

Value	Label	Unweighted Frequency	%
0	Never or rarely	1909	39.1 %
1	Sometimes	2005	41.1 %
2	Often	667	13.7 %
3	Very often	284	5.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	15	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 4865 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

**H3RA15**
**S4Q15 AGES 5-12 EASILY DISTRACTED-W3**

Location: 602-602 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: When you were between 5 and 12, you were easily distracted.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1551	31.8 %
1	Sometimes	2131	43.7 %
2	Often	787	16.1 %
3	Very often	395	8.1 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	15	0.3 %
. (M)	-	1	0.0 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.90

**H3RA16**
**S4Q16 AGES 5-12 DIFFICULT WAIT TURN-W3**

Location: 603-603 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: When you were between 5 and 12, you had difficulty awaiting your turn.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2470	50.6 %
1	Sometimes	1738	35.6 %
2	Often	472	9.7 %
3	Very often	182	3.7 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4862 valid cases out of 4882 total cases.

- Mean: 0.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.80

**H3RA17**

**S4Q17 AGES 5-12 FORGETFUL-W3**

Location: 604-604 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: When you were between 5 and 12, you were forgetful.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2055	42.1 %
1	Sometimes	2109	43.2 %
2	Often	507	10.4 %
3	Very often	186	3.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	23	0.5 %
. (M)	-	1	0.0 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

**H3RA18**

**S4Q18 AGES 5-12 SPITEFUL/VINDICTIVE-W3**

- Study 21600 -

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: When you were between 5 and 12, you were spiteful or vindictive.

Value	Label	Unweighted Frequency	%
0	Never or rarely	3151	64.5 %
1	Sometimes	1347	27.6 %
2	Often	247	5.1 %
3	Very often	108	2.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	27	0.6 %
. (M)	-	1	0.0 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.69

### H3WS1A

### S5Q1 SIBLING1 STILL ALIVE-W3

Location: 606-606 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 8 , 9

Question: Is {<SIBF1>/<SIBF1> <SIBL1>} still alive? SIBLING 1 Several respondents (13) were interviewed with the preload information of an Add Health sibling. Because of this, these siblings were asked questions about themselves, which may have resulted in some inconsistent or unusual responses. These cases can be identified by checking to see whether or not the AID of the respondent is the same as the AID of the first or second sibling.

Value	Label	Unweighted Frequency	%
0	No	2	0.0 %
1	Yes (skip to Q.4)	739	15.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
8 (M)	Don't know (skip to next sibling/section)	5	0.1 %
9 (M)	Not applicable (skip to next sibling/section)	1	0.0 %

Based upon 741 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

<b>H3WS2MA</b>	<b>S5Q2M SIBLING1 MONTH OF DEATH-W3</b>			
Location:	607-608 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 97			
Question:	In what month (and year) did {HE/SHE} die? SIBLING 1			
Value	<i>Label</i>		Unweighted Frequency	%
1	January		1	0.0 %
10	October		1	0.0 %
95 (M)	Question not asked of this respondent		4135	84.7 %
97 (M)	Legitimate skip		745	15.3 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 5.50
- Median: 5.50
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 6.36

<b>H3WS2YA</b>	<b>S5Q2Y SIBLING1 YEAR OF DEATH-W3</b>			
Location:	609-612 (width: 4; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	9995 , 9997			
Question:	In what (month and) year did {HE/SHE} die? SIBLING 1			
Value	<i>Label</i>		Unweighted Frequency	%
2000	-		1	0.0 %
2001	-		1	0.0 %
9995 (M)	Question not asked of this respondent		4135	84.7 %
9997 (M)	Legitimate skip		745	15.3 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 2000.50
- Median: 2000.50
- Minimum: 2000.00
- Maximum: 2001.00
- Standard Deviation: 0.71

- Study 21600 -

H3WS3A	S5Q3 SIBLING1 CAUSE OF DEATH-W3			
	Value	Label	Unweighted Frequency	%
Location:	613-614 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 97			
Question:	How did {HE/SHE} die? SIBLING 1			
	2	Accidental injury	1	0.0 %
	3	Suicide	1	0.0 %
	95 (M)	Question not asked of this respondent	4135	84.7 %
	97 (M)	Legitimate skip	745	15.3 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.71

H3WS4A	S5Q4 SIBLING1 INTERESTS/GOAL SHARED-W3			
	Value	Label	Unweighted Frequency	%
Location:	615-615 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	5 , 7 , 8			
Question:	How many interests or goals in life do you and {HE/SHE} share? SIBLING 1			
	0	None	98	2.0 %
	1	A few	313	6.4 %
	2	About half	143	2.9 %
	3	Most	157	3.2 %
	4	All	26	0.5 %
	5 (M)	Question not asked of this respondent	4135	84.7 %
	7 (M)	Legitimate skip	8	0.2 %
	8 (M)	Don't know	2	0.0 %

Based upon 737 valid cases out of 4882 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.07

- Study 21600 -

**H3WS5A**
**S5Q5 SIBLING1 HOW CLOSE-W3**

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How close do you feel to {HIM/HER}? SIBLING 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all close	35	0.7 %
1	Not very close	53	1.1 %
2	Somewhat close	140	2.9 %
3	Quite close	199	4.1 %
4	Very close	312	6.4 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	8	0.2 %

Based upon 739 valid cases out of 4882 total cases.

- Mean: 2.95
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.15

**H3WS6A**
**S5Q6 SIBLING1 OFTEN ASK FOR HELP-W3**

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you turn to {HIM/HER} for help when you have personal problems, or problems at school or work? SIBLING 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	160	3.3 %
1	Seldom	152	3.1 %
2	Sometimes	191	3.9 %
3	Often	135	2.8 %
4	Very often	101	2.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	8	0.2 %

Based upon 739 valid cases out of 4882 total cases.

- Mean: 1.82
- Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.33

H3WS7A	S5Q7 SIBLING1 OFTEN QUARREL/FIGHT-W3		
	Value	Label	Unweighted Frequency
Location:	618-618	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7 , 9		
Question:	How often do you and {HE/SHE} quarrel or fight? SIBLING 1		
			%
	0	Never	233    4.8 %
	1	Seldom	250    5.1 %
	2	Sometimes	161    3.3 %
	3	Often	66    1.4 %
	4	Very often	28    0.6 %
	5 (M)	Question not asked of this respondent	4135    84.7 %
	7 (M)	Legitimate skip	8    0.2 %
	9 (M)	Not applicable	1    0.0 %

Based upon 738 valid cases out of 4882 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.09

H3WS8A	S5Q8 SIBLING1 TRVL TIME DISTANCE-W3		
	Value	Label	Unweighted Frequency
Location:	619-620	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	95 , 97 , 98		
Question:	How far in travel time do you and {HE/SHE} live from one another? SIBLING 1		
			%
	0	Live together	141    2.9 %
	1	Within 5 minutes of each other	111    2.3 %
	2	Between 5 and 30 minutes apart	130    2.7 %
	3	Between 30 minutes and an hour apart	80    1.6 %
	4	Between an hour and a half-day apart	129    2.6 %
	5	Between a half-day and a day apart	76    1.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	More than a day apart	64	1.3 %
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	8	0.2 %
98 (M)	Don't know	8	0.2 %

Based upon 731 valid cases out of 4882 total cases.

- Mean: 2.59
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.93

**H3WS9A**
**S5Q9 SIBLING1 OFTEN SEE EACH/O-W3**

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} see each other? SIBLING 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	26	0.5 %
1	A few times a year	178	3.6 %
2	Once or twice a month	155	3.2 %
3	Once or twice a week	152	3.1 %
4	Almost every day	87	1.8 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	149	3.1 %

Based upon 598 valid cases out of 4882 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.13

**H3WS10A**
**S5Q10 SIBLING1 OFTEN TALK/PHONE-W3**

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

## - Study 21600 -

Question:

How often do you and {HE/SHE} talk on the telephone? SIBLING 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	84	1.7 %
1	A few times a year	63	1.3 %
2	Once or twice a month	144	2.9 %
3	Once or twice a week	209	4.3 %
4	Almost every day	98	2.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	149	3.1 %

Based upon 598 valid cases out of 4882 total cases.

- Mean: 2.29
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.26

**H3WS11A**

**S5Q11 SIBLING1 OFTEN LETTR/EMAIL-W3**

Location:

623-623 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

5 , 7

Question:

How often do you send letters or e-mail or receive them from {HIM/HER}? SIBLING 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	380	7.8 %
1	A few times a year	78	1.6 %
2	Once or twice a month	57	1.2 %
3	Once or twice a week	58	1.2 %
4	Almost every day	25	0.5 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	149	3.1 %

Based upon 598 valid cases out of 4882 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.20

**H3WS12A**

**S5Q12 SIBLING1 WISH MORE CONTACT-W3**

- Study 21600 -

Location: 624-624 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8 , 9

Question: Do you wish you had more contact with {HIM/HER}? SIBLING 1

Value	Label	Unweighted Frequency	%
0	No	226	4.6 %
1	Yes	364	7.5 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	149	3.1 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	4	0.1 %

Based upon 590 valid cases out of 4882 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

### H3WS1B

### S5Q1 SIBLING2 STILL ALIVE-W3

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 8

Question: Is {<SIBF2>/<SIBF2> <SIBL2>} still alive? SIBLING 2

Value	Label	Unweighted Frequency	%
1	Yes (skip to Q.4)	90	1.8 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	656	13.4 %
8 (M)	Don't know (skip to next sibling or next section)	1	0.0 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

### H3WS2MB

### S5Q2M SIBLING2 MONTH OF DEATH-W3

- Study 21600 -

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: In what month (and year) did {HE/SHE} die? SIBLING 2

Value	Label	Unweighted Frequency	%
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS2YB

#### S5Q2Y SIBLING2 YEAR OF DEATH-W3

Location: 628-631 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997

Question: In what (month and) year did {HE/SHE} die? SIBLING 2

Value	Label	Unweighted Frequency	%
9995 (M)	Question not asked of this respondent	4135	84.7 %
9997 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS3B

#### S5Q3 SIBLING2 CAUSE OF DEATH-W3

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How did {HE/SHE} die? SIBLING 2

Value	Label	Unweighted Frequency	%
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS4B

#### S5Q4 SIBLING2 INTERESTS/GOAL SHARED-W3

Location: 634-634 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How many interests or goals in life do you and {HE/SHE} share? SIBLING 2

Value	Label	Unweighted Frequency	%
0	None	18	0.4 %
1	A few	31	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	About half	23	0.5 %
3	Most	14	0.3 %
4	All	4	0.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	657	13.5 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.11

<b>H3WS5B</b>	<b>S5Q5 SIBLING2 HOW CLOSE-W3</b>
---------------	-----------------------------------

Location: 635-635 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How close do you feel to {HIM/HER}? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all close	4	0.1 %
1	Not very close	11	0.2 %
2	Somewhat close	17	0.3 %
3	Quite close	25	0.5 %
4	Very close	33	0.7 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	657	13.5 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 2.80
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.19

<b>H3WS6B</b>	<b>S5Q6 SIBLING2 OFTEN ASK FOR HELP-W3</b>
---------------	--

Location: 636-636 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 5 , 7

Question: How often do you turn to {HIM/HER} for help when you have personal problems, or problems at school or work? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	28	0.6 %
1	Seldom	23	0.5 %
2	Sometimes	20	0.4 %
3	Often	11	0.2 %
4	Very often	8	0.2 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	657	13.5 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.29

#### H3WS7B

#### S5Q7 SIBLING2 OFTEN QUARREL/FIGHT-W3

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} quarrel or fight? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	40	0.8 %
1	Seldom	24	0.5 %
2	Sometimes	17	0.3 %
3	Often	6	0.1 %
4	Very often	3	0.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	657	13.5 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.10

- Study 21600 -

**H3WS8B**
**S5Q8 SIBLING2 TRVL TIME DISTANCE-W3**

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: How far in travel time do you and {HE/SHE} live from one another? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Live together	16	0.3 %
1	Within 5 minutes of each other	12	0.2 %
2	Between 5 and 30 minutes apart	23	0.5 %
3	Between 30 minutes and an hour apart	6	0.1 %
4	Between an hour and a half-day apart	17	0.3 %
5	Between a half-day and a day apart	7	0.1 %
6	More than a day apart	5	0.1 %
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	657	13.5 %
98 (M)	Don't know	4	0.1 %

Based upon 86 valid cases out of 4882 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.81

**H3WS9B**
**S5Q9 SIBLING2 OFTEN SEE EACH/O-W3**

Location: 640-640 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} see each other? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	6	0.1 %
1	A few times a year	22	0.5 %
2	Once or twice a month	13	0.3 %
3	Once or twice a week	21	0.4 %
4	Almost every day	12	0.2 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	673	13.8 %

Based upon 74 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.15
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.25

H3WS10B	S5Q10 SIBLING2 OFTEN TALK/PHONE-W3		
	Value	Label	Unweighted Frequency
Location:	641-641	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7 , 9		
Question:	How often do you and {HE/SHE} talk on the telephone? SIBLING 2		
			%
	0	Never	16 0.3 %
	1	A few times a year	13 0.3 %
	2	Once or twice a month	14 0.3 %
	3	Once or twice a week	21 0.4 %
	4	Almost every day	9 0.2 %
	5 (M)	Question not asked of this respondent	4135 84.7 %
	7 (M)	Legitimate skip	673 13.8 %
	9 (M)	Not applicable	1 0.0 %

Based upon 73 valid cases out of 4882 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.36

H3WS11B	S5Q11 SIBLING2 OFTEN LETTR/EMAIL-W3		
	Value	Label	Unweighted Frequency
Location:	642-642	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7 , 9		
Question:	How often do you send letters or e-mail or receive them from {HIM/HER}? SIBLING 2		
			%
	0	Never	49 1.0 %
	1	A few times a year	5 0.1 %
	2	Once or twice a month	9 0.2 %
	3	Once or twice a week	10 0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	673	13.8 %
9 (M)	Not applicable	1	0.0 %

Based upon 73 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.13

#### H3WS12B

#### S5Q12 SIBLING2 WISH MORE CONTACT-W3

Location: 643-643 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Do you wish you had more contact with {HIM/HER}? SIBLING 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	25	0.5 %
1	Yes	49	1.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	673	13.8 %

Based upon 74 valid cases out of 4882 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3WS1C

#### S5Q1 SIBLING3 STILL ALIVE-W3

Location: 644-644 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Is {<SIBF3>/<SIBF3> <SIBL3>} still alive? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (skip to Q.4)	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	736	15.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

#### H3WS2MC

#### S5Q2M SIBLING3 MONTH OF DEATH-W3

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: In what month (and year) did {HE/SHE} die? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS2YC

#### S5Q2Y SIBLING3 YEAR OF DEATH-W3

Location: 647-650 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997

Question: In what (month and) year did {HE/SHE} die? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9995 (M)	Question not asked of this respondent	4135	84.7 %
9997 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS3C

#### S5Q3 SIBLING3 CAUSE OF DEATH-W3

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How did {HE/SHE} die? SIBLING 3

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS4C

#### S5Q4 SIBLING3 INTERESTS/GOAL SHARED-W3

Location: 653-653 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How many interests or goals in life do you and {HE/SHE} share? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	2	0.0 %
1	A few	6	0.1 %
2	About half	2	0.0 %
3	Most	1	0.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	736	15.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

#### H3WS5C

#### S5Q5 SIBLING3 HOW CLOSE-W3

Location: 654-654 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How close do you feel to {HIM/HER}? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not very close	2	0.0 %
2	Somewhat close	3	0.1 %
3	Quite close	1	0.0 %
4	Very close	5	0.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	736	15.1 %

## - Study 21600 -

Based upon 11 valid cases out of 4882 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.25

### H3WS6C

### S5Q6 SIBLING3 OFTEN ASK FOR HELP-W3

Location: 655-655 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you turn to {HIM/HER} for help when you have personal problems, or problems at school or work? SIBLING 3

Value	Label	Unweighted Frequency	%
0	Never	4	0.1 %
1	Seldom	4	0.1 %
2	Sometimes	3	0.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	736	15.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.83

### H3WS7C

### S5Q7 SIBLING3 OFTEN QUARREL/FIGHT-W3

Location: 656-656 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} quarrel or fight? SIBLING 3

Value	Label	Unweighted Frequency	%
0	Never	5	0.1 %
1	Seldom	4	0.1 %
2	Sometimes	2	0.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	736	15.1 %

## - Study 21600 -

Based upon 11 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.79

### H3WS8C

### S5Q8 SIBLING3 TRVL TIME DISTANCE-W3

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How far in travel time do you and {HE/SHE} live from one another? SIBLING 3

Value	Label	Unweighted Frequency	%
0	Live together	1	0.0 %
1	Within 5 minutes of each other	1	0.0 %
2	Between 5 and 30 minutes apart	4	0.1 %
4	Between an hour and a half-day apart	2	0.0 %
5	Between a half-day and a day apart	2	0.0 %
6	More than a day apart	1	0.0 %
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	736	15.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 3.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.90

### H3WS9C

### S5Q9 SIBLING3 OFTEN SEE EACH/O-W3

Location: 659-659 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} see each other? SIBLING 3

Value	Label	Unweighted Frequency	%
0	Never	1	0.0 %
1	A few times a year	3	0.1 %
2	Once or twice a month	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Almost every day	3	0.1 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	737	15.1 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 2.10
- Median: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.45

<b>H3WS10C</b>	<b>S5Q10 SIBLING3 OFTEN TALK/PHONE-W3</b>
----------------	---

Location: 660-660 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 5 , 7  
 Question: How often do you and {HE/SHE} talk on the telephone? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3	0.1 %
1	A few times a year	2	0.0 %
2	Once or twice a month	3	0.1 %
3	Once or twice a week	1	0.0 %
4	Almost every day	1	0.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	737	15.1 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.35

<b>H3WS11C</b>	<b>S5Q11 SIBLING3 OFTEN LETTR/EMAIL-W3</b>
----------------	--

Location: 661-661 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 5 , 7  
 Question: How often do you send letters or e-mail or receive them from {HIM/HER}? SIBLING 3

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	8	0.2 %
3	Once or twice a week	2	0.0 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	737	15.1 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.26

#### H3WS12C

#### S5Q12 SIBLING3 WISH MORE CONTACT-W3

Location: 662-662 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Do you wish you had more contact with {HIM/HER}? SIBLING 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2	0.0 %
1	Yes	8	0.2 %
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	737	15.1 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

#### H3WS1D

#### S5Q1 SIBLING4 STILL ALIVE-W3

Location: 663-663 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Is {<SIBF4>/<SIBF4> <SIBL4>} still alive? SIBLING 4

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS2MD

#### S5Q2M SIBLING4 MONTH OF DEATH-W3

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: In what month (and year) did {HE/SHE} die? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS2YD

#### S5Q2Y SIBLING4 YEAR OF DEATH-W3

Location: 666-669 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997

Question: In what (month and) year did {HE/SHE} die? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9995 (M)	Question not asked of this respondent	4135	84.7 %
9997 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS3D

#### S5Q3 SIBLING4 CAUSE OF DEATH-W3

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How did {HE/SHE} die? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

#### H3WS4D

#### S5Q4 SIBLING4 INTERESTS/GOAL SHARED-W3

- Study 21600 -

Location:	672-672 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7		
Question:	How many interests or goals in life do you and {HE/SHE} share? SIBLING 4		
Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

H3WS5D	S5Q5 SIBLING4 HOW CLOSE-W3		
Location:	673-673 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7		
Question:	How close do you feel to {HIM/HER}? SIBLING 4		
Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

H3WS6D	S5Q6 SIBLING4 OFTEN ASK FOR HELP-W3		
Location:	674-674 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7		
Question:	How often do you turn to {HIM/HER} for help when you have personal problems, or problems at school or work? SIBLING 4		
Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

H3WS7D	S5Q7 SIBLING4 OFTEN QUARREL/FIGHT-W3		
Location:	675-675 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7		
Question:	How often do you and {HE/SHE} quarrel or fight? SIBLING 4		
Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

**H3WS8D**
**S5Q8 SIBLING4 TRVL TIME DISTANCE-W3**

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How far in travel time do you and {HE/SHE} live from one another? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	4135	84.7 %
97 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

**H3WS9D**
**S5Q9 SIBLING4 OFTEN SEE EACH/O-W3**

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} see each other? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

**H3WS10D**
**S5Q10 SIBLING4 OFTEN TALK/PHONE-W3**

Location: 679-679 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you and {HE/SHE} talk on the telephone? SIBLING 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

**H3WS11D**
**S5Q11 SIBLING4 OFTEN LETTR/EMAIL-W3**

Location: 680-680 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: How often do you send letters or e-mail or receive them from {HIM/HER}? SIBLING 4

Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

### H3WS12D

### S5Q12 SIBLING4 WISH MORE CONTACT-W3

Location: 681-681 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Do you wish you had more contact with {HIM/HER}? SIBLING 4

Value	Label	Unweighted Frequency	%
5 (M)	Question not asked of this respondent	4135	84.7 %
7 (M)	Legitimate skip	747	15.3 %

Based upon 0 valid cases out of 4882 total cases.

### H3FS1\_A

### S6Q1A KNOW 1ST FRIEND-W3

Location: 682-682 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 1ST FRIEND.

Value	Label	Unweighted Frequency	%
0	Not selected	739	15.1 %
1	Selected	618	12.7 %
5 (M)	Question not asked of this respondent	3525	72.2 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

### H3FS2\_A

### S6Q2A 1ST FRIEND-CURRENT RELSHP-W3

Location: 683-684 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 99

Question: What is your current relationship to <FNAME>? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Friend	326	6.7 %
3	Former friend	257	5.3 %
4	Former spouse or partner	3	0.1 %
5	Acquaintance	3	0.1 %
7	Relative	13	0.3 %
8	Other	14	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	739	15.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 616 valid cases out of 4882 total cases.

- Mean: 2.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.53

#### H3FS3\_A

#### S6Q3A 1ST FRIEND-FAMILY RELATION-W3

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	4	0.1 %
2	Cousin	9	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1344	27.5 %

Based upon 13 valid cases out of 4882 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

- Study 21600 -

<b>H3FS4_A</b>	<b>S6Q4A 1ST FRIEND-FREQ OF CONTACT-W3</b>			
Location:	687-688 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99			
Question:	How often do you see <FNAME>? 1ST FRIEND.			
Value	<i>Label</i>			<i>Unweighted Frequency</i>
1	Less than once a year			70
2	About once a year			48
3	Every few months			95
4	Once a month or so			62
5	Once or twice a week			37
6	Almost daily			23
7	You live together (skip to Q.6)			3
95 (M)	Question not asked of this respondent			3525
96 (M)	Refused			1
97 (M)	Legitimate skip			1015
99 (M)	Not applicable			3

Based upon 338 valid cases out of 4882 total cases.

- Mean: 3.09
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.53

<b>H3FS5_A</b>	<b>S6Q5A 1ST FRIEND-TALK/EMAIL/WRITE-W3</b>			
Location:	689-690 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99			
Question:	How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 1ST FRIEND.			
Value	<i>Label</i>			<i>Unweighted Frequency</i>
1	Less than once a year			129
2	About once a year			25
3	Every few months			54
4	Once a month or so			57
5	Once or twice a week			42
6	Almost daily			23
95 (M)	Question not asked of this respondent			3525
96 (M)	Refused			1

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	1018	20.9 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	7	0.1 %

Based upon 330 valid cases out of 4882 total cases.

- Mean: 2.78
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.71

#### H3FS6\_A

#### S6Q6A 1ST FRIEND-ONE OF CLOSEST-W3

Location: 691-691 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 9

Question: Is <FNAME> one of your closest friends? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	213	4.4 %
1	Yes	127	2.6 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1015	20.8 %
9 (M)	Not applicable	2	0.0 %

Based upon 340 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3FS7M\_A

#### S6Q7A 1ST FRIEND-MNTH RELSHP BEGAN-W3

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , 99 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 1ST FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	16	0.3 %
2	February	7	0.1 %
3	March	6	0.1 %
4	April	10	0.2 %
5	May	17	0.3 %
6	June	27	0.6 %
7	July	7	0.1 %
8	August	195	4.0 %
9	September	240	4.9 %
10	October	19	0.4 %
11	November	4	0.1 %
12	December	8	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	755	15.5 %
98 (M)	Don't know	43	0.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 556 valid cases out of 4882 total cases.

- Mean: 7.97
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.94

#### H3FS7Y\_A

#### S6Q7A 1ST FRIEND-YR RELSHP BEGAN-W3

Location: 694-697 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1980	-	2	0.0 %
1982	-	3	0.1 %
1984	-	1	0.0 %
1985	-	18	0.4 %
1986	-	25	0.5 %
1987	-	35	0.7 %
1988	-	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1989	-	18	0.4 %
1990	-	43	0.9 %
1991	-	25	0.5 %
1992	-	67	1.4 %
1993	-	91	1.9 %
1994	-	98	2.0 %
1995	-	68	1.4 %
1996	-	39	0.8 %
1997	-	16	0.3 %
1998	-	8	0.2 %
1999	-	2	0.0 %
2000	-	2	0.0 %
2001	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	755	15.5 %
9998 (M)	Don't know	17	0.3 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 579 valid cases out of 4882 total cases.

- Mean: 1992.14
- Median: 1993.00
- Mode: 1994.00
- Minimum: 1980.00
- Maximum: 2001.00
- Standard Deviation: 3.41

**H3FS8M\_A**
**S6Q8A 1ST FRIEND-MNTH OF LAST CONTACT-W3**

Location: 698-699 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , 99

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	6	0.1 %
2	February	7	0.1 %
3	March	6	0.1 %
4	April	15	0.3 %
5	May	50	1.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	June	56	1.1 %
7	July	26	0.5 %
8	August	19	0.4 %
9	September	14	0.3 %
10	October	13	0.3 %
11	November	11	0.2 %
12	December	16	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1100	22.5 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	1	0.0 %

Based upon 239 valid cases out of 4882 total cases.

- Mean: 6.64
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.60

#### H3FS8Y\_A

#### S6Q8A 1ST FRIEND-YR OF LAST CONTACT-W3

Location: 700-703 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9999

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	2	0.0 %
1993	-	5	0.1 %
1994	-	5	0.1 %
1995	-	19	0.4 %
1996	-	30	0.6 %
1997	-	19	0.4 %
1998	-	19	0.4 %
1999	-	44	0.9 %
2000	-	45	0.9 %
2001	-	60	1.2 %
2002	-	2	0.0 %
9998	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1101	22.6 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 2186.00
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1992.00
- Maximum: 9998.00
- Standard Deviation: 1212.60

#### H3FS9\_A

#### S6Q9A 1ST FRIEND-REASON RELSHP ENDED-W3

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 99

Question: Why did your friendship with <FNAME> end? 1ST FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	53	1.1 %
2	You moved away	61	1.2 %
3	<FNAME> changed	13	0.3 %
4	You changed	5	0.1 %
5	It just happened/you drifted apart	123	2.5 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1100	22.5 %
99 (M)	Not applicable	2	0.0 %

Based upon 255 valid cases out of 4882 total cases.

- Mean: 3.33
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.71

#### H3FS10\_A

#### S6Q10A 1ST FRIEND-AVG FREQ OF CONTACT-W3

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 99

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 1ST FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	6	0.1 %
2	About once a year	9	0.2 %
3	Every few months	15	0.3 %
4	Once a month or so	15	0.3 %
5	Once or twice a week	49	1.0 %
6	Almost daily	162	3.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1100	22.5 %
99 (M)	Not applicable	1	0.0 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 5.26
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.25

**H3FS1\_B**
**S6Q1B KNOW 2ND FRIEND-W3**

Location: 708-708 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	831	17.0 %
1	Selected	526	10.8 %
5 (M)	Question not asked of this respondent	3525	72.2 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3FS2\_B**
**S6Q2B 2ND FRIEND-CURRENT RELSHP-W3**

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99 , .

Question:

What is your current relationship to <FNAME>? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Friend	283	5.8 %
2	Spouse or partner	1	0.0 %
3	Former friend	201	4.1 %
4	Former spouse or partner	4	0.1 %
5	Acquaintance	1	0.0 %
7	Relative	15	0.3 %
8	Other	15	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	831	17.0 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 520 valid cases out of 4882 total cases.

- Mean: 2.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.65

**H3FS3\_B**

**S6Q3B 2ND FRIEND-FAMILY RELATION-W3**

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	3	0.1 %
2	Cousin	12	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1342	27.5 %

Based upon 15 valid cases out of 4882 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.41

**H3FS4\_B**

**S6Q4B 2ND FRIEND-FREQ OF CONTACT-W3**

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 2ND FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	56	1.1 %
2	About once a year	40	0.8 %
3	Every few months	101	2.1 %
4	Once a month or so	45	0.9 %
5	Once or twice a week	41	0.8 %
6	Almost daily	15	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1054	21.6 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	3	0.1 %

Based upon 298 valid cases out of 4882 total cases.

- Mean: 3.07
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.43

**H3FS5\_B**

**S6Q5B 2ND FRIEND-TALK/EMAIL/WRITE-W3**

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 2ND FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	120	2.5 %
2	About once a year	22	0.5 %
3	Every few months	59	1.2 %
4	Once a month or so	39	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Once or twice a week	32	0.7 %
6	Almost daily	18	0.4 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1054	21.6 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	10	0.2 %

Based upon 290 valid cases out of 4882 total cases.

- Mean: 2.64
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.66

### H3FS6\_B

### S6Q6B 2ND FRIEND-ONE OF CLOSEST-W3

Location: 717-717 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Is <FNAME> one of your closest friends? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	210	4.3 %
1	Yes	93	1.9 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1054	21.6 %

Based upon 303 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

### H3FS7M\_B

### S6Q7B 2ND FRIEND-MNTH RELSHP BEGAN-W3

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: In what month (and year) did your friendship with <FNAME> begin? 2ND FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	12	0.2 %
2	February	2	0.0 %
3	March	10	0.2 %
4	April	1	0.0 %
5	May	8	0.2 %
6	June	18	0.4 %
7	July	6	0.1 %
8	August	178	3.6 %
9	September	207	4.2 %
10	October	21	0.4 %
11	November	7	0.1 %
12	December	6	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	851	17.4 %
98 (M)	Don't know	29	0.6 %

Based upon 476 valid cases out of 4882 total cases.

- Mean: 8.16
- Median: 9.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.78

**H3FS7Y\_B**
**S6Q7B 2ND FRIEND-YR RELSHP BEGAN-W3**

Location: 720-723 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	3	0.1 %
1983	-	2	0.0 %
1984	-	2	0.0 %
1985	-	13	0.3 %
1986	-	21	0.4 %
1987	-	27	0.6 %
1988	-	12	0.2 %
1989	-	17	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1990	-	35	0.7 %
1991	-	25	0.5 %
1992	-	52	1.1 %
1993	-	65	1.3 %
1994	-	84	1.7 %
1995	-	64	1.3 %
1996	-	47	1.0 %
1997	-	14	0.3 %
1998	-	6	0.1 %
1999	-	3	0.1 %
2000	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	851	17.4 %
9998 (M)	Don't know	10	0.2 %
. (M)	-	2	0.0 %

Based upon 493 valid cases out of 4882 total cases.

- Mean: 1992.27
- Median: 1993.00
- Mode: 1994.00
- Minimum: 1981.00
- Maximum: 2000.00
- Standard Deviation: 3.40

**H3FS8M\_B**
**S6Q8B 2ND FRIEND-MNTH OF LAST CONTACT-W3**

Location: 724-725 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	7	0.1 %
2	February	4	0.1 %
3	March	7	0.1 %
4	April	7	0.1 %
5	May	39	0.8 %
6	June	57	1.2 %
7	July	18	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	14	0.3 %
9	September	11	0.2 %
10	October	6	0.1 %
11	November	10	0.2 %
12	December	9	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1156	23.7 %
98 (M)	Don't know	12	0.2 %

Based upon 189 valid cases out of 4882 total cases.

- Mean: 6.43
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.50

**H3FS8Y\_B**
**S6Q8B 2ND FRIEND-YR OF LAST CONTACT-W3**

Location: 726-729 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 2ND FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1991	-	1	0.0 %
1993	-	2	0.0 %
1994	-	8	0.2 %
1995	-	18	0.4 %
1996	-	15	0.3 %
1997	-	10	0.2 %
1998	-	17	0.3 %
1999	-	35	0.7 %
2000	-	43	0.9 %
2001	-	47	1.0 %
2002	-	3	0.1 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1156	23.7 %
9998 (M)	Don't know	2	0.0 %

Based upon 199 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1998.66
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 2.30

<b>H3FS9_B</b>	<b>S6Q9B 2ND FRIEND-REASON RELSHP ENDED-W3</b>																																						
Location:	730-731 (width: 2; decimal: 0)																																						
Variable Type:	numeric																																						
Range of Missing Values (M):	95 , 97 , 98																																						
Question:	Why did your friendship with <FNAME> end? 2ND FRIEND.																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td><td>&lt;FNAME&gt; moved away</td><td style="text-align: right;">37</td><td style="text-align: right;">0.8 %</td></tr> <tr> <td style="text-align: center;">2</td><td>You moved away</td><td style="text-align: right;">52</td><td style="text-align: right;">1.1 %</td></tr> <tr> <td style="text-align: center;">3</td><td>&lt;FNAME&gt; changed</td><td style="text-align: right;">15</td><td style="text-align: right;">0.3 %</td></tr> <tr> <td style="text-align: center;">4</td><td>You changed</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">5</td><td>It just happened/you drifted apart</td><td style="text-align: right;">95</td><td style="text-align: right;">1.9 %</td></tr> <tr> <td style="text-align: center;">95 (M)</td><td>Question not asked of this respondent</td><td style="text-align: right;">3525</td><td style="text-align: right;">72.2 %</td></tr> <tr> <td style="text-align: center;">97 (M)</td><td>Legitimate skip</td><td style="text-align: right;">1156</td><td style="text-align: right;">23.7 %</td></tr> <tr> <td style="text-align: center;">98 (M)</td><td>Don't know</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	<FNAME> moved away	37	0.8 %	2	You moved away	52	1.1 %	3	<FNAME> changed	15	0.3 %	4	You changed	1	0.0 %	5	It just happened/you drifted apart	95	1.9 %	95 (M)	Question not asked of this respondent	3525	72.2 %	97 (M)	Legitimate skip	1156	23.7 %	98 (M)	Don't know	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																				
1	<FNAME> moved away	37	0.8 %																																				
2	You moved away	52	1.1 %																																				
3	<FNAME> changed	15	0.3 %																																				
4	You changed	1	0.0 %																																				
5	It just happened/you drifted apart	95	1.9 %																																				
95 (M)	Question not asked of this respondent	3525	72.2 %																																				
97 (M)	Legitimate skip	1156	23.7 %																																				
98 (M)	Don't know	1	0.0 %																																				

Based upon 200 valid cases out of 4882 total cases.

- Mean: 3.33
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.68

<b>H3FS10_B</b>	<b>S6Q10B 2ND FRIEND-AVG FREQ OF CONTACT-W3</b>																							
Location:	732-733 (width: 2; decimal: 0)																							
Variable Type:	numeric																							
Range of Missing Values (M):	95 , 97 , 99																							
Question:	Before your friendship ended, how often, on average, did you see <FNAME>? 2ND FRIEND.																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td><td>Less than once a year</td><td style="text-align: right;">7</td><td style="text-align: right;">0.1 %</td></tr> <tr> <td style="text-align: center;">2</td><td>About once a year</td><td style="text-align: right;">3</td><td style="text-align: right;">0.1 %</td></tr> <tr> <td style="text-align: center;">3</td><td>Every few months</td><td style="text-align: right;">14</td><td style="text-align: right;">0.3 %</td></tr> <tr> <td style="text-align: center;">4</td><td>Once a month or so</td><td style="text-align: right;">16</td><td style="text-align: right;">0.3 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Less than once a year	7	0.1 %	2	About once a year	3	0.1 %	3	Every few months	14	0.3 %	4	Once a month or so	16	0.3 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																					
1	Less than once a year	7	0.1 %																					
2	About once a year	3	0.1 %																					
3	Every few months	14	0.3 %																					
4	Once a month or so	16	0.3 %																					

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Once or twice a week	38	0.8 %
6	Almost daily	122	2.5 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1156	23.7 %
99 (M)	Not applicable	1	0.0 %

Based upon 200 valid cases out of 4882 total cases.

- Mean: 5.21
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.28

<b>H3FS1_C</b>	<b>S6Q1C KNOW 3RD FRIEND-W3</b>		
Location:	734-734 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5		
Question:	Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 3RD FRIEND.		
Value	Label	Unweighted Frequency	%
0	Not selected	896	18.4 %
1	Selected	461	9.4 %
5 (M)	Question not asked of this respondent	3525	72.2 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

<b>H3FS2_C</b>	<b>S6Q2C 3RD FRIEND-CURRENT RELSHP-W3</b>
Location:	735-736 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99
Question:	What is your current relationship to <FNAME>? 3RD FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Friend	247	5.1 %
2	Spouse or partner	3	0.1 %
3	Former friend	181	3.7 %
4	Former spouse or partner	6	0.1 %
5	Acquaintance	3	0.1 %
7	Relative	9	0.2 %
8	Other	9	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	896	18.4 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	2	0.0 %

Based upon 458 valid cases out of 4882 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.50

### H3FS3\_C

### S6Q3C 3RD FRIEND-FAMILY RELATION-W3

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	2	0.0 %
2	Cousin	6	0.1 %
5	Other	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1348	27.6 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 2.11
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.17

- Study 21600 -

**H3FS4\_C**

**S6Q4C 3RD FRIEND-FREQ OF CONTACT-W3**

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 3RD FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	52	1.1 %
2	About once a year	31	0.6 %
3	Every few months	79	1.6 %
4	Once a month or so	48	1.0 %
5	Once or twice a week	32	0.7 %
6	Almost daily	10	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1098	22.5 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	5	0.1 %

Based upon 252 valid cases out of 4882 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.42

**H3FS5\_C**

**S6Q5C 3RD FRIEND-TALK/EMAIL/WRITE-W3**

Location: 741-742 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 3RD FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	116	2.4 %
2	About once a year	20	0.4 %
3	Every few months	37	0.8 %
4	Once a month or so	32	0.7 %
5	Once or twice a week	35	0.7 %
6	Almost daily	10	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1098	22.5 %
98 (M)	Don't know	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	6	0.1 %

Based upon 250 valid cases out of 4882 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.66

### H3FS6\_C

### S6Q6C 3RD FRIEND-ONE OF CLOSEST-W3

Location: 743-743 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 9

Question: Is <FNAME> one of your closest friends? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	183	3.7 %
1	Yes	75	1.5 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1098	22.5 %
9 (M)	Not applicable	1	0.0 %

Based upon 258 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

### H3FS7M\_C

### S6Q7C 3RD FRIEND-MNTH RELSHP BEGAN-W3

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	15	0.3 %
2	February	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	5	0.1 %
4	April	6	0.1 %
5	May	5	0.1 %
6	June	18	0.4 %
7	July	6	0.1 %
8	August	162	3.3 %
9	September	178	3.6 %
10	October	10	0.2 %
11	November	2	0.0 %
12	December	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	914	18.7 %
98 (M)	Don't know	24	0.5 %
. (M)	-	3	0.1 %

Based upon 415 valid cases out of 4882 total cases.

- Mean: 7.96
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.92

**H3FS7Y\_C**

**S6Q7C 3RD FRIEND-YR RELSHP BEGAN-W3**

Location: 746-749 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	1	0.0 %
1982	-	1	0.0 %
1983	-	1	0.0 %
1984	-	3	0.1 %
1985	-	9	0.2 %
1986	-	15	0.3 %
1987	-	20	0.4 %
1988	-	12	0.2 %
1989	-	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1990	-	25	0.5 %
1991	-	22	0.5 %
1992	-	41	0.8 %
1993	-	53	1.1 %
1994	-	64	1.3 %
1995	-	76	1.6 %
1996	-	36	0.7 %
1997	-	19	0.4 %
1998	-	14	0.3 %
1999	-	4	0.1 %
2001	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	914	18.7 %
9998 (M)	Don't know	9	0.2 %
. (M)	-	5	0.1 %

Based upon 428 valid cases out of 4882 total cases.

- Mean: 1992.75
- Median: 1994.00
- Mode: 1995.00
- Minimum: 1981.00
- Maximum: 2001.00
- Standard Deviation: 3.44

**H3FS8M\_C**
**S6Q8C 3RD FRIEND-MNTH OF LAST CONTACT-W3**

Location: 750-751 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	6	0.1 %
2	February	4	0.1 %
3	March	4	0.1 %
4	April	8	0.2 %
5	May	37	0.8 %
6	June	46	0.9 %
7	July	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	18	0.4 %
9	September	6	0.1 %
10	October	5	0.1 %
11	November	6	0.1 %
12	December	9	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1176	24.1 %
98 (M)	Don't know	16	0.3 %

Based upon 165 valid cases out of 4882 total cases.

- Mean: 6.38
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.46

#### H3FS8Y\_C

#### S6Q8C 3RD FRIEND-YR OF LAST CONTACT-W3

Location: 752-755 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 3RD FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	2	0.0 %
1993	-	1	0.0 %
1994	-	3	0.1 %
1995	-	16	0.3 %
1996	-	20	0.4 %
1997	-	18	0.4 %
1998	-	18	0.4 %
1999	-	30	0.6 %
2000	-	44	0.9 %
2001	-	27	0.6 %
2002	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1176	24.1 %
9998 (M)	Don't know	1	0.0 %

Based upon 180 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1998.38
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1992.00
- Maximum: 2002.00
- Standard Deviation: 2.15

<b>H3FS9_C</b>	<b>S6Q9C 3RD FRIEND-REASON RELSHP ENDED-W3</b>
----------------	--

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: Why did your friendship with <FNAME> end? 3RD FRIEND.

Value	Label	Unweighted Frequency	%
1	<FNAME> moved away	43	0.9 %
2	You moved away	47	1.0 %
3	<FNAME> changed	5	0.1 %
4	You changed	2	0.0 %
5	It just happened/you drifted apart	84	1.7 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1176	24.1 %

Based upon 181 valid cases out of 4882 total cases.

- Mean: 3.20
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.75

<b>H3FS10_C</b>	<b>S6Q10C 3RD FRIEND-AVG FREQ OF CONTACT-W3</b>
-----------------	---

Location: 758-759 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 3RD FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	3	0.1 %
2	About once a year	1	0.0 %
3	Every few months	19	0.4 %
4	Once a month or so	15	0.3 %
5	Once or twice a week	37	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Almost daily	106	2.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1176	24.1 %

Based upon 181 valid cases out of 4882 total cases.

- Mean: 5.21
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.17

#### H3FS1\_D

#### S6Q1D KNOW 4TH FRIEND-W3

Location: 760-760 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 9

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	933	19.1 %
1	Selected	423	8.7 %
5 (M)	Question not asked of this respondent	3525	72.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 1356 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

#### H3FS2\_D

#### S6Q2D 4TH FRIEND-CURRENT RELSHP-W3

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97

Question: What is your current relationship to <FNAME>? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Friend	228	4.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Former friend	175	3.6 %
4	Former spouse or partner	2	0.0 %
5	Acquaintance	5	0.1 %
6	Friend has died	1	0.0 %
7	Relative	6	0.1 %
8	Other	5	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	934	19.1 %

Based upon 422 valid cases out of 4882 total cases.

- Mean: 2.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.38

#### H3FS3\_D

#### S6Q3D 4TH FRIEND-FAMILY RELATION-W3

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Cousin	5	0.1 %
5	Other	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1351	27.7 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 2.50
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.22

#### H3FS4\_D

#### S6Q4D 4TH FRIEND-FREQ OF CONTACT-W3

Location: 765-766 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: How often do you see <FNAME>? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	52	1.1 %
2	About once a year	27	0.6 %
3	Every few months	68	1.4 %
4	Once a month or so	40	0.8 %
5	Once or twice a week	26	0.5 %
6	Almost daily	16	0.3 %
7	You live together	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1123	23.0 %
98 (M)	Don't know	2	0.0 %

Based upon 231 valid cases out of 4882 total cases.

- Mean: 3.07
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.55

### H3FS5\_D

### S6Q5D 4TH FRIEND-TALK/EMAIL/WRITE-W3

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	95	1.9 %
2	About once a year	15	0.3 %
3	Every few months	46	0.9 %
4	Once a month or so	34	0.7 %
5	Once or twice a week	26	0.5 %
6	Almost daily	12	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1125	23.0 %
98 (M)	Don't know	2	0.0 %

- Study 21600 -

Based upon 228 valid cases out of 4882 total cases.

- Mean: 2.64
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.64

H3FS6_D	S6Q6D 4TH FRIEND-ONE OF CLOSEST-W3			
Location:	769-769 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	5 , 7			
Question:	Is <FNAME> one of your closest friends? 4TH FRIEND.			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	155	3.2 %
	1	Yes	79	1.6 %
	5 (M)	Question not asked of this respondent	3525	72.2 %
	7 (M)	Legitimate skip	1123	23.0 %

Based upon 234 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H3FS7M_D	S6Q7D 4TH FRIEND-MNTH RELSHP BEGAN-W3			
Location:	770-771 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 97 , 98 , .			
Question:	In what month (and year) did your friendship with <FNAME> begin? 4TH FRIEND.			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	January	14	0.3 %
	2	February	2	0.0 %
	3	March	1	0.0 %
	4	April	4	0.1 %
	5	May	7	0.1 %
	6	June	12	0.2 %
	7	July	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	159	3.3 %
9	September	164	3.4 %
10	October	11	0.2 %
11	November	2	0.0 %
12	December	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	942	19.3 %
98 (M)	Don't know	25	0.5 %
. (M)	-	4	0.1 %

Based upon 385 valid cases out of 4882 total cases.

- Mean: 8.07
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.81

#### H3FS7Y\_D

#### S6Q7D 4TH FRIEND-YR RELSHP BEGAN-W3

Location: 772-775 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1980	-	1	0.0 %
1981	-	3	0.1 %
1982	-	1	0.0 %
1983	-	1	0.0 %
1984	-	3	0.1 %
1985	-	6	0.1 %
1986	-	23	0.5 %
1987	-	20	0.4 %
1988	-	19	0.4 %
1989	-	5	0.1 %
1990	-	26	0.5 %
1991	-	22	0.5 %
1992	-	40	0.8 %
1993	-	41	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	68	1.4 %
1995	-	55	1.1 %
1996	-	34	0.7 %
1997	-	16	0.3 %
1998	-	8	0.2 %
1999	-	3	0.1 %
2000	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	942	19.3 %
9998 (M)	Don't know	11	0.2 %
. (M)	-	6	0.1 %

Based upon 397 valid cases out of 4882 total cases.

- Mean: 1992.28
- Median: 1993.00
- Mode: 1994.00
- Minimum: 1980.00
- Maximum: 2000.00
- Standard Deviation: 3.65

#### H3FS8M\_D

#### S6Q8D 4TH FRIEND-MNTH OF LAST CONTACT-W3

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 4TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	7	0.1 %
3	March	5	0.1 %
4	April	3	0.1 %
5	May	43	0.9 %
6	June	50	1.0 %
7	July	9	0.2 %
8	August	12	0.2 %
9	September	12	0.2 %
10	October	7	0.1 %
11	November	5	0.1 %
12	December	9	0.2 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1181	24.2 %
98 (M)	Don't know	14	0.3 %

Based upon 162 valid cases out of 4882 total cases.

- Mean: 6.48
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.45

#### H3FS8Y\_D

#### S6Q8D 4TH FRIEND-YR OF LAST CONTACT-W3

Location: 778-781 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998 , .

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 4TH FRIEND.

Value	Label	Unweighted Frequency	%
1987	-	1	0.0 %
1992	-	2	0.0 %
1994	-	6	0.1 %
1995	-	12	0.2 %
1996	-	23	0.5 %
1997	-	16	0.3 %
1998	-	16	0.3 %
1999	-	31	0.6 %
2000	-	37	0.8 %
2001	-	26	0.5 %
2002	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1181	24.2 %
9998 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 171 valid cases out of 4882 total cases.

- Mean: 1998.25
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1987.00

- Study 21600 -

- Maximum: 2002.00
- Standard Deviation: 2.33

**H3FS9\_D**

**S6Q9D 4TH FRIEND-REASON RELSHP ENDED-W3**

Location: 782-783 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: Why did your friendship with <FNAME> end? 4TH FRIEND.

Value	Label	Unweighted Frequency	%
1	<FNAME> moved away	41	0.8 %
2	You moved away	40	0.8 %
3	<FNAME> changed	10	0.2 %
4	You changed	6	0.1 %
5	It just happened/you drifted apart	78	1.6 %
6	<FNAME> died	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1181	24.2 %

Based upon 176 valid cases out of 4882 total cases.

- Mean: 3.24
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.72

**H3FS10\_D**

**S6Q10D 4TH FRIEND-AVG FREQ OF CONTACT-W3**

Location: 784-785 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 4TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	5	0.1 %
2	About once a year	4	0.1 %
3	Every few months	12	0.2 %
4	Once a month or so	15	0.3 %
5	Once or twice a week	47	1.0 %
6	Almost daily	93	1.9 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1181	24.2 %

- Study 21600 -

Based upon 176 valid cases out of 4882 total cases.

- Mean: 5.12
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.24

**H3FS1\_E****S6Q1E KNOW 5TH FRIEND-W3**

Location: 786-786 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 5TH FRIEND.

Value	Label	Unweighted Frequency	%
0	Not selected	930	19.0 %
1	Selected	427	8.7 %
5 (M)	Question not asked of this respondent	3525	72.2 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3FS2\_E****S6Q2E 5TH FRIEND-CURRENT RELSHP-W3**

Location: 787-788 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 99

Question: What is your current relationship to <FNAME>? 5TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Friend	205	4.2 %
3	Former friend	186	3.8 %
4	Former spouse or partner	4	0.1 %
5	Acquaintance	4	0.1 %
6	Friend has died	2	0.0 %
7	Relative	12	0.2 %
8	Other	12	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	930	19.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 425 valid cases out of 4882 total cases.

- Mean: 2.33
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.65

#### H3FS3\_E

#### S6Q3E 5TH FRIEND-FAMILY RELATION-W3

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	1	0.0 %
2	Cousin	9	0.2 %
3	Uncle/aunt	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1345	27.6 %

Based upon 12 valid cases out of 4882 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.51

#### H3FS4\_E

#### S6Q4E 5TH FRIEND-FREQ OF CONTACT-W3

Location: 791-792 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 5TH FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	49	1.0 %
2	About once a year	29	0.6 %
3	Every few months	56	1.1 %
4	Once a month or so	34	0.7 %
5	Once or twice a week	30	0.6 %
6	Almost daily	15	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1138	23.3 %
99 (M)	Not applicable	5	0.1 %

Based upon 213 valid cases out of 4882 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.56

#### H3FS5\_E

#### S6Q5E 5TH FRIEND-TALK/EMAIL/WRITE-W3

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	89	1.8 %
2	About once a year	19	0.4 %
3	Every few months	34	0.7 %
4	Once a month or so	31	0.6 %
5	Once or twice a week	24	0.5 %
6	Almost daily	10	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1138	23.3 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	9	0.2 %

Based upon 207 valid cases out of 4882 total cases.

- Mean: 2.57

- Study 21600 -

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.64

<b>H3FS6_E</b>	<b>S6Q6E 5TH FRIEND-ONE OF CLOSEST-W3</b>
----------------	---

Location: 795-795 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 5 , 7 , 9  
 Question: Is <FNAME> one of your closest friends? 5TH FRIEND.

Value	Label	<i>Unweighted Frequency</i>	%
0	No	158	3.2 %
1	Yes	60	1.2 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1138	23.3 %
9 (M)	Not applicable	1	0.0 %

Based upon 218 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

<b>H3FS7M_E</b>	<b>S6Q7E 5TH FRIEND-MNTH RELSHP BEGAN-W3</b>
-----------------	--

Location: 796-797 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 95 , 96 , 97 , 98 , .  
 Question: In what month (and year) did your friendship with <FNAME> begin? 5TH FRIEND.

Value	Label	<i>Unweighted Frequency</i>	%
1	January	15	0.3 %
2	February	4	0.1 %
3	March	5	0.1 %
4	April	4	0.1 %
5	May	8	0.2 %
6	June	20	0.4 %
7	July	2	0.0 %
8	August	158	3.2 %
9	September	148	3.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	October	12	0.2 %
11	November	3	0.1 %
12	December	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	946	19.4 %
98 (M)	Don't know	28	0.6 %
. (M)	-	1	0.0 %

Based upon 380 valid cases out of 4882 total cases.

- Mean: 7.87
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.96

#### H3FS7Y\_E

#### S6Q7E 5TH FRIEND-YR RELSHP BEGAN-W3

Location: 798-801 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1982	-	2	0.0 %
1983	-	1	0.0 %
1984	-	4	0.1 %
1985	-	6	0.1 %
1986	-	19	0.4 %
1987	-	16	0.3 %
1988	-	11	0.2 %
1989	-	11	0.2 %
1990	-	31	0.6 %
1991	-	19	0.4 %
1992	-	30	0.6 %
1993	-	48	1.0 %
1994	-	68	1.4 %
1995	-	60	1.2 %
1996	-	40	0.8 %
1997	-	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	-	4	0.1 %
1999	-	7	0.1 %
2000	-	1	0.0 %
2001	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9996 (M)	Refused	2	0.0 %
9997 (M)	Legitimate skip	946	19.4 %
9998 (M)	Don't know	8	0.2 %
. (M)	-	6	0.1 %

Based upon 395 valid cases out of 4882 total cases.

- Mean: 1992.61
- Median: 1993.00
- Mode: 1994.00
- Minimum: 1982.00
- Maximum: 2001.00
- Standard Deviation: 3.46

#### H3FS8M\_E

#### S6Q8E 5TH FRIEND-MNTH OF LAST CONTACT-W3

Location: 802-803 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	5	0.1 %
2	February	9	0.2 %
3	March	5	0.1 %
4	April	6	0.1 %
5	May	46	0.9 %
6	June	49	1.0 %
7	July	12	0.2 %
8	August	14	0.3 %
9	September	12	0.2 %
10	October	7	0.1 %
11	November	8	0.2 %
12	December	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1169	23.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	11	0.2 %

Based upon 177 valid cases out of 4882 total cases.

- Mean: 6.19
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.39

**H3FS8Y\_E**
**S6Q8E 5TH FRIEND-YR OF LAST CONTACT-W3**

Location: 804-807 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1986	-	2	0.0 %
1992	-	1	0.0 %
1993	-	1	0.0 %
1994	-	3	0.1 %
1995	-	15	0.3 %
1996	-	23	0.5 %
1997	-	14	0.3 %
1998	-	16	0.3 %
1999	-	34	0.7 %
2000	-	37	0.8 %
2001	-	35	0.7 %
2002	-	4	0.1 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1169	23.9 %
9998 (M)	Don't know	3	0.1 %

Based upon 185 valid cases out of 4882 total cases.

- Mean: 1998.42
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1986.00
- Maximum: 2002.00
- Standard Deviation: 2.52

- Study 21600 -

**H3FS9\_E**
**S6Q9E 5TH FRIEND-REASON RELSHP ENDED-W3**

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: Why did your friendship with <FNAME> end? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	37	0.8 %
2	You moved away	47	1.0 %
3	<FNAME> changed	9	0.2 %
4	You changed	6	0.1 %
5	It just happened/you drifted apart	86	1.8 %
6	<FNAME> died	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1169	23.9 %
98 (M)	Don't know	1	0.0 %

Based upon 187 valid cases out of 4882 total cases.

- Mean: 3.34
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.71

**H3FS10\_E**
**S6Q10E 5TH FRIEND-AVG FREQ OF CONTACT-W3**

Location: 810-811 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 5TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	3	0.1 %
2	About once a year	4	0.1 %
3	Every few months	13	0.3 %
4	Once a month or so	16	0.3 %
5	Once or twice a week	43	0.9 %
6	Almost daily	109	2.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1169	23.9 %

Based upon 188 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 5.23
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.16

<b>H3FS1_F</b>	<b>S6Q1F KNOW 6TH FRIEND-W3</b>																			
Location:	812-812 (width: 1; decimal: 0)																			
Variable Type:	numeric																			
Range of Missing Values (M):	5																			
Question:	Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 6TH FRIEND.																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>Not selected</td><td style="text-align: right;">960</td><td style="text-align: right;">19.7 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Selected</td><td style="text-align: right;">397</td><td style="text-align: right;">8.1 %</td></tr> <tr> <td style="text-align: center;">5 (M)</td><td>Question not asked of this respondent</td><td style="text-align: right;">3525</td><td style="text-align: right;">72.2 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not selected	960	19.7 %	1	Selected	397	8.1 %	5 (M)	Question not asked of this respondent	3525	72.2 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																	
0	Not selected	960	19.7 %																	
1	Selected	397	8.1 %																	
5 (M)	Question not asked of this respondent	3525	72.2 %																	

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

<b>H3FS2_F</b>	<b>S6Q2F 6TH FRIEND-CURRENT RELSHP-W3</b>																																							
Location:	813-814 (width: 2; decimal: 0)																																							
Variable Type:	numeric																																							
Range of Missing Values (M):	95 , 97 , 99																																							
Question:	What is your current relationship to <FNAME>? 6TH FRIEND.																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td><td>Friend</td><td style="text-align: right;">199</td><td style="text-align: right;">4.1 %</td></tr> <tr> <td style="text-align: center;">2</td><td>Spouse or partner</td><td style="text-align: right;">2</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">3</td><td>Former friend</td><td style="text-align: right;">171</td><td style="text-align: right;">3.5 %</td></tr> <tr> <td style="text-align: center;">4</td><td>Former spouse or partner</td><td style="text-align: right;">2</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">5</td><td>Acquaintance</td><td style="text-align: right;">4</td><td style="text-align: right;">0.1 %</td></tr> <tr> <td style="text-align: center;">7</td><td>Relative</td><td style="text-align: right;">11</td><td style="text-align: right;">0.2 %</td></tr> <tr> <td style="text-align: center;">8</td><td>Other</td><td style="text-align: right;">7</td><td style="text-align: right;">0.1 %</td></tr> <tr> <td style="text-align: center;">95 (M)</td><td>Question not asked of this respondent</td><td style="text-align: right;">3525</td><td style="text-align: right;">72.2 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Friend	199	4.1 %	2	Spouse or partner	2	0.0 %	3	Former friend	171	3.5 %	4	Former spouse or partner	2	0.0 %	5	Acquaintance	4	0.1 %	7	Relative	11	0.2 %	8	Other	7	0.1 %	95 (M)	Question not asked of this respondent	3525	72.2 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																					
1	Friend	199	4.1 %																																					
2	Spouse or partner	2	0.0 %																																					
3	Former friend	171	3.5 %																																					
4	Former spouse or partner	2	0.0 %																																					
5	Acquaintance	4	0.1 %																																					
7	Relative	11	0.2 %																																					
8	Other	7	0.1 %																																					
95 (M)	Question not asked of this respondent	3525	72.2 %																																					

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	960	19.7 %
99 (M)	Not applicable	1	0.0 %

Based upon 396 valid cases out of 4882 total cases.

- Mean: 2.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.53

**H3FS3\_F**
**S6Q3F 6TH FRIEND-FAMILY RELATION-W3**

Location: 815-816 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	3	0.1 %
2	Cousin	8	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1346	27.6 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

**H3FS4\_F**
**S6Q4F 6TH FRIEND-FREQ OF CONTACT-W3**

Location: 817-818 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	42	0.9 %
2	About once a year	30	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Every few months	53	1.1 %
4	Once a month or so	49	1.0 %
5	Once or twice a week	20	0.4 %
6	Almost daily	8	0.2 %
7	You live together	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1150	23.6 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	3	0.1 %

Based upon 203 valid cases out of 4882 total cases.

- Mean: 3.01
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.43

#### H3FS5\_F

#### S6Q5F 6TH FRIEND-TALK/EMAIL/WRITE-W3

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	106	2.2 %
2	About once a year	17	0.3 %
3	Every few months	42	0.9 %
4	Once a month or so	17	0.3 %
5	Once or twice a week	9	0.2 %
6	Almost daily	5	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1151	23.6 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	8	0.2 %

Based upon 196 valid cases out of 4882 total cases.

- Mean: 2.09
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.39

**H3FS6\_F**

**S6Q6F 6TH FRIEND-ONE OF CLOSEST-W3**

Location: 821-821 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 8

Question: Is <FNAME> one of your closest friends? 6TH FRIEND.

Value	Label	Unweighted Frequency	%
0	No	159	3.3 %
1	Yes	46	0.9 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1150	23.6 %
8 (M)	Don't know	2	0.0 %

Based upon 205 valid cases out of 4882 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

**H3FS7M\_F**

**S6Q7F 6TH FRIEND-MNTH RELSHP BEGAN-W3**

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 6TH FRIEND.

Value	Label	Unweighted Frequency	%
1	January	11	0.2 %
2	February	3	0.1 %
3	March	3	0.1 %
4	April	3	0.1 %
5	May	9	0.2 %
6	June	15	0.3 %
7	July	6	0.1 %
8	August	139	2.8 %
9	September	146	3.0 %
10	October	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	November	4	0.1 %
12	December	3	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	975	20.0 %
98 (M)	Don't know	27	0.6 %
. (M)	-	3	0.1 %

Based upon 352 valid cases out of 4882 total cases.

- Mean: 8.01
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.84

#### H3FS7Y\_F

#### S6Q7F 6TH FRIEND-YR RELSHP BEGAN-W3

Location: 824-827 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998 , .

Question: In what (month and) year did your friendship with <fname> begin? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	1	0.0 %
1982	-	1	0.0 %
1983	-	1	0.0 %
1984	-	3	0.1 %
1985	-	7	0.1 %
1986	-	10	0.2 %
1987	-	15	0.3 %
1988	-	5	0.1 %
1989	-	11	0.2 %
1990	-	22	0.5 %
1991	-	11	0.2 %
1992	-	33	0.7 %
1993	-	43	0.9 %
1994	-	64	1.3 %
1995	-	65	1.3 %
1996	-	43	0.9 %
1997	-	19	0.4 %
1998	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	7	0.1 %
2000	-	3	0.1 %
2001	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	975	20.0 %
9998 (M)	Don't know	8	0.2 %
. (M)	-	4	0.1 %

Based upon 370 valid cases out of 4882 total cases.

- Mean: 1993.08
- Median: 1994.00
- Mode: 1995.00
- Minimum: 1981.00
- Maximum: 2001.00
- Standard Deviation: 3.40

**H3FS8M\_F**
**S6Q8F 6TH FRIEND-MNTH OF LAST CONTACT-W3**

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	3	0.1 %
3	March	4	0.1 %
4	April	5	0.1 %
5	May	42	0.9 %
6	June	42	0.9 %
7	July	11	0.2 %
8	August	10	0.2 %
9	September	8	0.2 %
10	October	12	0.2 %
11	November	9	0.2 %
12	December	8	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1186	24.3 %
98 (M)	Don't know	17	0.3 %

Based upon 154 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 6.76
- Median: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.44

**H3FS8Y\_F**
**S6Q8F 6TH FRIEND-YR OF LAST CONTACT-W3**

Location: 830-833 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9997 , 9998

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	1	0.0 %
1993	-	2	0.0 %
1994	-	6	0.1 %
1995	-	13	0.3 %
1996	-	24	0.5 %
1997	-	11	0.2 %
1998	-	11	0.2 %
1999	-	35	0.7 %
2000	-	33	0.7 %
2001	-	29	0.6 %
2002	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1186	24.3 %
9998 (M)	Don't know	4	0.1 %

Based upon 167 valid cases out of 4882 total cases.

- Mean: 1998.35
- Median: 1999.00
- Mode: 1999.00
- Minimum: 1992.00
- Maximum: 2002.00
- Standard Deviation: 2.26

**H3FS9\_F**
**S6Q9F 6TH FRIEND-REASON RELSHP ENDED-W3**

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , 99

Question: Why did your friendship with <FNAME> end? 6TH FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	32	0.7 %
2	You moved away	43	0.9 %
3	<FNAME> changed	8	0.2 %
4	You changed	7	0.1 %
5	It just happened/you drifted apart	79	1.6 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1186	24.3 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 169 valid cases out of 4882 total cases.

- Mean: 3.34
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.68

#### H3FS10\_F

#### S6Q10F 6TH FRIEND-AVG FREQ OF CONTACT-W3

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 6TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	6	0.1 %
2	About once a year	3	0.1 %
3	Every few months	13	0.3 %
4	Once a month or so	11	0.2 %
5	Once or twice a week	39	0.8 %
6	Almost daily	99	2.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1186	24.3 %

Based upon 171 valid cases out of 4882 total cases.

- Mean: 5.17
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.28

- Study 21600 -

**H3FS1\_G**
**S6Q1G KNOW 7TH FRIEND-W3**

Location: 838-838 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 5  
 Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 7TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	967	19.8 %
1	Selected	390	8.0 %
5 (M)	Question not asked of this respondent	3525	72.2 %

Based upon 1357 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3FS2\_G**
**S6Q2G 7TH FRIEND-CURRENT RELSHP-W3**

Location: 839-840 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 95 , 96 , 97 , 99  
 Question: What is your current relationship to <FNAME>? 7TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Friend	189	3.9 %
2	Spouse or partner	2	0.0 %
3	Former friend	173	3.5 %
4	Former spouse or partner	2	0.0 %
5	Acquaintance	3	0.1 %
7	Relative	7	0.1 %
8	Other	10	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	967	19.8 %
99 (M)	Not applicable	2	0.0 %

Based upon 386 valid cases out of 4882 total cases.

- Mean: 2.24
- Median: 3.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.54

H3FS3_G	S6Q3G 7TH FRIEND-FAMILY RELATION-W3																							
Location:	841-842 (width: 2; decimal: 0)																							
Variable Type:	numeric																							
Range of Missing Values (M):	95 , 97																							
Question:	How is <FNAME> related to you? 7TH FRIEND.																							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Brother/sister</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Cousin</td> <td style="text-align: right; padding: 2px;">6</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">95 (M)</td> <td style="text-align: left; padding: 2px;">Question not asked of this respondent</td> <td style="text-align: right; padding: 2px;">3525</td> <td style="text-align: right; padding: 2px;">72.2 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">1350</td> <td style="text-align: right; padding: 2px;">27.7 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	1	Brother/sister	1	0.0 %	2	Cousin	6	0.1 %	95 (M)	Question not asked of this respondent	3525	72.2 %	97 (M)	Legitimate skip	1350	27.7 %
Value	Label	Unweighted Frequency	%																					
1	Brother/sister	1	0.0 %																					
2	Cousin	6	0.1 %																					
95 (M)	Question not asked of this respondent	3525	72.2 %																					
97 (M)	Legitimate skip	1350	27.7 %																					

Based upon 7 valid cases out of 4882 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.38

H3FS4_G	S6Q4G 7TH FRIEND-FREQ OF CONTACT-W3																																															
Location:	843-844 (width: 2; decimal: 0)																																															
Variable Type:	numeric																																															
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99																																															
Question:	How often do you see <FNAME>? 7TH FRIEND.																																															
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Less than once a year</td> <td style="text-align: right; padding: 2px;">49</td> <td style="text-align: right; padding: 2px;">1.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">About once a year</td> <td style="text-align: right; padding: 2px;">23</td> <td style="text-align: right; padding: 2px;">0.5 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">3</td> <td style="text-align: left; padding: 2px;">Every few months</td> <td style="text-align: right; padding: 2px;">49</td> <td style="text-align: right; padding: 2px;">1.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">4</td> <td style="text-align: left; padding: 2px;">Once a month or so</td> <td style="text-align: right; padding: 2px;">33</td> <td style="text-align: right; padding: 2px;">0.7 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">5</td> <td style="text-align: left; padding: 2px;">Once or twice a week</td> <td style="text-align: right; padding: 2px;">29</td> <td style="text-align: right; padding: 2px;">0.6 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">6</td> <td style="text-align: left; padding: 2px;">Almost daily</td> <td style="text-align: right; padding: 2px;">13</td> <td style="text-align: right; padding: 2px;">0.3 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">95 (M)</td> <td style="text-align: left; padding: 2px;">Question not asked of this respondent</td> <td style="text-align: right; padding: 2px;">3525</td> <td style="text-align: right; padding: 2px;">72.2 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">96 (M)</td> <td style="text-align: left; padding: 2px;">Refused</td> <td style="text-align: right; padding: 2px;">2</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">1154</td> <td style="text-align: right; padding: 2px;">23.6 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">99 (M)</td> <td style="text-align: left; padding: 2px;">Not applicable</td> <td style="text-align: right; padding: 2px;">5</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	1	Less than once a year	49	1.0 %	2	About once a year	23	0.5 %	3	Every few months	49	1.0 %	4	Once a month or so	33	0.7 %	5	Once or twice a week	29	0.6 %	6	Almost daily	13	0.3 %	95 (M)	Question not asked of this respondent	3525	72.2 %	96 (M)	Refused	2	0.0 %	97 (M)	Legitimate skip	1154	23.6 %	99 (M)	Not applicable	5	0.1 %
Value	Label	Unweighted Frequency	%																																													
1	Less than once a year	49	1.0 %																																													
2	About once a year	23	0.5 %																																													
3	Every few months	49	1.0 %																																													
4	Once a month or so	33	0.7 %																																													
5	Once or twice a week	29	0.6 %																																													
6	Almost daily	13	0.3 %																																													
95 (M)	Question not asked of this respondent	3525	72.2 %																																													
96 (M)	Refused	2	0.0 %																																													
97 (M)	Legitimate skip	1154	23.6 %																																													
99 (M)	Not applicable	5	0.1 %																																													

- Study 21600 -

Based upon 196 valid cases out of 4882 total cases.

- Mean: 3.05
- Median: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.58

H3FS5_G	S6Q5G 7TH FRIEND-TALK/EMAIL/WRITE-W3		
	Value	Label	Unweighted Frequency
			%
Location:	845-846 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99		
Question:	How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 7TH FRIEND.		
	1	Less than once a year	95 1.9 %
	2	About once a year	16 0.3 %
	3	Every few months	29 0.6 %
	4	Once a month or so	23 0.5 %
	5	Once or twice a week	24 0.5 %
	6	Almost daily	5 0.1 %
	95 (M)	Question not asked of this respondent	3525 72.2 %
	96 (M)	Refused	2 0.0 %
	97 (M)	Legitimate skip	1154 23.6 %
	99 (M)	Not applicable	9 0.2 %

Based upon 192 valid cases out of 4882 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.59

H3FS6_G	S6Q6G 7TH FRIEND-ONE OF CLOSEST-W3		
	Value	Label	Unweighted Frequency
			%
Location:	847-847 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 6 , 7		
Question:	Is <FNAME> one of your closest friends? 7TH FRIEND.		
	0	No	147 3.0 %
	1	Yes	55 1.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Question not asked of this respondent	3525	72.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1154	23.6 %

Based upon 202 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

### H3FS7M\_G

### S6Q7G 7TH FRIEND-MNTH RELSHP BEGAN-W3

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 7TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	11	0.2 %
2	February	4	0.1 %
3	March	7	0.1 %
4	April	3	0.1 %
5	May	5	0.1 %
6	June	18	0.4 %
7	July	3	0.1 %
8	August	141	2.9 %
9	September	142	2.9 %
10	October	9	0.2 %
11	November	3	0.1 %
12	December	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	978	20.0 %
98 (M)	Don't know	24	0.5 %
. (M)	-	3	0.1 %

Based upon 350 valid cases out of 4882 total cases.

- Mean: 7.95
- Median: 8.00

- Study 21600 -

- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.93

H3FS7Y_G	S6Q7G 7TH FRIEND-YR RELSHP BEGAN-W3			
	Value	Label	Unweighted Frequency	%
	1983	-	2	0.0 %
	1985	-	9	0.2 %
	1986	-	18	0.4 %
	1987	-	13	0.3 %
	1988	-	8	0.2 %
	1989	-	10	0.2 %
	1990	-	24	0.5 %
	1991	-	16	0.3 %
	1992	-	33	0.7 %
	1993	-	43	0.9 %
	1994	-	53	1.1 %
	1995	-	54	1.1 %
	1996	-	39	0.8 %
	1997	-	21	0.4 %
	1998	-	13	0.3 %
	1999	-	5	0.1 %
	2001	-	1	0.0 %
	9995 (M)	Question not asked of this respondent	3525	72.2 %
	9996 (M)	Refused	2	0.0 %
	9997 (M)	Legitimate skip	978	20.0 %
	9998 (M)	Don't know	10	0.2 %
	. (M)	-	5	0.1 %

Based upon 362 valid cases out of 4882 total cases.

- Mean: 1992.87
- Median: 1994.00
- Mode: 1995.00
- Minimum: 1983.00
- Maximum: 2001.00
- Standard Deviation: 3.46

- Study 21600 -

**H3FS8M\_G**

**S6Q8G 7TH FRIEND-MNTH OF LAST CONTACT-W3**

Location: 854-855 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 7TH FRIEND.

Value	Label	Unweighted Frequency	%
1	January	2	0.0 %
2	February	3	0.1 %
3	March	1	0.0 %
4	April	5	0.1 %
5	May	37	0.8 %
6	June	50	1.0 %
7	July	21	0.4 %
8	August	14	0.3 %
9	September	11	0.2 %
10	October	4	0.1 %
11	November	3	0.1 %
12	December	9	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1184	24.3 %
98 (M)	Don't know	13	0.3 %

Based upon 160 valid cases out of 4882 total cases.

- Mean: 6.59
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.17

**H3FS8Y\_G**

**S6Q8G 7TH FRIEND-YR OF LAST CONTACT-W3**

Location: 856-859 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 7TH FRIEND.

Value	Label	Unweighted Frequency	%
1991	-	1	0.0 %
1992	-	2	0.0 %
1993	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	5	0.1 %
1995	-	17	0.3 %
1996	-	17	0.3 %
1997	-	14	0.3 %
1998	-	14	0.3 %
1999	-	39	0.8 %
2000	-	29	0.6 %
2001	-	26	0.5 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1184	24.3 %
9998 (M)	Don't know	7	0.1 %

Based upon 166 valid cases out of 4882 total cases.

- Mean: 1998.16
- Median: 1999.00
- Mode: 1999.00
- Minimum: 1991.00
- Maximum: 2001.00
- Standard Deviation: 2.30

#### H3FS9\_G

#### S6Q9G 7TH FRIEND-REASON RELSHP ENDED-W3

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Why did your friendship with <FNAME> end? 7TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	39	0.8 %
2	You moved away	40	0.8 %
3	<FNAME> changed	9	0.2 %
4	You changed	2	0.0 %
5	It just happened/you drifted apart	82	1.7 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1184	24.3 %
99 (M)	Not applicable	1	0.0 %

Based upon 172 valid cases out of 4882 total cases.

- Mean: 3.28
- Median: 3.00
- Mode: 5.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.73

### H3FS10\_G

### S6Q10G 7TH FRIEND-AVG FREQ OF CONTACT-W3

Location: 862-863 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 7TH FRIEND.

Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
1	Less than once a year	4	0.1 %
2	About once a year	2	0.0 %
3	Every few months	8	0.2 %
4	Once a month or so	16	0.3 %
5	Once or twice a week	45	0.9 %
6	Almost daily	98	2.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1184	24.3 %

Based upon 173 valid cases out of 4882 total cases.

- Mean: 5.25
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.12

### H3FS1\_H

### S6Q1H KNOW 8TH FRIEND-W3

Location: 864-864 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 9

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 8TH FRIEND.

Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	Not selected	965	19.8 %
1	Selected	391	8.0 %
5 (M)	Question not asked of this respondent	3525	72.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 1356 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H3FS2_H	S6Q2H 8TH FRIEND-CURRENT RELSHP-W3		
	Value	Label	Unweighted Frequency
Location:	865-866 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 97 , 98 , 99		
Question:	What is your current relationship to <FNAME>? 8TH FRIEND.		
			%
	1	Friend	195 4.0 %
	2	Spouse or partner	2 0.0 %
	3	Former friend	172 3.5 %
	4	Former spouse or partner	2 0.0 %
	5	Acquaintance	2 0.0 %
	7	Relative	5 0.1 %
	8	Other	10 0.2 %
	95 (M)	Question not asked of this respondent	3525 72.2 %
	96 (M)	Refused	1 0.0 %
	97 (M)	Legitimate skip	966 19.8 %
	98 (M)	Don't know	1 0.0 %
	99 (M)	Not applicable	1 0.0 %

Based upon 388 valid cases out of 4882 total cases.

- Mean: 2.19
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.49

H3FS3_H	S6Q3H 8TH FRIEND-FAMILY RELATION-W3		
	Value	Label	Unweighted Frequency
Location:	867-868 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 97		
Question:	How is <FNAME> related to you? 8TH FRIEND.		

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brother/sister	1	0.0 %
2	Cousin	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1352	27.7 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

#### H3FS4\_H

#### S6Q4H 8TH FRIEND-FREQ OF CONTACT-W3

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	52	1.1 %
2	About once a year	20	0.4 %
3	Every few months	49	1.0 %
4	Once a month or so	38	0.8 %
5	Once or twice a week	27	0.6 %
6	Almost daily	16	0.3 %
7	You live together	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1149	23.5 %
99 (M)	Not applicable	4	0.1 %

Based upon 203 valid cases out of 4882 total cases.

- Mean: 3.10
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

#### H3FS5\_H

#### S6Q5H 8TH FRIEND-TALK/EMAIL/WRITE-W3

- Study 21600 -

Location: 871-872 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	100	2.0 %
2	About once a year	13	0.3 %
3	Every few months	27	0.6 %
4	Once a month or so	22	0.5 %
5	Once or twice a week	20	0.4 %
6	Almost daily	15	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1150	23.6 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	8	0.2 %

Based upon 197 valid cases out of 4882 total cases.

- Mean: 2.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.74

#### H3FS6\_H

#### S6Q6H 8TH FRIEND-ONE OF CLOSEST-W3

Location: 873-873 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Is <FNAME> one of your closest friends? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	144	2.9 %
1	Yes	64	1.3 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1149	23.5 %

Based upon 208 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3FS7M\_H**

**S6Q7H 8TH FRIEND-MNTH RELSHP BEGAN-W3**

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 8TH FRIEND.

Value	Label	Unweighted Frequency	%
1	January	11	0.2 %
2	February	3	0.1 %
3	March	5	0.1 %
5	May	8	0.2 %
6	June	12	0.2 %
7	July	6	0.1 %
8	August	136	2.8 %
9	September	143	2.9 %
10	October	14	0.3 %
11	November	5	0.1 %
12	December	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	975	20.0 %
98 (M)	Don't know	35	0.7 %
. (M)	-	1	0.0 %

Based upon 345 valid cases out of 4882 total cases.

- Mean: 8.06
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.85

**H3FS7Y\_H**

**S6Q7H 8TH FRIEND-YR RELSHP BEGAN-W3**

Location: 876-879 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 8TH FRIEND.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	1	0.0 %
1982	-	2	0.0 %
1983	-	1	0.0 %
1984	-	1	0.0 %
1985	-	6	0.1 %
1986	-	11	0.2 %
1987	-	21	0.4 %
1988	-	10	0.2 %
1989	-	10	0.2 %
1990	-	25	0.5 %
1991	-	17	0.3 %
1992	-	33	0.7 %
1993	-	34	0.7 %
1994	-	54	1.1 %
1995	-	52	1.1 %
1996	-	40	0.8 %
1997	-	26	0.5 %
1998	-	10	0.2 %
1999	-	5	0.1 %
2000	-	5	0.1 %
2001	-	1	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	975	20.0 %
9998 (M)	Don't know	14	0.3 %
. (M)	-	2	0.0 %

Based upon 365 valid cases out of 4882 total cases.

- Mean: 1992.92
- Median: 1994.00
- Mode: 1994.00
- Minimum: 1981.00
- Maximum: 2001.00
- Standard Deviation: 3.61

**H3FS8M\_H**

**S6Q8H 8TH FRIEND-MNTH OF LAST CONTACT-W3**

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

## - Study 21600 -

Question:

In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	5	0.1 %
2	February	4	0.1 %
3	March	4	0.1 %
4	April	3	0.1 %
5	May	24	0.5 %
6	June	56	1.1 %
7	July	11	0.2 %
8	August	17	0.3 %
9	September	9	0.2 %
10	October	8	0.2 %
11	November	5	0.1 %
12	December	11	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1185	24.3 %
98 (M)	Don't know	15	0.3 %

Based upon 157 valid cases out of 4882 total cases.

- Mean: 6.71
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.52

**H3FS8Y\_H**

**S6Q8H 8TH FRIEND-YR OF LAST CONTACT-W3**

Location: 882-885 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	1	0.0 %
1993	-	1	0.0 %
1994	-	4	0.1 %
1995	-	14	0.3 %
1996	-	13	0.3 %
1997	-	21	0.4 %
1998	-	13	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	25	0.5 %
2000	-	39	0.8 %
2001	-	35	0.7 %
2002	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1185	24.3 %
9998 (M)	Don't know	4	0.1 %

Based upon 168 valid cases out of 4882 total cases.

- Mean: 1998.60
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1992.00
- Maximum: 2002.00
- Standard Deviation: 2.18

<b>H3FS9_H</b>	<b>S6Q9H 8TH FRIEND-REASON RELSHP ENDED-W3</b>
----------------	--

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Why did your friendship with <FNAME> end? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	39	0.8 %
2	You moved away	41	0.8 %
3	<FNAME> changed	7	0.1 %
4	You changed	4	0.1 %
5	It just happened/you drifted apart	80	1.6 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1185	24.3 %
98 (M)	Don't know	1	0.0 %

Based upon 171 valid cases out of 4882 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.73

<b>H3FS10_H</b>	<b>S6Q10H 8TH FRIEND-AVG FREQ OF CONTACT-W3</b>
-----------------	---

- Study 21600 -

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 8TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	2	0.0 %
2	About once a year	2	0.0 %
3	Every few months	11	0.2 %
4	Once a month or so	8	0.2 %
5	Once or twice a week	41	0.8 %
6	Almost daily	108	2.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1185	24.3 %

Based upon 172 valid cases out of 4882 total cases.

- Mean: 5.37
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.04

#### H3FS1\_I

#### S6Q1I KNOW 9TH FRIEND-W3

Location: 890-890 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 9

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	980	20.1 %
1	Selected	376	7.7 %
5 (M)	Question not asked of this respondent	3525	72.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 1356 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

- Study 21600 -

**H3FS2\_I**

**S6Q2I 9TH FRIEND-CURRENT RELSHP-W3**

Location: 891-892 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 99

Question: What is your current relationship to <FNAME>? 9TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Friend	188	3.9 %
2	Spouse or partner	2	0.0 %
3	Former friend	162	3.3 %
4	Former spouse or partner	4	0.1 %
5	Acquaintance	2	0.0 %
7	Relative	6	0.1 %
8	Other	10	0.2 %
98	-	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	981	20.1 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 2.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 5.18

**H3FS3\_I**

**S6Q3I 9TH FRIEND-FAMILY RELATION-W3**

Location: 893-894 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 9TH FRIEND.

Value	Label	Unweighted Frequency	%
2	Cousin	5	0.1 %
5	Other	1	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1351	27.7 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 2.50

- Study 21600 -

- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.22

**H3FS4\_I**

**S6Q4I 9TH FRIEND-FREQ OF CONTACT-W3**

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 9TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	61	1.2 %
2	About once a year	18	0.4 %
3	Every few months	29	0.6 %
4	Once a month or so	41	0.8 %
5	Once or twice a week	34	0.7 %
6	Almost daily	15	0.3 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1157	23.7 %
99 (M)	Not applicable	1	0.0 %

Based upon 198 valid cases out of 4882 total cases.

- Mean: 3.07
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.71

**H3FS5\_I**

**S6Q5I 9TH FRIEND-TALK/EMAIL/WRITE-W3**

Location: 897-898 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 9TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Less than once a year	87	1.8 %
2	About once a year	16	0.3 %
3	Every few months	38	0.8 %
4	Once a month or so	27	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Once or twice a week	17	0.3 %
6	Almost daily	6	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1157	23.7 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	7	0.1 %

Based upon 191 valid cases out of 4882 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.54

<b>H3FS6_I</b>	<b>S6Q6I 9TH FRIEND-ONE OF CLOSEST-W3</b>		
Location:	899-899 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 7 , 9		
Question:	Is <FNAME> one of your closest friends? 9TH FRIEND.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	146	3.0 %
1	Yes	53	1.1 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1157	23.7 %
9 (M)	Not applicable	1	0.0 %

Based upon 199 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

<b>H3FS7M_I</b>	<b>S6Q7I 9TH FRIEND-MNTH RELSHP BEGAN-W3</b>
Location:	900-901 (width: 2; decimal: 0)
Variable Type:	numeric

- Study 21600 -

Range of Missing Values (M):

95 , 96 , 97 , 98 , 99 , .

Question:

In what month (and year) did your friendship with <FNAME> begin? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	13	0.3 %
2	February	3	0.1 %
3	March	4	0.1 %
4	April	5	0.1 %
5	May	10	0.2 %
6	June	10	0.2 %
7	July	2	0.0 %
8	August	136	2.8 %
9	September	123	2.5 %
10	October	11	0.2 %
11	November	3	0.1 %
12	December	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	993	20.3 %
98 (M)	Don't know	38	0.8 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 324 valid cases out of 4882 total cases.

- Mean: 7.90
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.02

**H3FS7Y\_I**

**S6Q7I 9TH FRIEND-YR RELSHP BEGAN-W3**

Location:

902-905 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9995 , 9996 , 9997 , 9998 , 9999 , .

Question:

In what (month and) year did your friendship with <FNAME> begin? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1980	-	2	0.0 %
1982	-	1	0.0 %
1983	-	2	0.0 %
1985	-	7	0.1 %
1986	-	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1987	-	19	0.4 %
1988	-	5	0.1 %
1989	-	10	0.2 %
1990	-	23	0.5 %
1991	-	11	0.2 %
1992	-	45	0.9 %
1993	-	37	0.8 %
1994	-	59	1.2 %
1995	-	53	1.1 %
1996	-	33	0.7 %
1997	-	16	0.3 %
1998	-	8	0.2 %
1999	-	6	0.1 %
2000	-	1	0.0 %
2001	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	993	20.3 %
9998 (M)	Don't know	10	0.2 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 351 valid cases out of 4882 total cases.

- Mean: 1992.78
- Median: 1994.00
- Mode: 1994.00
- Minimum: 1980.00
- Maximum: 2001.00
- Standard Deviation: 3.51

**H3FS8M\_I**
**S6Q8I 9TH FRIEND-MNTH OF LAST CONTACT-W3**

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	5	0.1 %
2	February	3	0.1 %
3	March	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	April	2	0.0 %
5	May	43	0.9 %
6	June	45	0.9 %
7	July	4	0.1 %
8	August	19	0.4 %
9	September	4	0.1 %
10	October	8	0.2 %
11	November	3	0.1 %
12	December	3	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1195	24.5 %
98 (M)	Don't know	15	0.3 %

Based upon 147 valid cases out of 4882 total cases.

- Mean: 6.07
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.22

#### H3FS8Y\_I

#### S6Q8I 9TH FRIEND-YR OF LAST CONTACT-W3

Location: 908-911 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	1	0.0 %
1993	-	1	0.0 %
1994	-	2	0.0 %
1995	-	14	0.3 %
1996	-	15	0.3 %
1997	-	11	0.2 %
1998	-	7	0.1 %
1999	-	40	0.8 %
2000	-	42	0.9 %
2001	-	25	0.5 %
9995 (M)	Question not asked of this respondent	3525	72.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	1195	24.5 %
9998 (M)	Don't know	4	0.1 %

Based upon 158 valid cases out of 4882 total cases.

- Mean: 1998.61
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1992.00
- Maximum: 2001.00
- Standard Deviation: 2.06

### H3FS9\_I

### S6Q9I 9TH FRIEND-REASON RELSHP ENDED-W3

Location: 912-913 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Why did your friendship with <FNAME> end? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	30	0.6 %
2	You moved away	36	0.7 %
3	<FNAME> changed	10	0.2 %
4	You changed	3	0.1 %
5	It just happened/you drifted apart	81	1.7 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1195	24.5 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 160 valid cases out of 4882 total cases.

- Mean: 3.43
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.69

### H3FS10\_I

### S6Q10I 9TH FRIEND-AVG FREQ OF CONTACT-W3

Location: 914-915 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

- Study 21600 -

Question:

Before your friendship ended, how often, on average, did you see <FNAME>? 9TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	4	0.1 %
2	About once a year	1	0.0 %
3	Every few months	9	0.2 %
4	Once a month or so	10	0.2 %
5	Once or twice a week	37	0.8 %
6	Almost daily	100	2.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1195	24.5 %
99 (M)	Not applicable	1	0.0 %

Based upon 161 valid cases out of 4882 total cases.

- Mean: 5.33
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.12

**H3FS1\_J**

**S6Q1J KNOW 10TH FRIEND-W3**

Location: 916-916 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 9

Question: Please indicate which of the following people who went to <SCHOOL> are your friends now or were your friends when you were in school with them. 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	963	19.7 %
1	Selected	393	8.0 %
5 (M)	Question not asked of this respondent	3525	72.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 1356 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3FS2\_J**

**S6Q2J 10TH FRIEND-CURRENT RELSHP-W3**

- Study 21600 -

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , 99

Question: What is your current relationship to <FNAME>? 10TH FRIEND.

Value	Label	Unweighted Frequency	%
1	Friend	197	4.0 %
2	Spouse or partner	1	0.0 %
3	Former friend	175	3.6 %
4	Former spouse or partner	1	0.0 %
5	Acquaintance	3	0.1 %
7	Relative	4	0.1 %
8	Other	8	0.2 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	964	19.7 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 389 valid cases out of 4882 total cases.

- Mean: 2.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.42

#### H3FS3\_J

#### S6Q3J 10TH FRIEND-FAMILY RELATION-W3

Location: 919-920 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97

Question: How is <FNAME> related to you? 10TH FRIEND.

Value	Label	Unweighted Frequency	%
2	-	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1353	27.7 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00

- Study 21600 -

- Standard Deviation: 0.00

<b>H3FS4_J</b>	<b>S6Q4J 10TH FRIEND-FREQ OF CONTACT-W3</b>
----------------	---

Location: 921-922 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you see <FNAME>? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	57	1.2 %
2	About once a year	32	0.7 %
3	Every few months	46	0.9 %
4	Once a month or so	28	0.6 %
5	Once or twice a week	35	0.7 %
6	Almost daily	7	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1148	23.5 %
99 (M)	Not applicable	4	0.1 %

Based upon 205 valid cases out of 4882 total cases.

- Mean: 2.87
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.55

<b>H3FS5_J</b>	<b>S6Q5J 10TH FRIEND-TALK/EMAIL/WRITE-W3</b>
----------------	--

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: How often do you talk with <FNAME> on the telephone, or exchange e-mail or letters? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	97	2.0 %
2	About once a year	24	0.5 %
3	Every few months	22	0.5 %
4	Once a month or so	29	0.6 %
5	Once or twice a week	25	0.5 %
6	Almost daily	4	0.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1148	23.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	7	0.1 %

Based upon 201 valid cases out of 4882 total cases.

- Mean: 2.37
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.58

#### H3FS6\_J

#### S6Q6J 10TH FRIEND-ONE OF CLOSEST-W3

Location: 925-925 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: Is <FNAME> one of your closest friends? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	154	3.2 %
1	Yes	55	1.1 %
5 (M)	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	1148	23.5 %

Based upon 209 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

#### H3FS7M\_J

#### S6Q7J 10TH FRIEND-MNTH RELSHP BEGAN-W3

Location: 926-927 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , .

Question: In what month (and year) did your friendship with <FNAME> begin? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	13	0.3 %
2	February	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	5	0.1 %
4	April	5	0.1 %
5	May	5	0.1 %
6	June	7	0.1 %
7	July	6	0.1 %
8	August	138	2.8 %
9	September	153	3.1 %
10	October	17	0.3 %
11	November	5	0.1 %
12	December	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	970	19.9 %
98 (M)	Don't know	27	0.6 %
. (M)	-	3	0.1 %

Based upon 357 valid cases out of 4882 total cases.

- Mean: 8.09
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.88

### H3FS7Y\_J

### S6Q7J 10TH FRIEND-YR RELSHP BEGAN-W3

Location: 928-931 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did your friendship with <FNAME> begin? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1982	-	2	0.0 %
1983	-	1	0.0 %
1985	-	4	0.1 %
1986	-	12	0.2 %
1987	-	18	0.4 %
1988	-	5	0.1 %
1989	-	9	0.2 %
1990	-	16	0.3 %
1991	-	13	0.3 %
1992	-	43	0.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1993	-	38	0.8 %
1994	-	57	1.2 %
1995	-	63	1.3 %
1996	-	51	1.0 %
1997	-	20	0.4 %
1998	-	10	0.2 %
1999	-	5	0.1 %
2000	-	2	0.0 %
2001	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	970	19.9 %
9998 (M)	Don't know	11	0.2 %
. (M)	-	5	0.1 %

Based upon 371 valid cases out of 4882 total cases.

- Mean: 1993.25
- Median: 1994.00
- Mode: 1995.00
- Minimum: 1982.00
- Maximum: 2001.00
- Standard Deviation: 3.31

**H3FS8M\_J**

**S6Q8J 10TH FRIEND-MNTH LAST CONTACT-W3**

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: In what month (and year) did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	2	0.0 %
2	February	1	0.0 %
3	March	4	0.1 %
4	April	4	0.1 %
5	May	40	0.8 %
6	June	50	1.0 %
7	July	21	0.4 %
8	August	13	0.3 %
9	September	8	0.2 %
10	October	9	0.2 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
11	November	6	0.1 %
12	December	2	0.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1182	24.2 %
98 (M)	Don't know	15	0.3 %

Based upon 160 valid cases out of 4882 total cases.

- Mean: 6.47
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.00

#### H3FS8Y\_J

#### S6Q8J 10TH FRIEND-YR OF LAST CONTACT-W3

Location: 934-937 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998 , 9999

Question: In what (month and) year did you last see <NAME> in person, talk with him or her on the telephone, or exchange email? 10TH FRIEND.

Value	Label	Unweighted Frequency	%
1993	-	1	0.0 %
1994	-	2	0.0 %
1995	-	12	0.2 %
1996	-	17	0.3 %
1997	-	16	0.3 %
1998	-	19	0.4 %
1999	-	40	0.8 %
2000	-	36	0.7 %
2001	-	24	0.5 %
2002	-	2	0.0 %
9995 (M)	Question not asked of this respondent	3525	72.2 %
9997 (M)	Legitimate skip	1182	24.2 %
9998 (M)	Don't know	6	0.1 %

Based upon 169 valid cases out of 4882 total cases.

- Mean: 1998.55
- Median: 1999.00
- Mode: 1999.00
- Minimum: 1993.00

- Study 21600 -

- Maximum: 2002.00
- Standard Deviation: 1.94

**H3FS9\_J**
**S6Q9J 10TH FRIEND-REASON RELSHP ENDED-W3**

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 99

Question: Why did your friendship with <FNAME> end? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<FNAME> moved away	40	0.8 %
2	You moved away	45	0.9 %
3	<FNAME> changed	6	0.1 %
4	You changed	3	0.1 %
5	It just happened/you drifted apart	79	1.6 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	1182	24.2 %
99 (M)	Not applicable	2	0.0 %

Based upon 173 valid cases out of 4882 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.73

**H3FS10\_J**
**S6Q10J 10TH FRIEND-AVG FREQ CONTACT-W3**

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

Question: Before your friendship ended, how often, on average, did you see <FNAME>? 10TH FRIEND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than once a year	4	0.1 %
3	Every few months	14	0.3 %
4	Once a month or so	16	0.3 %
5	Once or twice a week	35	0.7 %
6	Almost daily	104	2.1 %
95 (M)	Question not asked of this respondent	3525	72.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1182	24.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	1	0.0 %

Based upon 173 valid cases out of 4882 total cases.

- Mean: 5.25
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.15

#### H3FS11

#### S6Q11 STILL FRIENDS W/HS FRIENDS-W3

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: Thinking back to all your friends from high school, not just the ones we've talked about, how many are you still friends with?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	78	1.6 %
1	One	51	1.0 %
2	A few	334	6.8 %
3	Some	242	5.0 %
4	Most	317	6.5 %
5	All	49	1.0 %
95 (M)	Question not asked of this respondent	3525	72.2 %
97 (M)	Legitimate skip	285	5.8 %
98 (M)	Don't know	1	0.0 %

Based upon 1071 valid cases out of 4882 total cases.

- Mean: 2.76
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.26

#### H3FS12

#### S6Q12 FRIEND OR FAMILY INFLUENCE MORE-W3

Location: 944-944 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

## - Study 21600 -

Question:

Now think of the friends you have had over the last five years. Would you say that these friends have influenced you more than your family, or that your family has influenced you more than these friends?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Your friends have influenced you more	410	8.4 %
2	Your family has influenced you more	639	13.1 %
5	Question not asked of this respondent	3525	72.2 %
7 (M)	Legitimate skip	285	5.8 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	9	0.2 %

Based upon 4574 valid cases out of 4882 total cases.

- Mean: 4.22
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.44

**H3ED1**

**S7Q1 HIGHEST GRADE COMPLETED REG/SCH-W3**

Location: 945-946 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98 , 99 , .

Question: What is the highest grade or year of regular school you have completed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	6th grade	1	0.0 %
7	7th grade	3	0.1 %
8	8th grade	27	0.6 %
9	9th grade	95	1.9 %
10	10th grade	190	3.9 %
11	11th grade	301	6.2 %
12	12th grade	1552	31.8 %
13	1 year of college	768	15.7 %
14	2 years of college	750	15.4 %
15	3 years of college	438	9.0 %
16	4 years of college	527	10.8 %
17	5 or more years of college	127	2.6 %
18	1 year of graduate school	52	1.1 %
19	2 years of graduate school	22	0.5 %
20	3 years of graduate school	20	0.4 %
21	4 years of graduate school	4	0.1 %
22	5 or more years of graduate school	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 13.21
- Median: 13.00
- Mode: 12.00
- Minimum: 6.00
- Maximum: 22.00
- Standard Deviation: 1.99

### H3ED2

### S7Q2 HAS RECEIVED GED/HS EQUIV-W3

Location: 947-947 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9 , .

Question: What degrees or diplomas have you received? GED or high school equivalency degree

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4512	92.4 %
1	Marked	365	7.5 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

### H3ED3

### S7Q3 HAS RECEIVED HS DIPLOMA-W3

Location: 948-948 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9 , .

Question: What degrees or diplomas have you received? High school diploma

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	830	17.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	4045	82.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	3	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

#### H3ED4

#### S7Q4 HAS RECEIVED JR COL DEGREE-W3

Location: 949-949 (width: 1; decimal: 0)

Variable Type: numeric

Question: What degrees or diplomas have you received? Associate or junior college degree--an AA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4508	92.3 %
1	Marked	371	7.6 %
. (M)	-	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

#### H3ED5

#### S7Q5 HAS RECEIVED BACHELOR DEGREE-W3

Location: 950-950 (width: 1; decimal: 0)

Variable Type: numeric

Question: What degrees or diplomas have you received? Bachelor's degree--a BA, AB, or BS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4317	88.4 %
1	Marked	562	11.5 %
. (M)	-	3	0.1 %

- Study 21600 -

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**H3ED6****S7Q6 HAS RECEIVED MASTER DEGREE-W3**

Location: 951-951 (width: 1; decimal: 0)

Variable Type: numeric

Question: What degrees or diplomas have you received? Master's degree--an MA or MS

Value	Label	Unweighted Frequency	%
0	Not marked	4861	99.6 %
1	Marked	18	0.4 %
. (M)	-	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

**H3ED7****S7Q7 HAS RECEIVED DOCTORAL DEGREE-W3**

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9, .

Question: What degrees or diplomas have you received? Doctoral degree--a PhD, DrPH , and so on

Value	Label	Unweighted Frequency	%
0	Not marked	4878	99.9 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 0.00
- Standard Deviation: 0.00

**H3ED8**

**S7Q8 HAS RECEIVED PROFESSIONAL DEG-W3**

Location: 953-953 (width: 1; decimal: 0)

Variable Type: numeric

Question: What degrees or diplomas have you received? Professional degree--a DDS, JD, MD, DVM, and so on

Value	Label	Unweighted Frequency	%
0	Not marked	4868	99.7 %
1	Marked	11	0.2 %
. (M)	-	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

**H3ED9**

**S7Q9 HAS NOT RECEIVED DIPL/DEGREE-W3**

Location: 954-954 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: Is it correct that you have received no academic degrees or diplomas?

Value	Label	Unweighted Frequency	%
1	Yes	446	9.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4431	90.8 %
8 (M)	Don't know	1	0.0 %
. (M)	-	3	0.1 %

Based upon 446 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 21600 -

H3ED10	S7Q10 EVER ATTENDED HIGH SCHOOL-W3		
Location:	955-955 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , .		
Question:	Have you ever attended high school?		
Value	Label	Unweighted Frequency	%
0	No (skip to Q.23)	43	0.9 %
1	Yes	734	15.0 %
7 (M)	Legitimate skip	4102	84.0 %
. (M)	-	3	0.1 %

Based upon 777 valid cases out of 4882 total cases.

- Mean: 0.94
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.23

H3ED11	S7Q11 EVER ATTENDED OTH/HIGH SCHOOL-W3		
Location:	956-956 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9 , .		
Question:	Did you ever attend another high school?		
Value	Label	Unweighted Frequency	%
0	No	3888	79.6 %
1	Yes	940	19.3 %
7 (M)	Legitimate skip	43	0.9 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	7	0.1 %

Based upon 4828 valid cases out of 4882 total cases.

- Mean: 0.19
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.40

- Study 21600 -

**H3ED12M**

**S7Q12 MONTH RECEIVED GED/EQUIV/DEG-W3**

Location: 957-958 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: In what month (and year) did you receive your GED or high school equivalency degree?

Value	Label	Unweighted Frequency	%
1	January	16	0.3 %
2	February	15	0.3 %
3	March	24	0.5 %
4	April	21	0.4 %
5	May	53	1.1 %
6	June	90	1.8 %
7	July	18	0.4 %
8	August	18	0.4 %
9	September	21	0.4 %
10	October	20	0.4 %
11	November	13	0.3 %
12	December	15	0.3 %
97 (M)	Legitimate skip	4514	92.5 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	21	0.4 %

Based upon 324 valid cases out of 4882 total cases.

- Mean: 6.14
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.75

**H3ED12Y**

**S7Q12 YEAR RECEIVED GED/EQUIV/DEG-W3**

Location: 959-962 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you receive your GED or high school equivalency degree?

Value	Label	Unweighted Frequency	%
1994	-	4	0.1 %
1995	-	31	0.6 %
1996	-	45	0.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1997	-	66	1.4 %
1998	-	57	1.2 %
1999	-	56	1.1 %
2000	-	47	1.0 %
2001	-	32	0.7 %
2002	-	3	0.1 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4514	92.5 %
9998 (M)	Don't know	3	0.1 %
9999 (M)	Not applicable	2	0.0 %
. (M)	-	21	0.4 %

Based upon 341 valid cases out of 4882 total cases.

- Mean: 1997.98
- Median: 1998.00
- Mode: 1997.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 1.85

#### H3ED13M

#### S7Q13 MONTH RECEIVED HS DEGREE-W3

Location: 963-964 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you receive your high school diploma?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	25	0.5 %
2	February	4	0.1 %
3	March	11	0.2 %
4	April	10	0.2 %
5	May	1645	33.7 %
6	June	2220	45.5 %
7	July	37	0.8 %
8	August	43	0.9 %
9	September	3	0.1 %
10	October	6	0.1 %
11	November	5	0.1 %
12	December	26	0.5 %
96 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	834	17.1 %
98 (M)	Don't know	7	0.1 %
. (M)	-	4	0.1 %

Based upon 4035 valid cases out of 4882 total cases.

- Mean: 5.63
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.91

**H3ED13Y**

**S7Q13 YEAR RECEIVED HS DEGREE-W3**

Location: 965-968 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you receive your high school diploma?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1988	-	1	0.0 %
1989	-	1	0.0 %
1990	-	1	0.0 %
1993	-	2	0.0 %
1994	-	6	0.1 %
1995	-	626	12.8 %
1996	-	753	15.4 %
1997	-	687	14.1 %
1998	-	678	13.9 %
1999	-	620	12.7 %
2000	-	629	12.9 %
2001	-	37	0.8 %
2002	-	2	0.0 %
9996 (M)	Refused	2	0.0 %
9997 (M)	Legitimate skip	834	17.1 %
. (M)	-	3	0.1 %

Based upon 4043 valid cases out of 4882 total cases.

- Mean: 1997.47
- Median: 1997.00
- Mode: 1996.00

- Study 21600 -

- Minimum: 1988.00
- Maximum: 2002.00
- Standard Deviation: 1.73

**H3ED14M**

**S7Q14 MONTH RECEIVED JR COLL DEGREE-W3**

Location: 969-970 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you receive your associate's or junior college degree?

Value	Label	Unweighted Frequency	%
1	January	11	0.2 %
2	February	4	0.1 %
3	March	10	0.2 %
4	April	9	0.2 %
5	May	168	3.4 %
6	June	69	1.4 %
7	July	13	0.3 %
8	August	21	0.4 %
9	September	12	0.2 %
10	October	6	0.1 %
11	November	5	0.1 %
12	December	41	0.8 %
97 (M)	Legitimate skip	4508	92.3 %
98 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 369 valid cases out of 4882 total cases.

- Mean: 6.27
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.61

**H3ED14Y**

**S7Q14 YEAR RECEIVED JR COLL DEGREE-W3**

Location: 971-974 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you receive your associate's or junior college degree?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1996	-	6	0.1 %
1997	-	26	0.5 %
1998	-	67	1.4 %
1999	-	92	1.9 %
2000	-	80	1.6 %
2001	-	97	2.0 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4508	92.3 %
9998 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 369 valid cases out of 4882 total cases.

- Mean: 1999.38
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1996.00
- Maximum: 2002.00
- Standard Deviation: 1.33

#### H3ED15M

#### S7Q15 MONTH RECEIVED BACHELOR DEG-W3

Location: 975-976 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you receive your bachelor's degree?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	5	0.1 %
2	February	2	0.0 %
3	March	7	0.1 %
4	April	13	0.3 %
5	May	327	6.7 %
6	June	62	1.3 %
7	July	2	0.0 %
8	August	34	0.7 %
9	September	5	0.1 %
10	October	2	0.0 %
11	November	2	0.0 %
12	December	99	2.0 %
97 (M)	Legitimate skip	4317	88.4 %
98 (M)	Don't know	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

Based upon 560 valid cases out of 4882 total cases.

- Mean: 6.52
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.77

**H3ED15Y**

**S7Q15 YEAR RECEIVED BACHELOR DEG-W3**

Location: 977-980 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did you receive your bachelor's degree?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	2	0.0 %
1996	-	1	0.0 %
1998	-	6	0.1 %
1999	-	127	2.6 %
2000	-	188	3.9 %
2001	-	233	4.8 %
2002	-	4	0.1 %
9997 (M)	Legitimate skip	4317	88.4 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	3	0.1 %

Based upon 561 valid cases out of 4882 total cases.

- Mean: 2000.16
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 0.90

**H3ED16**

**S7Q16 FIRST COLLEGE MAJOR-W3**

Location: 981-987 (width: 7; decimal: 0)

Variable Type: character

Question: What was your college major? If you had two majors or a major and a minor, please give two answers.

- Study 21600 -

Based upon 4882 valid cases out of 4882 total cases.

<b>H3ED17</b>	<b>S7Q17 SECOND COLLEGE MAJOR-W3</b>
Location:	988-994 (width: 7; decimal: 0)
Variable Type:	character
Question:	What was your college major? If you had two majors or a major and a minor, please give two answers. Based upon 4882 valid cases out of 4882 total cases.

<b>H3ED18M</b>	<b>S7Q18 MONTH RECEIVED MASTER DEGREE-W3</b>
Location:	995-996 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , .
Question:	In what month (and year) did you receive your master's degree?

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	1	0.0 %
5	May	9	0.2 %
6	June	3	0.1 %
11	November	3	0.1 %
12	December	2	0.0 %
97 (M)	Legitimate skip	4861	99.6 %
. (M)	-	3	0.1 %

Based upon 18 valid cases out of 4882 total cases.

- Mean: 6.83
- Median: 5.00
- Mode: 5.00
- Minimum: 3.00
- Maximum: 12.00
- Standard Deviation: 3.00

<b>H3ED18Y</b>	<b>S7Q18 YEAR RECEIVED MASTER DEGREE-W3</b>
Location:	997-1000 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9997 , .
Question:	In what (month and) year did you receive your master's degree?

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1996	-	1	0.0 %
2000	-	2	0.0 %
2001	-	15	0.3 %
9997 (M)	Legitimate skip	4861	99.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

Based upon 18 valid cases out of 4882 total cases.

- Mean: 2000.61
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1996.00
- Maximum: 2001.00
- Standard Deviation: 1.20

**H3ED19**

**S7Q19 MASTER FIRST FIELD/STUDY-W3**

Location: 1001-1007 (width: 7; decimal: 0)

Variable Type: character

Question: What was your field of study? You may give two answers.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
01.0103	1	0.0 %
01.0307	1	0.0 %
11.0701	1	0.0 %
13.1401	1	0.0 %
14.1001	1	0.0 %
27.0101	1	0.0 %
27.0501	1	0.0 %
30.2401	1	0.0 %
42.0601	1	0.0 %
44.0401	1	0.0 %
44.0701	1	0.0 %
45.1101	1	0.0 %
51.0201	1	0.0 %
51.0701	1	0.0 %
52.	1	0.0 %
52.0301	2	0.0 %
52.1401	1	0.0 %
9999997	4864	99.6 %

Based upon 4882 valid cases out of 4882 total cases.

**H3ED20**

**S7Q20 MASTER SECOND FIELD/STUDY-W3**

Location: 1008-1014 (width: 7; decimal: 0)

Variable Type: character

Question: What was your field of study? You may give two answers.

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23.	1	0.0 %
48.05	1	0.0 %
52.	1	0.0 %
52.1201	1	0.0 %
9999997	4876	99.9 %
9999999	2	0.0 %

Based upon 4882 valid cases out of 4882 total cases.

**H3ED21M**
**S7Q21 MONTH RECEIVED PROF DEGREE-W3**

Location: 1015-1016 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: In what month (and year) did you receive your professional degree?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	1	0.0 %
3	March	1	0.0 %
4	April	1	0.0 %
5	May	2	0.0 %
6	June	3	0.1 %
7	July	1	0.0 %
8	August	1	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4868	99.7 %
. (M)	-	3	0.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 5.73
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.83

**H3ED21Y**
**S7Q21 YEAR RECEIVED PROF DEGREE-W3**

Location: 1017-1020 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , .

Question: In what (month and) year did you receive your professional degree?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	-	1	0.0 %
1999	-	5	0.1 %
2000	-	1	0.0 %
2001	-	3	0.1 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4868	99.7 %
. (M)	-	3	0.1 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 1999.82
- Median: 1999.00
- Mode: 1999.00
- Minimum: 1998.00
- Maximum: 2002.00
- Standard Deviation: 1.25

**H3ED22**
**S7Q22 FIELD OF PROFESSIONAL DEGREE-W3**

Location: 1021-1027 (width: 7; decimal: 0)  
 Variable Type: character  
 Question: What professional degree was it?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12.0407	1	0.0 %
12.0503	1	0.0 %
22.0101	1	0.0 %
51.0801	2	0.0 %
51.0911	1	0.0 %
51.1201	1	0.0 %
51.1613	1	0.0 %
51.1614	1	0.0 %
52.03	1	0.0 %
60.	1	0.0 %
9999997	4871	99.8 %

Based upon 4882 valid cases out of 4882 total cases.

**H3ED23**
**S7Q23 CURR/ATTENDING SCHOOL-W3**

Location: 1028-1028 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 8 , 9 , .  
 Question: Are you currently attending regular school?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.31)	3047	62.4 %
1	Yes	1828	37.4 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	2	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3ED24M**

**S7Q24 MONTH ENROLLED CURR/SCHOOL-W3**

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: In what month (and year) did you first enroll in or attend this school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	163	3.3 %
2	February	12	0.2 %
3	March	17	0.3 %
4	April	9	0.2 %
5	May	36	0.7 %
6	June	94	1.9 %
7	July	47	1.0 %
8	August	975	20.0 %
9	September	425	8.7 %
10	October	23	0.5 %
11	November	11	0.2 %
12	December	6	0.1 %
97 (M)	Legitimate skip	3052	62.5 %
98 (M)	Don't know	9	0.2 %
. (M)	-	3	0.1 %

Based upon 1818 valid cases out of 4882 total cases.

- Mean: 7.37
- Median: 8.00

- Study 21600 -

- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.31

<b>H3ED24Y</b>	<b>S7Q24 YEAR ENROLLED CURR/SCHOOL-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1990	-	1	0.0 %
	1991	-	1	0.0 %
	1993	-	2	0.0 %
	1994	-	2	0.0 %
	1995	-	31	0.6 %
	1996	-	60	1.2 %
	1997	-	135	2.8 %
	1998	-	270	5.5 %
	1999	-	371	7.6 %
	2000	-	531	10.9 %
	2001	-	390	8.0 %
	2002	-	31	0.6 %
	9997 (M)	Legitimate skip	3052	62.5 %
	9998 (M)	Don't know	2	0.0 %
	. (M)	-	3	0.1 %

Based upon 1825 valid cases out of 4882 total cases.

- Mean: 1999.29
- Median: 2000.00
- Mode: 2000.00
- Minimum: 1990.00
- Maximum: 2002.00
- Standard Deviation: 1.54

<b>H3ED25</b>	<b>S7Q25 GOING FULL/PART TIME-W3</b>			
Location:	1035-1035	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9 , .			
Question:	Are you going to school full time or part time?			

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	1448	29.7 %
2	Part time	377	7.7 %
7 (M)	Legitimate skip	3052	62.5 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	2	0.0 %

Based upon 1825 valid cases out of 4882 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.40

**H3ED26**

**S7Q26 SCHOOL TYPE-W3**

Location: 1036-1036 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9 , .

Question: Is this a high school, a two-year college, a four-year college, or a graduate school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	High school (skip to Q.31)	23	0.5 %
2	Two-year college	531	10.9 %
3	Four-year college	1094	22.4 %
4	Graduate school	156	3.2 %
7 (M)	Legitimate skip	3052	62.5 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	3	0.1 %

Based upon 1804 valid cases out of 4882 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

**H3ED27**

**S7Q27 YEAR CURRENT COLL/GRAD/SCH-W3**

Location: 1037-1038 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: What year of college or graduate school are you in?

Value	Label	Unweighted Frequency	%
13	1st year of college	229	4.7 %
14	2nd year of college	582	11.9 %
15	3rd year of college	440	9.0 %
16	4th year of college	277	5.7 %
17	5th or higher year of college	135	2.8 %
18	1st year of graduate school	62	1.3 %
19	2nd year of graduate school	37	0.8 %
20	3rd year of graduate school	10	0.2 %
21	4th year of graduate school	5	0.1 %
22	5th or higher year of graduate school	9	0.2 %
97 (M)	Legitimate skip	3075	63.0 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	17	0.3 %
. (M)	-	3	0.1 %

Based upon 1786 valid cases out of 4882 total cases.

- Mean: 14.99
- Median: 15.00
- Mode: 14.00
- Minimum: 13.00
- Maximum: 22.00
- Standard Deviation: 1.56

### H3ED28

### S7Q28 COMPLETED GRAD COURSE/WRK-W3

Location: 1039-1039 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Have you completed your graduate course work?

Value	Label	Unweighted Frequency	%
0	No	53	1.1 %
1	Yes	7	0.1 %
7 (M)	Legitimate skip	4819	98.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	2	0.0 %

Based upon 60 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H3ED29	S7Q29 GRAD FIRST FIELD STUDY-W3	
Location:	1040-1046 (width: 7; decimal: 0)	
Variable Type:	character	
Question:	What is your {MAJOR/FIELD OF STUDY}? You may give two answers.	
Value	Unweighted Frequency	%
01.0103	1	0.0 %
11.0701	1	0.0 %
13.1307	1	0.0 %
30.2401	1	0.0 %
44.0401	1	0.0 %
44.0701	1	0.0 %
51.2001	1	0.0 %
9999997	4875	99.9 %

Based upon 4882 valid cases out of 4882 total cases.

H3ED30	S7Q30 GRAD SECOND FIELD STUDY-W3	
Location:	1047-1053 (width: 7; decimal: 0)	
Variable Type:	character	
Question:	What is your {MAJOR/FIELD OF STUDY}? You may give two answers.	
Value	Unweighted Frequency	%
9999997	4882	100.0 %

Based upon 4882 valid cases out of 4882 total cases.

H3ED31	S7Q31 ATTENDED TRAINING 3 MONTH+-W3		
Location:	1054-1054 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	8 , 9 , .		
Question:	Have you attended {REGULAR SCHOOL/ANY OTHER REGULAR SCHOOL} for three months or more since receiving your last degree or diploma?		
Value	Label	Unweighted Frequency	%
0	No (skip to Q.33)	3426	70.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1420	29.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	32	0.7 %
. (M)	-	2	0.0 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

### H3ED32

### S7Q32 HOW MANY TRAIN/COURSES ATT-W3

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: How many {SCHOOLS/OTHER SCHOOLS} have you attended for at least three months between June 1995 and {TODAY/<STARTED>}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One school	1110	22.7 %
2	Two schools	256	5.2 %
3	Three schools	43	0.9 %
4	Four schools	7	0.1 %
5	Five schools	3	0.1 %
97 (M)	Legitimate skip	3460	70.9 %
98 (M)	Don't know	1	0.0 %
. (M)	-	2	0.0 %

Based upon 1419 valid cases out of 4882 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.56

### H3ED33

### S7Q33 EVER EXPELLED FROM SCHOOL-W3

Location: 1057-1057 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 8 , 9 , .

Question: Have you ever been expelled from school?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.43)	4499	92.2 %
1	Yes	376	7.7 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**H3ED34**

**S7Q34 EXPELLED GRADE SCHOOL-W3**

Location: 1058-1058 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: From what level of school have you been expelled? Grade school

Value	Label	Unweighted Frequency	%
0	Not marked	358	7.3 %
1	Marked	17	0.3 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3ED35**

**S7Q35 EXPELLED 6TH GRADE-W3**

Location: 1059-1059 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 6th grade

Value	Label	Unweighted Frequency	%
0	Not marked	325	6.7 %
1	Marked	50	1.0 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**H3ED36**

**S7Q36 EXPelled 7TH GRADE-W3**

Location:

1060-1060 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 7th grade

Value	Label	Unweighted Frequency	%
0	Not marked	302	6.2 %
1	Marked	73	1.5 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3ED37**

**S7Q37 EXPelled 8TH GRADE-W3**

Location:

1061-1061 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 8th grade

Value	Label	Unweighted Frequency	%
0	Not marked	301	6.2 %
1	Marked	74	1.5 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3ED38**

**S7Q38 EXPELLED 9TH GRADE-W3**

Location:

1062-1062 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 9th grade

Value	Label	Unweighted Frequency	%
0	Not marked	278	5.7 %
1	Marked	97	2.0 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3ED39**

**S7Q39 EXPELLED 10TH GRADE-W3**

Location:

1063-1063 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 10th grade

Value	Label	Unweighted Frequency	%
0	Not marked	276	5.7 %
1	Marked	99	2.0 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3ED40**

**S7Q40 EXPelled 11TH GRADE-W3**

Location:

1064-1064 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

From what level of school have you been expelled? 11th grade

Value	Label	Unweighted Frequency	%
0	Not marked	297	6.1 %
1	Marked	78	1.6 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

**H3ED41**

**S7Q41 EXPelled 12TH GRADE-W3**

Location:

1065-1065 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 7 , 9 , .

Question:

From what level of school have you been expelled? 12th grade

Value	Label	Unweighted Frequency	%
0	Not marked	326	6.7 %
1	Marked	49	1.0 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**H3ED42**

**S7Q42 EXPelled COLLEGE-W3**

Location: 1066-1066 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question:

From what level of school have you been expelled? College

Value	Label	Unweighted Frequency	%
0	Not marked	368	7.5 %
1	Marked	7	0.1 %
7 (M)	Legitimate skip	4504	92.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 375 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3ED43**

**S7Q43 ATTND VOC/JOB/TRAINING-W3**

Location: 1067-1067 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 8 , 9 , .

Question: Since the summer of 1995, have you received any vocational education or job training in a program that lasted or will last for at least three months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to the next section)	3762	77.1 %
1	Yes	1110	22.7 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

**H3ED44**

**S7Q44 HOW MANY VOC/JOB/TRAIN ATTND-W3**

Location: 1068-1069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: How many such programs have you attended?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	850	17.4 %
2	-	165	3.4 %
3	-	55	1.1 %
4	-	21	0.4 %
5	-	3	0.1 %
6	-	4	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
17	-	1	0.0 %
97 (M)	Legitimate skip	3771	77.2 %
. (M)	-	8	0.2 %

Based upon 1103 valid cases out of 4882 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 17.00
- Standard Deviation: 0.97

**H3ED45\_A**

**S7Q45 1ST TRAINING KIND INSTITUTION-W3**

Location: 1070-1071 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: What kind of institution did you attend or are you attending for your {FIRST/NEXT} training program?

Value	Label	Unweighted Frequency	%
1	Vocational/trade school	347	7.1 %
2	Community college/junior college	132	2.7 %
3	Business school/financial institute/secretarial school	31	0.6 %
4	Armed forces	71	1.5 %
5	High school	67	1.4 %
6	Hospital/health-care facility or school	63	1.3 %
7	Cosmetology/beauty/barber school	35	0.7 %
8	Police academy/firefighter training program	19	0.4 %
9	Job training through city/county/state/federal government	107	2.2 %
10	Training by private employer	126	2.6 %
11	Religious institution; bible college/school	5	0.1 %
12	Other	75	1.5 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3778	77.4 %
98 (M)	Don't know	1	0.0 %
. (M)	-	24	0.5 %

Based upon 1078 valid cases out of 4882 total cases.

- Mean: 4.89
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.86

**H3ED46\_A**

**S7Q46 1ST TRAINING KIND FIELD-W3**

Location: 1072-1073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what field were you or are you being trained? FIRST TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	63	1.3 %
2	Machine operator:welding/grinder/plater; truck/test driver	48	1.0 %
3	Technician(ex. med):recording eng; electronics;nuclear tech	64	1.3 %
4	Construction/building trades:carpenter/plumber;roofer	70	1.4 %
5	Business/restaurant/retail management	64	1.3 %
6	Sales/retail/telemarketing/buyer/real estate/travel agent	36	0.7 %
7	Food service/restaurant worker: bartender/waitress/cook	45	0.9 %
8	Drafting/surveyor/mechanical drawing/cartographer	18	0.4 %
9	Secretarial: typist/stenographer/word processor	34	0.7 %
10	Other office/clerical: bookkeeping/receptionist	42	0.9 %
11	Computer programmer	41	0.8 %
12	'Computer,' n.e.c	44	0.9 %
13	Cosmetologist/barber/hair stylist/manicurist	56	1.1 %
14	Health related: First/nurse aid; LPN/CPR/EMT	217	4.4 %
15	Law enforcement/military police/firefighter/police	33	0.7 %
16	Advertising/photography	2	0.0 %
17	Engineering: electrical/mechanical/etc	24	0.5 %
18	Art/music/drama/dance	22	0.5 %
19	Foreign language	2	0.0 %
20	Religion	2	0.0 %
21	Other	146	3.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3778	77.4 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	24	0.5 %

Based upon 1073 valid cases out of 4882 total cases.

- Mean: 10.78
- Median: 12.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 6.23

**H3ED47\_A**

**S7Q47 1ST TRAINING REQ WELFARE PROG-W3**

Location: 1074-1074 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Was this training required by a welfare agency? FIRST TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1056	21.6 %
1	Yes	22	0.5 %
7 (M)	Legitimate skip	3778	77.4 %
8 (M)	Don't know	2	0.0 %
. (M)	-	24	0.5 %

Based upon 1078 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3ED48\_A**
**S7Q48 1ST TRAINING REC LICENSE/CERT-W3**

Location: 1075-1075 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Did you receive or will you receive a certificate or license? FIRST TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	420	8.6 %
1	Yes	655	13.4 %
7 (M)	Legitimate skip	3778	77.4 %
8 (M)	Don't know	5	0.1 %
. (M)	-	24	0.5 %

Based upon 1075 valid cases out of 4882 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3ED49MA**
**S7Q49M 1ST TRAINING MONTH LIC/CERT-W3**

Location: 1076-1077 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: In what month (and year) was this certificate or license awarded or will be awarded? FIRST TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	36	0.7 %
2	February	29	0.6 %
3	March	35	0.7 %
4	April	34	0.7 %
5	May	111	2.3 %
6	June	125	2.6 %
7	July	37	0.8 %
8	August	64	1.3 %
9	September	31	0.6 %
10	October	35	0.7 %
11	November	41	0.8 %
12	December	56	1.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4203	86.1 %
98 (M)	Don't know	20	0.4 %
. (M)	-	24	0.5 %

Based upon 634 valid cases out of 4882 total cases.

- Mean: 6.57
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.05

**H3ED49YA**

**S7Q49Y 1ST TRAINING YEAR LIC/CERT-W3**

Location: 1078-1081 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question: In what (month and) year was this certificate or license awarded or will be awarded? FIRST TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	3	0.1 %
1995	-	16	0.3 %
1996	-	51	1.0 %
1997	-	72	1.5 %
1998	-	93	1.9 %
1999	-	83	1.7 %
2000	-	117	2.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	130	2.7 %
2002	-	55	1.1 %
2003	-	10	0.2 %
2004	-	11	0.2 %
2005	-	2	0.0 %
2006	-	3	0.1 %
2007	-	2	0.0 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4203	86.1 %
9998 (M)	Don't know	6	0.1 %
. (M)	-	24	0.5 %

Based upon 648 valid cases out of 4882 total cases.

- Mean: 1999.33
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1994.00
- Maximum: 2007.00
- Standard Deviation: 2.16

#### H3ED45\_B

#### S7Q45 2ND TRAINING KIND INSTITUTION-W3

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What kind of institution did you attend or are you attending for your {SECOND/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Vocational/trade school	56	1.1 %
2	Community college/junior college	35	0.7 %
3	Business school/financial institute/secretarial school	6	0.1 %
4	Armed forces	13	0.3 %
5	High school	12	0.2 %
6	Hospital/health-care facility or school	14	0.3 %
7	Cosmetology/beauty/barber school	2	0.0 %
8	Police academy/firefighter training program	5	0.1 %
9	Job training through city/county/state/federal government	27	0.6 %
10	Training by private employer	45	0.9 %
11	Religious institution; bible college/school	2	0.0 %
12	Other	23	0.5 %
97 (M)	Legitimate skip	4628	94.8 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	9	0.2 %

Based upon 240 valid cases out of 4882 total cases.

- Mean: 5.77
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.05

### H3ED46\_B

### S7Q46 2ND TRAINING KIND FIELD-W3

Location: 1084-1085 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what field were you or are you being trained? SECOND TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	19	0.4 %
2	Machine operator:welding/grinder/plater; truck/test driver	13	0.3 %
3	Technician(ex. med):recording eng; electronics;nuclear tech	14	0.3 %
4	Construction/building trades:carpenter/plumber;roofer	12	0.2 %
5	Business/restaurant/retail management	18	0.4 %
6	Sales/retail/telemarketing/buyer/real estate/travel agent	9	0.2 %
7	Food service/restaurant worker: bartender/waitress/cook	10	0.2 %
8	Drafting/surveyor/mechanical drawing/cartographer	1	0.0 %
9	Secretarial: typist/stenographer/word processor	5	0.1 %
10	Other office/clerical: bookkeeping/receptionist	8	0.2 %
11	Computer programmer	12	0.2 %
12	'Computer,' n.e.c	12	0.2 %
13	Cosmetologist/barber/hair stylist/manicurist	4	0.1 %
14	Health related: First/nurse aid; LPN/CPR/EMT	34	0.7 %
15	Law enforcement/military polices/firefighter/police	9	0.2 %
16	Advertising/photography	2	0.0 %
17	Engineering: electrical/mechanical/etc	5	0.1 %
18	Art/music/drama/dance	1	0.0 %
21	Other	55	1.1 %
97 (M)	Legitimate skip	4628	94.8 %
99 (M)	Not applicable	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9	0.2 %

Based upon 243 valid cases out of 4882 total cases.

- Mean: 11.16
- Median: 12.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 6.97

#### H3ED47\_B

#### S7Q47 2ND TRAINING REQ WELFARE PROG-W3

Location: 1086-1086 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? SECOND TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	237	4.9 %
1	Yes	7	0.1 %
7 (M)	Legitimate skip	4628	94.8 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	9	0.2 %

Based upon 244 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

#### H3ED48\_B

#### S7Q48 2ND TRAINING REC LICENSE/CERT-W3

Location: 1087-1087 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? SECOND TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	113	2.3 %
1	Yes	131	2.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4628	94.8 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	9	0.2 %

Based upon 244 valid cases out of 4882 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3ED49MB

#### S7Q49M 2ND TRAINING MONTH LIC/CERT-W3

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: In what month (and year) was this certificate or license awarded or will be awarded? SECOND TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	8	0.2 %
2	February	6	0.1 %
3	March	8	0.2 %
4	April	6	0.1 %
5	May	17	0.3 %
6	June	20	0.4 %
7	July	9	0.2 %
8	August	13	0.3 %
9	September	7	0.1 %
10	October	7	0.1 %
11	November	12	0.2 %
12	December	9	0.2 %
97 (M)	Legitimate skip	4742	97.1 %
98 (M)	Don't know	8	0.2 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	9	0.2 %

Based upon 122 valid cases out of 4882 total cases.

- Mean: 6.66
- Median: 6.00

- Study 21600 -

- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.17

**H3ED49YB**

**S7Q49Y 2ND TRAINING YEAR LIC/CERT-W3**

Location: 1090-1093 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , 9999 , .

Question: In what (month and) year was this certificate or license awarded or will be awarded? SECOND TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
1994	-	1	0.0 %
1995	-	3	0.1 %
1996	-	4	0.1 %
1997	-	7	0.1 %
1998	-	18	0.4 %
1999	-	22	0.5 %
2000	-	18	0.4 %
2001	-	25	0.5 %
2002	-	23	0.5 %
2003	-	4	0.1 %
2004	-	1	0.0 %
2005	-	1	0.0 %
9997 (M)	Legitimate skip	4742	97.1 %
9998 (M)	Don't know	3	0.1 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	9	0.2 %

Based upon 127 valid cases out of 4882 total cases.

- Mean: 1999.81
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1994.00
- Maximum: 2005.00
- Standard Deviation: 2.03

**H3ED45\_C**

**S7Q45 3RD TRAINING KIND INSTITUTION-W3**

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What kind of institution did you attend or are you attending for your {THIRD/NEXT} training program?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Vocational/trade school	14	0.3 %
2	Community college/junior college	12	0.2 %
3	Business school/financial institute/secretarial school	3	0.1 %
4	Armed forces	7	0.1 %
5	High school	3	0.1 %
6	Hospital/health-care facility or school	3	0.1 %
7	Cosmetology/beauty/barber school	1	0.0 %
9	Job training through city/county/state/federal government	13	0.3 %
10	Training by private employer	16	0.3 %
11	Religious institution; bible college/school	2	0.0 %
12	Other	8	0.2 %
97 (M)	Legitimate skip	4793	98.2 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 6.22
- Median: 6.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.02

**H3ED46\_C**

**S7Q46 3RD TRAINING KIND FIELD-W3**

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what field were you or are you being trained? THIRD TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	6	0.1 %
2	Machine operator:welding/grinder/plater; truck/test driver	4	0.1 %
3	Technician(ex. med):recording eng; electronics;nuclear tech	8	0.2 %
4	Construction/building trades:carpenter/plumber;roofer	5	0.1 %
5	Business/restaurant/retail management	12	0.2 %
6	Sales/retail/telemarketing/buyer/real estate/travel agent	5	0.1 %
7	Food service/restaurant worker: bartender/waitress/cook	1	0.0 %
8	Drafting/surveyor/mechanical drawing/cartographer	2	0.0 %
9	Secretarial: typist/stenographer/word processor	3	0.1 %
10	Other office/clerical: bookkeeping/receptionist	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	Computer programmer	5	0.1 %
12	'Computer,' n.e.c	7	0.1 %
14	Health related: First/nurse aid; LPN/CPR/EMT	7	0.1 %
16	Advertising/photography	2	0.0 %
17	Engineering: electrical/mechanical/etc	2	0.0 %
20	Religion	1	0.0 %
21	Other	9	0.2 %
97 (M)	Legitimate skip	4793	98.2 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 9.02
- Median: 7.50
- Mode: 5.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 6.23

#### H3ED47\_C

#### S7Q47 3RD TRAINING REQ WELFARE PROG-W3

Location: 1098-1098 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? THIRD TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	80	1.6 %
1	Yes	2	0.0 %
7 (M)	Legitimate skip	4793	98.2 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

#### H3ED48\_C

#### S7Q48 3RD TRAINING REC LICENSE/CERT-W3

- Study 21600 -

Location: 1099-1099 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? THIRD TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	33	0.7 %
1	Yes	49	1.0 %
7 (M)	Legitimate skip	4793	98.2 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

### H3ED49MC

### S7Q49M 3RD TRAINING MONTH LIC/CERT-W3

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: In what month (and year) was this certificate or license awarded or will be awarded? THIRD TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	2	0.0 %
2	February	6	0.1 %
3	March	5	0.1 %
4	April	3	0.1 %
5	May	3	0.1 %
6	June	11	0.2 %
7	July	3	0.1 %
8	August	4	0.1 %
9	September	4	0.1 %
10	October	2	0.0 %
11	November	1	0.0 %
12	December	2	0.0 %
97 (M)	Legitimate skip	4828	98.9 %
98 (M)	Don't know	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5	0.1 %

Based upon 46 valid cases out of 4882 total cases.

- Mean: 5.78
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.94

**H3ED49YC**

**S7Q49Y 3RD TRAINING YEAR LIC/CERT-W3**

Location: 1102-1105 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997, .

Question: In what (month and) year was this certificate or license awarded or will be awarded? THIRD TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1993	-	1	0.0 %
1996	-	3	0.1 %
1997	-	2	0.0 %
1998	-	6	0.1 %
1999	-	8	0.2 %
2000	-	7	0.1 %
2001	-	17	0.3 %
2002	-	3	0.1 %
2004	-	1	0.0 %
2005	-	1	0.0 %
9997 (M)	Legitimate skip	4828	98.9 %
. (M)	-	5	0.1 %

Based upon 49 valid cases out of 4882 total cases.

- Mean: 1999.73
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1993.00
- Maximum: 2005.00
- Standard Deviation: 2.11

**H3ED45\_D**

**S7Q45 4TH TRAINING KIND INSTITUTION-W3**

Location: 1106-1107 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question:

What kind of institution did you attend or are you attending for your {FOURTH/NEXT} training program?

Value	Label	Unweighted Frequency	%
1	Vocational/trade school	1	0.0 %
2	Community college/junior college	6	0.1 %
4	Armed forces	5	0.1 %
5	High school	2	0.0 %
8	Police academy/firefighter training program	1	0.0 %
9	Job training through city/county/state/federal government	3	0.1 %
10	Training by private employer	9	0.2 %
11	Religious institution; bible college/school	2	0.0 %
12	Other	2	0.0 %
97 (M)	Legitimate skip	4848	99.3 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 31 valid cases out of 4882 total cases.

- Mean: 6.90
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.72

#### H3ED46\_D

#### S7Q46 4TH TRAINING KIND FIELD-W3

Location: 1108-1109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question:

In what field were you or are you being trained? FOURTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	2	0.0 %
2	Machine operator:welding/grinder/plater; truck/test driver	3	0.1 %
4	Construction/building trades:carpenter/plumber;roofer	2	0.0 %
5	Business/restaurant/retail management	4	0.1 %
6	Sales/retail/telemarketing/buyer/real estate/travel agent	2	0.0 %
9	Secretarial: typist/stenographer/word processor	3	0.1 %
10	Other office/clerical: bookkeeping/receptionist	2	0.0 %
12	'Computer,' n.e.c	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	Health related: First/nurse aid; LPN/CPR/EMT	1	0.0 %
15	Law enforcement/military polices/firefighter/police	1	0.0 %
21	Other	8	0.2 %
97 (M)	Legitimate skip	4848	99.3 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 10.62
- Median: 9.50
- Mode: 21.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 7.12

**H3ED47\_D**
**S7Q47 4TH TRAINING REQ WELFARE PROG-W3**

Location: 1110-1110 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? FOURTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32	0.7 %
7 (M)	Legitimate skip	4848	99.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3ED48\_D**
**S7Q48 4TH TRAINING REC LICENSE/CERT-W3**

Location: 1111-1111 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? FOURTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14	0.3 %
1	Yes	18	0.4 %
7 (M)	Legitimate skip	4848	99.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3ED49MD**

**S7Q49M 4TH TRAINING MONTH LIC/CERT-W3**

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: In what month (and year) was this certificate or license awarded or will be awarded? FOURTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	February	1	0.0 %
3	March	4	0.1 %
5	May	1	0.0 %
6	June	3	0.1 %
7	July	1	0.0 %
8	August	2	0.0 %
9	September	1	0.0 %
10	October	1	0.0 %
11	November	4	0.1 %
97 (M)	Legitimate skip	4863	99.6 %
. (M)	-	1	0.0 %

Based upon 18 valid cases out of 4882 total cases.

- Mean: 6.83
- Median: 6.50
- Minimum: 2.00
- Maximum: 11.00
- Standard Deviation: 3.20

- Study 21600 -

**H3ED49YD**

**S7Q49Y 4TH TRAINING YEAR LIC/CERT-W3**

Location: 1114-1117 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997, .  
 Question: In what (month and) year was this certificate or license awarded or will be awarded? FOURTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
1996	-	1	0.0 %
1997	-	2	0.0 %
1999	-	4	0.1 %
2000	-	4	0.1 %
2001	-	3	0.1 %
2002	-	4	0.1 %
9997 (M)	Legitimate skip	4863	99.6 %
. (M)	-	1	0.0 %

Based upon 18 valid cases out of 4882 total cases.

- Mean: 1999.83
- Median: 2000.00
- Minimum: 1996.00
- Maximum: 2002.00
- Standard Deviation: 1.82

**H3ED45\_E**

**S7Q45 5TH TRAINING KIND INSTITUTION-W3**

Location: 1118-1119 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97, 99, .  
 Question: What kind of institution did you attend or are you attending for your {FIFTH/NEXT} training program?

Value	Label	Unweighted Frequency	%
2	Community college/junior college	3	0.1 %
4	Armed forces	1	0.0 %
5	High school	1	0.0 %
6	Hospital/health-care facility or school	1	0.0 %
10	Training by private employer	3	0.1 %
12	Other	2	0.0 %
97 (M)	Legitimate skip	4869	99.7 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 6.82
- Median: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 4.07

**H3ED46\_E**
**S7Q46 5TH TRAINING KIND FIELD-W3**

Location: 1120-1121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: In what field were you or are you being trained? FIFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	1	0.0 %
2	Machine operator:welding/grinder/plater; truck/test driver	1	0.0 %
3	Technician(ex. med):recording eng; electronics;nuclear tech	2	0.0 %
5	Business/restaurant/retail management	1	0.0 %
9	Secretarial: typist/stenographer/word processor	1	0.0 %
10	Other office/clerical: bookkeeping/receptionist	1	0.0 %
12	'Computer,' n.e.c	1	0.0 %
14	Health related: First/nurse aid; LPN/CPR/EMT	1	0.0 %
17	Engineering: electrical/mechanical/etc	1	0.0 %
21	Other	1	0.0 %
97 (M)	Legitimate skip	4869	99.7 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 8.82
- Median: 9.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 6.66

**H3ED47\_E**
**S7Q47 5TH TRAINING REQ WELFARE PROG-W3**

Location: 1122-1122 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? FIFTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	11	0.2 %
7 (M)	Legitimate skip	4869	99.7 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3ED48\_E

#### S7Q48 5TH TRAINING REC LICENSE/CERT-W3

Location: 1123-1123 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? FIFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4	0.1 %
1	Yes	7	0.1 %
7 (M)	Legitimate skip	4869	99.7 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3ED49ME

#### S7Q49M 5TH TRAINING MONTH LIC/CERT-W3

Location: 1124-1125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: In what month (and year) was this certificate or license awarded or will be awarded? FIFTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	April	1	0.0 %
5	May	1	0.0 %
7	July	2	0.0 %
8	August	1	0.0 %
9	September	1	0.0 %
10	October	1	0.0 %
97 (M)	Legitimate skip	4874	99.8 %
. (M)	-	1	0.0 %

Based upon 7 valid cases out of 4882 total cases.

- Mean: 7.14
- Median: 7.00
- Mode: 7.00
- Minimum: 4.00
- Maximum: 10.00
- Standard Deviation: 2.12

**H3ED49YE**

**S7Q49Y 5TH TRAINING YEAR LIC/CERT-W3**

Location: 1126-1129 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , .

Question: In what (month and) year was this certificate or license awarded or will be awarded? FIFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	1	0.0 %
1996	-	1	0.0 %
1999	-	1	0.0 %
2000	-	2	0.0 %
2001	-	1	0.0 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4874	99.8 %
. (M)	-	1	0.0 %

Based upon 7 valid cases out of 4882 total cases.

- Mean: 1999.00
- Median: 2000.00
- Mode: 2000.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 2.58

- Study 21600 -

**H3ED45\_F**

**S7Q45 6TH TRAINING KIND INSTITUTION-W3**

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What kind of institution did you attend or are you attending for your {SIXTH/NEXT} training program?

Value	Label	Unweighted Frequency	%
1	Vocational/trade school	1	0.0 %
2	Community college/junior college	2	0.0 %
5	High school	2	0.0 %
10	Training by private employer	2	0.0 %
12	Other	1	0.0 %
97 (M)	Legitimate skip	4872	99.8 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 8 valid cases out of 4882 total cases.

- Mean: 5.88
- Median: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.26

**H3ED46\_F**

**S7Q46 6TH TRAINING KIND FIELD-W3**

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: In what field were you or are you being trained? SIXTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	1	0.0 %
2	Machine operator:welding/grinder/plater; truck/test driver	1	0.0 %
3	Technician(ex. med):recording eng; electronics;nuclear tech	1	0.0 %
6	Sales/retail/telemarketing/buyer/real estate/travel agent	1	0.0 %
10	Other office/clerical: bookkeeping/receptionist	2	0.0 %
12	'Computer,' n.e.c	1	0.0 %
13	Cosmetologist/barber/hair stylist/manicurist	1	0.0 %
97 (M)	Legitimate skip	4872	99.8 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 8 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 7.12
- Median: 8.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 4.73

H3ED47_F	S7Q47 6TH TRAINING REQ WELFARE PROG-W3			
Location:	1134-1134 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9 , .			
Question:	Was this training required by a welfare agency? SIXTH TRAINING PROGRAM.			
	Value	Label	Unweighted Frequency	%
	0	No	8	0.2 %
	7 (M)	Legitimate skip	4872	99.8 %
	9 (M)	Not applicable	1	0.0 %
	. (M)	-	1	0.0 %

Based upon 8 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H3ED48_F	S7Q48 6TH TRAINING REC LICENSE/CERT-W3			
Location:	1135-1135 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9 , .			
Question:	Did you receive or will you receive a certificate or license? SIXTH TRAINING PROGRAM.			
	Value	Label	Unweighted Frequency	%
	0	No	2	0.0 %
	1	Yes	6	0.1 %
	7 (M)	Legitimate skip	4872	99.8 %
	9 (M)	Not applicable	1	0.0 %
	. (M)	-	1	0.0 %

Based upon 8 valid cases out of 4882 total cases.

- Mean: 0.75

- Study 21600 -

- Median: 1.00
  - Mode: 1.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.46

H3ED49MF	S7Q49M 6TH TRAINING MONTH LIC/CERT-W3		
Location:	1136-1137 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , .		
Question:	In what month (and year) was this certificate or license awarded or will be awarded? SIXTH TRAINING PROGRAM.		
Value	Label	Unweighted Frequency	%
3	March	1	0.0 %
4	April	1	0.0 %
5	May	1	0.0 %
7	July	1	0.0 %
8	August	1	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4875	99.9 %
. (M)	-	1	0.0 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 6.50
  - Median: 6.00
  - Minimum: 3.00
  - Maximum: 12.00
  - Standard Deviation: 3.27

H3ED49YF	S7Q49Y 6TH TRAINING YEAR LIC/CERT-W3		
Location:	1138-1141 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	9997 , .		
Question:	In what (month and) year was this certificate or license awarded or will be awarded? SIXTH TRAINING PROGRAM.		
Value	Label	Unweighted Frequency	%
1997	-	1	0.0 %
1999	-	1	0.0 %
2000	-	2	0.0 %
2001	-	2	0.0 %
9997 (M)	Legitimate skip	4875	99.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 1999.67
- Median: 2000.00
- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 1.51

**H3ED45\_G**
**S7Q45 7TH TRAINING KIND INSTITUTION-W3**

Location: 1142-1143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What kind of institution did you attend or are you attending for your {SEVENTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Community college/junior college	2	0.0 %
9	Job training through city/county/state/federal government	1	0.0 %
11	Religious institution; bible college/school	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 6.00
- Median: 5.50
- Mode: 2.00
- Minimum: 2.00
- Maximum: 11.00
- Standard Deviation: 4.69

**H3ED46\_G**
**S7Q46 7TH TRAINING KIND FIELD-W3**

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: In what field were you or are you being trained? SEVENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Skilled crafts:mechanic;auto/appliance/computer;machinist	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Food service/restaurant worker: bartender/waitress/cook	1	0.0 %
11	Computer programmer	1	0.0 %
12	'Computer,' n.e.c	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 7.75
- Median: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.99

**H3ED47\_G**
**S7Q47 7TH TRAINING REQ WELFARE PROG-W3**

Location: 1146-1146 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? SEVENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4	0.1 %
7 (M)	Legitimate skip	4876	99.9 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3ED48\_G**
**S7Q48 7TH TRAINING REC LICENSE/CERT-W3**

Location: 1147-1147 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? SEVENTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %
1	Yes	3	0.1 %
7 (M)	Legitimate skip	4876	99.9 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3ED49MG**
**S7Q49M 7TH TRAINING MONTH LIC/CERT-W3**

Location: 1148-1149 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: In what month (and year) was this certificate or license awarded or will be awarded? SEVENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	1	0.0 %
6	June	1	0.0 %
8	August	1	0.0 %
97 (M)	Legitimate skip	4878	99.9 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 5.67
- Median: 6.00
- Minimum: 3.00
- Maximum: 8.00
- Standard Deviation: 2.52

**H3ED49YG**
**S7Q49Y 7TH TRAINING YEAR LIC/CERT-W3**

Location: 1150-1153 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997 , .  
 Question: In what (month and) year was this certificate or license awarded or will be awarded? SEVENTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	1	0.0 %
2000	-	1	0.0 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4878	99.9 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 2000.00
- Median: 2000.00
- Minimum: 1999.00
- Maximum: 2001.00
- Standard Deviation: 1.00

#### H3ED45\_H

#### S7Q45 8TH TRAINING KIND INSTITUTION-W3

Location:	1154-1155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , 99 , .
Question:	What kind of institution did you attend or are you attending for your {EIGHTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Community college/junior college	1	0.0 %
5	High school	1	0.0 %
10	Training by private employer	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 5.67
- Median: 5.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 4.04

#### H3ED46\_H

#### S7Q46 8TH TRAINING KIND FIELD-W3

Location:	1156-1157 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , 99 , .
Question:	In what field were you or are you being trained? EIGHTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Construction/building trades:carpenter/plumber;roofer	1	0.0 %
12	'Computer,' n.e.c	2	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 9.33
- Median: 12.00
- Mode: 12.00
- Minimum: 4.00
- Maximum: 12.00
- Standard Deviation: 4.62

**H3ED47\_H**
**S7Q47 8TH TRAINING REQ WELFARE PROG-W3**

Location: 1158-1158 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? EIGHTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3	0.1 %
7 (M)	Legitimate skip	4876	99.9 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3ED48\_H**
**S7Q48 8TH TRAINING REC LICENSE/CERT-W3**

Location: 1159-1159 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? EIGHTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %
1	Yes	2	0.0 %
7 (M)	Legitimate skip	4876	99.9 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.58

<b>H3ED49MH</b>	<b>S7Q49M 8TH TRAINING MONTH LIC/CERT-W3</b>		
Location:	1160-1161 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97, .		
Question:	In what month (and year) was this certificate or license awarded or will be awarded? EIGHTH TRAINING PROGRAM.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	1	0.0 %
7	July	1	0.0 %
97 (M)	Legitimate skip	4879	99.9 %
. (M)	-	1	0.0 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 4.00
- Median: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 4.24

<b>H3ED49YH</b>	<b>S7Q49Y 8TH TRAINING YEAR LIC/CERT-W3</b>
Location:	1162-1165 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9997, .
Question:	In what (month and) year was this certificate or license awarded or will be awarded? EIGHTH TRAINING PROGRAM.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2000	-	1	0.0 %
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4879	99.9 %
. (M)	-	1	0.0 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 2000.50
- Median: 2000.50
- Minimum: 2000.00
- Maximum: 2001.00
- Standard Deviation: 0.71

**H3ED45\_I**
**S7Q45 9TH TRAINING KIND INSTITUTION-W3**

Location: 1166-1167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What kind of institution did you attend or are you attending for your {NINTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Community college/junior college	1	0.0 %
97 (M)	Legitimate skip	4879	99.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

**H3ED46\_I**
**S7Q46 9TH TRAINING KIND FIELD-W3**

Location: 1168-1169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , ..

Question: In what field were you or are you being trained? NINTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Business/restaurant/retail management	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4879	99.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

#### H3ED47\_I

#### S7Q47 9TH TRAINING REQ WELFARE PROG-W3

Location: 1170-1170 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? NINTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %
7 (M)	Legitimate skip	4879	99.9 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3ED48\_I

#### S7Q48 9TH TRAINING REC LICENSE/CERT-W3

Location: 1171-1171 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? NINTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4879	99.9 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3ED49MI**
**S7Q49M 9TH TRAINING MONTH LIC/CERT-W3**

Location:	1172-1173 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , .
Question:	In what month (and year) was this certificate or license awarded or will be awarded? NINTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YI**
**S7Q49Y 9TH TRAINING YEAR LIC/CERT-W3**

Location:	1174-1177 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9997 , .
Question:	In what (month and) year was this certificate or license awarded or will be awarded? NINTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED45\_J**
**S7Q45 10TH TRAINING KIND INSTITUTION-W3**

Location:	1178-1179 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , 99 , .

- Study 21600 -

Question:

What kind of institution did you attend or are you attending for your {TENTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED46\_J**

**S7Q46 10TH TRAINING KIND FIELD-W3**

Location:

1180-1181 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97 , 99 , .

Question:

In what field were you or are you being trained? TENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED47\_J**

**S7Q47 10TH TRAINING REQ WELFARE PROG-W3**

Location:

1182-1182 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Was this training required by a welfare agency? TENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED48\_J**

**S7Q48 10TH TRAINING REC LICENSE/CERT-W3**

Location:

1183-1183 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Did you receive or will you receive a certificate or license? TENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49MJ**
**S7Q49M 10TH TRAINING MONTH LIC/CERT-W3**

Location: 1184-1185 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: In what month (and year) was this certificate or license awarded or will be awarded? TENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YJ**
**S7Q49Y 10TH TRAINING YEAR LIC/CERT-W3**

Location: 1186-1189 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997 , .  
 Question: In what (month and) year was this certificate or license awarded or will be awarded? TENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED45\_K**
**S7Q45 11TH TRAINING KIND INSTITUTION-W3**

Location: 1190-1191 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 99 , .  
 Question: What kind of institution did you attend or are you attending for your {ELEVENTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

**H3ED46\_K**
**S7Q46 11TH TRAINING KIND FIELD-W3**

Location:	1192-1193 (width: 2; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	97 , 99 , .																
Question:	In what field were you or are you being trained? ELEVENTH TRAINING PROGRAM.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">97 (M)</td><td>Legitimate skip</td><td style="text-align: right;">4880</td><td style="text-align: right;">100.0 %</td></tr> <tr> <td style="text-align: center;">99 (M)</td><td>Not applicable</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	97 (M)	Legitimate skip	4880	100.0 %	99 (M)	Not applicable	1	0.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
97 (M)	Legitimate skip	4880	100.0 %														
99 (M)	Not applicable	1	0.0 %														
. (M)	-	1	0.0 %														

Based upon 0 valid cases out of 4882 total cases.

**H3ED47\_K**
**S7Q47 11TH TRAINING REQ WELFARE PROG-W3**

Location:	1194-1194 (width: 1; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	7 , 9 , .																
Question:	Was this training required by a welfare agency? ELEVENTH TRAINING PROGRAM.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">7 (M)</td><td>Legitimate skip</td><td style="text-align: right;">4880</td><td style="text-align: right;">100.0 %</td></tr> <tr> <td style="text-align: center;">9 (M)</td><td>Not applicable</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	Legitimate skip	4880	100.0 %	9 (M)	Not applicable	1	0.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
7 (M)	Legitimate skip	4880	100.0 %														
9 (M)	Not applicable	1	0.0 %														
. (M)	-	1	0.0 %														

Based upon 0 valid cases out of 4882 total cases.

**H3ED48\_K**
**S7Q48 11TH TRAINING REC LICENSE/CERT-W3**

Location:	1195-1195 (width: 1; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	7 , 9 , .																
Question:	Did you receive or will you receive a certificate or license? ELEVENTH TRAINING PROGRAM.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">7 (M)</td><td>Legitimate skip</td><td style="text-align: right;">4880</td><td style="text-align: right;">100.0 %</td></tr> <tr> <td style="text-align: center;">9 (M)</td><td>Not applicable</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	Legitimate skip	4880	100.0 %	9 (M)	Not applicable	1	0.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
7 (M)	Legitimate skip	4880	100.0 %														
9 (M)	Not applicable	1	0.0 %														
. (M)	-	1	0.0 %														

Based upon 0 valid cases out of 4882 total cases.

**H3ED49MK**
**S7Q49M 11TH TRAINING MONTH LIC/CERT-W3**

Location:	1196-1197 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97 , .

- Study 21600 -

Question: In what month (and year) was this certificate or license awarded or will be awarded? ELEVENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YK**

**S7Q49Y 11TH TRAINING YEAR LIC/CERT-W3**

Location: 1198-1201 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , .

Question: In what (month and) year was this certificate or license awarded or will be awarded? ELEVENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED45\_L**

**S7Q45 12TH TRAINING KIND INSTITUTION-W3**

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What kind of institution did you attend or are you attending for your {TWELFTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED46\_L**

**S7Q46 12TH TRAINING KIND FIELD-W3**

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , ..

Question: In what field were you or are you being trained? TWELFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED47\_L**
**S7Q47 12TH TRAINING REQ WELFARE PROG-W3**

Location: 1206-1206 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? TWELFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED48\_L**
**S7Q48 12TH TRAINING REC LICENSE/CERT-W3**

Location: 1207-1207 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Did you receive or will you receive a certificate or license? TWELFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49ML**
**S7Q49M 12TH TRAINING MONTH LIC/CERT-W3**

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: In what month (and year) was this certificate or license awarded or will be awarded? TWELFTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

<b>H3ED49YL</b>	<b>S7Q49Y 12TH TRAINING YEAR LIC/CERT-W3</b>			
Location:	1210-1213 (width: 4; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	9997 , .			
Question:	In what (month and) year was this certificate or license awarded or will be awarded? TWELFTH TRAINING PROGRAM.			
Value	Label	Unweighted Frequency	% %	
9997 (M)	Legitimate skip	4881	100.0 %	
. (M)	-	1	0.0 %	

Based upon 0 valid cases out of 4882 total cases.

<b>H3ED45_M</b>	<b>S7Q45 13TH TRAINING KIND INSTITUTION-W3</b>			
Location:	1214-1215 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 99 , .			
Question:	What kind of institution did you attend or are you attending for your {THIRTEENTH/NEXT} training program?			
Value	Label	Unweighted Frequency	% %	
97 (M)	Legitimate skip	4880	100.0 %	
99 (M)	Not applicable	1	0.0 %	
. (M)	-	1	0.0 %	

Based upon 0 valid cases out of 4882 total cases.

<b>H3ED46_M</b>	<b>S7Q46 13TH TRAINING KIND FIELD-W3</b>			
Location:	1216-1217 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 99 , .			
Question:	In what field were you or are you being trained? THIRTEENTH TRAINING PROGRAM.			
Value	Label	Unweighted Frequency	% %	
97 (M)	Legitimate skip	4880	100.0 %	
99 (M)	Not applicable	1	0.0 %	
. (M)	-	1	0.0 %	

Based upon 0 valid cases out of 4882 total cases.

<b>H3ED47_M</b>	<b>S7Q47 13TH TRAINING REQ WELFARE PROG-W3</b>			
Location:	1218-1218 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9 , .			

- Study 21600 -

Question:

Was this training required by a welfare agency? THIRTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED48\_M**

**S7Q48 13TH TRAINING REC LICENSE/CERT-W3**

Location:

1219-1219 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Did you receive or will you receive a certificate or license? THIRTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49MM**

**S7Q49M 13TH TRAINING MONTH LIC/CERT-W3**

Location:

1220-1221 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97 , .

Question:

In what month (and year) was this certificate or license awarded or will be awarded? THIRTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YM**

**S7Q49Y 13TH TRAINING YEAR LIC/CERT-W3**

Location:

1222-1225 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9997 , .

Question:

In what (month and) year was this certificate or license awarded or will be awarded? THIRTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
9997 (M)	Legitimate skip	4881	100.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED45\_N**
**S7Q45 14TH TRAINING KIND INSTITUTION-W3**

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What kind of institution did you attend or are you attending for your {FOURTEENTH/NEXT} training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED46\_N**
**S7Q46 14TH TRAINING KIND FIELD-W3**

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: In what field were you or are you being trained? FOURTEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED47\_N**
**S7Q47 14TH TRAINING REQ WELFARE PROG-W3**

Location: 1230-1230 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this training required by a welfare agency? FOURTEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

**H3ED48\_N**
**S7Q48 14TH TRAINING REC LICENSE/CERT-W3**

Location: 1231-1231 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 9 , .  
 Question: Did you receive or will you receive a certificate or license? FOURTEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49MN**
**S7Q49M 14TH TRAINING MONTH LIC/CERT-W3**

Location: 1232-1233 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: In what month (and year) was this certificate or license awarded or will be awarded? FOURTEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YN**
**S7Q49Y 14TH TRAINING YEAR LIC/CERT-W3**

Location: 1234-1237 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997 , .  
 Question: In what (month and) year was this certificate or license awarded or will be awarded? FOURTEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED45\_O**
**S7Q45 15TH TRAINING KIND INSTITUTION-W3**

Location: 1238-1239 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 99 , .

- Study 21600 -

Question:

What kind of institution did you attend or are you attending for your {FIFTHTEENTH/NEXT} training program?

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED46\_O**

**S7Q46 15TH TRAINING KIND FIELD-W3**

Location:

1240-1241 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97 , 99 , .

Question:

In what field were you or are you being trained? FIFTHTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4880	100.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED47\_O**

**S7Q47 15TH TRAINING REQ WELFARE PROG-W3**

Location:

1242-1242 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Was this training required by a welfare agency? FIFTHTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4880	100.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED48\_O**

**S7Q48 15TH TRAINING REC LICENSE/CERT-W3**

Location:

1243-1243 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Did you receive or will you receive a certificate or license? FIFTHTEENTH TRAINING PROGRAM.

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4880	100.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49MO**
**S7Q49M 15TH TRAINING MONTH LIC/CERT-W3**

- Location: 1244-1245 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97, .  
 Question: In what month (and year) was this certificate or license awarded or will be awarded? FIFTHEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3ED49YO**
**S7Q49Y 15TH TRAINING YEAR LIC/CERT-W3**

- Location: 1246-1249 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997, .  
 Question: In what (month and) year was this certificate or license awarded or will be awarded? FIFTHEENTH TRAINING PROGRAM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3LM1**
**S8Q1 EVER HAD A JOB-W3**

- Location: 1250-1250 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 8  
 Question: Have you ever had a job? Don't count being in the military and don't count jobs such as babysitting or lawn mowing unless you were working for a business.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.3)	154	3.2 %
1	Yes	4725	96.8 %
8 (M)	Don't know	3	0.1 %

- Study 21600 -

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3LM2****S8Q2 EVER WORK 9 WEEKS/MORE/10 HRS-W3**

Location: 1251-1251 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Have you ever worked for nine weeks or more at a paying job that was at least 10 hours a week?

Value	Label	Unweighted Frequency	%
0	No	142	2.9 %
1	Yes (skip to Q.7)	4583	93.9 %
7 (M)	Legitimate skip	154	3.2 %
8 (M)	Don't know	3	0.1 %

Based upon 4725 valid cases out of 4882 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3LM3****S8Q3 PHYSICAL/NERV/COND PREVENT WORK-W3**

Location: 1252-1252 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you had a physical or nervous condition that has kept you from working?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.37)	252	5.2 %
1	Yes	43	0.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4583	93.9 %
8 (M)	Don't know	3	0.1 %

Based upon 295 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H3LM4M	S8Q4 MONTH CONDITION BEGAN-W3		
Location:	1253-1254 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 98		
Question:	In what month (and year) did this condition begin?		
Value	Label	Unweighted Frequency	%
1	January	3	0.1 %
2	February	2	0.0 %
3	March	3	0.1 %
4	April	2	0.0 %
5	May	4	0.1 %
6	June	2	0.0 %
7	July	4	0.1 %
8	August	5	0.1 %
9	September	4	0.1 %
10	October	3	0.1 %
12	December	5	0.1 %
97 (M)	Legitimate skip	4839	99.1 %
98 (M)	Don't know	6	0.1 %

Based upon 37 valid cases out of 4882 total cases.

- Mean: 6.76
- Median: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.39

H3LM4Y	S8Q4 YEAR CONDITION BEGAN-W3		
Location:	1255-1258 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	9997 , 9998		
Question:	In what (month and) year did this condition begin?		

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1974	-	3	0.1 %
1975	-	1	0.0 %
1977	-	6	0.1 %
1978	-	2	0.0 %
1979	-	1	0.0 %
1980	-	1	0.0 %
1981	-	1	0.0 %
1982	-	3	0.1 %
1984	-	1	0.0 %
1989	-	1	0.0 %
1990	-	1	0.0 %
1992	-	1	0.0 %
1994	-	3	0.1 %
1995	-	3	0.1 %
1996	-	1	0.0 %
1997	-	2	0.0 %
1998	-	3	0.1 %
1999	-	1	0.0 %
2001	-	6	0.1 %
9997 (M)	Legitimate skip	4839	99.1 %
9998 (M)	Don't know	2	0.0 %

Based upon 41 valid cases out of 4882 total cases.

- Mean: 1988.10
- Median: 1990.00
- Minimum: 1974.00
- Maximum: 2001.00
- Standard Deviation: 9.92

### H3LM5

### S8Q5 STILL HAVE CONDITION-W3

Location: 1259-1259 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Do you still have this condition?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2	0.0 %
1	Yes (skip to Q.37)	41	0.8 %
7 (M)	Legitimate skip	4839	99.1 %

Based upon 43 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

<b>H3LM6M</b>	<b>S8Q6 MONTH CONDITION ENDED-W3</b>																		
Location:	1260-1261 (width: 2; decimal: 0)																		
Variable Type:	numeric																		
Range of Missing Values (M):	97																		
Question:	In what month (and year) did this condition end?																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">January</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">March</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4880</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	January	1	0.0 %	3	March	1	0.0 %	97 (M)	Legitimate skip	4880	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																
1	January	1	0.0 %																
3	March	1	0.0 %																
97 (M)	Legitimate skip	4880	100.0 %																

Based upon 2 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.41

<b>H3LM6Y</b>	<b>S8Q6 YEAR CONDITION ENDED-W3</b>																		
Location:	1262-1265 (width: 4; decimal: 0)																		
Variable Type:	numeric																		
Range of Missing Values (M):	9997																		
Question:	In what (month and) year did this condition end?																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1996</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2000</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">9997 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4880</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1996	-	1	0.0 %	2000	-	1	0.0 %	9997 (M)	Legitimate skip	4880	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																
1996	-	1	0.0 %																
2000	-	1	0.0 %																
9997 (M)	Legitimate skip	4880	100.0 %																

Based upon 2 valid cases out of 4882 total cases.

- Mean: 1998.00
- Median: 1998.00
- Minimum: 1996.00
- Maximum: 2000.00
- Standard Deviation: 2.83

- Study 21600 -

**H3LM7**

**S8Q7 CURRENTLY WORK/10 HRS WEEK-W3**

Location: 1266-1266 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you currently working for pay for at least 10 hours a week?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.9)	1241	25.4 %
1	Yes	3342	68.5 %
7 (M)	Legitimate skip	299	6.1 %

Based upon 4583 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3LM8**

**S8Q8 STILL WORK FIRST PAY JOB EVER-W3**

Location: 1267-1267 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: Are you still working at the first paying job you ever had where you worked for 10 hours or more a week?

Value	Label	Unweighted Frequency	%
0	No	3003	61.5 %
1	Yes (skip to Q.14)	336	6.9 %
7 (M)	Legitimate skip	1540	31.5 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 3339 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

**H3LM9**

**S8Q9 AGE AT FIRST PAY JOB-W3**

- Study 21600 -

Location: 1268-1269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you began your FIRST paying job that lasted for nine weeks or more and where you worked at least 10 hours a week?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	34	0.7 %
11	-	10	0.2 %
12	-	51	1.0 %
13	-	103	2.1 %
14	-	290	5.9 %
15	-	707	14.5 %
16	-	1540	31.5 %
17	-	642	13.2 %
18	-	526	10.8 %
19	-	198	4.1 %
20	-	66	1.4 %
21	-	39	0.8 %
22	-	18	0.4 %
23	-	4	0.1 %
24	-	2	0.0 %
96 (M)	Refused	9	0.2 %
97 (M)	Legitimate skip	635	13.0 %
98 (M)	Don't know	8	0.2 %

Based upon 4230 valid cases out of 4882 total cases.

- Mean: 16.20
- Median: 16.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 24.00
- Standard Deviation: 1.72

**H3LM10**

**S8Q10 JOB CLASSIFICATION-W3**

Location: 1270-1276 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999

Question: What did you do in that first job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
110000	Management occupation	18	0.4 %
130000	Business/financial operations occupation	32	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
150000	Computer/mathematical occupation	28	0.6 %
170000	Architecture/engineering occupation	11	0.2 %
190000	Life/physical/social science occupation	11	0.2 %
210000	Community/social services occupation	53	1.1 %
230000	Legal occupation	9	0.2 %
250000	Education/training/library occupation	109	2.2 %
270000	Arts/design/entertainment/sports/media occupation	103	2.1 %
290000	Healthcare practitioners/technical occupation	28	0.6 %
310000	Healthcare support occupation	53	1.1 %
330000	Protective service occupation	47	1.0 %
350000	Food preparation/serving related occupation	1661	34.0 %
370000	Building/grounds cleaning/maintenance occupation	192	3.9 %
390000	Personal care/service occupation	158	3.2 %
410000	Sales and related occupation	951	19.5 %
430000	Office/administrative support occupation	248	5.1 %
450000	Farming/fishing/forestry occupation	132	2.7 %
470000	Construction/extraction occupation	138	2.8 %
490000	Installation/maintenance/repair occupation	70	1.4 %
510000	Production occupation	94	1.9 %
530000	Transportation/material moving occupation	32	0.7 %
550000	Military specific occupation	8	0.2 %
9999996 (M)	Refused	12	0.2 %
9999997 (M)	Legitimate skip	635	13.0 %
9999998 (M)	Don't know	26	0.5 %
9999999 (M)	Not applicable	23	0.5 %

Based upon 4186 valid cases out of 4882 total cases.

- Mean: 372919.25
- Median: 350000.00
- Mode: 350000.00
- Minimum: 110000.00
- Maximum: 550000.00
- Standard Deviation: 67467.46

**H3LM11A**

**S8Q11A DETAIL JOB CLASSIFICATION-W3**

Location:

1277-1283 (width: 7; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M):

9999996 , 9999997 , 9999998 , 9999999

Question:

Which one of the following more specific [insert first level occupation from Q.10] occupations best describes your first job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
111000	-	1	0.0 %
112000	-	1	0.0 %
113000	-	2	0.0 %
119000	-	9	0.2 %
131000	-	21	0.4 %
132000	-	10	0.2 %
151000	-	28	0.6 %
171000	-	2	0.0 %
172000	-	5	0.1 %
173000	-	4	0.1 %
191000	-	1	0.0 %
192000	-	1	0.0 %
194000	-	7	0.1 %
211000	-	48	1.0 %
212000	-	4	0.1 %
231000	-	1	0.0 %
232000	-	8	0.2 %
251000	-	5	0.1 %
252000	-	6	0.1 %
253000	-	21	0.4 %
254000	-	4	0.1 %
259000	-	73	1.5 %
271000	-	20	0.4 %
272000	-	53	1.1 %
273000	-	14	0.3 %
274000	-	11	0.2 %
291000	-	2	0.0 %
292000	-	9	0.2 %
299000	-	17	0.3 %
311000	-	17	0.3 %
319000	-	35	0.7 %
339000	-	47	1.0 %
351000	-	132	2.7 %
352000	-	468	9.6 %
353000	-	513	10.5 %
359000	-	546	11.2 %
371000	-	41	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
372000	-	41	0.8 %
373000	-	109	2.2 %
391000	-	4	0.1 %
392000	-	9	0.2 %
393000	-	7	0.1 %
395000	-	3	0.1 %
396000	-	5	0.1 %
399000	-	130	2.7 %
411000	-	23	0.5 %
412000	-	589	12.1 %
413000	-	50	1.0 %
414000	-	14	0.3 %
419000	-	275	5.6 %
431000	-	9	0.2 %
432000	-	3	0.1 %
433000	-	8	0.2 %
434000	-	31	0.6 %
435000	-	11	0.2 %
436000	-	102	2.1 %
439000	-	83	1.7 %
451000	-	9	0.2 %
452000	-	74	1.5 %
453000	-	1	0.0 %
454000	-	5	0.1 %
459000	-	42	0.9 %
471000	-	4	0.1 %
472000	-	24	0.5 %
473000	-	70	1.4 %
474000	-	38	0.8 %
475000	-	2	0.0 %
491000	-	3	0.1 %
492000	-	5	0.1 %
493000	-	13	0.3 %
499000	-	48	1.0 %
511000	-	3	0.1 %
512000	-	29	0.6 %
513000	-	7	0.1 %
514000	-	10	0.2 %
516000	-	9	0.2 %
517000	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
518000	-	4	0.1 %
519000	-	26	0.5 %
531000	-	1	0.0 %
533000	-	3	0.1 %
536000	-	11	0.2 %
537000	-	17	0.3 %
552000	-	3	0.1 %
553000	-	4	0.1 %
9999997 (M)	Legitimate skip	696	14.3 %
9999998 (M)	Don't know	15	0.3 %
9999999 (M)	Not applicable	9	0.2 %

Based upon 4162 valid cases out of 4882 total cases.

- Mean: 377971.41
- Median: 359000.00
- Mode: 412000.00
- Minimum: 111000.00
- Maximum: 553000.00
- Standard Deviation: 66870.83

**H3LM11B**
**S8Q11B DETAIL JOB CLASSIFICATION-W3**

Location: 1284-1290 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: Getting more specific, which of the following categories [Q.11A] describes your first job?

<i>Value</i>	<i>Label</i>
9999996 (M)	Refused
9999997 (M)	Legitimate skip
9999998 (M)	Don't know
9999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 4147 valid cases out of 4882 total cases.

- Mean: 377935.38
- Median: 359090.00
- Mode: 359090.00
- Minimum: 111010.00
- Maximum: 553010.00

- Study 21600 -

- Standard Deviation: 66759.19

**H3LM11C**

**S8Q11C DETAIL JOB CLASSIFICATION-W3**

Location: 1291-1297 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: Out of these categories of [Q.11B], which one best describes your first job?

Value	Label
9999996 (M)	Refused
9999997 (M)	Legitimate skip
9999998 (M)	Don't know
9999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 3632 valid cases out of 4882 total cases.

- Mean: 375417.98
- Minimum: 111011.00
- Maximum: 537199.00
- Standard Deviation: 68422.57

**H3LM12**

**S8Q12 FIRST PAY JOB FULL/PART TIME-W3**

Location: 1298-1298 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8  
 Question: Was your first paying job full time (35 hours a week or more) or part time (less than 35 but more than 10 hours a week)?

Value	Label	Unweighted Frequency	%
1	Full time	1222	25.0 %
2	Part time	3021	61.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	635	13.0 %
8 (M)	Don't know	1	0.0 %

Based upon 4243 valid cases out of 4882 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

- Study 21600 -

**H3LM13M**

**S8Q13 MONTH FIRST PAY JOB ENDED-W3**

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did that first job end?

Value	Label	Unweighted Frequency	%
1	January	211	4.3 %
2	February	164	3.4 %
3	March	188	3.9 %
4	April	173	3.5 %
5	May	343	7.0 %
6	June	385	7.9 %
7	July	308	6.3 %
8	August	1020	20.9 %
9	September	464	9.5 %
10	October	232	4.8 %
11	November	208	4.3 %
12	December	223	4.6 %
96 (M)	Refused	16	0.3 %
97 (M)	Legitimate skip	635	13.0 %
98 (M)	Don't know	297	6.1 %
99 (M)	Not applicable	13	0.3 %
. (M)	-	2	0.0 %

Based upon 3919 valid cases out of 4882 total cases.

- Mean: 7.04
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.85

**H3LM13Y**

**S8Q13 YEAR FIRST PAY JOB ENDED-W3**

Location: 1301-1304 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what (month and) year did that first job end?

Value	Label	Unweighted Frequency	%
1982	-	2	0.0 %
1985	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1987	-	1	0.0 %
1988	-	5	0.1 %
1989	-	8	0.2 %
1990	-	21	0.4 %
1991	-	37	0.8 %
1992	-	96	2.0 %
1993	-	178	3.6 %
1994	-	337	6.9 %
1995	-	508	10.4 %
1996	-	691	14.2 %
1997	-	648	13.3 %
1998	-	635	13.0 %
1999	-	440	9.0 %
2000	-	316	6.5 %
2001	-	173	3.5 %
2002	-	9	0.2 %
9996 (M)	Refused	15	0.3 %
9997 (M)	Legitimate skip	635	13.0 %
9998 (M)	Don't know	112	2.3 %
9999 (M)	Not applicable	10	0.2 %
. (M)	-	4	0.1 %

Based upon 4106 valid cases out of 4882 total cases.

- Mean: 1996.70
- Median: 1997.00
- Mode: 1996.00
- Minimum: 1982.00
- Maximum: 2002.00
- Standard Deviation: 2.36

**H3LM14**

**S8Q14 NUMBER OF CURRENT PAY JOBS-W3**

Location: 1305-1306 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: At how many jobs are you now working for pay?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 jobs	9	0.2 %
1	1 job	2948	60.4 %
2	2 jobs	344	7.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	3 jobs	36	0.7 %
4	4 jobs	5	0.1 %
97 (M)	Legitimate skip	1540	31.5 %

Based upon 3342 valid cases out of 4882 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.38

**H3LM15M**

**S8Q15 MONTH PAY JOB STARTED-W3**

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you start this job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	289	5.9 %
2	February	219	4.5 %
3	March	200	4.1 %
4	April	164	3.4 %
5	May	305	6.2 %
6	June	380	7.8 %
7	July	305	6.2 %
8	August	513	10.5 %
9	September	342	7.0 %
10	October	246	5.0 %
11	November	225	4.6 %
12	December	154	3.2 %
97 (M)	Legitimate skip	1540	31.5 %

Based upon 3342 valid cases out of 4882 total cases.

- Mean: 6.55
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.14

- Study 21600 -

**H3LM15Y**

**S8Q15 YEAR PAY JOB STARTED-W3**

Location: 1309-1312 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999

Question: In what (month and) year did you start this job?

Value	Label	Unweighted Frequency	%
1986	-	1	0.0 %
1988	-	2	0.0 %
1989	-	1	0.0 %
1990	-	3	0.1 %
1991	-	3	0.1 %
1992	-	6	0.1 %
1993	-	7	0.1 %
1994	-	13	0.3 %
1995	-	44	0.9 %
1996	-	96	2.0 %
1997	-	130	2.7 %
1998	-	253	5.2 %
1999	-	440	9.0 %
2000	-	783	16.0 %
2001	-	1455	29.8 %
2002	-	93	1.9 %
9996 (M)	Refused	8	0.2 %
9997 (M)	Legitimate skip	1540	31.5 %
9998 (M)	Don't know	3	0.1 %
9999 (M)	Not applicable	1	0.0 %

Based upon 3330 valid cases out of 4882 total cases.

- Mean: 1999.83
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1986.00
- Maximum: 2002.00
- Standard Deviation: 1.67

**H3LM16**

**S8Q16 NUMBER HRS/WEEK CURR PAY JOB-W3**

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: How many hours a week do you usually work at this job?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	1	0.0 %
4	-	3	0.1 %
5	-	3	0.1 %
6	-	4	0.1 %
7	-	2	0.0 %
8	-	8	0.2 %
9	-	4	0.1 %
10	-	64	1.3 %
11	-	4	0.1 %
12	-	44	0.9 %
13	-	10	0.2 %
14	-	7	0.1 %
15	-	68	1.4 %
16	-	26	0.5 %
17	-	10	0.2 %
18	-	15	0.3 %
19	-	3	0.1 %
20	-	221	4.5 %
21	-	7	0.1 %
22	-	17	0.3 %
23	-	5	0.1 %
24	-	36	0.7 %
25	-	155	3.2 %
26	-	6	0.1 %
27	-	10	0.2 %
28	-	24	0.5 %
29	-	3	0.1 %
30	-	184	3.8 %
31	-	3	0.1 %
32	-	45	0.9 %
33	-	3	0.1 %
34	-	13	0.3 %
35	-	171	3.5 %
36	-	35	0.7 %
37	-	31	0.6 %
38	-	47	1.0 %
39	-	7	0.1 %
40	-	1307	26.8 %
41	-	8	0.2 %
42	-	36	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	17	0.3 %
44	-	14	0.3 %
45	-	187	3.8 %
46	-	8	0.2 %
47	-	7	0.1 %
48	-	43	0.9 %
49	-	1	0.0 %
50	-	173	3.5 %
51	-	1	0.0 %
52	-	13	0.3 %
53	-	4	0.1 %
54	-	5	0.1 %
55	-	51	1.0 %
56	-	7	0.1 %
57	-	2	0.0 %
58	-	4	0.1 %
60	-	73	1.5 %
65	-	17	0.3 %
67	-	1	0.0 %
70	-	28	0.6 %
72	-	4	0.1 %
75	-	1	0.0 %
80	-	16	0.3 %
84	-	5	0.1 %
86	-	1	0.0 %
90	-	7	0.1 %
97 (M)	Legitimate skip	1540	31.5 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %

Based upon 3340 valid cases out of 4882 total cases.

- Mean: 36.81
- Median: 40.00
- Mode: 40.00
- Minimum: 3.00
- Maximum: 90.00
- Standard Deviation: 12.47

**H3LM17**

**S8Q17 TIME PERIOD OF RATE OF PAY -W3**

Location:

1315-1316 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is the time period for your rate of pay?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Per hour	2411	49.4 %
2	Per day	54	1.1 %
3	Per week	161	3.3 %
4	Bi-weekly (every two weeks)	351	7.2 %
5	Bi-monthly (twice a month)	106	2.2 %
6	Per month	108	2.2 %
7	Per year	109	2.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1540	31.5 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	35	0.7 %

Based upon 3300 valid cases out of 4882 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.68

#### H3LM18

#### S8Q18 HOURLY RATE OF PAY-W3

Location: 1317-1323 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: Excluding overtime pay, tips, and commissions, what is your hourly rate of pay for this job?

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
998 (M)	Don't know

\* Frequencies not displayed for this variable.

Based upon 2373 valid cases out of 4882 total cases.

- Mean: 10.24
- Minimum: 1.88
- Maximum: 900.00
- Standard Deviation: 26.48

- Study 21600 -

**H3LM19**

**S8Q19 DAILY RATE OF PAY-W3**

Location: 1324-1330 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996.00 , 997.00 , 998.00

Question: Excluding overtime pay, tips, and commissions, what is your daily rate of pay for this job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	-	1	0.0 %
4.72	-	1	0.0 %
5.15	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	1	0.0 %
22.00	-	1	0.0 %
25.00	-	2	0.0 %
30.00	-	2	0.0 %
35.00	-	2	0.0 %
37.20	-	1	0.0 %
45.00	-	1	0.0 %
50.00	-	6	0.1 %
53.00	-	1	0.0 %
60.00	-	3	0.1 %
65.00	-	1	0.0 %
70.00	-	6	0.1 %
74.00	-	1	0.0 %
85.00	-	3	0.1 %
92.00	-	1	0.0 %
100.00	-	7	0.1 %
105.00	-	1	0.0 %
132.00	-	1	0.0 %
140.00	-	1	0.0 %
150.00	-	3	0.1 %
160.00	-	1	0.0 %
200.00	-	2	0.0 %
240.00	-	1	0.0 %
996.00 (M)	Refused	1	0.0 %
997.00 (M)	Legitimate skip	4828	98.9 %

Based upon 53 valid cases out of 4882 total cases.

- Mean: 76.94
- Median: 70.00
- Mode: 100.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 240.00
- Standard Deviation: 52.33

**H3LM20**

**S8Q20 WEEKLY RATE OF PAY-W3**

Location: 1331-1339 (width: 9; decimal: 2)  
 Variable Type: numeric  
 Range of Missing Values (M): 99996.00 , 99997.00 , 99998.00 , 99999.00  
 Question: Excluding overtime pay, tips, and commissions, what is your weekly rate of pay for this job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	-	4	0.1 %
5.15	-	1	0.0 %
7.50	-	1	0.0 %
8.00	-	1	0.0 %
8.50	-	1	0.0 %
8.60	-	1	0.0 %
18.92	-	1	0.0 %
40.00	-	1	0.0 %
70.00	-	1	0.0 %
91.00	-	1	0.0 %
100.00	-	3	0.1 %
112.00	-	1	0.0 %
120.00	-	2	0.0 %
125.00	-	2	0.0 %
125.90	-	1	0.0 %
130.00	-	1	0.0 %
150.00	-	3	0.1 %
151.00	-	1	0.0 %
175.00	-	1	0.0 %
176.94	-	1	0.0 %
180.00	-	1	0.0 %
200.00	-	8	0.2 %
208.00	-	1	0.0 %
220.00	-	2	0.0 %
225.00	-	1	0.0 %
234.32	-	1	0.0 %
240.00	-	1	0.0 %
245.00	-	1	0.0 %
250.00	-	9	0.2 %
258.00	-	1	0.0 %
260.00	-	2	0.0 %
275.00	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
280.00	-	1	0.0 %
290.00	-	1	0.0 %
300.00	-	9	0.2 %
320.00	-	2	0.0 %
325.00	-	1	0.0 %
326.00	-	1	0.0 %
340.00	-	2	0.0 %
350.00	-	8	0.2 %
370.00	-	1	0.0 %
375.00	-	1	0.0 %
386.00	-	1	0.0 %
400.00	-	7	0.1 %
426.34	-	1	0.0 %
435.00	-	1	0.0 %
450.00	-	2	0.0 %
460.00	-	1	0.0 %
500.00	-	12	0.2 %
520.00	-	1	0.0 %
525.00	-	1	0.0 %
533.00	-	1	0.0 %
540.00	-	1	0.0 %
543.00	-	1	0.0 %
550.00	-	2	0.0 %
577.00	-	1	0.0 %
587.00	-	1	0.0 %
600.00	-	16	0.3 %
650.00	-	4	0.1 %
700.00	-	3	0.1 %
750.00	-	1	0.0 %
769.23	-	1	0.0 %
800.00	-	2	0.0 %
850.00	-	1	0.0 %
864.00	-	1	0.0 %
900.00	-	1	0.0 %
1000.00	-	2	0.0 %
1200.00	-	1	0.0 %
1800.00	-	1	0.0 %
5000.00	-	1	0.0 %
99996.00	Refused (M)	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99997.00 (M)	Legitimate skip	4721	96.7 %
99998.00 (M)	Don't know	2	0.0 %
99999.00 (M)	Not applicable	1	0.0 %

Based upon 155 valid cases out of 4882 total cases.

- Mean: 415.94
- Median: 350.00
- Mode: 600.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 450.58

**H3LM21**

**S8Q21 BI-WEEKLY RATE OF PAY-W3**

Location: 1340-1348 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 99996 , 99997 , 99998 , 99999

Question: What are your usual bi-weekly earnings on this job before taxes or other deductions?

<i>Value</i>	<i>Label</i>
99996 (M)	Refused
99997 (M)	Legitimate skip
99998 (M)	Don't know
99999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 337 valid cases out of 4882 total cases.

- Mean: 1004.83
- Median: 800.00
- Mode: 800.00
- Minimum: 1.00
- Maximum: 25000.00
- Standard Deviation: 1467.62

**H3LM22**

**S8Q22 BI-MONTHLY RATE OF PAY-W3**

Location: 1349-1357 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 99996.0 , 99997.0 , 99998.0 , 99999.0 , .

Question: What are your usual bi-monthly earnings on your job before taxes or other deductions?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.0	-	3	0.1 %
3.0	-	1	0.0 %
48.0	-	1	0.0 %
100.0	-	1	0.0 %
225.0	-	1	0.0 %
250.0	-	1	0.0 %
280.0	-	1	0.0 %
325.0	-	2	0.0 %
420.0	-	1	0.0 %
480.0	-	1	0.0 %
500.0	-	3	0.1 %
540.0	-	1	0.0 %
550.0	-	2	0.0 %
600.0	-	2	0.0 %
650.0	-	2	0.0 %
690.0	-	1	0.0 %
700.0	-	2	0.0 %
740.0	-	1	0.0 %
750.0	-	3	0.1 %
800.0	-	3	0.1 %
810.0	-	1	0.0 %
820.0	-	1	0.0 %
900.0	-	4	0.1 %
915.0	-	1	0.0 %
940.0	-	1	0.0 %
950.0	-	2	0.0 %
1000.0	-	2	0.0 %
1008.0	-	1	0.0 %
1020.0	-	1	0.0 %
1042.0	-	1	0.0 %
1050.0	-	2	0.0 %
1075.0	-	1	0.0 %
1085.0	-	1	0.0 %
1100.0	-	5	0.1 %
1145.0	-	1	0.0 %
1200.0	-	3	0.1 %
1235.0	-	1	0.0 %
1250.0	-	1	0.0 %
1274.0	-	1	0.0 %
1292.0	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1294.0	-	1	0.0 %
1300.0	-	5	0.1 %
1400.0	-	2	0.0 %
1450.0	-	1	0.0 %
1500.0	-	2	0.0 %
1524.0	-	1	0.0 %
1540.0	-	1	0.0 %
1600.0	-	1	0.0 %
1650.0	-	1	0.0 %
1700.0	-	3	0.1 %
1800.0	-	1	0.0 %
1875.0	-	1	0.0 %
1900.0	-	2	0.0 %
2000.0	-	3	0.1 %
2084.0	-	1	0.0 %
2200.0	-	1	0.0 %
2400.0	-	1	0.0 %
2500.0	-	3	0.1 %
2600.0	-	1	0.0 %
2800.0	-	1	0.0 %
3000.0	-	1	0.0 %
3125.0	-	1	0.0 %
3825.6	-	1	0.0 %
99996.0	Refused (M)	2	0.0 %
99997.0	Legitimate skip (M)	4776	97.8 %
99998.0	Don't know (M)	2	0.0 %
. (M)	-	1	0.0 %

Based upon 101 valid cases out of 4882 total cases.

- Mean: 1174.83
- Median: 1075.00
- Minimum: 1.00
- Maximum: 3825.60
- Standard Deviation: 728.29

**H3LM23**

**S8Q23 MONTHLY RATE OF PAY-W3**

Location:

1358-1366 (width: 9; decimal: 2)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M):

99996.00 , 99997.00 , 99998.00 , 99999.00

Question:

What are your usual monthly earnings on your job before taxes or other deductions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	-	3	0.1 %
2.00	-	1	0.0 %
3.00	-	1	0.0 %
100.00	-	1	0.0 %
175.00	-	1	0.0 %
200.00	-	3	0.1 %
330.00	-	1	0.0 %
335.00	-	1	0.0 %
350.00	-	1	0.0 %
400.00	-	3	0.1 %
500.00	-	3	0.1 %
549.20	-	1	0.0 %
560.00	-	1	0.0 %
734.00	-	1	0.0 %
800.00	-	1	0.0 %
850.00	-	1	0.0 %
900.00	-	1	0.0 %
964.00	-	1	0.0 %
1000.00	-	2	0.0 %
1100.00	-	1	0.0 %
1121.46	-	1	0.0 %
1200.00	-	1	0.0 %
1206.00	-	1	0.0 %
1250.00	-	2	0.0 %
1285.00	-	1	0.0 %
1293.00	-	1	0.0 %
1300.00	-	1	0.0 %
1400.00	-	1	0.0 %
1450.00	-	1	0.0 %
1500.00	-	6	0.1 %
1599.00	-	1	0.0 %
1600.00	-	1	0.0 %
1660.00	-	1	0.0 %
1700.00	-	3	0.1 %
1770.00	-	1	0.0 %
1812.00	-	1	0.0 %
1875.00	-	1	0.0 %
1900.00	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1990.00	-	1	0.0 %
2000.00	-	3	0.1 %
2011.00	-	1	0.0 %
2100.00	-	2	0.0 %
2250.00	-	1	0.0 %
2300.00	-	2	0.0 %
2400.00	-	4	0.1 %
2500.00	-	4	0.1 %
2666.00	-	1	0.0 %
2700.00	-	2	0.0 %
2750.00	-	1	0.0 %
3000.00	-	3	0.1 %
3166.00	-	1	0.0 %
3200.00	-	1	0.0 %
3300.00	-	2	0.0 %
3500.00	-	2	0.0 %
3600.00	-	1	0.0 %
3700.00	-	1	0.0 %
4000.00	-	3	0.1 %
4100.00	-	1	0.0 %
4250.00	-	1	0.0 %
5000.00	-	1	0.0 %
5300.00	-	1	0.0 %
5500.00	-	1	0.0 %
6000.00	-	1	0.0 %
12000.00	-	1	0.0 %
14000.00	-	1	0.0 %
25000.00	-	1	0.0 %
34900.00	-	1	0.0 %
99996.00	Refused (M)	3	0.1 %
99997.00	Legitimate skip (M)	4774	97.8 %
99998.00	Don't know	1	0.0 %

Based upon 104 valid cases out of 4882 total cases.

- Mean: 2630.86
- Median: 1791.00
- Mode: 1500.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 34900.00
- Standard Deviation: 4392.53

**H3LM24**

**S8Q24 ANNUAL EARNINGS BEFORE TAX/DED-W3**

Location: 1367-1372 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999997 , 999998

Question: What are your usual annual earnings on your job before taxes or other deductions?

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
640	-	1	0.0 %
3600	-	1	0.0 %
5000	-	1	0.0 %
9000	-	1	0.0 %
11700	-	1	0.0 %
12000	-	2	0.0 %
14000	-	1	0.0 %
15000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	3	0.1 %
21000	-	1	0.0 %
22000	-	4	0.1 %
22880	-	1	0.0 %
23000	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24000	-	2	0.0 %
24500	-	1	0.0 %
25000	-	5	0.1 %
26000	-	1	0.0 %
26400	-	1	0.0 %
27000	-	1	0.0 %
28000	-	2	0.0 %
29000	-	2	0.0 %
29500	-	1	0.0 %
29700	-	1	0.0 %
30000	-	6	0.1 %
30600	-	1	0.0 %
31000	-	1	0.0 %
31397	-	1	0.0 %
32000	-	1	0.0 %
33000	-	2	0.0 %
33285	-	1	0.0 %
34000	-	1	0.0 %
35000	-	1	0.0 %
36500	-	1	0.0 %
37000	-	2	0.0 %
38000	-	1	0.0 %
39500	-	1	0.0 %
40000	-	5	0.1 %
41000	-	2	0.0 %
42000	-	1	0.0 %
43000	-	2	0.0 %
45000	-	4	0.1 %
46000	-	3	0.1 %
46500	-	1	0.0 %
50000	-	1	0.0 %
52000	-	1	0.0 %
55000	-	2	0.0 %
57000	-	1	0.0 %
63000	-	1	0.0 %
70000	-	1	0.0 %
73000	-	1	0.0 %
85000	-	1	0.0 %
90000	-	1	0.0 %
91000	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
999997 (M)	Legitimate skip	4773	97.8 %
999998 (M)	Don't know	1	0.0 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 27641.86
- Median: 28000.00
- Mode: 30000.00
- Minimum: 20.00
- Maximum: 91000.00
- Standard Deviation: 20292.32

### H3LM25

### S8Q25 JOB CLASSIFICATION CURR JOB-W3

Location: 1373-1379 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: What do you do in your job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
110000	Management occupation	140	2.9 %
130000	Business/financial operations occupation	172	3.5 %
150000	Computer/mathematical occupation	112	2.3 %
170000	Architecture/engineering occupation	37	0.8 %
190000	Life/physical/social science occupation	24	0.5 %
210000	Community/social services occupation	63	1.3 %
230000	Legal occupation	27	0.6 %
250000	Education/training/library occupation	172	3.5 %
270000	Arts/design/entertainment/sports/media occupation	66	1.4 %
290000	Healthcare practitioners/technical occupation	92	1.9 %
310000	Healthcare support occupation	174	3.6 %
330000	Protective service occupation	57	1.2 %
350000	Food preparation/serving related occupation	394	8.1 %
370000	Building/grounds cleaning/maintenance occupation	75	1.5 %
390000	Personal care/service occupation	130	2.7 %
410000	Sales and related occupation	550	11.3 %
430000	Office/administrative support occupation	352	7.2 %
450000	Farming/fishing/forestry occupation	25	0.5 %
470000	Construction/extraction occupation	179	3.7 %
490000	Installation/maintenance/repair occupation	129	2.6 %
510000	Production occupation	183	3.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
530000	Transportation/material moving occupation	101	2.1 %
550000	Military specific occupation	38	0.8 %
9999996 (M)	Refused	16	0.3 %
9999997 (M)	Legitimate skip	1540	31.5 %
9999998 (M)	Don't know	12	0.2 %
9999999 (M)	Not applicable	22	0.5 %

Based upon 3292 valid cases out of 4882 total cases.

- Mean: 353784.93
- Median: 390000.00
- Mode: 410000.00
- Minimum: 110000.00
- Maximum: 550000.00
- Standard Deviation: 118659.12

#### H3LM26A

#### S8Q26A DETAIL JOB CLASS/CURR JOB-W3

Location: 1380-1386 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: Which one of the following more specific [insert first level occupation from Q.25] occupations best describes this job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
111000	-	9	0.2 %
112000	-	26	0.5 %
113000	-	24	0.5 %
119000	-	80	1.6 %
131000	-	54	1.1 %
132000	-	116	2.4 %
151000	-	106	2.2 %
152000	-	1	0.0 %
153000	-	4	0.1 %
171000	-	3	0.1 %
172000	-	24	0.5 %
173000	-	10	0.2 %
191000	-	7	0.1 %
192000	-	1	0.0 %
193000	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
194000	-	13	0.3 %
211000	-	58	1.2 %
212000	-	4	0.1 %
231000	-	2	0.0 %
232000	-	25	0.5 %
251000	-	14	0.3 %
252000	-	61	1.2 %
253000	-	34	0.7 %
254000	-	4	0.1 %
259000	-	59	1.2 %
271000	-	18	0.4 %
272000	-	24	0.5 %
273000	-	16	0.3 %
274000	-	7	0.1 %
291000	-	12	0.2 %
292000	-	31	0.6 %
299000	-	49	1.0 %
311000	-	67	1.4 %
312000	-	6	0.1 %
319000	-	101	2.1 %
331000	-	1	0.0 %
332000	-	5	0.1 %
333000	-	19	0.4 %
339000	-	32	0.7 %
351000	-	66	1.4 %
352000	-	90	1.8 %
353000	-	143	2.9 %
359000	-	94	1.9 %
371000	-	25	0.5 %
372000	-	18	0.4 %
373000	-	32	0.7 %
391000	-	3	0.1 %
392000	-	6	0.1 %
393000	-	2	0.0 %
394000	-	1	0.0 %
395000	-	21	0.4 %
396000	-	10	0.2 %
399000	-	87	1.8 %
411000	-	50	1.0 %
412000	-	275	5.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
413000	-	70	1.4 %
414000	-	34	0.7 %
419000	-	121	2.5 %
431000	-	27	0.6 %
432000	-	14	0.3 %
433000	-	41	0.8 %
434000	-	40	0.8 %
435000	-	18	0.4 %
436000	-	95	1.9 %
439000	-	117	2.4 %
451000	-	5	0.1 %
452000	-	5	0.1 %
454000	-	8	0.2 %
459000	-	6	0.1 %
471000	-	19	0.4 %
472000	-	80	1.6 %
473000	-	35	0.7 %
474000	-	38	0.8 %
475000	-	7	0.1 %
491000	-	8	0.2 %
492000	-	30	0.6 %
493000	-	43	0.9 %
499000	-	47	1.0 %
511000	-	15	0.3 %
512000	-	38	0.8 %
513000	-	4	0.1 %
514000	-	32	0.7 %
515000	-	8	0.2 %
516000	-	7	0.1 %
517000	-	2	0.0 %
518000	-	11	0.2 %
519000	-	65	1.3 %
531000	-	8	0.2 %
532000	-	6	0.1 %
533000	-	33	0.7 %
535000	-	1	0.0 %
536000	-	12	0.2 %
537000	-	41	0.8 %
551000	-	4	0.1 %
552000	-	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
553000	-	22	0.5 %
9999996 (M)	Refused	2	0.0 %
9999997 (M)	Legitimate skip	1590	32.6 %
9999998 (M)	Don't know	4	0.1 %
9999999 (M)	Not applicable	7	0.1 %

Based upon 3279 valid cases out of 4882 total cases.

- Mean: 358043.31
- Median: 396000.00
- Mode: 412000.00
- Minimum: 111000.00
- Maximum: 553000.00
- Standard Deviation: 118921.35

**H3LM26B**
**S8Q26B DETAIL JOB CLASS/CURR JOB-W3**

Location: 1387-1393 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: Getting more specific, which of the following categories [Q.26A] describes this job?

<i>Value</i>	<i>Label</i>
9999996 (M)	Refused
9999997 (M)	Legitimate skip
9999998 (M)	Don't know
9999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 3256 valid cases out of 4882 total cases.

- Mean: 357733.08
- Minimum: 111010.00
- Maximum: 553010.00
- Standard Deviation: 118724.48

**H3LM26C**
**S8Q26C DETAIL JOB CLASS/CURR JOB-W3**

Location: 1394-1400 (width: 7; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999996 , 9999997 , 9999998 , 9999999  
 Question: Out of these categories of [Q.26B], which one best describes this job?

- Study 21600 -

<i>Value</i>	<i>Label</i>
9999996 (M)	Refused
9999997 (M)	Legitimate skip
9999998 (M)	Don't know
9999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 2788 valid cases out of 4882 total cases.

- Mean: 349710.93
- Minimum: 111011.00
- Maximum: 553019.00
- Standard Deviation: 123355.26

### H3LM27

### S8Q27 BEST DESC HRS WORKED CURR JOB-W3

Location: 1401-1402 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99

Question: Which of these categories best describes the hours you work at this job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regular day shift	1894	38.8 %
2	Regular evening shift	414	8.5 %
3	Regular night shift	207	4.2 %
4	Shift rotates/changes periodically day to evening/night	462	9.5 %
5	Split shift/consists of two distinct periods each day	39	0.8 %
6	Irregular schedule/hours	308	6.3 %
7	Other	17	0.3 %
97 (M)	Legitimate skip	1540	31.5 %
99 (M)	Not applicable	1	0.0 %

Based upon 3341 valid cases out of 4882 total cases.

- Mean: 2.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.69

### H3LM28

### S8Q28 CURRENT JOB SATISFACTION-W3

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 99

## - Study 21600 -

Question:

How satisfied are you with this job, as a whole?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Extremely satisfied	944	19.3 %
2	Satisfied	1633	33.4 %
3	Neither satisfied nor dissatisfied	517	10.6 %
4	Dissatisfied	179	3.7 %
5	Extremely dissatisfied	67	1.4 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1540	31.5 %
99 (M)	Not applicable	1	0.0 %

Based upon 3340 valid cases out of 4882 total cases.

- Mean: 2.04
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

**H3LM29**

**S8Q29 TIME PERIOD AT/START/CURR JOB-W3**

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: When you started this job, which of the following was the time period for your rate of pay?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Per hour	2007	41.1 %
2	Per day	51	1.0 %
3	Per week	107	2.2 %
4	Bi-weekly (every two weeks)	237	4.9 %
5	Bi-monthly (twice a month)	88	1.8 %
6	Per month	79	1.6 %
7	Per year	77	1.6 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	2202	45.1 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	26	0.5 %

Based upon 2646 valid cases out of 4882 total cases.

- Mean: 1.83
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

<b>H3LM30</b>	<b>S8Q30 START HOURLY RATE OF PAY-W3</b>								
Location:	1407-1413 (width: 7; decimal: 2)								
Variable Type:	numeric								
Range of Missing Values (M):	996 , 997 , 998								
Question:	Excluding overtime pay, tips, and commissions, what was your hourly rate of pay when you started ?								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">996 (M)</td><td style="padding: 2px;">Refused</td></tr> <tr> <td style="padding: 2px;">997 (M)</td><td style="padding: 2px;">Legitimate skip</td></tr> <tr> <td style="padding: 2px;">998 (M)</td><td style="padding: 2px;">Don't know</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	996 (M)	Refused	997 (M)	Legitimate skip	998 (M)	Don't know
<i>Value</i>	<i>Label</i>								
996 (M)	Refused								
997 (M)	Legitimate skip								
998 (M)	Don't know								

\* Frequencies not displayed for this variable.

Based upon 1965 valid cases out of 4882 total cases.

- Mean: 9.06
- Minimum: 0.00
- Maximum: 800.00
- Standard Deviation: 26.42

<b>H3LM31</b>	<b>S8Q31 START DAILY RATE OF PAY-W3</b>																																																				
Location:	1414-1420 (width: 7; decimal: 2)																																																				
Variable Type:	numeric																																																				
Range of Missing Values (M):	996.00 , 997.00 , 998.00																																																				
Question:	Excluding overtime pay, tips, and commissions, what was your daily rate of pay when you started ?																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: left; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: left; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">0.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">4.50</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">5.15</td><td style="padding: 2px;">-</td><td style="padding: 2px;">2</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">8.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">10.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">22.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">30.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">2</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">35.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">40.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">2</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">42.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">45.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">50.00</td><td style="padding: 2px;">-</td><td style="padding: 2px;">7</td><td style="padding: 2px;">0.1 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0.00	-	1	0.0 %	4.50	-	1	0.0 %	5.15	-	2	0.0 %	8.00	-	1	0.0 %	10.00	-	1	0.0 %	22.00	-	1	0.0 %	30.00	-	2	0.0 %	35.00	-	1	0.0 %	40.00	-	2	0.0 %	42.00	-	1	0.0 %	45.00	-	1	0.0 %	50.00	-	7	0.1 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																																		
0.00	-	1	0.0 %																																																		
4.50	-	1	0.0 %																																																		
5.15	-	2	0.0 %																																																		
8.00	-	1	0.0 %																																																		
10.00	-	1	0.0 %																																																		
22.00	-	1	0.0 %																																																		
30.00	-	2	0.0 %																																																		
35.00	-	1	0.0 %																																																		
40.00	-	2	0.0 %																																																		
42.00	-	1	0.0 %																																																		
45.00	-	1	0.0 %																																																		
50.00	-	7	0.1 %																																																		

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.00	-	2	0.0 %
60.00	-	3	0.1 %
65.00	-	2	0.0 %
70.00	-	3	0.1 %
74.00	-	1	0.0 %
75.00	-	1	0.0 %
82.00	-	1	0.0 %
85.00	-	1	0.0 %
90.00	-	1	0.0 %
92.15	-	1	0.0 %
100.00	-	6	0.1 %
140.00	-	1	0.0 %
150.00	-	3	0.1 %
200.00	-	1	0.0 %
996.00 (M)	Refused	1	0.0 %
997.00 (M)	Legitimate skip	4831	99.0 %
998.00 (M)	Don't know	2	0.0 %

Based upon 48 valid cases out of 4882 total cases.

- Mean: 66.35
- Median: 60.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 42.69

**H3LM32**
**S8Q32 START WEEKLY RATE OF PAY-W3**

Location:	1421-1429 (width: 9; decimal: 2)
Variable Type:	numeric
Range of Missing Values (M):	99996.00 , 99997.00 , 99998.00 , 99999.00
Question:	Excluding overtime pay, tips, and commissions, what was your weekly rate of pay when you started ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	-	1	0.0 %
2.20	-	1	0.0 %
5.15	-	1	0.0 %
6.00	-	1	0.0 %
6.50	-	2	0.0 %
8.50	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12.50	-	1	0.0 %
40.00	-	1	0.0 %
60.00	-	1	0.0 %
70.00	-	1	0.0 %
75.00	-	1	0.0 %
80.00	-	1	0.0 %
90.00	-	1	0.0 %
100.00	-	6	0.1 %
120.00	-	1	0.0 %
125.00	-	3	0.1 %
150.00	-	3	0.1 %
175.00	-	1	0.0 %
200.00	-	6	0.1 %
208.00	-	1	0.0 %
210.00	-	1	0.0 %
220.00	-	1	0.0 %
225.00	-	2	0.0 %
240.00	-	1	0.0 %
245.00	-	1	0.0 %
250.00	-	6	0.1 %
275.00	-	1	0.0 %
280.00	-	1	0.0 %
285.00	-	1	0.0 %
295.00	-	1	0.0 %
300.00	-	8	0.2 %
320.00	-	2	0.0 %
325.00	-	2	0.0 %
340.00	-	1	0.0 %
350.00	-	2	0.0 %
375.00	-	1	0.0 %
400.00	-	7	0.1 %
450.00	-	4	0.1 %
460.00	-	1	0.0 %
480.00	-	1	0.0 %
500.00	-	5	0.1 %
520.00	-	1	0.0 %
533.00	-	1	0.0 %
550.00	-	2	0.0 %
600.00	-	6	0.1 %
700.00	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
750.00	-	2	0.0 %
769.23	-	1	0.0 %
800.00	-	1	0.0 %
1000.00	-	3	0.1 %
1800.00	-	1	0.0 %
99996.00 (M)	Refused	2	0.0 %
99997.00 (M)	Legitimate skip	4775	97.8 %
99998.00 (M)	Don't know	1	0.0 %

Based upon 104 valid cases out of 4882 total cases.

- Mean: 337.09
- Median: 300.00
- Mode: 300.00
- Minimum: 0.00
- Maximum: 1800.00
- Standard Deviation: 267.85

**H3LM33**
**S8Q33 START BI-WEEKLY RATE OF PAY-W3**

Location: 1430-1438 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 99996 , 99997 , 99998 , 99999

Question: What were your usual bi-weekly earnings before taxes or other deductions when you started ?

<i>Value</i>	<i>Label</i>
99996 (M)	Refused
99997 (M)	Legitimate skip
99998 (M)	Don't know
99999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 227 valid cases out of 4882 total cases.

- Mean: 758.32
- Median: 675.00
- Mode: 400.00
- Minimum: 1.00
- Maximum: 3000.00
- Standard Deviation: 520.29

**H3LM34**
**S8Q34 START BI-MONTHLY RATE OF PAY-W3**

- Study 21600 -

Location: 1439-1443 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99996 , 99997 , 99998 , 99999

Question: What were your usual bi-monthly earnings before taxes or other deductions when you started ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.0 %
3	-	1	0.0 %
100	-	2	0.0 %
190	-	1	0.0 %
200	-	2	0.0 %
225	-	1	0.0 %
250	-	1	0.0 %
300	-	4	0.1 %
393	-	1	0.0 %
400	-	2	0.0 %
420	-	2	0.0 %
450	-	2	0.0 %
460	-	1	0.0 %
500	-	4	0.1 %
540	-	1	0.0 %
550	-	2	0.0 %
600	-	1	0.0 %
650	-	2	0.0 %
665	-	1	0.0 %
700	-	1	0.0 %
750	-	1	0.0 %
800	-	3	0.1 %
810	-	1	0.0 %
815	-	1	0.0 %
850	-	1	0.0 %
900	-	2	0.0 %
940	-	1	0.0 %
950	-	1	0.0 %
1000	-	3	0.1 %
1042	-	1	0.0 %
1050	-	1	0.0 %
1075	-	1	0.0 %
1100	-	4	0.1 %
1200	-	4	0.1 %
1228	-	1	0.0 %
1235	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1250	-	1	0.0 %
1300	-	2	0.0 %
1350	-	1	0.0 %
1370	-	1	0.0 %
1400	-	2	0.0 %
1458	-	1	0.0 %
1500	-	1	0.0 %
1650	-	1	0.0 %
1700	-	1	0.0 %
1800	-	1	0.0 %
1900	-	1	0.0 %
2000	-	4	0.1 %
2200	-	2	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
3200	-	1	0.0 %
99996 (M)	Refused	1	0.0 %
99997 (M)	Legitimate skip	4794	98.2 %
99998 (M)	Don't know	5	0.1 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 980.37
- Median: 900.00
- Minimum: 1.00
- Maximum: 3200.00
- Standard Deviation: 664.38

**H3LM35**

**S8Q35 START MONTHLY RATE OF PAY-W3**

Location: 1444-1452 (width: 9; decimal: 2)  
 Variable Type: numeric  
 Range of Missing Values (M): 99996.00 , 99997.00 , 99998.00 , 99999.00  
 Question: What were your usual monthly earnings before taxes or other deductions when you started ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	-	2	0.0 %
2.00	-	1	0.0 %
100.00	-	1	0.0 %
200.00	-	1	0.0 %
300.00	-	2	0.0 %
400.00	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
500.00	-	4	0.1 %
560.00	-	1	0.0 %
600.00	-	2	0.0 %
726.00	-	1	0.0 %
734.00	-	1	0.0 %
800.00	-	4	0.1 %
879.00	-	1	0.0 %
964.00	-	1	0.0 %
1000.00	-	5	0.1 %
1100.00	-	1	0.0 %
1121.46	-	1	0.0 %
1180.00	-	1	0.0 %
1190.00	-	1	0.0 %
1200.00	-	3	0.1 %
1300.00	-	2	0.0 %
1377.00	-	1	0.0 %
1400.00	-	4	0.1 %
1500.00	-	5	0.1 %
1570.00	-	1	0.0 %
1700.00	-	1	0.0 %
1800.00	-	1	0.0 %
1812.00	-	1	0.0 %
1870.00	-	1	0.0 %
1900.00	-	2	0.0 %
1909.00	-	1	0.0 %
2000.00	-	1	0.0 %
2050.00	-	1	0.0 %
2100.00	-	1	0.0 %
2250.00	-	1	0.0 %
2300.00	-	1	0.0 %
2400.00	-	1	0.0 %
2500.00	-	2	0.0 %
2600.00	-	1	0.0 %
2800.00	-	1	0.0 %
3000.00	-	2	0.0 %
3166.00	-	1	0.0 %
3200.00	-	1	0.0 %
3500.00	-	2	0.0 %
4500.00	-	2	0.0 %
12000.00	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21000.00	-	1	0.0 %
25000.00	-	1	0.0 %
99996.00	Refused (M)	2	0.0 %
99997.00	Legitimate skip (M)	4803	98.4 %
99998.00	Don't know (M)	1	0.0 %

Based upon 76 valid cases out of 4882 total cases.

- Mean: 2186.35
- Median: 1388.50
- Minimum: 1.00
- Maximum: 25000.00
- Standard Deviation: 3792.54

### H3LM36

### S8Q36 START ANNUAL EARNINGS-W3

Location: 1453-1457 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99997

Question: What were your usual annual earnings before taxes or other deductions when you started ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1	0.0 %
21	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
30	-	2	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
640	-	1	0.0 %
3600	-	1	0.0 %
9000	-	1	0.0 %
9800	-	1	0.0 %
12000	-	1	0.0 %
15000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20000	-	3	0.1 %
20500	-	1	0.0 %
20800	-	1	0.0 %
22000	-	2	0.0 %
22500	-	1	0.0 %
22750	-	1	0.0 %
23000	-	1	0.0 %
23300	-	1	0.0 %
24000	-	4	0.1 %
24500	-	1	0.0 %
24988	-	1	0.0 %
25000	-	1	0.0 %
26000	-	3	0.1 %
26400	-	1	0.0 %
27000	-	1	0.0 %
28000	-	2	0.0 %
30000	-	4	0.1 %
31000	-	1	0.0 %
31397	-	1	0.0 %
33000	-	1	0.0 %
33500	-	1	0.0 %
33800	-	1	0.0 %
34000	-	2	0.0 %
35000	-	1	0.0 %
36000	-	1	0.0 %
37000	-	2	0.0 %
37500	-	1	0.0 %
38000	-	1	0.0 %
40000	-	3	0.1 %
42000	-	1	0.0 %
43500	-	1	0.0 %
45000	-	3	0.1 %
48000	-	1	0.0 %
50000	-	1	0.0 %
52000	-	1	0.0 %
53000	-	1	0.0 %
65000	-	1	0.0 %
70000	-	1	0.0 %
77000	-	1	0.0 %
80000	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99997 (M)	Legitimate skip	4805	98.4 %

Based upon 77 valid cases out of 4882 total cases.

- Mean: 27127.29
- Median: 26000.00
- Minimum: 20.00
- Maximum: 80000.00
- Standard Deviation: 17953.55

**H3LM37**
**S8Q37 SOC/SVCS/WELFARE JOB TRAINING-W3**

Location: 1458-1458 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: At any time in the past 12 months, did social services or a welfare office provide job training, a Job Club, a job search program, or anything else to help you try to get a job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4711	96.5 %
1	Yes	162	3.3 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3LM38**
**S8Q38 EVER BEEN MILITARY RESERVES-W3**

Location: 1459-1459 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you ever been in the military reserves?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4765	97.6 %
1	Yes	110	2.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

<b>H3LM39</b>	<b>S8Q39 CURRENT ACTIVE MILITARY DUTY-W3</b>
---------------	--

Location: 1460-1460 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Are you currently serving in the full-time active-duty military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.43)	4800	98.3 %
1	Yes	76	1.6 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	3	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

<b>H3LM40M</b>	<b>S8Q40 MONTH START ACT/MILITARY DUTY-W3</b>
----------------	---

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you begin your present term of service in the active-duty military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	7	0.1 %
2	February	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	5	0.1 %
4	April	4	0.1 %
5	May	4	0.1 %
6	June	7	0.1 %
7	July	5	0.1 %
8	August	10	0.2 %
9	September	11	0.2 %
10	October	6	0.1 %
11	November	9	0.2 %
12	December	4	0.1 %
97 (M)	Legitimate skip	4806	98.4 %

Based upon 76 valid cases out of 4882 total cases.

- Mean: 6.96
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.35

#### H3LM40Y

#### S8Q40 YEAR START ACT/MILITARY DUTY-W3

Location: 1463-1466 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what (month and) year did you begin your present term of service in the active-duty military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	4	0.1 %
1996	-	7	0.1 %
1997	-	4	0.1 %
1998	-	15	0.3 %
1999	-	15	0.3 %
2000	-	18	0.4 %
2001	-	13	0.3 %
9997 (M)	Legitimate skip	4806	98.4 %

Based upon 76 valid cases out of 4882 total cases.

- Mean: 1998.79
- Median: 1999.00
- Mode: 2000.00

- Study 21600 -

- Minimum: 1995.00
- Maximum: 2001.00
- Standard Deviation: 1.73

**H3LM41**

**S8Q41 BRANCH OF ARMED FORCES-W3**

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In which branch are you in?

Value	Label	Unweighted Frequency	%
1	Army	32	0.7 %
2	Air force	13	0.3 %
3	Marines	16	0.3 %
4	Navy	14	0.3 %
5	Coast guard	1	0.0 %
97 (M)	Legitimate skip	4806	98.4 %

Based upon 76 valid cases out of 4882 total cases.

- Mean: 2.20
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.21

**H3LM42**

**S8Q42 CURRENT RANK-W3**

Location: 1469-1471 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 999

Question: What is your current rank?

Value	Label	Unweighted Frequency	%
1	Private/PV-1 (E1)	2	0.0 %
2	Private/PV-2 (E2)	1	0.0 %
3	Private 1st Class (E3)	6	0.1 %
4	Corporal (E4)	3	0.1 %
5	Specialist when required/ranks under Corporal (E4)	11	0.2 %
6	Sergeant (E6)	6	0.1 %
7	Staff Sergeant (E6)	2	0.0 %
31	Airman (E2)	3	0.1 %
32	Airman 1st Class (E3)	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	Senior Airman (E4)	6	0.1 %
34	Staff Sergeant (E5)	1	0.0 %
52	Private (E1)	1	0.0 %
53	Private 1st Class (E2)	3	0.1 %
54	Lance Corporal (E3)	2	0.0 %
55	Corporal (E4)	6	0.1 %
56	Sergeant (E5)	3	0.1 %
80	Seaman Apprentice (E2)	1	0.0 %
81	Seaman (E3)	2	0.0 %
82	Petty Officer 3rd Class (E4)	8	0.2 %
83	Petty Officer 2nd Class (E5)	2	0.0 %
106	Petty Officer 3rd Class (E4)	1	0.0 %
997 (M)	Legitimate skip	4806	98.4 %
999 (M)	Not applicable	3	0.1 %

Based upon 73 valid cases out of 4882 total cases.

- Mean: 34.89
- Median: 32.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 106.00
- Standard Deviation: 30.81

#### H3LM43

#### S8Q43 SERVED MILITARY BEFORE-W3

Location:	1472-1472 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	8 , 9
Question:	[If Q.39 = 1, ask:] Did you serve a term in the active-duty military before this present term? [If Q.39 = 0, ask:] Have you ever served in the active-duty military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.55)	4767	97.6 %
1	Yes	110	2.3 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.15

**H3LM44A**

**S8Q44A SERVED BEFORE ARMY-W3**

Location: 1473-1473 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: [If Q.39 = 1, ask:] In which branches of the Armed Forces did you serve? Indicate all that apply. Army  
[If Q.39 not = 1, ask:] In which branches of the Armed Forces have you served ? Indicate all that apply. Army

Value	Label	Unweighted Frequency	%
0	Not marked	60	1.2 %
1	Marked	50	1.0 %
7 (M)	Legitimate skip	4772	97.7 %

Based upon 110 valid cases out of 4882 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3LM44B**

**S8Q44B SERVED BEFORE AIR FORCE-W3**

Location: 1474-1474 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: [If Q.39 = 1, ask:] In which branches of the Armed Forces did you serve? Indicate all that apply. Air Force  
[If Q.39 not = 1, ask:] In which branches of the Armed Forces have you served ? Indicate all that apply. Air Force

Value	Label	Unweighted Frequency	%
0	Not marked	97	2.0 %
1	Marked	13	0.3 %
7 (M)	Legitimate skip	4772	97.7 %

Based upon 110 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

- Study 21600 -

**H3LM44C**

**S8Q44C SERVED BEFORE MARINES-W3**

Location: 1475-1475 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: [If Q.39 = 1, ask:] In which branches of the Armed Forces did you serve? Indicate all that apply.  
 Marines [If Q.39 not = 1, ask:] In which branches of the Armed Forces have you served ? Indicate all that apply. Marines

Value	Label	Unweighted Frequency	%
0	Not marked	88	1.8 %
1	Marked	22	0.5 %
7 (M)	Legitimate skip	4772	97.7 %

Based upon 110 valid cases out of 4882 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3LM44D**

**S8Q44D SERVED BEFORE NAVY-W3**

Location: 1476-1476 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: [If Q.39 = 1, ask:] In which branches of the Armed Forces did you serve? Indicate all that apply. Navy  
 [If Q.39 not = 1, ask:] In which branches of the Armed Forces have you served ? Indicate all that apply. Navy

Value	Label	Unweighted Frequency	%
0	Not marked	87	1.8 %
1	Marked	23	0.5 %
7 (M)	Legitimate skip	4772	97.7 %

Based upon 110 valid cases out of 4882 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

**H3LM44E**

**S8Q44E SERVED BEFORE COAST GUARD-W3**

- Study 21600 -

Location: 1477-1477 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: [If Q.39 = 1, ask:] In which branches of the Armed Forces did you serve? Indicate all that apply. Coast Guard [If Q.39 not = 1, ask:] In which branches of the Armed Forces have you served ? Indicate all that apply. Coast Guard

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	109	2.2 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %

Based upon 110 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

#### H3LM45

#### S8Q45 RANK AT DISCHARGE ARMY-W3

Location: 1478-1479 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 99 , .  
 Question: What was your rank in the Army at discharge? The Army rank at discharge for variable H3LM45 was output incorrectly by the program, resulting in all of these values being set to missing during the cleaning process.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4832	99.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	49	1.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3LM46M

#### S8Q46 MONTH DISCHARGED ARMY-W3

Location: 1480-1481 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 99  
 Question: In what month (and year) were you discharged from the Army?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	4	0.1 %
2	February	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	March	1	0.0 %
4	April	3	0.1 %
5	May	4	0.1 %
6	June	8	0.2 %
7	July	5	0.1 %
8	August	2	0.0 %
9	September	8	0.2 %
10	October	4	0.1 %
11	November	2	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4832	99.0 %
99 (M)	Not applicable	5	0.1 %

Based upon 45 valid cases out of 4882 total cases.

- Mean: 6.44
- Median: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.01

### H3LM46Y

### S8Q46 YEAR DISCHARGED ARMY-W3

Location: 1482-1485 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9999

Question: In what (month and) year were you discharged from the Army?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	1	0.0 %
1996	-	1	0.0 %
1997	-	2	0.0 %
1998	-	6	0.1 %
1999	-	10	0.2 %
2000	-	13	0.3 %
2001	-	9	0.2 %
2002	-	3	0.1 %
9997 (M)	Legitimate skip	4832	99.0 %
9999 (M)	Not applicable	5	0.1 %

Based upon 45 valid cases out of 4882 total cases.

- Mean: 1999.51

- Study 21600 -

- Median: 2000.00
- Mode: 2000.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 1.53

**H3LM47**

**S8Q47 RANK AT DISCHARGE AIR FORCE-W3**

Location: 1486-1487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 99 , .

Question: What was your rank in the Air Force at discharge?

Value	Label	Unweighted Frequency	%
30	Airman Basic (E1)	3	0.1 %
31	Airman (E2)	2	0.0 %
32	Airman 1st Class (E3)	2	0.0 %
33	Senior Airman (E4)	4	0.1 %
97 (M)	Legitimate skip	4869	99.7 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 31.64
- Median: 32.00
- Mode: 33.00
- Minimum: 30.00
- Maximum: 33.00
- Standard Deviation: 1.29

**H3LM48M**

**S8Q48 MONTH DISCHARGED AIR FORCE-W3**

Location: 1488-1489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) were you discharged from the Air Force?

Value	Label	Unweighted Frequency	%
1	January	1	0.0 %
2	February	2	0.0 %
4	April	1	0.0 %
5	May	1	0.0 %
6	June	3	0.1 %
7	July	1	0.0 %
8	August	1	0.0 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
9	September	2	0.0 %
11	November	1	0.0 %
97 (M)	Legitimate skip	4869	99.7 %

Based upon 13 valid cases out of 4882 total cases.

- Mean: 5.85
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.02

**H3LM48Y**
**S8Q48 YEAR DISCHARGED AIR FORCE-W3**

Location: 1490-1493 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what (month and) year were you discharged from the Air Force?

Value	Label	Unweighted Frequency	%
1996	-	2	0.0 %
1998	-	1	0.0 %
1999	-	2	0.0 %
2000	-	3	0.1 %
2001	-	5	0.1 %
9997 (M)	Legitimate skip	4869	99.7 %

Based upon 13 valid cases out of 4882 total cases.

- Mean: 1999.46
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1996.00
- Maximum: 2001.00
- Standard Deviation: 1.81

**H3LM49**
**S8Q49 RANK AT DISCHARGE MARINES-W3**

Location: 1494-1495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: What was your rank in the Marines at discharge?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	Private (E1)	2	0.0 %
53	Private 1st Class (E2)	3	0.1 %
54	Lance Corporal (E3)	5	0.1 %
55	Corporal (E4)	6	0.1 %
56	Sergeant (E5)	4	0.1 %
60	First Sergeant (E8)	1	0.0 %
97 (M)	Legitimate skip	4860	99.5 %
. (M)	-	1	0.0 %

Based upon 21 valid cases out of 4882 total cases.

- Mean: 54.62
- Median: 55.00
- Mode: 55.00
- Minimum: 52.00
- Maximum: 60.00
- Standard Deviation: 1.75

#### H3LM50M

#### S8Q50 MONTH DISCHARGED MARINES-W3

Location: 1496-1497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: In what month (and year) were you discharged from the Marines?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	2	0.0 %
2	February	1	0.0 %
3	March	1	0.0 %
4	April	2	0.0 %
5	May	1	0.0 %
6	June	2	0.0 %
7	July	3	0.1 %
8	August	2	0.0 %
9	September	2	0.0 %
10	October	1	0.0 %
11	November	1	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4860	99.5 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	2	0.0 %

Based upon 19 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 6.32
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.23

H3LM50Y	S8Q50 YEAR DISCHARGED MARINES-W3			
	Value	Label	Unweighted Frequency	%
Location:	1498-1501	(width: 4; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	9997 , 9999			
Question:	In what (month and) year were you discharged from the Marines?			
	1996	-	2	0.0 %
	1997	-	2	0.0 %
	1998	-	2	0.0 %
	1999	-	3	0.1 %
	2000	-	4	0.1 %
	2001	-	6	0.1 %
	2002	-	1	0.0 %
	9997 (M)	Legitimate skip	4860	99.5 %
	9999 (M)	Not applicable	2	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 1999.35
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1996.00
- Maximum: 2002.00
- Standard Deviation: 1.81

H3LM51	S8Q51 RANK AT DISCHARGE NAVY-W3			
	Value	Label	Unweighted Frequency	%
Location:	1502-1503	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	97 , 99 , .			
Question:	What was your rank in the Navy at discharge?			
	79	Seaman Recruit (E1)	3	0.1 %
	80	Seaman Apprentice (E2)	3	0.1 %
	81	Seaman (E3)	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
82	Petty Officer 3rd Class (E4)	7	0.1 %
83	Petty Officer 2nd Class (E5)	3	0.1 %
97 (M)	Legitimate skip	4859	99.5 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 21 valid cases out of 4882 total cases.

- Mean: 81.19
- Median: 81.00
- Mode: 82.00
- Minimum: 79.00
- Maximum: 83.00
- Standard Deviation: 1.29

**H3LM52M**

**S8Q52 MONTH DISCHARGED NAVY-W3**

Location: 1504-1505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) were you discharged from the Navy?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	2	0.0 %
2	February	5	0.1 %
3	March	1	0.0 %
4	April	1	0.0 %
5	May	2	0.0 %
6	June	2	0.0 %
7	July	4	0.1 %
8	August	1	0.0 %
9	September	1	0.0 %
10	October	3	0.1 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4859	99.5 %

Based upon 23 valid cases out of 4882 total cases.

- Mean: 5.57
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.31

- Study 21600 -

**H3LM52Y**

**S8Q52 YEAR DISCHARGED NAVY-W3**

Location: 1506-1509 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what (month and) year were you discharged from the Navy?

Value	Label	Unweighted Frequency	%
1996	-	3	0.1 %
1998	-	2	0.0 %
1999	-	6	0.1 %
2000	-	7	0.1 %
2001	-	4	0.1 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4859	99.5 %

Based upon 23 valid cases out of 4882 total cases.

- Mean: 1999.30
- Median: 2000.00
- Mode: 2000.00
- Minimum: 1996.00
- Maximum: 2002.00
- Standard Deviation: 1.64

**H3LM53**

**S8Q53 RANK AT DISCHARGE COAST GUARD-W3**

Location: 1510-1512 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997

Question: What was your rank in the Coast Guard at discharge?

Value	Label	Unweighted Frequency	%
104	Seaman Apprentice (E2)	1	0.0 %
997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 104.00
- Median: 104.00
- Mode: 104.00
- Minimum: 104.00
- Maximum: 104.00
- Standard Deviation: 0.00

**H3LM54M**

**S8Q54 MONTH DISCHARGED COAST GUARD-W3**

- Study 21600 -

Location: 1513-1514 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) were you discharged from the Coast Guard?

Value	Label	Unweighted Frequency	%
11	November	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

#### H3LM54Y

#### S8Q54 YEAR DISCHARGED COAST GUARD-W3

Location: 1515-1518 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what (month and) year were you discharged from the Coast Guard?

Value	Label	Unweighted Frequency	%
1998	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 1998.00
- Median: 1998.00
- Mode: 1998.00
- Minimum: 1998.00
- Maximum: 1998.00
- Standard Deviation: 0.00

#### H3LM55

#### S8Q55 IN 1995 WORKED FOR PAY-W3

Location: 1519-1519 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: In 1995, when you were <AGESIN95> years old, did you work for pay?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.59)	2236	45.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2497	51.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	4	0.1 %

Based upon 4733 valid cases out of 4882 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3LM56</b>	<b>S8Q56 WORKED CIVILIAN/MILITARY-W3</b>		
Location:	1520-1520 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7		
Question:	Did you work as a civilian or were you in the military?		
Value	Label	Unweighted Frequency	%
1	Civilian	83	1.7 %
2	Military	14	0.3 %
3	Both	11	0.2 %
7 (M)	Legitimate skip	4774	97.8 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

<b>H3LM57</b>	<b>S8Q57 WORKED ENTIRE 1995 YEAR-W3</b>
Location:	1521-1521 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8
Question:	Did you work the entire year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1097	22.5 %
1	Yes	1393	28.5 %
7 (M)	Legitimate skip	2385	48.9 %
8 (M)	Don't know	7	0.1 %

Based upon 2490 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3LM58</b>	<b>S8Q58 1995 WORKED MOSTLY FULL TIME-W3</b>
---------------	--

Location: 1522-1522 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: When you worked in 1995, did you work mostly full time (35 hours a week or more for one employer) or part time (less than 35 hours a week for any one employer)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	756	15.5 %
2	Part time	1736	35.6 %
7 (M)	Legitimate skip	2385	48.9 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 2492 valid cases out of 4882 total cases.

- Mean: 1.70
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

<b>H3LM59</b>	<b>S8Q59 IN 1996 WORKED FOR PAY-W3</b>
---------------	--

Location: 1523-1523 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: In 1996 when you were <AGESIN96> years old, did you work for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.63)	1633	33.4 %
1	Yes	3094	63.4 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	9	0.2 %

Based upon 4727 valid cases out of 4882 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

<b>H3LM60</b>	<b>S8Q60 WORKED CIVILIAN/MILITARY-W3</b>
Location:	1524-1524 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	Did you work as a civilian or were you in the military?

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	86	1.8 %
2	Military	37	0.8 %
3	Both	16	0.3 %
7 (M)	Legitimate skip	4743	97.2 %

Based upon 139 valid cases out of 4882 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

<b>H3LM61</b>	<b>S8Q61 WORKED ENTIRE 1996 YEAR-W3</b>
Location:	1525-1525 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8
Question:	Did you work the entire year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1243	25.5 %
1	Yes	1845	37.8 %
7 (M)	Legitimate skip	1788	36.6 %
8 (M)	Don't know	6	0.1 %

Based upon 3088 valid cases out of 4882 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

<b>H3LM62</b>	<b>S8Q62 1996 WORKED MOSTLY FULL TIME-W3</b>		
Location:	1526-1526 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	When you worked in 1996, did you work mostly full time (35 hours a week or more for one employer) or part time (less than 35 hours a week for any one employer)?		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	1154	23.6 %
2	Part time	1936	39.7 %
7 (M)	Legitimate skip	1788	36.6 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 3090 valid cases out of 4882 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

<b>H3LM63</b>	<b>S8Q63 IN 1997 WORKED FOR PAY-W3</b>
Location:	1527-1527 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8
Question:	In 1997, when you were <AGESIN97> years old, did you work for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.67)	1176	24.1 %
1	Yes	3555	72.8 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	5	0.1 %

Based upon 4731 valid cases out of 4882 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

<b>H3LM64</b>	<b>S8Q64 WORKED CIVILIAN/MILITARY-W3</b>
---------------	--

Location: 1528-1528 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: Did you work as a civilian or were you in the military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	74	1.5 %
2	Military	59	1.2 %
3	Both	18	0.4 %
7 (M)	Legitimate skip	4730	96.9 %
9 (M)	Not applicable	1	0.0 %

Based upon 151 valid cases out of 4882 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.69

<b>H3LM65</b>	<b>S8Q65 WORKED ENTIRE 1997 YEAR-W3</b>
---------------	---

Location: 1529-1529 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you work the entire year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1268	26.0 %
1	Yes	2286	46.8 %
7 (M)	Legitimate skip	1327	27.2 %
8 (M)	Don't know	1	0.0 %

Based upon 3554 valid cases out of 4882 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

<b>H3LM66</b>	<b>S8Q66 1997 WORKED MOSTLY FULL TIME-W3</b>		
Location:	1530-1530 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9		
Question:	When you worked in 1997, did you work mostly full time (35 hours a week or more for one employer) or part time (less than 35 hours a week for any one employer)?		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	1635	33.5 %
2	Part time	1915	39.2 %
7 (M)	Legitimate skip	1327	27.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 3550 valid cases out of 4882 total cases.

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>H3LM67</b>	<b>S8Q67 IN 1998 WORKED FOR PAY-W3</b>
Location:	1531-1531 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8
Question:	In 1998, when you were <AGESIN98> years old, did you work for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.71)	788	16.1 %
1	Yes	3940	80.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	9	0.2 %

Based upon 4728 valid cases out of 4882 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

<b>H3LM68</b>	<b>S8Q68 WORKED CIVILIAN/MILITARY-W3</b>
Location:	1532-1532 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	Did you work as a civilian or were you in the military?

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	63	1.3 %
2	Military	76	1.6 %
3	Both	21	0.4 %
7 (M)	Legitimate skip	4722	96.7 %

Based upon 160 valid cases out of 4882 total cases.

- Mean: 1.74
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

<b>H3LM69</b>	<b>S8Q69 WORKED ENTIRE 1998 YEAR-W3</b>
Location:	1533-1533 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8
Question:	Did you work the entire year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1270	26.0 %
1	Yes	2667	54.6 %
7 (M)	Legitimate skip	942	19.3 %
8 (M)	Don't know	3	0.1 %

Based upon 3937 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3LM70 S8Q70 1998 WORKED MOSTLY FULL TIME-W3**

Location: 1534-1534 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: When you worked in 1998, did you work mostly full time (35 hours a week or more for one employer) or part time (less than 35 hours a week for any one employer)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	2041	41.8 %
2	Part time	1897	38.9 %
7 (M)	Legitimate skip	942	19.3 %
8 (M)	Don't know	2	0.0 %

Based upon 3938 valid cases out of 4882 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3LM71 S8Q71 IN 1999 WORKED FOR PAY-W3**

Location: 1535-1535 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: In 1999, when you were <AGESIN99> years old, did you work for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.75)	583	11.9 %
1	Yes	4147	84.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4730 valid cases out of 4882 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

### H3LM72

### S8Q72 WORKED CIVILIAN/MILITARY-W3

Location: 1536-1536 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you work as a civilian or were you in the military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	58	1.2 %
2	Military	74	1.5 %
3	Both	29	0.6 %
7 (M)	Legitimate skip	4721	96.7 %

Based upon 161 valid cases out of 4882 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

### H3LM73

### S8Q73 WORKED ENTIRE 1999 YEAR-W3

Location: 1537-1537 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you work the entire year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1209	24.8 %
1	Yes	2935	60.1 %
7 (M)	Legitimate skip	735	15.1 %
8 (M)	Don't know	3	0.1 %

Based upon 4144 valid cases out of 4882 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

<b>H3LM74</b>	<b>S8Q74 1999 WORKED MOSTLY FULL TIME-W3</b>
---------------	--

Location: 1538-1538 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: When you worked in 1999, did you work mostly full time (35 hours a week or more for one employer) or part time (less than 35 hours a week for any one employer)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	2491	51.0 %
2	Part time	1653	33.9 %
7 (M)	Legitimate skip	735	15.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4144 valid cases out of 4882 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

<b>H3LM75</b>	<b>S8Q75 IN 2000 WORKED FOR PAY-W3</b>
---------------	--

Location: 1539-1539 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: In 2000, did you work for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.79)	444	9.1 %
1	Yes	4254	87.1 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	23	0.5 %

Based upon 4698 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

#### H3LM76

#### S8Q76 WORKED CIVILIAN/MILITARY-W3

Location: 1540-1540 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you work as a civilian or were you in the military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	60	1.2 %
2	Military	68	1.4 %
3	Both	32	0.7 %
7 (M)	Legitimate skip	4722	96.7 %

Based upon 160 valid cases out of 4882 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.74

#### H3LM77

#### S8Q77 WORKED ENTIRE 2000 YEAR-W3

Location: 1541-1541 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you work the entire year?

- Study 21600 -

Value	Label	Unweighted Frequency	%
0	No	1221	25.0 %
1	Yes	3032	62.1 %
7 (M)	Legitimate skip	628	12.9 %
8 (M)	Don't know	1	0.0 %

Based upon 4253 valid cases out of 4882 total cases.

- Mean: 0.71
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.45

H3LM78

S8Q78 2000 WORKED MOSTLY FULL TIME-W3

Location: 1542-1542 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: Did you work mostly full time or part time?

Value	Label	Unweighted Frequency	%
1	Full time	2835	58.1 %
2	Part time	1417	29.0 %
7 (M)	Legitimate skip	628	12.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4252 valid cases out of 4882 total cases.

- Mean: 1.33
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 1.00
  - Maximum: 2.00
  - Standard Deviation: 0.47

H3L-M79

S8Q79 IN 2001 WORKED FOR PAY-W3

Location: 1543-1543 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6, 7, 8

Since the beginning of 2001, have you worked for pay?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to the next section)	466	9.5 %
1	Yes	4269	87.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	144	2.9 %
8 (M)	Don't know	2	0.0 %

Based upon 4735 valid cases out of 4882 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

<b>H3LM80</b>	<b>S8Q80 WORKED CIVILIAN/MILITARY-W3</b>
Location:	1544-1544 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	Have you worked as a civilian or have you been in the military?

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Civilian	68	1.4 %
2	Military	61	1.2 %
3	Both	32	0.7 %
7 (M)	Legitimate skip	4721	96.7 %

Based upon 161 valid cases out of 4882 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.76

<b>H3LM81</b>	<b>S8Q81 WORKED ENTIRE 2001 YEAR-W3</b>
Location:	1545-1545 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8
Question:	Have you worked continuously since the beginning of the year?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1275	26.1 %
1	Yes	2993	61.3 %
7 (M)	Legitimate skip	613	12.6 %
8 (M)	Don't know	1	0.0 %

Based upon 4268 valid cases out of 4882 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

<b>H3LM82</b>	<b>S8Q82 2001 WORKED MOSTLY FULL TIME-W3</b>
---------------	--

Location: 1546-1546 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 8  
 Question: Have you worked mostly full time or part time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full time	2978	61.0 %
2	Part time	1289	26.4 %
7 (M)	Legitimate skip	613	12.6 %
8 (M)	Don't know	2	0.0 %

Based upon 4267 valid cases out of 4882 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

<b>H3GH1</b>	<b>S9Q01 HOW IS GENERAL HEALTH-W3</b>
--------------	---------------------------------------

Location: 1547-1547 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: In general, how is your health?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	1601	32.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very good	2000	41.0 %
3	Good	1055	21.6 %
4	Fair	206	4.2 %
5	Poor	20	0.4 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.87

### H3GH2

### S9Q02 WHAT YOU THINK OF YOUR WEIGHT-W3

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98 , 99

Question: How do you think of yourself in terms of weight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very underweight	49	1.0 %
2	Slightly underweight	504	10.3 %
3	About the right weight	2349	48.1 %
4	Slightly overweight	1676	34.3 %
5	Very overweight	299	6.1 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 3.34
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

### H3GH3

### S9Q03 Curr Doing Anything About WT-W3

Location: 1550-1550 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

## - Study 21600 -

Question:

What are you currently doing about your weight? Are you trying to lose weight, gain weight or bulk up, or stay the same weight--or are you not trying to do anything about your weight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Trying to lose weight	1638	33.6 %
2	Trying to gain weight/bulk up	730	15.0 %
3	Trying to stay the same weight	709	14.5 %
4	Not trying to do anything about weight	1792	36.7 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	6	0.1 %

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 2.55
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.29

**H3GH4A**

**S9Q04A DID YOU DIET TO CHANGE WEIGHT-W3**

Location:

1551-1551 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9

Question:

Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Dieted--that is, ate pre-packaged weight-loss meals, fewer calories, or less fat

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1383	28.3 %
1	Marked	942	19.3 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	15	0.3 %

Based upon 2325 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3GH4B**

**S9Q04B DID YOU EXERCISE CHANGE WEIGHT-W3**

- Study 21600 -

Location: 1552-1552 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Exercised

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	528	10.8 %
1	Marked	1811	37.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 2339 valid cases out of 4882 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

#### H3GH4C

#### S9Q04C FAST/SKIP MEALS CHANGE WEIGHT-W3

Location: 1553-1553 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Fasted or skipped meals

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1898	38.9 %
1	Marked	443	9.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 2341 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.39

**H3GH4D**

**S9Q04D MAKE SELF THROW UP CHANGE WT-W3**

Location: 1554-1554 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Made yourself throw up

Value	Label	Unweighted Frequency	%
0	Not marked	2329	47.7 %
1	Marked	11	0.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 2340 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

**H3GH4E**

**S9Q04E WT-LOSS PILLS CHANGE WEIGHT-W3**

Location: 1555-1555 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Took weight-loss pills

Value	Label	Unweighted Frequency	%
0	Not marked	2185	44.8 %
1	Marked	156	3.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 2341 valid cases out of 4882 total cases.

- Mean: 0.07

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H3GH4F	S9Q04F TAKE LAXATIVES CHANGE WEIGHT-W3		
Location:	1556-1556 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Took laxatives		
Value	Label	Unweighted Frequency	%
0	Not marked	2330	47.7 %
1	Marked	11	0.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 2341 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H3GH4G	S9Q04G USE DIURETICS CHANGE WEIGHT-W3		
Location:	1557-1557 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Used diuretics--that is, water pills		
Value	Label	Unweighted Frequency	%
0	Not marked	2321	47.5 %
1	Marked	20	0.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

## - Study 21600 -

Based upon 2341 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

H3GH4H	S9Q04H FOOD SUPPLEMENTS CHANGE WEIGHT-W3		
Location:	1558-1558 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Took food supplements (powders, herbal supplements, mineral pills, or vitamins that are supposed to take the place of meals or to reduce appetite)		
Value	Label	Unweighted Frequency	%
0	Not marked	2091	42.8 %
1	Marked	248	5.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 2339 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H3GH4I	S9Q04I WEIGHT PROGRAM CHANGE WEIGHT-W3		
Location:	1559-1559 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Which of the following things did you do during the past seven days in order to lose weight or stay the same weight? Took part in an organized weight-loss or weight-control program		
Value	Label	Unweighted Frequency	%
0	Not marked	2256	46.2 %
1	Marked	81	1.7 %
6 (M)	Refused	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	2535	51.9 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	5	0.1 %

Based upon 2337 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3GH5**

**S9Q05 EXERCISE CENTER PAST 7 DAYS-W3**

Location: 1560-1561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: In the past seven days, how many times did you go to an exercise or fitness center to exercise or work out?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	3259	66.8 %
1	-	235	4.8 %
2	-	378	7.7 %
3	-	396	8.1 %
4	-	245	5.0 %
5	-	201	4.1 %
6	-	55	1.1 %
7	-	95	1.9 %
8	-	3	0.1 %
9	-	2	0.0 %
10	-	4	0.1 %
14	-	4	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
98 (M)	Don't know	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 1.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 20.00
- Standard Deviation: 1.88

**H3GH6**

**S9Q06 EATEN SO MUCH/BEEN EMBARRASSED-W3**

Location: 1562-1562 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past seven days, have you eaten so much in a short period that you would have been embarrassed if others had seen you do it?

Value	Label	Unweighted Frequency	%
0	No	4583	93.9 %
1	Yes	291	6.0 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	5	0.1 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

**H3GH7**

**S9Q07 AFRAID START EATING/CAN'T STOP-W3**

Location: 1563-1563 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past seven days, have you been afraid to start eating because you thought you wouldn't be able to stop or control your eating?

Value	Label	Unweighted Frequency	%
0	No	4774	97.8 %
1	Yes	98	2.0 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.14

**H3GH8**

**S9Q08 TOLD HAVE EATING DISORDER-W3**

Location: 1564-1564 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever been told by a doctor that you have an eating disorder, such as anorexia nervosa or bulimia?

Value	Label	Unweighted Frequency	%
0	No	4758	97.5 %
1	Yes	115	2.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

**H3GH9A**

**S9Q09A EAT DIFF FOODS TO GAIN WEIGHT-W3**

Location: 1565-1565 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: In the past seven days, which of the following things did you do in order to gain weight or bulk up?  
Ate different foods than usual

Value	Label	Unweighted Frequency	%
0	Not marked	535	11.0 %
1	Marked	189	3.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4152	85.0 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 724 valid cases out of 4882 total cases.

- Mean: 0.26

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3GH9B**

**S9Q09B DID YOU EXERCISE GAIN WEIGHT-W3**

Location:	1566-1566 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , 9
Question:	In the past seven days, which of the following things did you do in order to gain weight or bulk up? Exercised

Value	Label	Unweighted Frequency	%
0	Not marked	330	6.8 %
1	Marked	399	8.2 %
7 (M)	Legitimate skip	4152	85.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 729 valid cases out of 4882 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3GH9C**

**S9Q09C LIFT WEIGHTS GAIN WEIGHT-W3**

Location:	1567-1567 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , 9
Question:	In the past seven days, which of the following things did you do in order to gain weight or bulk up? Lifted weights

Value	Label	Unweighted Frequency	%
0	Not marked	334	6.8 %
1	Marked	395	8.1 %
7 (M)	Legitimate skip	4152	85.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 729 valid cases out of 4882 total cases.

- Mean: 0.54
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3GH9D</b>	<b>S9Q09D TAKE FOOD SUPPLEMENTS GAIN WT-W3</b>																				
Location:	1568-1568 (width: 1; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	6 , 7 , 8 , 9																				
Question:	In the past seven days, which of the following things did you do in order to gain weight or bulk up? Took food supplements																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">575</td><td style="text-align: right; padding: 2px;">11.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">154</td><td style="text-align: right; padding: 2px;">3.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4152</td><td style="text-align: right; padding: 2px;">85.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">9 (M)</td><td style="text-align: left; padding: 2px;">Not applicable</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	575	11.8 %	1	Marked	154	3.2 %	7 (M)	Legitimate skip	4152	85.0 %	9 (M)	Not applicable	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	Not marked	575	11.8 %																		
1	Marked	154	3.2 %																		
7 (M)	Legitimate skip	4152	85.0 %																		
9 (M)	Not applicable	1	0.0 %																		

Based upon 729 valid cases out of 4882 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

<b>H3GH9E</b>	<b>S9Q09E DID YOU EAT MORE GAIN WEIGHT-W3</b>																				
Location:	1569-1569 (width: 1; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	6 , 7 , 8 , 9																				
Question:	In the past seven days, which of the following things did you do in order to gain weight or bulk up? Ate more																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">346</td><td style="text-align: right; padding: 2px;">7.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">383</td><td style="text-align: right; padding: 2px;">7.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4152</td><td style="text-align: right; padding: 2px;">85.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">9 (M)</td><td style="text-align: left; padding: 2px;">Not applicable</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	346	7.1 %	1	Marked	383	7.8 %	7 (M)	Legitimate skip	4152	85.0 %	9 (M)	Not applicable	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	Not marked	346	7.1 %																		
1	Marked	383	7.8 %																		
7 (M)	Legitimate skip	4152	85.0 %																		
9 (M)	Not applicable	1	0.0 %																		

Based upon 729 valid cases out of 4882 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3GH10**

**S9Q10 PAST MO,HEALTH PROB/MISSED DAY-W3**

Location: 1570-1570 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past month, how often did a health problem cause you to miss a day of school or work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3728	76.4 %
1	A few times	1001	20.5 %
2	About once a week	41	0.8 %
3	Almost everyday	11	0.2 %
4	Every day	13	0.3 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	85	1.7 %

Based upon 4794 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.50

**H3GH11H**

**S9Q11 HOUR YOU USUALLY WAKE UP-W3**

Location: 1571-1572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: On days when you go to work, school, or similar activities, what time do you usually wake up? Hour

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:00	39	0.8 %
2	2:00	47	1.0 %
3	3:00	49	1.0 %
4	4:00	192	3.9 %
5	5:00	582	11.9 %
6	6:00	1251	25.6 %
7	7:00	1110	22.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	8:00	679	13.9 %
9	9:00	438	9.0 %
10	10:00	254	5.2 %
11	11:00	106	2.2 %
12	12:00	91	1.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	26	0.5 %

Based upon 4838 valid cases out of 4882 total cases.

- Mean: 6.90
- Median: 7.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.89

**H3GH11M**

**S9Q11 MINUTE YOU USUALLY WAKE UP-W3**

Location: 1573-1574 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: On days when you go to work, school, or similar activities, what time do you usually wake up? Minute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 minutes	3070	62.9 %
1	-	4	0.1 %
2	-	1	0.0 %
3	-	6	0.1 %
5	-	3	0.1 %
7	-	1	0.0 %
9	-	3	0.1 %
10	-	6	0.1 %
11	-	1	0.0 %
15	15 minutes	122	2.5 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	25	0.5 %
25	-	3	0.1 %
30	30 minutes	1372	28.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	1	0.0 %
35	-	2	0.0 %
39	-	2	0.0 %
40	-	13	0.3 %
42	-	1	0.0 %
45	45 minutes	170	3.5 %
50	-	23	0.5 %
55	-	4	0.1 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	2	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 11.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 15.27

**H3GH11T**
**S9Q11 AM OR PM YOU WAKE UP-W3**

Location:

1575-1575 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

On days when you go to work, school, or similar activities, what time do you usually wake up? [Indicate AM or PM.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	4607	94.4 %
2	PM	272	5.6 %
. (M)	-	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.23

**H3GH12H**
**S9Q12 HOUR YOU USUALLY GO TO SLEEP-W3**

- Study 21600 -

Location: 1576-1577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: What time do you usually go to sleep the night (or day) before? Hour

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:00	542	11.1 %
2	2:00	387	7.9 %
3	3:00	150	3.1 %
4	4:00	67	1.4 %
5	5:00	32	0.7 %
6	6:00	24	0.5 %
7	7:00	34	0.7 %
8	8:00	77	1.6 %
9	9:00	310	6.3 %
10	10:00	968	19.8 %
11	11:00	1140	23.4 %
12	12:00	1104	22.6 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	2	0.0 %

Based upon 4835 valid cases out of 4882 total cases.

- Mean: 8.57
- Median: 10.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.97

### H3GH12M

### S9Q12 MINUTE YOU USUALLY GO TO SLEEP-W3

Location: 1578-1579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: What time do you usually go to sleep the night (or day) before? Minute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 minutes	3646	74.7 %
1	-	25	0.5 %
2	-	2	0.0 %
3	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	2	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
15	15 minutes	11	0.2 %
20	-	1	0.0 %
30	30 minutes	1119	22.9 %
39	-	3	0.1 %
45	45 minutes	16	0.3 %
50	-	1	0.0 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	1	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 7.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 12.87

**H3GH12T**

**S9Q12 AM OR PM YOU GO TO SLEEP-W3**

Location:

1580-1580 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

What time do you usually go to sleep the night (or day) before? [Indicate AM or PM.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	2380	48.8 %
2	PM	2502	51.2 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3GH13H**

**S9Q13 HR USUALLY WAKE UP/SLEEP IN-W3**

- Study 21600 -

Location: 1581-1582 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: On days you don't have to get up at a certain time, what time do you usually get up? Hour.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:00	199	4.1 %
2	2:00	102	2.1 %
3	3:00	48	1.0 %
4	4:00	18	0.4 %
5	5:00	42	0.9 %
6	6:00	146	3.0 %
7	7:00	444	9.1 %
8	8:00	731	15.0 %
9	9:00	959	19.6 %
10	10:00	1024	21.0 %
11	11:00	595	12.2 %
12	12:00	549	11.2 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	4	0.1 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 8.78
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.59

**H3GH13M**

**S9Q13 MIN USUALLY WAKE UP/SLEEP IN-W3**

Location: 1583-1584 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: On days you don't have to get up at a certain time, what time do you usually get up? Minute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 minutes	3894	79.8 %
1	-	15	0.3 %
3	-	8	0.2 %
5	-	3	0.1 %
9	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.0 %
15	15 minutes	11	0.2 %
20	-	3	0.1 %
23	-	1	0.0 %
25	-	1	0.0 %
30	30 minutes	887	18.2 %
40	-	3	0.1 %
45	45 minutes	21	0.4 %
50	-	2	0.0 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	2	0.0 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 5.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 11.95

**H3GH13T**

**S9Q13 AM/PM YOU WAKE UP/CAN SLEEP IN-W3**

Location: 1585-1585 (width: 1; decimal: 0)

Variable Type: numeric

Question: On days you don't have to get up at a certain time, what time do you usually get up? [Indicate AM or PM.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	3987	81.7 %
2	PM	893	18.3 %
. (M)	-	2	0.0 %

Based upon 4880 valid cases out of 4882 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.39

- Study 21600 -

H3GH14H	S9Q14 HR USUALLY GO SLEEP/SLEEP IN-W3		
Location:	1586-1587 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99		
Question:	On those days, what time do you usually go to sleep the night or day before? Hour		
Value	Label	Unweighted Frequency	%
1	1:00	821	16.8 %
2	2:00	933	19.1 %
3	3:00	568	11.6 %
4	4:00	210	4.3 %
5	5:00	93	1.9 %
6	6:00	40	0.8 %
7	7:00	11	0.2 %
8	8:00	25	0.5 %
9	9:00	75	1.5 %
10	10:00	328	6.7 %
11	11:00	658	13.5 %
12	12:00	1094	22.4 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	4	0.1 %

Based upon 4856 valid cases out of 4882 total cases.

- Mean: 6.29
- Median: 4.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.61

H3GH14M	S9Q14 MIN USUALLY GO SLEEP/SLEEP IN-W3		
Location:	1588-1589 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99		
Question:	On those days, what time do you usually go to sleep the night or day before? Minute		
Value	Label	Unweighted Frequency	%
0	0 minutes	4081	83.6 %
1	-	28	0.6 %
2	-	2	0.0 %
3	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	2	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
15	15 minutes	4	0.1 %
20	-	1	0.0 %
30	30 minutes	723	14.8 %
39	-	2	0.0 %
45	45 minutes	3	0.1 %
50	-	1	0.0 %
55	-	1	0.0 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	4	0.1 %

Based upon 4856 valid cases out of 4882 total cases.

- Mean: 4.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 10.80

**H3GH14**
**S9Q14 AM/PM USUAL GO SLEEP/SLEEP IN-W3**

Location:

1590-1590 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

On those days, what time do you usually go to sleep the night or day before? [Indicate AM or PM.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	3663	75.0 %
2	PM	1219	25.0 %

Based upon 4882 valid cases out of 4882 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

**H3GH15**
**S9Q15 PAST 7 DAYS FALL ASLEEP-W3**

- Study 21600 -

Location: 1591-1591 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: In the past seven days, how often did you fall asleep when you should have been awake (for example, during class or at work)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3900	79.9 %
1	A few times	862	17.7 %
2	Almost everyday	76	1.6 %
3	Every day	26	0.5 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	16	0.3 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.49

### H3GH16

### S9Q16 PAST 7 DAYS HOW OFTEN TOOK NAP-W3

Location: 1592-1592 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: In the past seven days, how often did you take a nap?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	2222	45.5 %
1	A few times	2132	43.7 %
2	Almost everyday	348	7.1 %
3	Every day	174	3.6 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

- Study 21600 -

**H3GH17**

**S9Q17 ARE YOU A VEGETARIAN-W3**

Location: 1593-1593 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8  
 Question: Do you consider yourself a vegetarian?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4745	97.2 %
1	Yes	132	2.7 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3GH18**

**S9Q18 DAYS ATE FAST FOOD LAST 7 DAYS-W3**

Location: 1594-1595 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 98 , 99  
 Question: On how many of the past seven days did you eat food from a fastfood place, McDonalds, Kentucky Fried Chicken, Pizza Hut, Taco Bell, or a local fastfood restaurant?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No days	949	19.4 %
1	One day	1023	21.0 %
2	Two days	988	20.2 %
3	Three days	695	14.2 %
4	Four days	376	7.7 %
5	Five days	317	6.5 %
6	Six days	94	1.9 %
7	Seven days	436	8.9 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 2.42
- Median: 2.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.10

H3GH19	S9Q19 DAYS ATE BREAKFAST LAST 7 DAYS-W3		
	Value	Label	Unweighted Frequency
Location:	1596-1597	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	98 , 99		
Question:	On how many of the past seven days did you eat breakfast--that is, a meal within an hour of getting up?		
			%
	0	No days	1438 29.5 %
	1	One day	456 9.3 %
	2	Two days	544 11.1 %
	3	Three days	417 8.5 %
	4	Four days	330 6.8 %
	5	Five days	337 6.9 %
	6	Six days	179 3.7 %
	7	Seven days	1180 24.2 %
	98 (M)	Don't know	1 0.0 %

Based upon 4881 valid cases out of 4882 total cases.

- Mean: 3.10
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.77

H3GH20	S9Q20 VITAMINS OR MINERALS LAST MON-W3		
	Value	Label	Unweighted Frequency
Location:	1598-1598	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	8		
Question:	In the last month, have you taken any vitamins or minerals?		
			%
	0	No	2793 57.2 %
	1	Yes	2088 42.8 %
	8 (M)	Don't know	1 0.0 %

Based upon 4881 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H3HS1	S10Q1 # MONTHS HAVE HEALTH INSURANCE-W3		
Location:	1599-1600 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	98 , 99		
Question:	<p>Over the past 12 months, how many months did you have health insurance? In the pretest the question was asked: Over the past 12 months, how many months did you NOT have health insurance?</p> <p>Q.1 data from the pretest was recoded to correspond to the question from the main study. Using the responses to the pretest question, this variable was recalculated to the number of months he/she did have health insurance.</p>		
Value	Label	Unweighted Frequency	%
0	0 months	855	17.5 %
1	1 month	55	1.1 %
2	2 months	52	1.1 %
3	3 months	75	1.5 %
4	4 months	65	1.3 %
5	5 months	63	1.3 %
6	6 months	146	3.0 %
7	7 months	75	1.5 %
8	8 months	97	2.0 %
9	9 months	99	2.0 %
10	10 months	75	1.5 %
11	11 months	62	1.3 %
12	12 months	3134	64.2 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	1	0.0 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 8.87
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 4.78

H3HS2	S10Q2 PAST 12 MON OFFERED HEALTH INS-W3		
-------	---	--	--

- Study 21600 -

Location: 1601-1601 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9 , .

Question: Over the past 12 months, were you offered health insurance through work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.5)	1989	40.7 %
1	Yes	2842	58.2 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	30	0.6 %
. (M)	-	2	0.0 %

Based upon 4831 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3HS3**

**S10Q3 GOT HEALTH INS WHEN OFFERED-W3**

Location: 1602-1602 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you get this health insurance when it was offered?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	917	18.8 %
1	Yes (skip to Q.5)	1923	39.4 %
7 (M)	Legitimate skip	2040	41.8 %
8 (M)	Don't know	2	0.0 %

Based upon 2840 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3HS4A**

**S10Q4A WHY NOT: HAD HEALTH INS -W3**

Location: 1603-1603 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why did you not get health insurance? You had other health insurance of your own .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	789	16.2 %
1	Marked	128	2.6 %
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

#### H3HS4B

#### S10Q4B WHY NOT: COVERED BY PARENTS-W3

Location: 1604-1604 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why did you not get health insurance? You were covered by your parents' insurance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	399	8.2 %
1	Marked	518	10.6 %
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3HS4C

#### S10Q4C WHY NOT: COVERED BY SPOUSE-W3

Location: 1605-1605 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why did you not get health insurance? You were covered by your husband's or wife's insurance.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	863	17.7 %
1	Marked	54	1.1 %
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

#### H3HS4D

#### S10Q4D WHY NOT: NOT NEEDED/WANTED-W3

Location: 1606-1606 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why did you not get health insurance? You do not need or want health insurance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	876	17.9 %
1	Marked	41	0.8 %
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

#### H3HS4E

#### S10Q4E WHY NOT: TOO EXPENSIVE-W3

Location: 1607-1607 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why did you not get health insurance? It was too expensive.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	761	15.6 %
1	Marked	156	3.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**H3HS4F**
**S10Q4F WHY NOT: OTHER REASONS-W3**

Location: 1608-1608 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Why did you not get health insurance? Other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	824	16.9 %
1	Marked	93	1.9 %
7 (M)	Legitimate skip	3965	81.2 %

Based upon 917 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

**H3HS5**
**S10Q5 BEST DESCRIBE CURR/HEALTH INS-W3**

Location: 1609-1610 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99  
 Question: Which of the following best describes your current health insurance situation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	You have no health insurance	1094	22.4 %
1	You are covered by your parents' insurance	1402	28.7 %
2	You are covered by your husband's/wife's insurance	202	4.1 %
3	You get insurance through work	1472	30.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	You get insurance through a union	23	0.5 %
5	You get insurance through school	135	2.8 %
6	You are covered because you are active-duty military	64	1.3 %
7	You buy private insurance yourself	98	2.0 %
8	You are on Medicaid	315	6.5 %
9	You are covered through the Indian Health Service	15	0.3 %
10	You don't know what your health insurance coverage is	38	0.8 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	14	0.3 %
99 (M)	Not applicable	9	0.2 %

Based upon 4858 valid cases out of 4882 total cases.

- Mean: 2.28
- Median: 1.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.32

#### H3HS6

#### S10Q6 PAST 12/MON NEEDED MED CARE-W3

Location: 1611-1611 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Has there been any time in the past 12 months when you thought you should get medical care, but you did not?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.10)	3779	77.4 %
1	Yes	1094	22.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	8	0.2 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

#### H3HS7A

#### S10Q7A ROUTINE CHECK-UP-W3

- Study 21600 -

Location: 1612-1612 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What type of problems were you having at that time? Needed a routine check-up

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	837	17.1 %
1	Marked	257	5.3 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

#### H3HS7B

#### S10Q7B RAN OUT PRESCP MEDICATION-W3

Location: 1613-1613 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What type of problems were you having at that time? Ran out of a prescription medication

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1014	20.8 %
1	Marked	80	1.6 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

#### H3HS7C

#### S10Q7C SICK SYMPTOMS-W3

Location: 1614-1614 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What type of problems were you having at that time? Were sick or had symptoms of a health problem

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	528	10.8 %
1	Marked	566	11.6 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3HS7D

#### S10Q7D INJURED BY ACCCIDENT-W3

Location: 1615-1615 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What type of problems were you having at that time? Were injured by accident

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	903	18.5 %
1	Marked	191	3.9 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

#### H3HS7E

#### S10Q7E INJURED BY PHYSICAL FIGHT-W3

Location: 1616-1616 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What type of problems were you having at that time? Were injured during a physical fight

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1072	22.0 %
1	Marked	22	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

#### H3HS7F

#### S10Q7F PROB RELATED HAVING SEX-W3

Location:	1617-1617 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	What type of problems were you having at that time? Had a problem that could be related to having sex

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1057	21.7 %
1	Marked	37	0.8 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

#### H3HS7G

#### S10Q7G PROB STRESS/DEPRSS/NERVES-W3

Location:	1618-1618 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	What type of problems were you having at that time? Had a problem that could be related to severe stress, depression, or nervousness

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	921	18.9 %
1	Marked	173	3.5 %
7 (M)	Legitimate skip	3788	77.6 %

- Study 21600 -

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H3HS7H	S10Q7H PROB REL TOBACCO/ALCOHOL/DRUGS-W3			
Location:	1619-1619 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	What type of problems were you having at that time? Had a problem that could be related to using tobacco, alcohol, or other drugs			
Value	Label	Unweighted Frequency	%	
0	Not marked	1068	21.9 %	
1	Marked	26	0.5 %	
7 (M)	Legitimate skip	3788	77.6 %	

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H3HS7I	S10Q7I OTHER PROBLEMS-W3			
Location:	1620-1620 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	What type of problems were you having at that time? Other			
Value	Label	Unweighted Frequency	%	
0	Not marked	913	18.7 %	
1	Marked	181	3.7 %	
7 (M)	Legitimate skip	3788	77.6 %	

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

<b>H3HS8A</b>	<b>S10Q8A DID NOT KNOW WHOM TO SEE-W3</b>																						
Location:	1621-1621 (width: 1; decimal: 0)																						
Variable Type:	numeric																						
Range of Missing Values (M):	7 , 9																						
Question:	What kept you from seeing a health professional when you needed to? Didn't know whom to go see																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">1007</td><td style="text-align: right; padding: 2px;">20.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">86</td><td style="text-align: right; padding: 2px;">1.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">3788</td><td style="text-align: right; padding: 2px;">77.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">9 (M)</td><td style="text-align: left; padding: 2px;">Not applicable</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	1007	20.6 %	1	Marked	86	1.8 %	7 (M)	Legitimate skip	3788	77.6 %	9 (M)	Not applicable	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																				
0	Not marked	1007	20.6 %																				
1	Marked	86	1.8 %																				
7 (M)	Legitimate skip	3788	77.6 %																				
9 (M)	Not applicable	1	0.0 %																				

Based upon 1093 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

<b>H3HS8B</b>	<b>S10Q8B HAD NO TRANSPORTATION-W3</b>																		
Location:	1622-1622 (width: 1; decimal: 0)																		
Variable Type:	numeric																		
Range of Missing Values (M):	7																		
Question:	What kept you from seeing a health professional when you needed to? Had no transportation																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">1053</td><td style="text-align: right; padding: 2px;">21.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">41</td><td style="text-align: right; padding: 2px;">0.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">3788</td><td style="text-align: right; padding: 2px;">77.6 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	1053	21.6 %	1	Marked	41	0.8 %	7 (M)	Legitimate skip	3788	77.6 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																
0	Not marked	1053	21.6 %																
1	Marked	41	0.8 %																
7 (M)	Legitimate skip	3788	77.6 %																

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

- Study 21600 -

**H3HS8C**

**S10Q8C NO COMPANION-W3**

Location: 1623-1623 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: What kept you from seeing a health professional when you needed to? No one was available to go along

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1079	22.1 %
1	Marked	15	0.3 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**H3HS8D**

**S10Q8D PARENT/GUARDIAN REFUSE ACCOMP-W3**

Location: 1624-1624 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: What kept you from seeing a health professional when you needed to? Parent or guardian would not go along

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1092	22.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

**H3HS8E**

**S10Q8E DID NOT WANT PARENTS TO KNOW-W3**

Location: 1625-1625 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Didn't want parents to know

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1067	21.9 %
1	Marked	27	0.6 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

#### H3HS8F

#### S10Q8F DIFFICULT GET APPOINTMENT-W3

Location: 1626-1626 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Difficult to make appointment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1009	20.7 %
1	Marked	85	1.7 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

#### H3HS8G

#### S10Q8G AFRAID DOCTOUR WOULD SAY-W3

Location: 1627-1627 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Afraid of what the doctor would say or do

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1007	20.6 %
1	Marked	87	1.8 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

#### H3HS8H

#### S10Q8H THOUGHT PROB GO AWAY-W3

Location:	1628-1628 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	What kept you from seeing a health professional when you needed to? Though the problem would go away

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	720	14.7 %
1	Marked	374	7.7 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

#### H3HS8I

#### S10Q8I COULD NOT PAY-W3

Location:	1629-1629 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7
Question:	What kept you from seeing a health professional when you needed to? Couldn't pay

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	755	15.5 %
1	Marked	339	6.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

### H3HS8J

### S10Q8J DID NOT HAVE TIME-W3

Location: 1630-1630 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Didn't have time

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	776	15.9 %
1	Marked	318	6.5 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

### H3HS8K

### S10Q8K THOUGHT DR TELL HUSB/PARTNER-W3

Location: 1631-1631 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Thought the doctor would tell your partner/husband or wife

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1090	22.3 %
1	Marked	4	0.1 %
7 (M)	Legitimate skip	3788	77.6 %

- Study 21600 -

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

<b>H3HS8L</b>	<b>S10Q8L TOO EMBARRASSED-W3</b>
---------------	----------------------------------

Location: 1632-1632 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Too embarrassed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1074	22.0 %
1	Marked	20	0.4 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

<b>H3HS8M</b>	<b>S10Q8M THOUGHT DR REPORT POLICE/AUTH-W3</b>
---------------	--

Location: 1633-1633 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: What kept you from seeing a health professional when you needed to? Though the doctor would report something to the police or other legal authorities

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1089	22.3 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	3788	77.6 %

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

<b>H3HS8N</b>	<b>S10Q8N DID NOT THINK DR WOULD HELP-W3</b>																
Location:	1634-1634 (width: 1; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	7																
Question:	What kept you from seeing a health professional when you needed to? Didn't think the doctor could help																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">1028</td><td style="text-align: right; padding: 2px;">21.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">66</td><td style="text-align: right; padding: 2px;">1.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">3788</td><td style="text-align: right; padding: 2px;">77.6 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	1028	21.1 %	1	Marked	66	1.4 %	7 (M)	Legitimate skip	3788	77.6 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
0	Not marked	1028	21.1 %														
1	Marked	66	1.4 %														
7 (M)	Legitimate skip	3788	77.6 %														

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

<b>H3HS8O</b>	<b>S10Q8O OTHER REASONS-W3</b>																
Location:	1635-1635 (width: 1; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	7																
Question:	What kept you from seeing a health professional when you needed to? Other																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Not marked</td><td style="text-align: right; padding: 2px;">940</td><td style="text-align: right; padding: 2px;">19.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Marked</td><td style="text-align: right; padding: 2px;">154</td><td style="text-align: right; padding: 2px;">3.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">3788</td><td style="text-align: right; padding: 2px;">77.6 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Not marked	940	19.3 %	1	Marked	154	3.2 %	7 (M)	Legitimate skip	3788	77.6 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
0	Not marked	940	19.3 %														
1	Marked	154	3.2 %														
7 (M)	Legitimate skip	3788	77.6 %														

Based upon 1094 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

- Study 21600 -

**H3HS9**

**S10Q9 PAST12 MON PROB GOT WORSE-W3**

Location: 1636-1636 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 8  
 Question: In the past 12 months, did a health problem get worse because you did not get care when you thought you should?

Value	Label	Unweighted Frequency	%
0	No	826	16.9 %
1	Yes	264	5.4 %
7 (M)	Legitimate skip	3788	77.6 %
8 (M)	Don't know	4	0.1 %

Based upon 1090 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3HS10**

**S10Q10 LOCATION HEALTH CARE FACILITY-W3**

Location: 1637-1638 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99  
 Question: Where do you usually go when you are sick or need health care?

Value	Label	Unweighted Frequency	%
0	Never get sick or need health care	292	6.0 %
1	Hospital-based clinic	770	15.8 %
2	Hospital emergency room	500	10.2 %
3	Community health center/clinic	460	9.4 %
4	Health maintenance organization (HMO)	192	3.9 %
5	Private doctor's office	2127	43.6 %
6	School/college clinic	315	6.5 %
7	Military hospital/clinic	93	1.9 %
8	Clinic at work	18	0.4 %
9	Some other place	75	1.5 %
96 (M)	Refused	4	0.1 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	27	0.6 %

Based upon 4842 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 3.70
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.03

H3HS11	S10Q11 LAST CONSULT DOCTOR/NURSE-W3			
	Value	Label	Unweighted Frequency	%
Location:	1639-1640	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	How long ago did you last consult a doctor or nurse?			
	1	Within the past 3 months	2039	41.8 %
	2	4-6 months ago	1024	21.0 %
	3	7-9 months ago	464	9.5 %
	4	10-12 months ago	409	8.4 %
	5	Longer than 1 year ago but less than 2 years ago	544	11.1 %
	6	2 years ago or longer	374	7.7 %
	96 (M)	Refused	5	0.1 %
	98 (M)	Don't know	17	0.3 %
	99 (M)	Not applicable	6	0.1 %

Based upon 4854 valid cases out of 4882 total cases.

- Mean: 2.49
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.69

H3HS12	S10Q12 MAIN REASON VISIT DR/NURSE-W3			
	Value	Label	Unweighted Frequency	%
Location:	1641-1642	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	What was the main reason you went to the doctor or nurse?			
	1	Illness	1844	37.8 %
	2	Injury/accident	783	16.0 %
	3	Vaccine/inoculation	164	3.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Routine check-up/physical	1646	33.7 %
5	Pregnancy-related care	384	7.9 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	25	0.5 %
99 (M)	Not applicable	31	0.6 %

Based upon 4821 valid cases out of 4882 total cases.

- Mean: 2.57
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.47

**H3HS13**

**S10Q13 TYPE FACILITY-W3**

Location: 1643-1644 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Where did you go?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hospital-based clinic	816	16.7 %
2	Hospital emergency room	627	12.8 %
3	Community health center/clinic	523	10.7 %
4	Health maintenance organization (HMO)	179	3.7 %
5	Private doctor's office	2241	45.9 %
6	School/college clinic	260	5.3 %
7	Military hospital/clinic	125	2.6 %
8	Clinic at work	30	0.6 %
9	Some other place	54	1.1 %
96 (M)	Refused	4	0.1 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	8	0.2 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 3.86
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.84

- Study 21600 -

**H3HS14**

**S10Q14 LAST ROUTINE CHECK-UP-W3**

Location: 1645-1646 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: How long ago did you last have a routine check-up?

Value	Label	Unweighted Frequency	%
1	Within the past 3 months	547	11.2 %
2	4-6 months ago	461	9.4 %
3	7-9 months ago	286	5.9 %
4	10-12 months ago	432	8.8 %
5	Longer than 1 year ago but less than 2 years ago	606	12.4 %
6	2 years ago or longer	821	16.8 %
97 (M)	Legitimate skip	1646	33.7 %
98 (M)	Don't know	59	1.2 %
99 (M)	Not applicable	24	0.5 %

Based upon 3153 valid cases out of 4882 total cases.

- Mean: 3.81
- Median: 4.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.85

**H3HS15**

**S10Q15 TYPE FACILITY LAST CHK-UP-W3**

Location: 1647-1648 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: Where did you go for this check-up?

Value	Label	Unweighted Frequency	%
1	Hospital-based clinic	623	12.8 %
2	Hospital emergency room	68	1.4 %
3	Community health center/clinic	386	7.9 %
4	Health maintenance organization (HMO)	109	2.2 %
5	Private doctor's office	1654	33.9 %
6	School/college clinic	105	2.2 %
7	Military hospital/clinic	105	2.2 %
8	Clinic at work	42	0.9 %
9	Some other place	47	1.0 %
97 (M)	Legitimate skip	1646	33.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	54	1.1 %
99 (M)	Not applicable	43	0.9 %

Based upon 3139 valid cases out of 4882 total cases.

- Mean: 4.06
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.88

<b>H3HS16</b>	<b>S10Q16 LAST GYNECOL/PELVIC EXAM-W3</b>
---------------	---

Location: 1649-1650 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: When was the last time you had a gynecological or pelvic examination?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within the past 3 months	733	15.0 %
2	4-6 months ago	550	11.3 %
3	7-9 months ago	333	6.8 %
4	10-12 months ago	336	6.9 %
5	Longer than 1 year ago but less than 2 years ago	274	5.6 %
6	2 years ago or longer	153	3.1 %
7	Never (not in pretest)	239	4.9 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2253	46.1 %
98 (M)	Don't know	8	0.2 %
99 (M)	Not applicable	2	0.0 %

Based upon 2618 valid cases out of 4882 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.96

<b>H3HS17</b>	<b>S10Q17 MAIN REASON EXAMINATION-W3</b>
---------------	--

Location: 1651-1651 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: What was the main reason for this examination?

Value	Label	Unweighted Frequency	%
1	Routine check-up or for family planning purposes	1755	35.9 %
2	Pregnancy care	412	8.4 %
3	A gynecological problem	202	4.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2503	51.3 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	5	0.1 %

Based upon 2369 valid cases out of 4882 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

### H3HS18

### S10Q18 PAP SMEAR DONE-W3

Location: 1652-1652 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you have a Pap smear at that time?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.21)	203	4.2 %
1	Yes	2166	44.4 %
7 (M)	Legitimate skip	2503	51.3 %
8 (M)	Don't know	10	0.2 %

Based upon 2369 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

### H3HS19

### S10Q19 RESULTS PAP SMEAR NORMAL-W3

- Study 21600 -

Location: 1653-1653 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: Were the results of the Pap smear completely normal?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	144	2.9 %
1	Yes (skip to Q.21)	1986	40.7 %
7 (M)	Legitimate skip	2716	55.6 %
8 (M)	Don't know	35	0.7 %
9 (M)	Not applicable	1	0.0 %

Based upon 2130 valid cases out of 4882 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3HS20**

**S10Q20 WHAT TOLD ABNORMAL PAP SMEAR-W3**

Location: 1654-1655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What were you told to do about your abnormal Pap smear?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Do nothing	8	0.2 %
1	Have another Pap smear in 3 months	41	0.8 %
2	Have another Pap smear in 6 months	22	0.5 %
4	Have another Pap smear in 1 year	7	0.1 %
5	Have specialized gynecological exam/a culposcopy/a biopsy	60	1.2 %
6	Not told what to do	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4738	97.1 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	2	0.0 %

Based upon 140 valid cases out of 4882 total cases.

- Mean: 3.04
- Median: 2.00
- Mode: 5.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.94

**H3HS21**

**S10Q21 PAST 12 MON DENTAL EXAM-W3**

Location: 1656-1656 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: In the past 12 months have you had a dental examination by a dentist or dental hygienist?

Value	Label	Unweighted Frequency	%
0	No	2128	43.6 %
1	Yes	2751	56.3 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3HS22**

**S10Q22 PAST12 MON PSYCHO/COUNSELING-W3**

Location: 1657-1657 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: In the past 12 months have you received psychological or emotional counseling?

Value	Label	Unweighted Frequency	%
0	No	4517	92.5 %
1	Yes	363	7.4 %
8 (M)	Don't know	2	0.0 %

Based upon 4880 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

- Study 21600 -

**H3HS23**

**S10Q23 PAST 12 MON DRUG/ALCO/PROG-W3**

Location: 1658-1658 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 8 , 9  
 Question: In the past 12 months have you attended a drug-abuse or alcohol-abuse treatment program?

Value	Label	Unweighted Frequency	%
0	No	4756	97.4 %
1	Yes	123	2.5 %
8 (M)	Don't know	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3ID1**

**S11Q1 LIMIT:VIGOROUS ACTIVITIES-W3**

Location: 1659-1659 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports

Value	Label	Unweighted Frequency	%
0	Not limited at all	3838	78.6 %
1	Limited a little	814	16.7 %
2	Limited a lot	216	4.4 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	3	0.1 %

Based upon 4868 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

**H3ID2**

**S11Q2 LIMIT:MODERATE ACTIVITIES-W3**

- Study 21600 -

Location: 1660-1660 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling , playing golf

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not limited at all	786	16.1 %
1	Limited a little	190	3.9 %
2	Limited a lot	66	1.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3838	78.6 %
8 (M)	Don't know	1	0.0 %

Based upon 1042 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.58

### H3ID3

### S11Q3 LIMIT:LIFT/CARRY BAG GROCERIES-W3

Location: 1661-1661 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Lifting or carrying a bag of groceries

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not limited at all	106	2.2 %
1	Limited a little	111	2.3 %
2	Limited a lot	38	0.8 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4624	94.7 %
8 (M)	Don't know	2	0.0 %

Based upon 255 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00

- Study 21600 -

- Standard Deviation: 0.70

<b>H3ID4</b>	<b>S11Q4 LIMIT:CLIMB SEV. FLIGHT STAIRS-W3</b>
--------------	--

Location: 1662-1662 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Climbing several flights of stairs

Value	Label	Unweighted Frequency	%
0	Not limited at all	4372	89.6 %
1	Limited a little	434	8.9 %
2	Limited a lot	70	1.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

<b>H3ID5</b>	<b>S11Q5 LIMIT:CLIMBING 1 FLIGHT STAIRS-W3</b>
--------------	--

Location: 1663-1663 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Climbing one flight of stairs

Value	Label	Unweighted Frequency	%
0	Not limited at all	368	7.5 %
1	Limited a little	110	2.3 %
2	Limited a lot	29	0.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4372	89.6 %
8 (M)	Don't know	2	0.0 %

Based upon 507 valid cases out of 4882 total cases.

- Mean: 0.33

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.58

H3ID6	S11Q6 LIMIT:BENDING,KNEELING,STOOPING-W3		
	Value	Label	Unweighted Frequency
Location:	1664-1664 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Does your health limit you in any of these activities? If so, are you limited a little or a lot? Bending, kneeling, or stooping		
	Value	Label	Unweighted Frequency
	0	Not limited at all	4408
	1	Limited a little	391
	2	Limited a lot	80
	6 (M)	Refused	1
	8 (M)	Don't know	1
	9 (M)	Not applicable	1

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

H3ID7	S11Q7 LIMIT:WALKING MORE THAN A MILE-W3		
	Value	Label	Unweighted Frequency
Location:	1665-1665 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	Does your health limit you in any of these activities? If so, are you limited a little or a lot? Walking more than a mile		
	Value	Label	Unweighted Frequency
	0	Not limited at all	4461
	1	Limited a little	311
	2	Limited a lot	102
	6 (M)	Refused	1
	8 (M)	Don't know	6
	9 (M)	Not applicable	1

- Study 21600 -

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

H3ID8	S11Q8 LIMIT:WALKING SEVERAL BLOCKS-W3			
Location:	1666-1666 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9			
Question:	Does your health limit you in any of these activities? If so, are you limited a little or a lot? Walking several blocks			
Value	Label	Unweighted Frequency	%	
0	Not limited at all	173	3.5 %	
1	Limited a little	175	3.6 %	
2	Limited a lot	70	1.4 %	
6 (M)	Refused	1	0.0 %	
7 (M)	Legitimate skip	4461	91.4 %	
8 (M)	Don't know	2	0.0 %	

Based upon 418 valid cases out of 4882 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.72

H3ID9	S11Q9 LIMIT:WALKING ONE BLOCK-W3			
Location:	1667-1667 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9			
Question:	Does your health limit you in any of these activities? If so, are you limited a little or a lot? Walking one block			
Value	Label	Unweighted Frequency	%	
0	Not limited at all	137	2.8 %	
1	Limited a little	75	1.5 %	
2	Limited a lot	34	0.7 %	

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4634	94.9 %
8 (M)	Don't know	1	0.0 %

Based upon 246 valid cases out of 4882 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.72

#### H3ID10

#### S11Q10 LIMIT:BATHING,DRESSING SELF-W3

Location: 1668-1668 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Does your health limit you in any of these activities? If so, are you limited a little or a lot? Bathing and dressing yourself

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not limited at all	4801	98.3 %
1	Limited a little	34	0.7 %
2	Limited a lot	44	0.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.21

#### H3ID11

#### S11Q11 LIMIT CAUSE BY COND.>YR/RECENT-W3

Location: 1669-1669 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Is your limitation in activities caused by a condition that has lasted more than a year, or by a condition that has developed recently?

- Study 21600 -

Value	Label	Unweighted Frequency	%
1	Lasted more than a year	845	17.3 %
2	Developed recently	355	7.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3589	73.5 %
8 (M)	Don't know	35	0.7 %
9 (M)	Not applicable	56	1.1 %

Based upon 1200 valid cases out of 4882 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

**H3ID12**
**S11Q12 PST 30DYS, TAKEN ANTIBIOTICS-W3**

Location: 1670-1670 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 30 days, have you taken antibiotics, such as tetracycline, doxycycline , amoxicillin, or erythromycin?

Value	Label	Unweighted Frequency	%
0	No	4200	86.0 %
1	Yes	673	13.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**H3ID13**
**S11Q13 EVER BEEN DX WITH ASTHMA-W3**

Location: 1671-1671 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

- Study 21600 -

Question:

Have you ever been diagnosed with asthma?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4056	83.1 %
1	Yes	818	16.8 %
8 (M)	Don't know	8	0.2 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

<b>H3ID14</b>	<b>S11Q14 EVER BEEN DX CANCER/LEUKEMIA-W3</b>
---------------	---

Location: 1672-1672 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you ever been diagnosed with cancer or leukemia?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4840	99.1 %
1	Yes	39	0.8 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

<b>H3ID15</b>	<b>S11Q15 EVER BEEN DX WITH DEPRESSION-W3</b>
---------------	---

Location: 1673-1673 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you ever been diagnosed with depression?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4331	88.7 %
1	Yes	543	11.1 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

<b>H3ID16</b>	<b>S11Q16 EVER BEEN DX WITH DIABETES-W3</b>
---------------	---

Location: 1674-1674 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you ever been diagnosed with diabetes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4826	98.9 %
1	Yes	53	1.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

<b>H3ID17</b>	<b>S11Q17 AGE FIRST DX WITH DIABETES-W3</b>
---------------	---

Location: 1675-1676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you when you were first diagnosed with diabetes?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2	0.0 %
2	-	2	0.0 %
7	-	1	0.0 %
10	-	1	0.0 %
11	-	2	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
15	-	3	0.1 %
16	-	3	0.1 %
17	-	6	0.1 %
18	-	4	0.1 %
19	-	4	0.1 %
20	-	5	0.1 %
21	-	5	0.1 %
23	-	6	0.1 %
24	-	4	0.1 %
26	-	1	0.0 %
97 (M)	Legitimate skip	4829	98.9 %
98 (M)	Don't know	1	0.0 %

Based upon 52 valid cases out of 4882 total cases.

- Mean: 17.17
- Median: 18.00
- Minimum: 1.00
- Maximum: 26.00
- Standard Deviation: 6.07

#### H3ID18

#### S11Q18 PILL/INSULIN CONTR BLOOD SUGAR-W3

Location: 1677-1677 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Do you take pills, insulin, both, or neither to control your blood sugar?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Neither	19	0.4 %
1	Pills	16	0.3 %
2	Insulin	16	0.3 %
3	Both	2	0.0 %
7 (M)	Legitimate skip	4829	98.9 %

Based upon 53 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.91

H3ID19	S11Q19 EVER BEEN DX W/EPILEPSY/SEIZ -W3		
Location:	1678-1678 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	8 , 9		
Question:	Have you ever been diagnosed with epilepsy or seizure disorder?		
Value	Label	Unweighted Frequency	%
0	No (skip to Q.21)	4809	98.5 %
1	Yes	68	1.4 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

H3ID20	S11Q20 #SEIZURES HAD PAST 12 MONTHS-W3		
Location:	1679-1682 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	9996 , 9997 , 9998		
Question:	How many seizures have you had in the past 12 months?		
Value	Label	Unweighted Frequency	%
0	0 seizures	43	0.9 %
1	-	6	0.1 %
2	-	5	0.1 %
3	-	2	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
10	-	3	0.1 %
30	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	-	1	0.0 %
100	-	1	0.0 %
180	-	1	0.0 %
999	-	1	0.0 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4814	98.6 %
9998 (M)	Don't know	1	0.0 %

Based upon 66 valid cases out of 4882 total cases.

- Mean: 21.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 124.88

<b>H3ID21</b>	<b>S11Q21 DR SAID HAVE HIGH CHOLESTEROL-W3</b>
---------------	--

Location: 1683-1683 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Has a doctor ever told you that you have high cholesterol?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4642	95.1 %
1	Yes	231	4.7 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

<b>H3ID22</b>	<b>S11Q22 EVER DX W/HIGH BLOOD PRESSUR-W3</b>
---------------	---

Location: 1684-1684 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

- Study 21600 -

Question:

Have you ever been diagnosed with high blood pressure or hypertension?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4569	93.6 %
1	Yes	309	6.3 %
8 (M)	Don't know	4	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

**H3ID23**

**S11Q23 TETANUS SHOT PAST 10 YR-W3**

Location: 1685-1685 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you had a tetanus shot or booster in the past 10 years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	843	17.3 %
1	Yes	3829	78.4 %
8 (M)	Don't know	210	4.3 %

Based upon 4672 valid cases out of 4882 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**H3ID24**

**S11Q24 HAD HEPATITIS B VACCINATION-W3**

Location: 1686-1686 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Have you had the complete hepatitis B vaccination series, consisting of three injections?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1851	37.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2655	54.4 %
8 (M)	Don't know	376	7.7 %

Based upon 4506 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

<b>H3ID25</b>	<b>S11Q25 PST YR,TAKEN ANY PRESCRIP. MED-W3</b>
---------------	---

Location: 1687-1687 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, have you taken any prescription medication--that is, a medicine that must be prescribed by a doctor or nurse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.27)	1828	37.4 %
1	Yes	3047	62.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	6	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

<b>H3ID26A</b>	<b>S11Q26A PST YR PRES MED ACNE-W3</b>
----------------	--

Location: 1688-1688 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Acne

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2837	58.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	207	4.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 3044 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

<b>H3ID26B</b>	<b>S11Q26B PST YR PRES MED ALLERGIES-W3</b>		
Location:	1689-1689 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	For which of the following conditions have you taken prescription medication in the past 12 months? Allergies, hay fever, or sinus problems		
Value	Label	Unweighted Frequency	%
0	Not marked	2356	48.3 %
1	Marked	690	14.1 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %

Based upon 3046 valid cases out of 4882 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

<b>H3ID26C</b>	<b>S11Q26C PST YR PRES MED ASTHMA-W3</b>
Location:	1690-1690 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , 9
Question:	For which of the following conditions have you taken prescription medication in the past 12 months? Asthma

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2783	57.0 %
1	Marked	264	5.4 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

#### H3ID26D

#### S11Q26D PST YR PRES MED ADD/ADHD-W3

Location: 1691-1691 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Attention problems or ADD or ADHD

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3011	61.7 %
1	Marked	36	0.7 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

#### H3ID26E

#### S11Q26E PST YR PRES MED DIABETES-W3

Location: 1692-1692 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Diabetes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3009	61.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	38	0.8 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

<b>H3ID26F</b>	<b>S11Q26F PST YR PRES MED DEPRES/STRESS-W3</b>
----------------	---

Location: 1693-1693 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Depression or stress

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2787	57.1 %
1	Marked	259	5.3 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %

Based upon 3046 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

<b>H3ID26G</b>	<b>S11Q26G PST YR PRES MED HYPERTENSION-W3</b>
----------------	--

Location: 1694-1694 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
High blood pressure or hypertension

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3000	61.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	47	1.0 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

<b>H3ID26H</b>	<b>S11Q26H PST YR PRES MED HEART PROB-W3</b>
----------------	--

Location: 1695-1695 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
 Heart problem

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3025	62.0 %
1	Marked	22	0.5 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

<b>H3ID26I</b>	<b>S11Q26I PST YR PRES MED HEADACHES-W3</b>
----------------	---

Location: 1696-1696 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
 Headaches

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2749	56.3 %
1	Marked	297	6.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %

Based upon 3046 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

<b>H3ID26J</b>	<b>S11Q26J PST YR PRES MED INFECTION-W3</b>
----------------	---

Location: 1697-1697 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Infection

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2096	42.9 %
1	Marked	950	19.5 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %

Based upon 3046 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

<b>H3ID26K</b>	<b>S11Q26K PST YR PRES MED SEIZURES-W3</b>
----------------	--

Location: 1698-1698 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Seizures

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3018	61.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	28	0.6 %
7 (M)	Legitimate skip	1835	37.6 %
9 (M)	Not applicable	1	0.0 %

Based upon 3046 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

#### H3ID26L

#### S11Q26L PST YR PRES MED STOP SMOKE-W3

Location: 1699-1699 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Smoking cessation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3020	61.9 %
1	Marked	27	0.6 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

#### H3ID26M

#### S11Q26M PST YR PRES MED STOMACH PROBL-W3

Location: 1700-1700 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Stomach problems

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2866	58.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	181	3.7 %
7 (M)	Legitimate skip	1835	37.6 %

Based upon 3047 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

<b>H3ID26N</b>	<b>S11Q26N PST YR PRES MED WT CONTROL-W3</b>
----------------	--

Location: 1701-1701 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
Weight control (you were trying to lose weight)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3014	61.7 %
1	Marked	31	0.6 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 3045 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

<b>H3ID26O</b>	<b>S11Q26O PST YR PRES MED SEX PERFORMAN-W3</b>
----------------	---

Location: 1702-1702 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
[if male, add:] Sexual performance (for example, a drug such as Viagra)

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1123	23.0 %
7 (M)	Legitimate skip	3759	77.0 %

Based upon 1123 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

<b>H3ID26P</b>	<b>S11Q26P PST YR PRES MED BIRTH CONTROL-W3</b>
----------------	---

Location: 1703-1703 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
[if female, add:] Birth control (pills or shots)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1023	21.0 %
1	Marked	901	18.5 %
7 (M)	Legitimate skip	2958	60.6 %

Based upon 1924 valid cases out of 4882 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3ID26Q</b>	<b>S11Q26Q PST YR PRES MED MENSTRUAL ISS-W3</b>
----------------	---

Location: 1704-1704 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: For which of the following conditions have you taken prescription medication in the past 12 months?  
[if female, add:] Menstrual issues, such as painful periods or PMS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1759	36.0 %
1	Marked	165	3.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	2958	60.6 %

Based upon 1924 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3ID26R**
**S11Q26S PST YR PRES MED OTHER-W3**

Location:	1705-1705 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , 9
Question:	For which of the following conditions have you taken prescription medication in the past 12 months? Other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2238	45.8 %
1	Marked	807	16.5 %
7 (M)	Legitimate skip	1835	37.6 %
8 (M)	Don't know	2	0.0 %

Based upon 3045 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3ID27**
**S11Q27 PST 5YRS, #TIMES BEEN ER-W3**

Location:	1706-1708 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	996 , 997 , .
Question:	In the past five years, how many times have you been seen in an emergency room or ER?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	1904	39.0 %
1	-	1203	24.6 %
2	-	667	13.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	400	8.2 %
4	-	173	3.5 %
5	-	148	3.0 %
6	-	75	1.5 %
7	-	31	0.6 %
8	-	21	0.4 %
9	-	6	0.1 %
10	-	75	1.5 %
11	-	1	0.0 %
12	-	14	0.3 %
15	-	19	0.4 %
20	-	27	0.6 %
25	-	5	0.1 %
30	-	10	0.2 %
35	-	1	0.0 %
40	-	1	0.0 %
50	-	5	0.1 %
60	-	2	0.0 %
99	-	2	0.0 %
998	-	14	0.3 %
996 (M)	Refused	1	0.0 %
. (M)	-	77	1.6 %

Based upon 4804 valid cases out of 4882 total cases.

- Mean: 4.76
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 53.86

**H3ID28**
**S11Q28 REASON MOST RECENT ER VISIT-W3**

Location: 1709-1710 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What was the main reason for your most recent emergency room visit?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Illness	997	20.4 %
2	Injury/accident	1407	28.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Drug use or emotional problem	36	0.7 %
4	Pregnancy-related care	309	6.3 %
5	Other	144	2.9 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1904	39.0 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	77	1.6 %

Based upon 2893 valid cases out of 4882 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.11

**H3ID29**
**S11Q29 PST 5YRS, #TIMES HOSPITALIZED-W3**

Location: 1711-1713 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , .

Question: In the past five years, how many times have you been hospitalized--that is, admitted to the hospital for at least a one-night stay?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	3545	72.6 %
1	-	837	17.1 %
2	-	276	5.7 %
3	-	98	2.0 %
4	-	36	0.7 %
5	-	16	0.3 %
6	-	7	0.1 %
8	-	3	0.1 %
10	-	3	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
30	-	1	0.0 %
996 (M)	Refused	1	0.0 %
998 (M)	Don't know	2	0.0 %
. (M)	-	55	1.1 %

- Study 21600 -

Based upon 4824 valid cases out of 4882 total cases.

- Mean: 0.43
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 30.00
  - Standard Deviation: 1.04

H3ID30	S11Q30 HOW LONG AGO MOST RECENT HOSP.-W3			
Location:	1714-1715 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 98 , .			
Question:	How long ago was your most recent hospitalization?			
Value	Label	Unweighted Frequency	%	
1	Within the past 3 months	158	3.2 %	
2	4-6 months ago	128	2.6 %	
3	7-9 months ago	90	1.8 %	
4	10-12 months ago	116	2.4 %	
5	Longer than 1 year ago but less than 2 years ago	295	6.0 %	
6	2 years ago or longer	494	10.1 %	
97 (M)	Legitimate skip	3545	72.6 %	
98 (M)	Don't know	1	0.0 %	
. (M)	-	55	1.1 %	

Based upon 1281 valid cases out of 4882 total cases.

- Mean: 4.36
  - Median: 5.00
  - Mode: 6.00
  - Minimum: 1.00
  - Maximum: 6.00
  - Standard Deviation: 1.80

H3ID31	S11Q31 REASON MOST RECENT HOSPITAL-W3		
Location:	1716-1717 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	97 , 98 , .		
Question:	What was the main reason for this hospitalization?		
Value	Label	Unweighted Frequency	%
1	Illness	267	5.5 %
2	Injury/accident	200	4.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Drug use or emotional problem	43	0.9 %
4	Pregnancy-related	661	13.5 %
5	Elective/reconstructive surgery	58	1.2 %
6	Other	50	1.0 %
97 (M)	Legitimate skip	3545	72.6 %
98 (M)	Don't know	3	0.1 %
. (M)	-	55	1.1 %

Based upon 1279 valid cases out of 4882 total cases.

- Mean: 3.15
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.42

#### H3ID32

#### S11Q32 LONG MOST RECENT HOSPITAL STAY-W3

Location: 1718-1720 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: How long was your most recent hospital stay?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 days	15	0.3 %
1	-	301	6.2 %
2	-	354	7.3 %
3	-	315	6.5 %
4	-	103	2.1 %
5	-	60	1.2 %
6	-	17	0.3 %
7	-	51	1.0 %
8	-	7	0.1 %
9	-	5	0.1 %
10	-	10	0.2 %
11	-	1	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	16	0.3 %
15	-	2	0.0 %
16	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1	0.0 %
21	-	4	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.1 %
42	-	1	0.0 %
45	-	1	0.0 %
60	-	3	0.1 %
64	-	1	0.0 %
90	-	1	0.0 %
99	-	1	0.0 %
997 (M)	Legitimate skip	3545	72.6 %
998 (M)	Don't know	1	0.0 %
. (M)	-	55	1.1 %

Based upon 1281 valid cases out of 4882 total cases.

- Mean: 3.47
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 5.93

**H3ID33**
**S11Q33 PST 5YRS HOSPITAL MENTAL ILL-W3**

Location:	1721-1721 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	8
Question:	In the past five years, have you spent a day or more in a facility where you were treated for a mental illness?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4778	97.9 %
1	Yes	101	2.1 %
8 (M)	Don't know	3	0.1 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.14

**H3ID34A**

**S11Q34A PST YR ALT HEALTH ACUPUNCTURE-W3**

Location: 1722-1722 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Acupuncture

Value	Label	Unweighted Frequency	%
0	Not marked	4800	98.3 %
1	Marked	65	1.3 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	15	0.3 %

Based upon 4865 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3ID34B**

**S11Q34B PST YR ALT HEALTH BIOFEEDBACK-W3**

Location: 1723-1723 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Biofeedback (changing involuntary body functions, such as muscle tension or heart rate)

Value	Label	Unweighted Frequency	%
0	Not marked	4854	99.4 %
1	Marked	24	0.5 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

- Study 21600 -

**H3ID34C**

**S11Q34C PST YR ALT HEALTH CHIRO. TRTM-W3**

Location: 1724-1724 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Chiropractic treatment

Value	Label	Unweighted Frequency	%
0	Not marked	4532	92.8 %
1	Marked	345	7.1 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

**H3ID34D**

**S11Q34D PST YR ALT HEALTH ENERGY HEAL-W3**

Location: 1725-1725 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Energy healing (for example, bioelectromagnetics, light therapy, electroacupuncture)

Value	Label	Unweighted Frequency	%
0	Not marked	4835	99.0 %
1	Marked	43	0.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

**H3ID34E**

**S11Q34E PST YR ALT HEALTH FOLK REMEDY-W3**

- Study 21600 -

Location: 1726-1726 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Folk remedies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4791	98.1 %
1	Marked	86	1.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

#### H3ID34F

#### S11Q34F PST YR ALT HEALTH HERB REMEDY-W3

Location: 1727-1727 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Herbal remedies or supplements

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4322	88.5 %
1	Marked	555	11.4 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3ID34G

#### S11Q34G PST YR ALT HEALTH HOMEOPATHY-W3

Location: 1728-1728 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Homeopathy (natural remedies and holistic healing)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4782	98.0 %
1	Marked	96	2.0 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

#### H3ID34H

#### S11Q34H PST YR ALT HEALTH HYPNOSIS-W3

Location: 1729-1729 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Hypnosis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4864	99.6 %
1	Marked	13	0.3 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

#### H3ID34I

#### S11Q34I PST YR ALT HEALTH IMAGERY-W3

Location: 1730-1730 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

## - Study 21600 -

Question:

In the past 12 months, have you used any of the following? Imagery

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4842	99.2 %
1	Marked	35	0.7 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

**H3ID34J**

**S11Q34J PST YR ALT HEALTH MASSAGE -W3**

Location:

1731-1731 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , 9

Question:

In the past 12 months, have you used any of the following? Massage therapy

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4395	90.0 %
1	Marked	483	9.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

**H3ID34K**

**S11Q34K PST YR ALT HEALTH RELAX TECHN-W3**

Location:

1732-1732 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , 9

Question:

In the past 12 months, have you used any of the following? Relaxation techniques

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4562	93.4 %
1	Marked	316	6.5 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

<b>H3ID34L</b>	<b>S11Q34L PST YR ALT HEALTH SUP. GROUP-W3</b>
----------------	--

Location: 1733-1733 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? A self-help or support group

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4811	98.5 %
1	Marked	66	1.4 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	4	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

<b>H3ID34M</b>	<b>S11Q34M PST YR ALT HEALTH SPEC. DIET-W3</b>
----------------	--

Location: 1734-1734 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Specialized diets (for example, macrobiotics, fasting)

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4809	98.5 %
1	Marked	69	1.4 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

<b>H3ID34N</b>	<b>S11Q34N PST YR ALT HEALTH SPIRIT HEAL-W3</b>
----------------	---

Location: 1735-1735 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Spiritual healing by other people

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4784	98.0 %
1	Marked	94	1.9 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

<b>H3ID34O</b>	<b>S11Q34O PST YR ALT HEALTH VIT THERAPY-W3</b>
----------------	---

Location: 1736-1736 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you used any of the following? Vitamin therapy (for example, megavitamins--more than just daily multivitamins)

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4597	94.2 %
1	Marked	276	5.7 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	6	0.1 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

<b>H3ID35</b>	<b>S11Q35 TOTAL BLINDNESS ONE/BOTH EYES-W3</b>
---------------	--

Location: 1737-1737 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8 , 9

Question: Do you have total blindness in one or both eyes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.37)	4859	99.5 %
1	Yes	15	0.3 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	3	0.1 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

<b>H3ID36</b>	<b>S11Q36 BLIND IN ONE OR IN BOTH EYES-W3</b>
---------------	---

Location: 1738-1738 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: In one eye, or in both eyes?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One eye	13	0.3 %
2	Both eyes (skip to Q.39)	1	0.0 %
7 (M)	Legitimate skip	4867	99.7 %
9 (M)	Not applicable	1	0.0 %

Based upon 14 valid cases out of 4882 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.27

<b>H3ID37</b>	<b>S11Q37 USE GLASSES OR CONTACTS-W3</b>		
Location:	1739-1739 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 9		
Question:	Do you use eyeglasses, contact lenses, both, or neither for vision correction?		
Value	Label	Unweighted Frequency	%
0	Neither	2638	54.0 %
1	Eyeglasses	1065	21.8 %
2	Contact lenses	350	7.2 %
3	Both	810	16.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2	0.0 %
9 (M)	Not applicable	16	0.3 %

Based upon 4863 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.12

<b>H3ID38</b>	<b>S11Q38 W/CORRECTION HOW IS EYESIGHT-W3</b>
Location:	1740-1741 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 96 , 97 , 98 , 99

## - Study 21600 -

Question:

With eyeglasses or contact lenses, if you wear them, how is your eyesight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	2298	47.1 %
2	Good	1350	27.7 %
3	Fair	188	3.9 %
4	Poor	78	1.6 %
5	Very poor	59	1.2 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	2	0.0 %
98 (M)	Don't know	44	0.9 %
99 (M)	Not applicable	859	17.6 %

Based upon 3973 valid cases out of 4882 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.80

**H3ID39**

**S11Q39 HOW IS YOUR HEARING-W3**

Location: 1742-1743 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 96 , 97 , 98 , 99

Question: How is your hearing? If you wear a hearing aid, describe your hearing without it.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	2792	57.2 %
2	Good	1783	36.5 %
3	Fair	237	4.9 %
4	Poor	23	0.5 %
5	Very poor	7	0.1 %
6 (M)	Miscode	1	0.0 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	36	0.7 %

Based upon 4842 valid cases out of 4882 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00

- Study 21600 -

- Standard Deviation: 0.63

H3ID40	S11Q40 STUTTERING STAMMERING PROBLEM-W3		
Location:	1744-1744 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	8 , 9		
Question:	Do you have a problem with stuttering or stammering?		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
	0	No	4543
	1	Yes	334
	8 (M)	Don't know	4
	9 (M)	Not applicable	1
			%
			93.1 %
			6.8 %
			0.1 %
			0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H3SP1	S12Q1 PAST 12 MON OFTEN LAUGHED A LOT-W3		
Location:	1745-1745 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6		
Question:	In the past 12 months, how often have you laughed a lot?		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
	0	Never	18
	1	Just a few times	159
	2	About once a week	356
	3	Almost every day	1747
	4	Every day	2600
	6 (M)	Refused	2
			%
			0.4 %
			3.3 %
			7.3 %
			35.8 %
			53.3 %
			0.0 %

Based upon 4880 valid cases out of 4882 total cases.

- Mean: 3.38
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00

- Study 21600 -

- Standard Deviation: 0.79

H3SP2	S12Q2 PAST 12 MON OFTEN CRIED A LOT-W3		
Location:	1746-1746 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8		
Question:	In the past 12 months, how often have you cried a lot?		
Value	Label	Unweighted Frequency	%
0	Never	1111	22.8 %
1	Just a few times	3000	61.5 %
2	About once a week	591	12.1 %
3	Almost every day	140	2.9 %
4	Every day	36	0.7 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	2	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.97
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 0.00
  - Maximum: 4.00
  - Standard Deviation: 0.73

H3SP3	S12Q3 SATISFIED W/LIFE AS WHOLE-W3		
Location:	1747-1748 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98		
Question:	How satisfied are you with your life as a whole?		
Value	Label	Unweighted Frequency	%
1	Very satisfied	1854	38.0 %
2	Satisfied	2262	46.3 %
3	Neither satisfied nor dissatisfied	578	11.8 %
4	Dissatisfied	156	3.2 %
5	Very dissatisfied	29	0.6 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	2	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.82
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.80

#### H3SP4

#### S12Q4 COMPARED TO OTH HOW INTELLIGENT-W3

Location: 1749-1750 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Compared to other people your age, how intelligent are you?

Value	Label	Unweighted Frequency	%
1	Moderately below average	47	1.0 %
2	Slightly below average	170	3.5 %
3	About average	1706	34.9 %
4	Slightly above average	1178	24.1 %
5	Moderately above average	1428	29.3 %
6	Extremely above average	336	6.9 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	1	0.0 %

Based upon 4865 valid cases out of 4882 total cases.

- Mean: 3.98
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.07

#### H3SP5

#### S12Q5 PAST 7 DAYS BOTHERED BY THINGS-W3

Location: 1751-1751 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: You were bothered by things that usually don't bother you during the past seven days?

Value	Label	Unweighted Frequency	%
0	Never/rarely	2760	56.5 %
1	Sometimes	1726	35.4 %
2	A lot of the time	315	6.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Most of the time/all of the time	77	1.6 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 4878 valid cases out of 4882 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.69

#### H3SP6

#### S12Q1 PAST 7 DAYS SHAKE OFF BLUES-W3

Location: 1752-1752 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: You could not shake off the blues, even with help from your family and your friends, during the past seven days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never/rarely	3695	75.7 %
1	Sometimes	894	18.3 %
2	A lot of the time	185	3.8 %
3	Most of the time/all of the time	99	2.0 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.64

#### H3SP7

#### S12Q7 PAST 7 DAYS FELT AS GOOD AS OTH-W3

Location: 1753-1753 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

## - Study 21600 -

Question:

You felt that you were just as good as other people, during the past seven days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never/rarely	285	5.8 %
1	Sometimes	682	14.0 %
2	A lot of the time	1066	21.8 %
3	Most of the time/all of the time	2832	58.0 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	12	0.2 %
9 (M)	Not applicable	3	0.1 %

Based upon 4865 valid cases out of 4882 total cases.

- Mean: 2.32
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.92

**H3SP8**

**S12Q8 PAST 7 DAYS TROUBLE CONCENTRTNG-W3**

Location:

1754-1754 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , 9

Question:

You had trouble keeping your mind on what you were doing, during the past seven days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never/rarely	2498	51.2 %
1	Sometimes	1872	38.3 %
2	A lot of the time	364	7.5 %
3	Most of the time/all of the time	142	2.9 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	4	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.75

**H3SP9**

**S12Q9 PAST 7 DAYS WERE DEPRESSED-W3**

- Study 21600 -

Location: 1755-1755 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: You were depressed, during the past seven days.

Value	Label	Unweighted Frequency	%
0	Never/rarely	3623	74.2 %
1	Sometimes	960	19.7 %
2	A lot of the time	202	4.1 %
3	Most of the time/all of the time	89	1.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.64

**H3SP10**

**S12Q10 PAST 7 DAYS TOO TIRED DO THNGS-W3**

Location: 1756-1756 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: You were too tired to do things, during the past seven days.

Value	Label	Unweighted Frequency	%
0	Never/rarely	2402	49.2 %
1	Sometimes	1983	40.6 %
2	A lot of the time	369	7.6 %
3	Most of the time/all of the time	122	2.5 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

- Study 21600 -

**H3SP11**

**S12Q11 PAST 7 DAYS ENJOYED LIFE-W3**

Location: 1757-1757 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: You enjoyed life, during the past seven days.

Value	Label	Unweighted Frequency	%
0	Never/rarely	106	2.2 %
1	Sometimes	706	14.5 %
2	A lot of the time	1267	26.0 %
3	Most of the time/all of the time	2800	57.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	2	0.0 %

Based upon 4879 valid cases out of 4882 total cases.

- Mean: 2.39
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.81

**H3SP12**

**S12Q12 PAST 7 DAYS WERE SAD-W3**

Location: 1758-1758 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: You were sad, during the past seven days.

Value	Label	Unweighted Frequency	%
0	Never/rarely	2885	59.1 %
1	Sometimes	1671	34.2 %
2	A lot of the time	243	5.0 %
3	Most of the time/all of the time	77	1.6 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 3.00
- Standard Deviation: 0.67

**H3SP13**

**S12Q13 PAST 7 DAYS PEOPLE DISLIKED U-W3**

Location: 1759-1759 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: You felt that people disliked you, during the past seven days.

Value	Label	Unweighted Frequency	%
0	Never/rarely	3820	78.2 %
1	Sometimes	869	17.8 %
2	A lot of the time	129	2.6 %
3	Most of the time/all of the time	54	1.1 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	3	0.1 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.56

**H3SP14**

**S12Q14 PAST 7 DAYS NEV TAKE OTH THNGS-W3**

Location: 1760-1761 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: You never take things that don't belong to you.

Value	Label	Unweighted Frequency	%
1	Strongly agree	3442	70.5 %
2	Agree	1036	21.2 %
3	Neither agree nor disagree	181	3.7 %
4	Disagree	148	3.0 %
5	Strongly disagree	67	1.4 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 4874 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.82

H3SP15	S12Q15 PAST 7 DAYS SAY BAD THNGS FRND-W3		
	Value	Label	Unweighted Frequency
Location:	1762-1763 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99		
Question:	Do you agree or disagree that you have often said something bad about a friend behind his or her back?		
			%
	1	Strongly agree	222 4.5 %
	2	Agree	1160 23.8 %
	3	Neither agree nor disagree	598 12.2 %
	4	Disagree	1856 38.0 %
	5	Strongly disagree	1035 21.2 %
	96 (M)	Refused	1 0.0 %
	98 (M)	Don't know	6 0.1 %
	99 (M)	Not applicable	4 0.1 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

H3SP16	S12Q16 PAST 7 DAYS NEVER SWEAR-W3		
	Value	Label	Unweighted Frequency
Location:	1764-1765 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99		
Question:	Do you agree or disagree that you never swear?		
			%
	1	Strongly agree	355 7.3 %
	2	Agree	652 13.4 %
	3	Neither agree nor disagree	433 8.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Disagree	2431	49.8 %
5	Strongly disagree	1001	20.5 %
96 (M)	Refused	2	0.0 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	3	0.1 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 3.63
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

**H3SP17**

**S12Q17 PAST 7 DAYS AVOID PROBLEMS-W3**

Location: 1766-1767 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that you go out of your way to avoid having to deal with problems in your life?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	340	7.0 %
2	Agree	1141	23.4 %
3	Neither agree nor disagree	870	17.8 %
4	Disagree	2007	41.1 %
5	Strongly disagree	506	10.4 %
96 (M)	Refused	2	0.0 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	5	0.1 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 3.25
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.13

**H3SP18**

**S12Q18 PAST 7 DAYS GUT FEEL DECISIONS-W3**

Location: 1768-1769 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that when making a decision, you go with your "gut feeling" and don't think much about the consequences of each alternative?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	368	7.5 %
2	Agree	1222	25.0 %
3	Neither agree nor disagree	780	16.0 %
4	Disagree	1957	40.1 %
5	Strongly disagree	539	11.0 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	4	0.1 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 3.22
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

### H3SP19

### S12Q19 PAST 7 DAYS HAVE MNY GOOD QUAL-W3

Location: 1770-1771 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that you have many good qualities?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2066	42.3 %
2	Agree	2625	53.8 %
3	Neither agree nor disagree	137	2.8 %
4	Disagree	28	0.6 %
5	Strongly disagree	20	0.4 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 1.63
- Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.61

H3SP20	S12Q20 PAST 7 DAYS HAVE LOT PROUD OF-W3			
	Value	Label	Unweighted Frequency	%
Location:	1772-1773 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	Do you agree or disagree that you have a lot to be proud of?			
	1	Strongly agree	2429	49.8 %
	2	Agree	2199	45.0 %
	3	Neither agree nor disagree	189	3.9 %
	4	Disagree	38	0.8 %
	5	Strongly disagree	22	0.5 %
	98 (M)	Don't know	3	0.1 %
	99 (M)	Not applicable	2	0.0 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 1.57
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.65

H3SP21	S12Q21 PAST 7 DAYS LIKE YOURSELF-W3			
	Value	Label	Unweighted Frequency	%
Location:	1774-1775 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	Do you agree or disagree that you like yourself just the way you are?			
	1	Strongly agree	1672	34.2 %
	2	Agree	2396	49.1 %
	3	Neither agree nor disagree	484	9.9 %
	4	Disagree	294	6.0 %
	5	Strongly disagree	29	0.6 %
	96 (M)	Refused	1	0.0 %
	98 (M)	Don't know	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	2	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.85

**H3SP22**
**S12Q22 PAST 7 DAYS DOING THINGS RIGHT-W3**

Location: 1776-1777 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that you feel you are doing things just about right?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1234	25.3 %
2	Agree	2806	57.5 %
3	Neither agree nor disagree	564	11.6 %
4	Disagree	244	5.0 %
5	Strongly disagree	26	0.5 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	3	0.1 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.79

**H3SP23**
**S12Q23 PAST 7 DAYS LIKE TAKE RISKS-W3**

Location: 1778-1779 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that you like to take risks?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	668	13.7 %
2	Agree	2011	41.2 %
3	Neither agree nor disagree	994	20.4 %
4	Disagree	1038	21.3 %
5	Strongly disagree	163	3.3 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	3	0.1 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 2.59
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

**H3SP24**

**S12Q24 PAST 7 DAYS NOT THOUGHT FUTURE-W3**

Location: 1780-1781 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that you live your life with out much thought for the future?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	154	3.2 %
2	Agree	536	11.0 %
3	Neither agree nor disagree	433	8.9 %
4	Disagree	2583	52.9 %
5	Strongly disagree	1163	23.8 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	3	0.1 %

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 3.83
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.01

**H3SP25**

**S12Q25 PAST 7 DAYS IMPORTANT TO FIT-W3**

- Study 21600 -

Location: 1782-1783 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that it is important for you to fit into the group you're with?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	232	4.8 %
2	Agree	1403	28.7 %
3	Neither agree nor disagree	1182	24.2 %
4	Disagree	1658	34.0 %
5	Strongly disagree	393	8.0 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	5	0.1 %

Based upon 4868 valid cases out of 4882 total cases.

- Mean: 3.12
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

### H3SP26

### S12Q26 PAST 7 DAYS NOT FOLLOW CROWD-W3

Location: 1784-1785 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: Do you agree or disagree that in social situations, you tend not to follow the crowd, but instead behave in a way that suits your mood at the time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1038	21.3 %
2	Agree	2717	55.7 %
3	Neither agree nor disagree	675	13.8 %
4	Disagree	388	7.9 %
5	Strongly disagree	51	1.0 %
96 (M)	Refused	2	0.0 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	4	0.1 %

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 2.12
- Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.87

<b>H3SP27</b>	<b>S12Q27 PAST 7 DAYS BEHAVE DEPEND OTH-W3</b>			
Location:	1786-1787 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	Do you agree or disagree that your behavior often depends on how you think other people want you to behave?			
Value	Label	Unweighted Frequency	%	
1	Strongly agree	95	1.9 %	
2	Agree	689	14.1 %	
3	Neither agree nor disagree	778	15.9 %	
4	Disagree	2584	52.9 %	
5	Strongly disagree	723	14.8 %	
96 (M)	Refused	1	0.0 %	
98 (M)	Don't know	9	0.2 %	
99 (M)	Not applicable	3	0.1 %	

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 3.65
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

<b>H3MN1</b>	<b>S13Q1 ADULT MADE POSITIVE DIFFERENCE -W3</b>			
Location:	1788-1788 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	8			
Question:	Other than your parents or step-parents, has an adult made an important positive difference in your life at any time since you were 14 years old?			
Value	Label	Unweighted Frequency	%	
0	No (skip to Q.14)	1145	23.5 %	
1	Yes	3722	76.2 %	
8 (M)	Don't know	15	0.3 %	

Based upon 4867 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H3MN2	S13Q2 RELATIONSHIP TO MENTOR-W3		
Value	Label	Unweighted Frequency	%
1	Older brother	228	4.7 %
2	Younger brother	24	0.5 %
3	Older sister	230	4.7 %
4	Younger sister	21	0.4 %
5	Mother's mother	208	4.3 %
6	Mother's father	84	1.7 %
7	Father's mother	60	1.2 %
8	Father's father	43	0.9 %
9	Aunt	224	4.6 %
10	Uncle	162	3.3 %
11	Teacher/guidance counselor	742	15.2 %
12	Coach/athletic director	155	3.2 %
13	Minister/priest/rabbi/religious leader	149	3.1 %
14	Employer	122	2.5 %
15	Co-worker	135	2.8 %
16	Neighbor	40	0.8 %
17	Friend	632	12.9 %
18	Spouse/partner	117	2.4 %
19	Friend's parent	143	2.9 %
20	Doctor/therapist/social worker	17	0.3 %
21	Other	180	3.7 %
97 (M)	Legitimate skip	1160	23.8 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	4	0.1 %

Based upon 3716 valid cases out of 4882 total cases.

- Mean: 11.58

- Study 21600 -

- Median: 11.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 5.52

<b>H3MN3</b>	<b>S13Q3 IS MENTOR STILL LIVING-W3</b>
--------------	--

Location: 1791-1791 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 8  
 Question: Is {HE/ SHE/ THIS PERSON} still living?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not	189	3.9 %
1	Yes	3511	71.9 %
7 (M)	Legitimate skip	1160	23.8 %
8 (M)	Don't know	22	0.5 %

Based upon 3700 valid cases out of 4882 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

<b>H3MN4</b>	<b>S13Q4 SEX OF MENTOR-W3</b>
--------------	-------------------------------

Location: 1792-1792 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 9  
 Question: What sex {IS/ WAS} this person?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1388	28.4 %
2	Female	1043	21.4 %
7 (M)	Legitimate skip	2450	50.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 2431 valid cases out of 4882 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.50

**H3MN5**

**S13Q5 HOW WAS MENTOR INTRODUCED-W3**

Location: 1793-1794 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98  
 Question: How did you get to know {HIM/ HER}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Through family	341	7.0 %
2	Through a friend	332	6.8 %
3	Through school	1022	20.9 %
4	Through work	390	8.0 %
5	Other	346	7.1 %
97 (M)	Legitimate skip	2450	50.2 %
98 (M)	Don't know	1	0.0 %

Based upon 2431 valid cases out of 4882 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

**H3MN6**

**S13Q6 HOW OLD WH INTRODUCED TO MENTOR-W3**

Location: 1795-1796 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98  
 Question: How old were you when {HE/ SHE} first became important in your life?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	131	2.7 %
1	-	240	4.9 %
2	-	50	1.0 %
3	-	51	1.0 %
4	-	47	1.0 %
5	-	143	2.9 %
6	-	52	1.1 %
7	-	36	0.7 %
8	-	55	1.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	26	0.5 %
10	-	109	2.2 %
11	-	52	1.1 %
12	-	151	3.1 %
13	-	125	2.6 %
14	-	324	6.6 %
15	-	369	7.6 %
16	-	408	8.4 %
17	-	320	6.6 %
18	-	323	6.6 %
19	-	235	4.8 %
20	-	211	4.3 %
21	-	115	2.4 %
22	-	77	1.6 %
23	-	42	0.9 %
24	-	16	0.3 %
25	-	6	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1160	23.8 %
98 (M)	Don't know	7	0.1 %

Based upon 3714 valid cases out of 4882 total cases.

- Mean: 13.43
- Median: 15.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 6.25

**H3MN7**

**S13Q7 IS MENTOR STILL IMPORTANT-W3**

Location: 1797-1797 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

Question: Is {HE/ SHE} still important to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not	250	5.1 %
1	Yes	3254	66.7 %
7 (M)	Legitimate skip	1371	28.1 %
8 (M)	Don't know	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	1	0.0 %

Based upon 3504 valid cases out of 4882 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

**H3MN8**

**S13Q8 HOW MANY YEARS MENTOR IMPRTNT-W3**

Location: 1798-1799 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: For how many years has {HE/ SHE} been important in your life?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	265	5.4 %
2	-	384	7.9 %
3	-	345	7.1 %
4	-	354	7.3 %
5	-	347	7.1 %
6	-	232	4.8 %
7	-	220	4.5 %
8	-	182	3.7 %
9	-	120	2.5 %
10	-	152	3.1 %
11	-	83	1.7 %
12	-	69	1.4 %
13	-	49	1.0 %
14	-	52	1.1 %
15	-	73	1.5 %
16	-	56	1.1 %
17	-	62	1.3 %
18	-	59	1.2 %
19	-	95	1.9 %
20	-	132	2.7 %
21	-	106	2.2 %
22	-	108	2.2 %
23	-	88	1.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	59	1.2 %
25	-	16	0.3 %
26	-	5	0.1 %
27	-	2	0.0 %
54	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1160	23.8 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 3716 valid cases out of 4882 total cases.

- Mean: 8.76
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 6.97

### H3MN9

### S13Q9 HOW OFTEN IS MENTOR VISITED-W3

Location: 1800-1801 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , 99  
 Question: How often do you see {HIM/ HER}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	394	8.1 %
1	Less than once a year	264	5.4 %
2	About once a year	327	6.7 %
3	Every few months	611	12.5 %
4	About once a month	418	8.6 %
5	About once a week	506	10.4 %
6	2-5 times a week	387	7.9 %
7	Almost everyday	601	12.3 %
97 (M)	Legitimate skip	1371	28.1 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	2	0.0 %

Based upon 3508 valid cases out of 4882 total cases.

- Mean: 3.84
- Median: 4.00

- Study 21600 -

- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.26

<b>H3MN10</b>	<b>S13Q10 HOW OFTEN TALK/EMAIL W MENTOR-W3</b>			
Location:	1802-1803 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 98 , 99			
Question:	How often do you talk with {HIM/ HER} on the telephone or exchange e-mail or letters?			
Value	Label	Unweighted Frequency	%	
0	Not at all	818	16.8 %	
1	Less than once a year	155	3.2 %	
2	About once a year	107	2.2 %	
3	Every few months	390	8.0 %	
4	About once a month	427	8.7 %	
5	About once a week	614	12.6 %	
6	2-5 times a week	398	8.2 %	
7	Almost everyday	586	12.0 %	
97 (M)	Legitimate skip	1371	28.1 %	
98 (M)	Don't know	3	0.1 %	
99 (M)	Not applicable	13	0.3 %	

Based upon 3495 valid cases out of 4882 total cases.

- Mean: 3.66
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.53

<b>H3MN11</b>	<b>S13Q11 HOW CLOSE TO MENTOR NOW-W3</b>			
Location:	1804-1804 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7			
Question:	How close do you feel to {HIM/ HER} these days?			
Value	Label	Unweighted Frequency	%	
0	Not close at all	361	7.4 %	
1	Only a little close	337	6.9 %	
2	Somewhat close	758	15.5 %	

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Quite close	933	19.1 %
4	Very close	1121	23.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1371	28.1 %

Based upon 3510 valid cases out of 4882 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.30

**H3MN12M**

**S13Q12M MONTH LAST TALK/EMAIL MENTOR-W3**

Location: 1805-1806 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: In what month (and year) did you last see {HIM/ HER}, talk with {HIM/ HER} on the telephone, or exchange e-mail or letters?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	250	5.1 %
2	February	190	3.9 %
3	March	278	5.7 %
4	April	135	2.8 %
5	May	155	3.2 %
6	June	243	5.0 %
7	July	158	3.2 %
8	August	552	11.3 %
9	September	456	9.3 %
10	October	444	9.1 %
11	November	405	8.3 %
12	December	390	8.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1160	23.8 %
98 (M)	Don't know	60	1.2 %
99 (M)	Not applicable	5	0.1 %

Based upon 3656 valid cases out of 4882 total cases.

- Mean: 7.50

- Study 21600 -

- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.39

H3MN12Y	S13Q12Y YEAR LAST TALK/EMAIL MENTOR-W3			
	Value	Label	Unweighted Frequency	%
Location:	1807-1810 (width: 4; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	9996 , 9997 , 9998 , 9999			
Question:	In what (month and) year did you last see {HIM/ HER}, talk with {HIM/ HER} on the telephone, or exchange e-mail or letters?			
	1986	-	1	0.0 %
	1987	-	1	0.0 %
	1989	-	1	0.0 %
	1991	-	1	0.0 %
	1992	-	10	0.2 %
	1993	-	9	0.2 %
	1994	-	14	0.3 %
	1995	-	44	0.9 %
	1996	-	48	1.0 %
	1997	-	56	1.1 %
	1998	-	94	1.9 %
	1999	-	131	2.7 %
	2000	-	204	4.2 %
	2001	-	2486	50.9 %
	2002	-	599	12.3 %
	9996 (M)	Refused	2	0.0 %
	9997 (M)	Legitimate skip	1160	23.8 %
	9998 (M)	Don't know	16	0.3 %
	9999 (M)	Not applicable	5	0.1 %

Based upon 3699 valid cases out of 4882 total cases.

- Mean: 2000.68
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1986.00
- Maximum: 2002.00
- Standard Deviation: 1.49

H3MN13A	S13Q13A HOW DID HE/SHE HELP-W3		
---------	--------------------------------	--	--

- Study 21600 -

Location: 1811-1870 (width: 60; decimal: 0)  
 Variable Type: character  
 Question: How has {HE/ SHE} helped you?  
 Based upon 4882 valid cases out of 4882 total cases.

**H3MN13B S13Q13B HOW DID HE/SHE HELP-W3**

Location: 1871-1930 (width: 60; decimal: 0)  
 Variable Type: character  
 Question: How has {HE/ SHE} helped you?  
 Based upon 4882 valid cases out of 4882 total cases.

**H3MN13C S13Q13C HOW HAS HE/SHE HELPED-W3**

Location: 1931-1990 (width: 60; decimal: 0)  
 Variable Type: character  
 Question: How has {HE/ SHE} helped you?  
 Based upon 4882 valid cases out of 4882 total cases.

**H3MN13D S13Q13D HOW HAS HE/SHE HELPED-W3**

Location: 1991-2050 (width: 60; decimal: 0)  
 Variable Type: character  
 Question: How has {HE/ SHE} helped you?  
 Based upon 4882 valid cases out of 4882 total cases.

**H3MN14 S13Q14 LIFE BETTER AFTER H/SCHOOL-W3**

Location: 2051-2052 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99 , .  
 Question: All things considered, how much better or worse has life been getting for you since high school?

Value	Label	Unweighted Frequency	%
1	Much better	521	10.7 %
2	Better	559	11.5 %
3	Sometimes better/sometimes worse	495	10.1 %
4	Worse	60	1.2 %
5	Much worse	18	0.4 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	3223	66.0 %

Based upon 1653 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.09
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

H3MN15	S13Q15 SOCIAL MATURITY FASTER GROWTH-W3		
	Value	Label	Unweighted Frequency
Location:	2053-2053	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9		
Question:	Some people grow up faster than others, some grow up slower. In terms of social maturity, would you say you grew up faster, slower, or at about the same rate as other people your age?		
			%
	1	Faster	2924 59.9 %
	2	At about the same rate	385 7.9 %
	3	Slower	1562 32.0 %
	6 (M)	Refused	2 0.0 %
	8 (M)	Don't know	8 0.2 %
	9 (M)	Not applicable	1 0.0 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.92

H3MN16	S13Q16 ADULT RESPBLTY FASTER GROWTH-W3		
	Value	Label	Unweighted Frequency
Location:	2054-2054	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9		
Question:	In terms of taking on adult responsibilities, would you say you grew up faster, slower, or at about the same rate?		
			%
	1	Faster	3057 62.6 %
	2	At about the same rate	383 7.8 %
	3	Slower	1433 29.4 %
	6 (M)	Refused	2 0.0 %
	8 (M)	Don't know	7 0.1 %

## - Study 21600 -

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.90

**H3MN17****S13Q17 HOW OLD COMPARED TO OTH-W3**

Location: 2055-2056 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98 , 99

Question: In general, how old do you feel compared with others your age?

Value	Label	Unweighted Frequency	%
1	Older all of the time	830	17.0 %
2	Older most of the time	1992	40.8 %
3	Neither older nor younger	1755	35.9 %
4	Younger most of the time	252	5.2 %
5	Younger all of the time	39	0.8 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	3	0.1 %

Based upon 4868 valid cases out of 4882 total cases.

- Mean: 2.32
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

**H3MN18****S13Q18 HOW OFTEN THINK SELF AS ADULT-W3**

Location: 2057-2057 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: How often do you think of yourself as an adult?

Value	Label	Unweighted Frequency	%
0	Never	95	1.9 %
1	Seldom	367	7.5 %
2	Sometimes	834	17.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Most of the time	1580	32.4 %
4	All of the time	1999	40.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.03

**H3MN19**

**S13Q19 PLEDGE ABSTAIN SEX BFR MRRG-W3**

Location: 2058-2058 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9

Question: Have you ever signed a pledge to abstain from sex until marriage?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to next section)	4465	91.5 %
1	Yes	341	7.0 %
5 (M)	Not included in pretest	66	1.4 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 4806 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

**H3MN20M**

**S13Q20M MONTH SIGNED PLEDGE-W3**

Location: 2059-2060 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , 99

- Study 21600 -

Question:

In what month (and year) did you sign this pledge?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	27	0.6 %
2	February	40	0.8 %
3	March	14	0.3 %
4	April	24	0.5 %
5	May	36	0.7 %
6	June	37	0.8 %
7	July	25	0.5 %
8	August	27	0.6 %
9	September	19	0.4 %
10	October	23	0.5 %
11	November	11	0.2 %
12	December	8	0.2 %
95 (M)	Question not asked of this respondent	66	1.4 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4465	91.5 %
98 (M)	Don't know	55	1.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 291 valid cases out of 4882 total cases.

- Mean: 5.69
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.10

**H3MN20Y**

**S13Q20Y YEAR SIGNED PLEDGE-W3**

Location:

2061-2064 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9995 , 9996 , 9997 , 9998 , 9999 , .

Question:

In what month (and year) did you sign this pledge?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1988	-	2	0.0 %
1989	-	4	0.1 %
1990	-	10	0.2 %
1991	-	8	0.2 %
1992	-	15	0.3 %
1993	-	27	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	44	0.9 %
1995	-	57	1.2 %
1996	-	45	0.9 %
1997	-	29	0.6 %
1998	-	20	0.4 %
1999	-	25	0.5 %
2000	-	21	0.4 %
2001	-	13	0.3 %
2002	-	3	0.1 %
9995 (M)	Question not asked of this respondent	66	1.4 %
9996 (M)	Refused	3	0.1 %
9997 (M)	Legitimate skip	4465	91.5 %
9998 (M)	Don't know	22	0.5 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 323 valid cases out of 4882 total cases.

- Mean: 1995.63
- Median: 1995.00
- Mode: 1995.00
- Minimum: 1988.00
- Maximum: 2002.00
- Standard Deviation: 2.87

**H3MN21**

**S13Q21 HOW OLD WHEN SIGNED PLEDGE-W3**

Location: 2065-2066 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , .

Question: How old were you when you signed it?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	2	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	10	0.2 %
15	-	9	0.2 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	3	0.1 %
21	-	1	0.0 %
95 (M)	Question not asked of this respondent	66	1.4 %
97 (M)	Legitimate skip	4759	97.5 %
98 (M)	Don't know	14	0.3 %
. (M)	-	2	0.0 %

Based upon 41 valid cases out of 4882 total cases.

- Mean: 15.20
- Median: 15.00
- Mode: 14.00
- Minimum: 10.00
- Maximum: 21.00
- Standard Deviation: 2.47

### H3MR1

### S14Q1 NUMBER OF TIMES MARRIED-W3

Location: 2067-2067 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How many times have you been married?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	3984	81.6 %
1	1 time	869	17.8 %
2	2 times	21	0.4 %
3	3 times	1	0.0 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.40

### H3MR\_M\_A

### S14 SEQUENCE NUMBER FOR SPOUSE A-W3

Location: 2068-2068 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7

Question: 1st marriage sequence number

Value	Label	Unweighted Frequency	%
1	1st marriage	891	18.3 %
7 (M)	Legitimate skip	3991	81.7 %

Based upon 891 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

### H3MR2M\_A

### S14Q2 MONTH MARRIED TO SPOUSE A-W3

Location: 2069-2070 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99

Question: In what month (and year) were you married?

Value	Label	Unweighted Frequency	%
1	January	40	0.8 %
2	February	58	1.2 %
3	March	52	1.1 %
4	April	50	1.0 %
5	May	100	2.0 %
6	June	121	2.5 %
7	July	98	2.0 %
8	August	104	2.1 %
9	September	84	1.7 %
10	October	73	1.5 %
11	November	57	1.2 %
12	December	47	1.0 %
97 (M)	Legitimate skip	3991	81.7 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 884 valid cases out of 4882 total cases.

- Mean: 6.71
- Median: 7.00

- Study 21600 -

- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.97

<b>H3MR2Y_A</b>	<b>S14Q2 YEAR MARRIED TO SPOUSE A-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1993	-	2	0.0 %
	1994	-	7	0.1 %
	1995	-	33	0.7 %
	1996	-	49	1.0 %
	1997	-	82	1.7 %
	1998	-	139	2.8 %
	1999	-	161	3.3 %
	2000	-	209	4.3 %
	2001	-	201	4.1 %
	2002	-	4	0.1 %
	9997 (M)	Legitimate skip	3991	81.7 %
	9998 (M)	Don't know	2	0.0 %
	9999 (M)	Not applicable	2	0.0 %

Based upon 887 valid cases out of 4882 total cases.

- Mean: 1998.99
- Median: 1999.00
- Mode: 2000.00
- Minimum: 1993.00
- Maximum: 2002.00
- Standard Deviation: 1.76

<b>H3MR3_A</b>	<b>S14Q3 STILL MARRIED TO SPOUSE A-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	66	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (skip to Q.6)	802	16.4 %
7 (M)	Legitimate skip	4013	82.2 %
8 (M)	Don't know	1	0.0 %

Based upon 868 valid cases out of 4882 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

#### H3MR4\_A

#### S14Q4 HOW MARRIAGE TO SPOUSE A END-W3

Location: 2076-2076 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 9  
 Question: How did this marriage end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Annulment	2	0.0 %
2	Divorce	83	1.7 %
3	Spouse's death	3	0.1 %
7 (M)	Legitimate skip	4793	98.2 %
9 (M)	Not applicable	1	0.0 %

Based upon 88 valid cases out of 4882 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.24

#### H3MR5M\_A

#### S14Q5 MON MARRIAGE TO SPOUSE A ENDED-W3

Location: 2077-2078 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , 99  
 Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced?  
 In what month (and year) did {YOUR SPOUSE} die?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	5	0.1 %
2	February	8	0.2 %
3	March	11	0.2 %
4	April	2	0.0 %
5	May	8	0.2 %
6	June	6	0.1 %
7	July	2	0.0 %
8	August	9	0.2 %
9	September	6	0.1 %
10	October	9	0.2 %
11	November	10	0.2 %
12	December	8	0.2 %
97 (M)	Legitimate skip	4793	98.2 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 84 valid cases out of 4882 total cases.

- Mean: 6.83
- Median: 7.50
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.61

**H3MR5Y\_A**
**S14Q5 YEAR MARRIAGE TO SPOUSE A ENDED-W3**

Location: 2079-2082 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9999

Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced?  
In what month (and year) did {YOUR SPOUSE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	2	0.0 %
1996	-	1	0.0 %
1997	-	8	0.2 %
1998	-	11	0.2 %
1999	-	12	0.2 %
2000	-	18	0.4 %
2001	-	33	0.7 %
2002	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4793	98.2 %
9999 (M)	Not applicable	1	0.0 %

Based upon 88 valid cases out of 4882 total cases.

- Mean: 1999.62
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 1.61

**H3MR6\_A**
**S14Q6 CURRENTLY LIVING WITH SPOUSE A-W3**

Location: 2083-2083 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you and {YOUR SPOUSE} currently living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	135	2.8 %
1	Yes	753	15.4 %
7 (M)	Legitimate skip	3994	81.8 %

Based upon 888 valid cases out of 4882 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**H3MR7M\_A**
**S14Q7 MONTH LAST LIVED WITH SPOUSE A-W3**

Location: 2084-2085 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	8	0.2 %
2	February	12	0.2 %
3	March	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	April	12	0.2 %
5	May	15	0.3 %
6	June	11	0.2 %
7	July	6	0.1 %
8	August	15	0.3 %
9	September	10	0.2 %
10	October	7	0.1 %
11	November	14	0.3 %
12	December	7	0.1 %
97 (M)	Legitimate skip	4747	97.2 %
98 (M)	Don't know	8	0.2 %

Based upon 127 valid cases out of 4882 total cases.

- Mean: 6.39
- Median: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.33

#### H3MR7Y\_A

#### S14Q7 YEAR LAST LIVED WITH SPOUSE A-W3

Location: 2086-2089 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	3	0.1 %
1996	-	5	0.1 %
1997	-	9	0.2 %
1998	-	15	0.3 %
1999	-	16	0.3 %
2000	-	40	0.8 %
2001	-	42	0.9 %
2002	-	3	0.1 %
9997 (M)	Legitimate skip	4747	97.2 %
9998 (M)	Don't know	2	0.0 %

Based upon 133 valid cases out of 4882 total cases.

- Mean: 1999.55
- Median: 2000.00

- Study 21600 -

- Mode: 2001.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 1.60

<b>H3MR_M_B</b>	<b>S14 SEQUENCE NUMBER FOR SPOUSE B_W3</b>												
Location:	2090-2090 (width: 1; decimal: 0)												
Variable Type:	numeric												
Range of Missing Values (M):	7												
Question:	2nd marriage sequence number												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">2nd marriage</td><td style="text-align: right; padding: 2px;">22</td><td style="text-align: right; padding: 2px;">0.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4860</td><td style="text-align: right; padding: 2px;">99.5 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	2	2nd marriage	22	0.5 %	7 (M)	Legitimate skip	4860	99.5 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>										
2	2nd marriage	22	0.5 %										
7 (M)	Legitimate skip	4860	99.5 %										

Based upon 22 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

<b>H3MR2M_B</b>	<b>S14Q2 MONTH MARRIED TO SPOUSE B-W3</b>																																																				
Location:	2091-2092 (width: 2; decimal: 0)																																																				
Variable Type:	numeric																																																				
Range of Missing Values (M):	97																																																				
Question:	In what month (and year) were you married?																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">January</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">February</td><td style="text-align: right; padding: 2px;">3</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">March</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">April</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">5</td><td style="text-align: left; padding: 2px;">May</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">6</td><td style="text-align: left; padding: 2px;">June</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7</td><td style="text-align: left; padding: 2px;">July</td><td style="text-align: right; padding: 2px;">3</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">8</td><td style="text-align: left; padding: 2px;">August</td><td style="text-align: right; padding: 2px;">4</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">9</td><td style="text-align: left; padding: 2px;">September</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">10</td><td style="text-align: left; padding: 2px;">October</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">11</td><td style="text-align: left; padding: 2px;">November</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">12</td><td style="text-align: left; padding: 2px;">December</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	January	1	0.0 %	2	February	3	0.1 %	3	March	1	0.0 %	4	April	1	0.0 %	5	May	1	0.0 %	6	June	1	0.0 %	7	July	3	0.1 %	8	August	4	0.1 %	9	September	2	0.0 %	10	October	1	0.0 %	11	November	2	0.0 %	12	December	2	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																																		
1	January	1	0.0 %																																																		
2	February	3	0.1 %																																																		
3	March	1	0.0 %																																																		
4	April	1	0.0 %																																																		
5	May	1	0.0 %																																																		
6	June	1	0.0 %																																																		
7	July	3	0.1 %																																																		
8	August	4	0.1 %																																																		
9	September	2	0.0 %																																																		
10	October	1	0.0 %																																																		
11	November	2	0.0 %																																																		
12	December	2	0.0 %																																																		

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4860	99.5 %

Based upon 22 valid cases out of 4882 total cases.

- Mean: 6.91
- Median: 7.50
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.41

**H3MR2Y\_B**
**S14Q2 YEAR MARRIED TO SPOUSE B-W3**

Location: 2093-2096 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) were you married?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	1	0.0 %
1995	-	2	0.0 %
1999	-	7	0.1 %
2000	-	6	0.1 %
2001	-	5	0.1 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4860	99.5 %

Based upon 22 valid cases out of 4882 total cases.

- Mean: 1999.27
- Median: 2000.00
- Mode: 1999.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 2.07

**H3MR3\_B**
**S14Q3 STILL MARRIED TO SPOUSE B-W3**

Location: 2097-2097 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Are you still married?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3	0.1 %
1	Yes (skip to Q.6)	18	0.4 %
7 (M)	Legitimate skip	4861	99.6 %

Based upon 21 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

#### H3MR4\_B

#### S14Q4 HOW MARRIAGE TO SPOUSE B END-W3

Location: 2098-2098 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: How did this marriage end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Annulment	1	0.0 %
2	Divorce	3	0.1 %
7 (M)	Legitimate skip	4878	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

#### H3MR5M\_B

#### S14Q5 MON MARRIAGE TO SPOUSE B ENDED-W3

Location: 2099-2100 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced? In what month (and year) did {YOUR SPOUSE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	1	0.0 %
7	July	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	1	0.0 %
10	October	1	0.0 %
97 (M)	Legitimate skip	4878	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 6.50
- Median: 7.50
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.87

<b>H3MR5Y_B</b>	<b>S14Q5 YEAR MARRIAGE TO SPOUSE B ENDED-W3</b>
-----------------	---

Location: 2101-2104 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced?  
In what month (and year) did {YOUR SPOUSE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1996	-	2	0.0 %
2001	-	2	0.0 %
9997 (M)	Legitimate skip	4878	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 1998.50
- Median: 1998.50
- Minimum: 1996.00
- Maximum: 2001.00
- Standard Deviation: 2.89

<b>H3MR6_B</b>	<b>S14Q6 CURRENTLY LIVING WITH SPOUSE B-W3</b>
----------------	--

Location: 2105-2105 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you and {YOUR SPOUSE} currently living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5	0.1 %
1	Yes	17	0.3 %
7 (M)	Legitimate skip	4860	99.5 %

- Study 21600 -

Based upon 22 valid cases out of 4882 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3MR7M\_B****S14Q7 MONTH LAST LIVED WITH SPOUSE B-W3**

Location: 2106-2107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

Value	Label	Unweighted Frequency	%
2	February	1	0.0 %
6	June	1	0.0 %
7	July	1	0.0 %
10	October	2	0.0 %
97 (M)	Legitimate skip	4877	99.9 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 3.32

**H3MR7Y\_B****S14Q7 YEAR LAST LIVED WITH SPOUSE B-W3**

Location: 2108-2111 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

Value	Label	Unweighted Frequency	%
1996	-	2	0.0 %
2000	-	1	0.0 %
2001	-	2	0.0 %
9997 (M)	Legitimate skip	4877	99.9 %

Based upon 5 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1998.80
- Median: 2000.00
- Minimum: 1996.00
- Maximum: 2001.00
- Standard Deviation: 2.59

### H3MR\_M\_C

### S14 SEQUENCE NUMBER FOR SPOUSE C\_W3

Location: 2112-2112 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: 3rd marriage sequence number

Value	Label	Unweighted Frequency	%
3	3rd marriage	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

### H3MR2M\_C

### S14Q2 MONTH MARRIED TO SPOUSE C-W3

Location: 2113-2114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) were you married?

Value	Label	Unweighted Frequency	%
7	July	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 7.00
- Minimum: 7.00
- Maximum: 7.00
- Standard Deviation: 0.00

- Study 21600 -

H3MR2Y_C	S14Q2 YEAR MARRIED TO SPOUSE C-W3															
Location:	2115-2118 (width: 4; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	9997															
Question:	In what month (and year) were you married?															
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">2001</td> <td style="text-align: left; padding: 2px;">-</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">9997 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4881</td> <td style="text-align: right; padding: 2px;">100.0 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	2001	-	1	0.0 %	9997 (M)	Legitimate skip	4881	100.0 %
Value	Label	Unweighted Frequency	%													
2001	-	1	0.0 %													
9997 (M)	Legitimate skip	4881	100.0 %													
	Based upon 1 valid cases out of 4882 total cases.															
	<ul style="list-style-type: none"> <li>• Mean: 2001.00</li> <li>• Median: 2001.00</li> <li>• Mode: 2001.00</li> <li>• Minimum: 2001.00</li> <li>• Maximum: 2001.00</li> <li>• Standard Deviation: 0.00</li> </ul>															
H3MR3_C	S14Q3 STILL MARRIED TO SPOUSE C-W3															
Location:	2119-2119 (width: 1; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	7															
Question:	Are you still married?															
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes (skip to Q.6)</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4881</td> <td style="text-align: right; padding: 2px;">100.0 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	1	Yes (skip to Q.6)	1	0.0 %	7 (M)	Legitimate skip	4881	100.0 %
Value	Label	Unweighted Frequency	%													
1	Yes (skip to Q.6)	1	0.0 %													
7 (M)	Legitimate skip	4881	100.0 %													
	Based upon 1 valid cases out of 4882 total cases.															
	<ul style="list-style-type: none"> <li>• Mean: 1.00</li> <li>• Median: 1.00</li> <li>• Mode: 1.00</li> <li>• Minimum: 1.00</li> <li>• Maximum: 1.00</li> <li>• Standard Deviation: 0.00</li> </ul>															
H3MR4_C	S14Q4 HOW MARRIAGE TO SPOUSE C END-W3															
Location:	2120-2120 (width: 1; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	7															
Question:	How did this marriage end?															

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

### H3MR5M\_C

### S14Q5 MON MARRIAGE TO SPOUSE C ENDED-W3

Location: 2121-2122 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced?  
 In what month (and year) did {YOUR SPOUSE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

### H3MR5Y\_C

### S14Q5 YEAR MARRIAGE TO SPOUSE C ENDED-W3

Location: 2123-2126 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) was your marriage annulled? In what month (and year) were you divorced?  
 In what month (and year) did {YOUR SPOUSE} die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

### H3MR6\_C

### S14Q6 CURRENTLY LIVING WITH SPOUSE C-W3

Location: 2127-2127 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Are you and {YOUR SPOUSE} currently living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**H3MR7M\_C**
**S14Q7 MONTH LAST LIVED WITH SPOUSE C-W3**

Location: 2128-2129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR7Y\_C**
**S14Q7 YEAR LAST LIVED WITH SPOUSE C-W3**

Location: 2130-2133 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you and {YOUR SPOUSE} last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR8**
**S14Q8 EVER COHABITED W/SOMEONE-W3**

Location: 2134-2134 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Have you ever lived with someone in a marriage-like relationship for one month or more?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.16)	2946	60.3 %
1	Yes	1923	39.4 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 0.39
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H3MR9	S14Q9 NUMBER OF COHABITATIONS-W3		
Value	Label	Unweighted Frequency	%
0	-	17	0.3 %
1	-	1483	30.4 %
2	-	335	6.9 %
3	-	65	1.3 %
4	-	13	0.3 %
5	-	2	0.0 %
6	-	2	0.0 %
10	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2958	60.6 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 1918 valid cases out of 4882 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.63

H3MR_C_A	S14 SEQUENCE NUMBER FOR COHAB A-W3		
Value	Label	Unweighted Frequency	%
1	1st co-habitation	1901	38.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	2981	61.1 %

Based upon 1901 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**H3MR10MA**

**S14Q10 MONTH COHAB WITH A BEGAN -W3**

Location: 2139-2140 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: In what month (and year) did you begin living with {THIS PERSON/H3MR\_C\_A}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	147	3.0 %
2	February	126	2.6 %
3	March	145	3.0 %
4	April	115	2.4 %
5	May	173	3.5 %
6	June	236	4.8 %
7	July	167	3.4 %
8	August	180	3.7 %
9	September	166	3.4 %
10	October	140	2.9 %
11	November	109	2.2 %
12	December	108	2.2 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	2981	61.1 %
98 (M)	Don't know	85	1.7 %
. (M)	-	2	0.0 %

Based upon 1812 valid cases out of 4882 total cases.

- Mean: 6.39
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.20

- Study 21600 -

**H3MR10YA**
**S14Q10 YEAR COHAB WITH A BEGAN-W3**

Location: 2141-2144 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question: In what month (and year) did you begin living with {THIS PERSON/H3MR\_C\_A}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1991	-	1	0.0 %
1992	-	7	0.1 %
1993	-	15	0.3 %
1994	-	29	0.6 %
1995	-	74	1.5 %
1996	-	153	3.1 %
1997	-	231	4.7 %
1998	-	312	6.4 %
1999	-	375	7.7 %
2000	-	371	7.6 %
2001	-	306	6.3 %
2002	-	9	0.2 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	2981	61.1 %
9998 (M)	Don't know	15	0.3 %
. (M)	-	2	0.0 %

Based upon 1883 valid cases out of 4882 total cases.

- Mean: 1998.57
- Median: 1999.00
- Mode: 1999.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 1.90

**H3MR11\_A**
**S14Q11 EVER MARRY COHAB A-W3**

Location: 2145-2145 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Did you {TWO/AND H3MR\_C\_A} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	136	2.8 %
1	Yes	318	6.5 %
7 (M)	Legitimate skip	4425	90.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

Based upon 454 valid cases out of 4882 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3MR12MA**

**S14Q12 MONTH YOU AND COHAB A MARRIED-W3**

Location: 2146-2147 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , .  
 Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	17	0.3 %
2	February	17	0.3 %
3	March	21	0.4 %
4	April	18	0.4 %
5	May	28	0.6 %
6	June	38	0.8 %
7	July	31	0.6 %
8	August	46	0.9 %
9	September	28	0.6 %
10	October	33	0.7 %
11	November	21	0.4 %
12	December	19	0.4 %
97 (M)	Legitimate skip	4561	93.4 %
98 (M)	Don't know	1	0.0 %
. (M)	-	3	0.1 %

Based upon 317 valid cases out of 4882 total cases.

- Mean: 6.88
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.05

- Study 21600 -

**H3MR12YA**

**S14Q12 YEAR YOU AND COHAB A MARRIED-W3**

Location: 2148-2151 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997, .  
 Question: In what month (and year) did you marry?

Value	Label	Unweighted Frequency	%
1991	-	1	0.0 %
1993	-	1	0.0 %
1994	-	2	0.0 %
1995	-	4	0.1 %
1996	-	15	0.3 %
1997	-	25	0.5 %
1998	-	49	1.0 %
1999	-	59	1.2 %
2000	-	72	1.5 %
2001	-	88	1.8 %
2002	-	2	0.0 %
9997 (M)	Legitimate skip	4561	93.4 %
. (M)	-	3	0.1 %

Based upon 318 valid cases out of 4882 total cases.

- Mean: 1999.22
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 1.71

**H3MR13\_A**

**S14Q13 STILL LIVING W/COHAB A-W3**

Location: 2152-2152 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7, 8, 9, .  
 Question: Are you still living together?

Value	Label	Unweighted Frequency	%
0	No	969	19.8 %
1	Yes (skip to Q.16)	610	12.5 %
7 (M)	Legitimate skip	3299	67.6 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

## - Study 21600 -

Based upon 1579 valid cases out of 4882 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3MR14\_A**
**S14Q14 HOW COHAB WITH A ENDED-W3**

Location: 2153-2153 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_A ] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You moved out	498	10.2 %
2	Your partner moved out	257	5.3 %
3	Your partner died	9	0.2 %
4	Other	211	4.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3893	79.7 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	2	0.0 %

Based upon 975 valid cases out of 4882 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.18

**H3MR15MA**
**S14Q15 MONTH COHAB WITH A ENDED-W3**

Location: 2154-2155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	72	1.5 %
2	February	78	1.6 %
3	March	69	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	April	60	1.2 %
5	May	91	1.9 %
6	June	85	1.7 %
7	July	68	1.4 %
8	August	106	2.2 %
9	September	84	1.7 %
10	October	66	1.4 %
11	November	68	1.4 %
12	December	93	1.9 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3893	79.7 %
98 (M)	Don't know	45	0.9 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 940 valid cases out of 4882 total cases.

- Mean: 6.64
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.42

#### H3MR15YA

#### S14Q15 YEAR COHAB WITH A ENDED-W3

Location: 2156-2159 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	-	1	0.0 %
1993	-	3	0.1 %
1994	-	10	0.2 %
1995	-	20	0.4 %
1996	-	35	0.7 %
1997	-	78	1.6 %
1998	-	118	2.4 %
1999	-	187	3.8 %
2000	-	218	4.5 %
2001	-	287	5.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2002	-	13	0.3 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	3893	79.7 %
9998 (M)	Don't know	15	0.3 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	2	0.0 %

Based upon 970 valid cases out of 4882 total cases.

- Mean: 1999.31
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1992.00
- Maximum: 2002.00
- Standard Deviation: 1.72

#### H3MR\_C\_B

#### S14 SEQUENCE NUMBER FOR COHAB B-W3

Location: 2160-2161 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: 2nd co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2nd co-habitation	418	8.6 %
97 (M)	Legitimate skip	4464	91.4 %

Based upon 418 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

#### H3MR10MB

#### S14Q10 MONTH COHAB WITH B BEGAN -W3

Location: 2162-2163 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , .  
 Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	37	0.8 %
2	February	35	0.7 %
3	March	26	0.5 %
4	April	25	0.5 %
5	May	40	0.8 %
6	June	47	1.0 %
7	July	31	0.6 %
8	August	37	0.8 %
9	September	39	0.8 %
10	October	31	0.6 %
11	November	28	0.6 %
12	December	20	0.4 %
97 (M)	Legitimate skip	4464	91.4 %
98 (M)	Don't know	21	0.4 %
. (M)	-	1	0.0 %

Based upon 396 valid cases out of 4882 total cases.

- Mean: 6.29
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.29

**H3MR10YB**

**S14Q10 YEAR COHAB WITH B BEGAN-W3**

Location: 2164-2167 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , .

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	3	0.1 %
1995	-	10	0.2 %
1996	-	17	0.3 %
1997	-	32	0.7 %
1998	-	56	1.1 %
1999	-	85	1.7 %
2000	-	107	2.2 %
2001	-	95	1.9 %
2002	-	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4464	91.4 %
9998 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 413 valid cases out of 4882 total cases.

- Mean: 1999.23
- Median: 2000.00
- Mode: 2000.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 1.64

**H3MR11\_B**
**S14Q11 EVER MARRY COHAB B-W3**

Location: 2168-2168 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	34	0.7 %
1	Yes	51	1.0 %
7 (M)	Legitimate skip	4796	98.2 %
. (M)	-	1	0.0 %

Based upon 85 valid cases out of 4882 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3MR12MB**
**S14Q12 MONTH YOU AND COHAB B MARRIED-W3**

Location: 2169-2170 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	February	6	0.1 %
3	March	4	0.1 %
4	April	1	0.0 %
5	May	6	0.1 %
6	June	6	0.1 %
7	July	10	0.2 %
8	August	3	0.1 %
9	September	3	0.1 %
10	October	5	0.1 %
11	November	2	0.0 %
12	December	2	0.0 %
97 (M)	Legitimate skip	4830	98.9 %
. (M)	-	1	0.0 %

Based upon 51 valid cases out of 4882 total cases.

- Mean: 6.16
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.06

**H3MR12YB**

**S14Q12 YEAR YOU AND COHAB B MARRIED-W3**

Location: 2171-2174 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , .

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	1	0.0 %
1996	-	3	0.1 %
1997	-	4	0.1 %
1998	-	6	0.1 %
1999	-	11	0.2 %
2000	-	12	0.2 %
2001	-	12	0.2 %
2002	-	2	0.0 %
9997 (M)	Legitimate skip	4830	98.9 %
. (M)	-	1	0.0 %

Based upon 51 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1999.29
- Median: 2000.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 1.66

**H3MR13\_B**
**S14Q13 STILL LIVING W/COHAB B-W3**

Location: 2175-2175 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Are you still living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	230	4.7 %
1	Yes (skip to Q.16)	136	2.8 %
7 (M)	Legitimate skip	4515	92.5 %
. (M)	-	1	0.0 %

Based upon 366 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3MR14\_B**
**S14Q14 HOW COHAB WITH B ENDED-W3**

Location: 2176-2176 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You moved out	122	2.5 %
2	Your partner moved out	66	1.4 %
3	Your partner died	2	0.0 %
4	Other	37	0.8 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4650	95.2 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 227 valid cases out of 4882 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.08

**H3MR15MB****S14Q15 MONTH COHAB WITH B ENDED-W3**

Location: 2177-2178 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
1	January	22	0.5 %
2	February	24	0.5 %
3	March	12	0.2 %
4	April	15	0.3 %
5	May	14	0.3 %
6	June	26	0.5 %
7	July	17	0.3 %
8	August	15	0.3 %
9	September	14	0.3 %
10	October	20	0.4 %
11	November	20	0.4 %
12	December	20	0.4 %
97 (M)	Legitimate skip	4650	95.2 %
98 (M)	Don't know	12	0.2 %
. (M)	-	1	0.0 %

Based upon 219 valid cases out of 4882 total cases.

- Mean: 6.47
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.59

**H3MR15YB****S14Q15 YEAR COHAB WITH B ENDED-W3**

Location: 2179-2182 (width: 4; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

9997 , 9998 , .

Question:

In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	1	0.0 %
1995	-	2	0.0 %
1996	-	2	0.0 %
1997	-	14	0.3 %
1998	-	23	0.5 %
1999	-	43	0.9 %
2000	-	55	1.1 %
2001	-	81	1.7 %
2002	-	5	0.1 %
9997 (M)	Legitimate skip	4650	95.2 %
9998 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 1999.72
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 1.43

### H3MR\_C\_C

### S14 SEQUENCE NUMBER FOR COHAB C-W3

Location:

2183-2184 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97

Question:

3rd co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	3rd co-habitation	83	1.7 %
97 (M)	Legitimate skip	4799	98.3 %

Based upon 83 valid cases out of 4882 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

- Study 21600 -

**H3MR10MC**

**S14Q10 MONTH COHAB WITH C BEGAN -W3**

Location: 2185-2186 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

Value	Label	Unweighted Frequency	%
1	January	6	0.1 %
2	February	11	0.2 %
3	March	9	0.2 %
4	April	5	0.1 %
5	May	8	0.2 %
6	June	11	0.2 %
7	July	8	0.2 %
8	August	2	0.0 %
9	September	3	0.1 %
10	October	5	0.1 %
11	November	6	0.1 %
12	December	5	0.1 %
97 (M)	Legitimate skip	4799	98.3 %
98 (M)	Don't know	4	0.1 %

Based upon 79 valid cases out of 4882 total cases.

- Mean: 5.77
- Median: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.37

**H3MR10YC**

**S14Q10 YEAR COHAB WITH C BEGAN-W3**

Location: 2187-2190 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

Value	Label	Unweighted Frequency	%
1993	-	1	0.0 %
1995	-	2	0.0 %
1996	-	3	0.1 %
1997	-	2	0.0 %
1998	-	7	0.1 %
1999	-	13	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2000	-	26	0.5 %
2001	-	29	0.6 %
9997 (M)	Legitimate skip	4799	98.3 %

Based upon 83 valid cases out of 4882 total cases.

- Mean: 1999.60
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1993.00
- Maximum: 2001.00
- Standard Deviation: 1.64

#### H3MR11\_C

#### S14Q11 EVER MARRY COHAB C-W3

Location: 2191-2191 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7	0.1 %
1	Yes	9	0.2 %
7 (M)	Legitimate skip	4866	99.7 %

Based upon 16 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.51

#### H3MR12MC

#### S14Q12 MONTH YOU AND COHAB C MARRIED-W3

Location: 2192-2193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	February	1	0.0 %
3	March	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	July	2	0.0 %
8	August	2	0.0 %
9	September	1	0.0 %
10	October	2	0.0 %
97 (M)	Legitimate skip	4873	99.8 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 7.11
- Median: 8.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 2.85

**H3MR12YC**
**S14Q12 YEAR YOU AND COHAB C MARRIED-W3**

Location: 2194-2197 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1997	-	2	0.0 %
1999	-	2	0.0 %
2001	-	5	0.1 %
9997 (M)	Legitimate skip	4873	99.8 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 1999.67
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 1.73

**H3MR13\_C**
**S14Q13 STILL LIVING W/COHAB C-W3**

Location: 2198-2198 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Are you still living together?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	43	0.9 %
1	Yes (skip to Q.16)	31	0.6 %
7 (M)	Legitimate skip	4808	98.5 %

Based upon 74 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3MR14\_C

#### S14Q14 HOW COHAB WITH C ENDED-W3

Location: 2199-2199 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You moved out	24	0.5 %
2	Your partner moved out	12	0.2 %
4	Other	5	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4839	99.1 %
9 (M)	Not applicable	1	0.0 %

Based upon 41 valid cases out of 4882 total cases.

- Mean: 1.66
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.99

#### H3MR15MC

#### S14Q15 MONTH COHAB WITH C ENDED-W3

Location: 2200-2201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In what month (and year) did you last live together?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	2	0.0 %
2	February	4	0.1 %
3	March	2	0.0 %
4	April	3	0.1 %
5	May	4	0.1 %
6	June	1	0.0 %
7	July	2	0.0 %
8	August	9	0.2 %
9	September	4	0.1 %
10	October	2	0.0 %
11	November	5	0.1 %
12	December	3	0.1 %
97 (M)	Legitimate skip	4839	99.1 %
98 (M)	Don't know	2	0.0 %

Based upon 41 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.34

**H3MR15YC**
**S14Q15 YEAR COHAB WITH C ENDED-W3**

Location: 2202-2205 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	-	3	0.1 %
1999	-	4	0.1 %
2000	-	13	0.3 %
2001	-	21	0.4 %
2002	-	1	0.0 %
9997 (M)	Legitimate skip	4839	99.1 %
9998 (M)	Don't know	1	0.0 %

Based upon 42 valid cases out of 4882 total cases.

- Mean: 2000.31

- Study 21600 -

- Median: 2001.00
- Mode: 2001.00
- Minimum: 1998.00
- Maximum: 2002.00
- Standard Deviation: 0.95

H3MR_C_D	S14 SEQUENCE NUMBER FOR COHAB D-W3			
	Value	Label	Unweighted Frequency	%
Location:	2206-2207	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	4th co-habitation sequence number			

Based upon 18 valid cases out of 4882 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00
- Standard Deviation: 0.00

H3MR10MD	S14Q10 MONTH COHAB WITH D BEGAN -W3			
	Value	Label	Unweighted Frequency	%
Location:	2208-2209	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	In what month (and year) did you begin living with {THIS PERSON / H3MR_C_B}?			

- Study 21600 -

Based upon 18 valid cases out of 4882 total cases.

- Mean: 6.33
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.38

<b>H3MR10YD</b>	<b>S14Q10 YEAR COHAB WITH D BEGAN-W3</b>		
Location:	2210-2213 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	9997		
Question:	In what month (and year) did you begin living with {THIS PERSON / H3MR_C_B}?		
Value	Label	Unweighted Frequency	%
1999	-	4	0.1 %
2000	-	5	0.1 %
2001	-	9	0.2 %
9997 (M)	Legitimate skip	4864	99.6 %

Based upon 18 valid cases out of 4882 total cases.

- Mean: 2000.28
- Median: 2000.50
- Mode: 2001.00
- Minimum: 1999.00
- Maximum: 2001.00
- Standard Deviation: 0.83

<b>H3MR11_D</b>	<b>S14Q11 EVER MARRY COHAB D-W3</b>		
Location:	2214-2214 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7		
Question:	Did you {TWO/ AND H3MR_C_B} ever marry?		
Value	Label	Unweighted Frequency	%
0	No	2	0.0 %
1	Yes	1	0.0 %
7 (M)	Legitimate skip	4879	99.9 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 0.33

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.58

<b>H3MR12MD</b>	<b>S14Q12 MONTH YOU AND COHAB D MARRIED-W3</b>
-----------------	--

Location: 2215-2216 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: In what month (and year) did you marry?

Value	Label	<i>Unweighted Frequency</i>	%
3	March	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

<b>H3MR12YD</b>	<b>S14Q12 YEAR YOU AND COHAB D MARRIED-W3</b>
-----------------	---

Location: 2217-2220 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) did you marry?

Value	Label	<i>Unweighted Frequency</i>	%
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

<b>H3MR13_D</b>	<b>S14Q13 STILL LIVING W/COHAB D-W3</b>
-----------------	---

- Study 21600 -

Location: 2221-2221 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you still living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10	0.2 %
1	Yes (skip to Q.16)	7	0.1 %
7 (M)	Legitimate skip	4865	99.7 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.51

#### H3MR14\_D

#### S14Q14 HOW COHAB WITH D ENDED-W3

Location: 2222-2222 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You moved out	4	0.1 %
2	Your partner moved out	3	0.1 %
4	Other	2	0.0 %
7 (M)	Legitimate skip	4872	99.8 %
9 (M)	Not applicable	1	0.0 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.22

#### H3MR15MD

#### S14Q15 MONTH COHAB WITH D ENDED-W3

Location: 2223-2224 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 97

Question:

In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
1	January	2	0.0 %
4	April	1	0.0 %
7	July	1	0.0 %
9	September	2	0.0 %
10	October	3	0.1 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4872	99.8 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 7.30
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.95

**H3MR15YD**

**S14Q15 YEAR COHAB WITH D ENDED-W3**

Location: 2225-2228 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question:

In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
1999	-	1	0.0 %
2000	-	3	0.1 %
2001	-	6	0.1 %
9997 (M)	Legitimate skip	4872	99.8 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 2000.50
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1999.00
- Maximum: 2001.00
- Standard Deviation: 0.71

**H3MR\_C\_E**

**S14 SEQUENCE NUMBER FOR COHAB E-W3**

Location: 2229-2230 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 97

Question: 5th co-habitation sequence number

Value	Label	Unweighted Frequency	%
5	5th co-habitation	5	0.1 %
97 (M)	Legitimate skip	4877	99.9 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

#### H3MR10ME

#### S14Q10 MONTH COHAB WITH E BEGAN -W3

Location: 2231-2232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

Value	Label	Unweighted Frequency	%
2	February	1	0.0 %
8	August	1	0.0 %
9	September	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4877	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 8.50
- Mode: 9.00
- Minimum: 2.00
- Maximum: 9.00
- Standard Deviation: 3.37

#### H3MR10YE

#### S14Q10 YEAR COHAB WITH E BEGAN-W3

Location: 2233-2236 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1997	-	1	0.0 %
1999	-	1	0.0 %
2000	-	1	0.0 %
2001	-	1	0.0 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4877	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 1999.25
- Median: 1999.50
- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 1.71

**H3MR11\_E**
**S14Q11 EVER MARRY COHAB E-W3**

Location: 2237-2237 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3MR12ME**
**S14Q12 MONTH YOU AND COHAB E MARRIED-W3**

Location: 2238-2239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

- Study 21600 -

Based upon 0 valid cases out of 4882 total cases.

<b>H3MR12YE</b>	<b>S14Q12 YEAR YOU AND COHAB E MARRIED-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

<b>H3MR13_E</b>	<b>S14Q13 STILL LIVING W/COHAB E-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	4	0.1 %
	6 (M)	Refused	1	0.0 %
	7 (M)	Legitimate skip	4877	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

<b>H3MR14_E</b>	<b>S14Q14 HOW COHAB WITH E ENDED-W3</b>			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	You moved out	2	0.0 %
	4	Other	1	0.0 %
	7 (M)	Legitimate skip	4878	99.9 %
	8 (M)	Don't know	1	0.0 %

- Study 21600 -

Based upon 3 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.73

<b>H3MR15ME</b>	<b>S14Q15 MONTH COHAB WITH E ENDED-W3</b>
-----------------	---

Location: 2246-2247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
8	August	2	0.0 %
10	October	1	0.0 %
12	December	1	0.0 %
97 (M)	Legitimate skip	4878	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 9.50
- Median: 9.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 12.00
- Standard Deviation: 1.91

<b>H3MR15YE</b>	<b>S14Q15 YEAR COHAB WITH E ENDED-W3</b>
-----------------	--

Location: 2248-2251 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
1997	-	1	0.0 %
1999	-	1	0.0 %
2001	-	2	0.0 %
9997 (M)	Legitimate skip	4878	99.9 %

Based upon 4 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1999.50
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 1.91

H3MR_C_F	S14 SEQUENCE NUMBER FOR COHAB F-W3														
Location:	2252-2253 (width: 2; decimal: 0)														
Variable Type:	numeric														
Range of Missing Values (M):	97														
Question:	6th co-habitation sequence number														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding-right: 10px;">Value</th> <th style="text-align: left; padding-right: 10px;">Label</th> <th style="text-align: right; padding-right: 10px;"><i>Unweighted Frequency</i></th> <th style="text-align: right; padding-right: 10px;"><i>%</i></th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">6</td> <td style="padding: 2px;">6th co-habitation</td> <td style="text-align: right; padding: 2px;">3</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> <tr> <td style="padding: 2px;">97 (M)</td> <td style="padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4879</td> <td style="text-align: right; padding: 2px;">99.9 %</td> </tr> </tbody> </table>				Value	Label	<i>Unweighted Frequency</i>	<i>%</i>	6	6th co-habitation	3	0.1 %	97 (M)	Legitimate skip	4879	99.9 %
Value	Label	<i>Unweighted Frequency</i>	<i>%</i>												
6	6th co-habitation	3	0.1 %												
97 (M)	Legitimate skip	4879	99.9 %												

Based upon 3 valid cases out of 4882 total cases.

- Mean: 6.00
- Median: 6.00
- Mode: 6.00
- Minimum: 6.00
- Maximum: 6.00
- Standard Deviation: 0.00

H3MR10MF	S14Q10 MONTH COHAB WITH F BEGAN -W3																						
Location:	2254-2255 (width: 2; decimal: 0)																						
Variable Type:	numeric																						
Range of Missing Values (M):	97 , 98																						
Question:	In what month (and year) did you begin living with {THIS PERSON / H3MR_C_B}?																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding-right: 10px;">Value</th> <th style="text-align: left; padding-right: 10px;">Label</th> <th style="text-align: right; padding-right: 10px;"><i>Unweighted Frequency</i></th> <th style="text-align: right; padding-right: 10px;"><i>%</i></th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">6</td> <td style="padding: 2px;">June</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="padding: 2px;">8</td> <td style="padding: 2px;">August</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="padding: 2px;">97 (M)</td> <td style="padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4879</td> <td style="text-align: right; padding: 2px;">99.9 %</td> </tr> <tr> <td style="padding: 2px;">98 (M)</td> <td style="padding: 2px;">Don't know</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>				Value	Label	<i>Unweighted Frequency</i>	<i>%</i>	6	June	1	0.0 %	8	August	1	0.0 %	97 (M)	Legitimate skip	4879	99.9 %	98 (M)	Don't know	1	0.0 %
Value	Label	<i>Unweighted Frequency</i>	<i>%</i>																				
6	June	1	0.0 %																				
8	August	1	0.0 %																				
97 (M)	Legitimate skip	4879	99.9 %																				
98 (M)	Don't know	1	0.0 %																				

Based upon 2 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Minimum: 6.00
- Maximum: 8.00

- Study 21600 -

- Standard Deviation: 1.41

<b>H3MR10YF</b>	<b>S14Q10 YEAR COHAB WITH F BEGAN-W3</b>
-----------------	--

Location: 2256-2259 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2000	-	2	0.0 %
9997 (M)	Legitimate skip	4879	99.9 %
9998 (M)	Don't know	1	0.0 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 2000.00
- Median: 2000.00
- Mode: 2000.00
- Minimum: 2000.00
- Maximum: 2000.00
- Standard Deviation: 0.00

<b>H3MR11_F</b>	<b>S14Q11 EVER MARRY COHAB F-W3</b>
-----------------	-------------------------------------

Location: 2260-2260 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

<b>H3MR12MF</b>	<b>S14Q12 MONTH YOU AND COHAB F MARRIED-W3</b>
-----------------	--

Location: 2261-2262 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	May	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

**H3MR12YF**

**S14Q12 YEAR YOU AND COHAB F MARRIED-W3**

Location: 2263-2266 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

**H3MR13\_F**

**S14Q13 STILL LIVING W/COHAB F-W3**

Location: 2267-2267 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9

Question: Are you still living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (skip to Q.16)	1	0.0 %
7 (M)	Legitimate skip	4880	100.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**H3MR14\_F**
**S14Q14 HOW COHAB WITH F ENDED-W3**

Location: 2268-2268 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR15MF**
**S14Q15 MONTH COHAB WITH F ENDED-W3**

Location: 2269-2270 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR15YF**
**S14Q15 YEAR COHAB WITH F ENDED-W3**

Location: 2271-2274 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

**H3MR\_C\_G**
**S14 SEQUENCE NUMBER FOR COHAB G-W3**

Location: 2275-2276 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: 7th co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	7th co-habitation	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 7.00
- Minimum: 7.00
- Maximum: 7.00
- Standard Deviation: 0.00

**H3MR10MG**
**S14Q10 MONTH COHAB WITH G BEGAN -W3**

Location: 2277-2278 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	July	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 7.00
- Minimum: 7.00
- Maximum: 7.00
- Standard Deviation: 0.00

**H3MR10YG**
**S14Q10 YEAR COHAB WITH G BEGAN-W3**

Location: 2279-2282 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

**H3MR11\_G**
**S14Q11 EVER MARRY COHAB G-W3**

Location: 2283-2283 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12MG**
**S14Q12 MONTH YOU AND COHAB G MARRIED-W3**

Location: 2284-2285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12YG**
**S14Q12 YEAR YOU AND COHAB G MARRIED-W3**

Location: 2286-2289 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4882	100.0 %

- Study 21600 -

Based upon 0 valid cases out of 4882 total cases.

H3MR13_G	S14Q13 STILL LIVING W/COHAB G-W3			
Location:	2290-2290 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	Are you still living together?			
	Value	Label	Unweighted Frequency	%
	0	No	1	0.0 %
	7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H3MR14_G	S14Q14 HOW COHAB WITH G ENDED-W3			
Location:	2291-2291 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7			
Question:	How did your relationship [if Q.9 > 1, add: with H3M R_C_B] end?			
	Value	Label	Unweighted Frequency	%
	4	Other	1	0.0 %
	7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00
- Standard Deviation: 0.00

H3MR15MG	S14Q15 MONTH COHAB WITH G ENDED-W3			
Location:	2292-2293 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97			

## - Study 21600 -

Question:

In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	July	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 7.00
- Minimum: 7.00
- Maximum: 7.00
- Standard Deviation: 0.00

**H3MR15YG**

**S14Q15 YEAR COHAB WITH G ENDED-W3**

Location:

2294-2297 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9997

Question:

In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

**H3MR\_C\_H**

**S14 SEQUENCE NUMBER FOR COHAB H-W3**

Location:

2298-2299 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97

Question:

8th co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	8th co-habitation	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

<b>H3MR10MH</b>	<b>S14Q10 MONTH COHAB WITH H BEGAN -W3</b>
Location:	2300-2301 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	97
Question:	In what month (and year) did you begin living with {THIS PERSON / H3MR_C_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

<b>H3MR10YH</b>	<b>S14Q10 YEAR COHAB WITH H BEGAN-W3</b>
Location:	2302-2305 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9997
Question:	In what month (and year) did you begin living with {THIS PERSON / H3MR_C_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

- Study 21600 -

**H3MR11\_H**
**S14Q11 EVER MARRY COHAB H-W3**

Location: 2306-2306 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12MH**
**S14Q12 MONTH YOU AND COHAB H MARRIED-W3**

Location: 2307-2308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12YH**
**S14Q12 YEAR YOU AND COHAB H MARRIED-W3**

Location: 2309-2312 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you marry?

Value	Label	Unweighted Frequency	%
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR13\_H**
**S14Q13 STILL LIVING W/COHAB H-W3**

Location: 2313-2313 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you still living together?

Value	Label	Unweighted Frequency	%
1	Yes (skip to Q.16)	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

<b>H3MR14_H</b>	<b>S14Q14 HOW COHAB WITH H ENDED-W3</b>											
Location:	2314-2314 (width: 1; decimal: 0)											
Variable Type:	numeric											
Range of Missing Values (M):	7											
Question:	How did your relationship [if Q.9 > 1, add: with H3M R_C_B] end?											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	7 (M)	Legitimate skip	4882	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>									
7 (M)	Legitimate skip	4882	100.0 %									
Based upon 0 valid cases out of 4882 total cases.												
<b>H3MR15MH</b>	<b>S14Q15 MONTH COHAB WITH H ENDED-W3</b>											
Location:	2315-2316 (width: 2; decimal: 0)											
Variable Type:	numeric											
Range of Missing Values (M):	97											
Question:	In what month (and year) did you last live together?											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">97 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	97 (M)	Legitimate skip	4882	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>									
97 (M)	Legitimate skip	4882	100.0 %									
Based upon 0 valid cases out of 4882 total cases.												
<b>H3MR15YH</b>	<b>S14Q15 YEAR COHAB WITH H ENDED-W3</b>											
Location:	2317-2320 (width: 4; decimal: 0)											
Variable Type:	numeric											
Range of Missing Values (M):	9997											
Question:	In what month (and year) did you last live together?											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">9997 (M)</td><td style="text-align: left; padding: 2px;">Legitimate skip</td><td style="text-align: right; padding: 2px;">4882</td><td style="text-align: right; padding: 2px;">100.0 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	9997 (M)	Legitimate skip	4882	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>									
9997 (M)	Legitimate skip	4882	100.0 %									
Based upon 0 valid cases out of 4882 total cases.												
<b>H3MR_C_I</b>	<b>S14 SEQUENCE NUMBER FOR COHAB I-W3</b>											
Location:	2321-2322 (width: 2; decimal: 0)											
Variable Type:	numeric											

- Study 21600 -

Range of Missing Values (M): 97

Question: 9th co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	9th co-habitation	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 9.00
- Median: 9.00
- Mode: 9.00
- Minimum: 9.00
- Maximum: 9.00
- Standard Deviation: 0.00

**H3MR10MI**

**S14Q10 MONTH COHAB WITH I BEGAN -W3**

Location: 2323-2324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

**H3MR10YI**

**S14Q10 YEAR COHAB WITH I BEGAN-W3**

Location: 2325-2328 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %
9997 (M)	Legitimate skip	4881	100.0 %

- Study 21600 -

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

**H3MR11\_I****S14Q11 EVER MARRY COHAB I-W3**

Location: 2329-2329 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12MI****S14Q12 MONTH YOU AND COHAB I MARRIED-W3**

Location: 2330-2331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12YI****S14Q12 YEAR YOU AND COHAB I MARRIED-W3**

Location: 2332-2335 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you marry?

Value	Label	Unweighted Frequency	%
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR13\_I****S14Q13 STILL LIVING W/COHAB I-W3**

Location: 2336-2336 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: Are you still living together?

Value	Label	Unweighted Frequency	%
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3MR14\_I

#### S14Q14 HOW COHAB WITH I ENDED-W3

Location: 2337-2337 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3MR15MI

#### S14Q15 MONTH COHAB WITH I ENDED-W3

Location: 2338-2339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3MR15YI

#### S14Q15 YEAR COHAB WITH I ENDED-W3

Location: 2340-2343 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3MR\_C\_J

#### S14 SEQUENCE NUMBER FOR COHAB J-W3

- Study 21600 -

Location: 2344-2345 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: 10th co-habitation sequence number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	10th co-habitation	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 10.00
- Median: 10.00
- Mode: 10.00
- Minimum: 10.00
- Maximum: 10.00
- Standard Deviation: 0.00

#### H3MR10MJ

#### S14Q10 MONTH COHAB WITH J BEGAN -W3

Location: 2346-2347 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97  
 Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	August	1	0.0 %
97 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

#### H3MR10YJ

#### S14Q10 YEAR COHAB WITH J BEGAN-W3

Location: 2348-2351 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9997  
 Question: In what month (and year) did you begin living with {THIS PERSON / H3MR\_C\_B}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2001.00
- Median: 2001.00
- Mode: 2001.00
- Minimum: 2001.00
- Maximum: 2001.00
- Standard Deviation: 0.00

**H3MR11\_J**
**S14Q11 EVER MARRY COHAB J-W3**

Location: 2352-2352 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you {TWO/ AND H3MR\_C\_B} ever marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12MJ**
**S14Q12 MONTH YOU AND COHAB J MARRIED-W3**

Location: 2353-2354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR12YJ**
**S14Q12 YEAR YOU AND COHAB J MARRIED-W3**

Location: 2355-2358 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what month (and year) did you marry?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

- Study 21600 -

**H3MR13\_J**
**S14Q13 STILL LIVING W/COHAB J-W3**

Location: 2359-2359 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you still living together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (skip to Q.16)	1	0.0 %
7 (M)	Legitimate skip	4881	100.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**H3MR14\_J**
**S14Q14 HOW COHAB WITH J ENDED-W3**

Location: 2360-2360 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How did your relationship [if Q.9 > 1, add: with H3M R\_C\_B] end?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR15MJ**
**S14Q15 MONTH COHAB WITH J ENDED-W3**

Location: 2361-2362 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: In what month (and year) did you last live together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR15YJ**
**S14Q15 YEAR COHAB WITH J ENDED-W3**

Location: 2363-2366 (width: 4; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 9997

Question: In what month (and year) did you last live together?

Value	Label	Unweighted Frequency	%
9997 (M)	Legitimate skip	4882	100.0 %

Based upon 0 valid cases out of 4882 total cases.

**H3MR16A**

**S14Q16A IMP. REALTIONSHIP-SAME RACE-W3**

Location: 2367-2368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: How important do you think each of the following elements is for a successful marriage or serious committed relationship?: being of the same race or ethnic group

Value	Label	Unweighted Frequency	%
1	Not important at all	2167	44.4 %
2	-	285	5.8 %
3	-	301	6.2 %
4	-	130	2.7 %
5	-	632	12.9 %
6	-	163	3.3 %
7	-	223	4.6 %
8	-	299	6.1 %
9	-	147	3.0 %
10	Extremely important	519	10.6 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 3.86
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.25

**H3MR16B**

**S14Q16A IMP. REALTIONSHIP-LOVE-W3**

Location: 2369-2370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

- Study 21600 -

Question:

How important do you think each of the following elements is for a successful marriage or serious committed relationship?: love

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not important at all	37	0.8 %
2	-	10	0.2 %
3	-	4	0.1 %
4	-	3	0.1 %
5	-	80	1.6 %
6	-	22	0.5 %
7	-	53	1.1 %
8	-	194	4.0 %
9	-	270	5.5 %
10	Extremely important	4199	86.0 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 9.64
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.21

**H3MR16C**

**S14Q16A IMP. REALTIONSHIP-FAITHFUL-W3**

Location:

2371-2372 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 98 , 99

Question:

How important do you think each of the following elements is for a successful marriage or serious committed relationship?: being faithful that is, not cheating on your partner by seeing other people

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not important at all	38	0.8 %
2	-	6	0.1 %
3	-	9	0.2 %
4	-	9	0.2 %
5	-	44	0.9 %
6	-	14	0.3 %
7	-	55	1.1 %
8	-	144	2.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	225	4.6 %
10	Extremely important	4329	88.7 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 9.70
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.15

**H3MR16D**

**S14Q16A IMP. REALTIONSHIP-COMMITMENT-W3**

Location: 2373-2374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: How important do you think each of the following elements is for a successful marriage or serious committed relationship?: making a life-long commitment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not important at all	70	1.4 %
2	-	22	0.5 %
3	-	25	0.5 %
4	-	26	0.5 %
5	-	189	3.9 %
6	-	55	1.1 %
7	-	148	3.0 %
8	-	349	7.1 %
9	-	285	5.8 %
10	Extremely important	3703	75.9 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 9.23
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 10.00
- Standard Deviation: 1.76

**H3MR16E**

**S14Q16A IMP. REALTIONSHIP-MONEY-W3**

Location: 2375-2376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: How important do you think each of the following elements is for a successful marriage or serious committed relationship?: having enough money

Value	Label	Unweighted Frequency	%
1	Not important at all	432	8.8 %
2	-	161	3.3 %
3	-	202	4.1 %
4	-	181	3.7 %
5	-	993	20.3 %
6	-	347	7.1 %
7	-	611	12.5 %
8	-	722	14.8 %
9	-	243	5.0 %
10	Extremely important	982	20.1 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	1	0.0 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 6.40
- Median: 7.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.78

**H3MR17**

**S14Q17 LIKE TO BE MARRIED NOW-W3**

Location: 2377-2378 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: How much do you agree or disagree with the statement "I would like to be married now"?

Value	Label	Unweighted Frequency	%
1	Strongly agree	434	8.9 %
2	Agree somewhat	643	13.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Neither agree nor disagree	624	12.8 %
4	Disagree somewhat	843	17.3 %
5	Strongly disagree	1502	30.8 %
97 (M)	Legitimate skip	821	16.8 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	6	0.1 %
. (M)	-	3	0.1 %

Based upon 4046 valid cases out of 4882 total cases.

- Mean: 3.58
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.40

**H3MR18**
**S14Q18 MARRY OR FINISH SCHOOL-W3**

Location: 2379-2379 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Suppose that in the next few years you were going to school full time and met someone you really wanted to marry, but the only way for you to get married was to drop out of school completely. Would you get married then or wait until you finished your education?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Get married	276	5.7 %
2	Wait until education finished	3706	75.9 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	821	16.8 %
8 (M)	Don't know	58	1.2 %
9 (M)	Not applicable	13	0.3 %
. (M)	-	3	0.1 %

Based upon 3982 valid cases out of 4882 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

- Study 21600 -

**H3MR19**

**S14Q19 MARRY/SCH PT OR FINISH SCHOOL-W3**

Location: 2380-2380 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: What if you wanted to get married but you couldn't unless you started going to school part time?  
 Would you get married then or wait until you finished your education?

Value	Label	Unweighted Frequency	%
1	Get married	815	16.7 %
2	Wait until education finished	3152	64.6 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	821	16.8 %
8 (M)	Don't know	69	1.4 %
9 (M)	Not applicable	15	0.3 %
. (M)	-	3	0.1 %

Based upon 3967 valid cases out of 4882 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.40

**H3MR20**

**S14Q20 WORK BEFORE MARRY-W3**

Location: 2381-2381 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: What about work? How important would it be for you to work full time for a year or two before you got married?

Value	Label	Unweighted Frequency	%
1	Very important	1967	40.3 %
2	Somewhat important	1216	24.9 %
3	Not very important	611	12.5 %
4	Not at all important	229	4.7 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	821	16.8 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	3	0.1 %

Based upon 4023 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.78
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.90

H3MR21	S14Q21 IMPORTANT TO MARRY SOMEDAY-W3			
	Value	Label	Unweighted Frequency	%
Location:	2382-2382	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	How important is it to you to be married [if Q.1 > 0, add: again] someday?			
	1	Very important	2057	42.1 %
	2	Somewhat important	1300	26.6 %
	3	Not very important	485	9.9 %
	4	Not at all important	196	4.0 %
	6 (M)	Refused	1	0.0 %
	7 (M)	Legitimate skip	821	16.8 %
	8 (M)	Don't know	10	0.2 %
	9 (M)	Not applicable	9	0.2 %
	. (M)	-	3	0.1 %

Based upon 4038 valid cases out of 4882 total cases.

- Mean: 1.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

H3MR22	S14Q22 OK LIVE TOGETHER/NO MARRY-W3			
	Value	Label	Unweighted Frequency	%
Location:	2383-2384	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99			
Question:	How much do you agree or disagree with the statement "It is all right for an unmarried couple to live together even if they aren't interested in considering marriage".			
	1	Strongly agree	1140	23.4 %
	2	Agree somewhat	1493	30.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Neither agree nor disagree	901	18.5 %
4	Disagree somewhat	668	13.7 %
5	Strongly disagree	666	13.6 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	2	0.0 %

Based upon 4868 valid cases out of 4882 total cases.

- Mean: 2.64
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.34

#### H3EC1A

#### S15Q1A INCOME:WAGES/SALARIES INC TIPS-W3

Location: 2385-2385 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: wages or salaries, including tips, bonuses, and overtime pay, and income from self-employment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	471	9.6 %
1	Marked	4385	89.8 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	9	0.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4856 valid cases out of 4882 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

#### H3EC1B

#### S15Q1B INCOME:INTERESTS OR DIVIDENDS-W3

Location: 2386-2386 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: interest or dividends from stocks, bonds, savings, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4044	82.8 %
1	Marked	819	16.8 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4863 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**H3EC1C**

**S15Q1C INCOME:FOOD STAMPS-W3**

Location: 2387-2387 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: food stamps

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4627	94.8 %
1	Marked	237	4.9 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3EC1D**

**S15Q1D INCOME:AFDC/WELFARE/TANF PROG-W3**

Location: 2388-2388 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: AFDC (Aid to Families with Dependent Children ), public assistance, welfare, or a state TANF program

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4736	97.0 %
1	Marked	131	2.7 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

### H3EC1E

### S15Q1E HOUSING ASSISTANCE-W3

Location: 2389-2389 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: housing assistance

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4753	97.4 %
1	Marked	113	2.3 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	7	0.1 %
. (M)	-	5	0.1 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

### H3EC1F

### S15Q1F UNEMPL INSURANCE/COMP/DISAB-W3

- Study 21600 -

Location: 2390-2390 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: unemployment insurance, workmen's compensation, disability, or social security benefits, including SSI (supplemental security income)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4626	94.8 %
1	Marked	241	4.9 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

#### H3EC1G

#### S15Q1G INCOME:CHILD SUPPORT/ALIMONY-W3

Location: 2391-2391 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During any part of {2000/ 2001} did you receive income from the following sources?: child support or alimony

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4705	96.4 %
1	Marked	162	3.3 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

- Study 21600 -

**H3EC1H**
**S15Q1H INCOME:TRANSF FAMILY/FRIENDS-W3**

Location: 2392-2392 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: During any part of {2000/ 2001} did you receive income from the following sources?: family and friends (Include only transfers of income to you yourself from family and friends. Do not include a spouse's salary or a scholarship, for example.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2830	58.0 %
1	Marked	2038	41.7 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4868 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC2**
**S15Q2 TOTAL INCOME 2000/2001-W3**

Location: 2393-2398 (width: 6; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 999996 , 999998 , 999999  
 Question: Including all the income sources you reported above, what was your total personal income before taxes in {2000/ 2001}?

<i>Value</i>	<i>Label</i>
0	No income
999996 (M)	Refused
999998 (M)	Don't know
999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 3835 valid cases out of 4882 total cases.

- Mean: 13176.01
- Minimum: 0.00
- Maximum: 250000.00
- Standard Deviation: 14263.18

- Study 21600 -

**H3EC3**

**S15Q3 BEST GUESS INCOME BEFORE TAX-W3**

Location: 2399-2400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What is your best guess of your total personal income before taxes?

Value	Label	Unweighted Frequency	%
1	Less than \$10,000	392	8.0 %
2	\$10,000-\$14,999	130	2.7 %
3	\$15,000-\$19,999	84	1.7 %
4	\$20,000-\$29,000	92	1.9 %
5	\$30,000-\$39,000	29	0.6 %
6	\$40,000-\$49,000	12	0.2 %
7	\$50,000-\$74,999	4	0.1 %
8	\$75,000 or more	5	0.1 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	4040	82.8 %
98 (M)	Don't know	80	1.6 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	5	0.1 %

Based upon 748 valid cases out of 4882 total cases.

- Mean: 2.08
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.45

**H3EC4**

**S15Q4 INCOME FROM EARNINGS 2000/2001-W3**

Location: 2401-2406 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999996 , 999997 , 999998 , 999999

Question: In {2000/ 2001}, how much income did you receive from earnings that is, wages or salaries, including tips, bonuses, and overtime pay, and income from self-employment?

Value	Label
0	No income
999996 (M)	Refused
999997 (M)	Legitimate skip
999998 (M)	Don't know
999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

- Study 21600 -

Based upon 3598 valid cases out of 4882 total cases.

- Mean: 12276.89
- Minimum: 0.00
- Maximum: 300000.00
- Standard Deviation: 14376.23

H3EC5	S15Q5 BEST GUESS INCOME FROM EARNINGS-W3			
Location:	2407-2408 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 97 , 98 , 99 , .			
Question:	What is your best guess of the income you received from earnings?			
Value	Label	Unweighted Frequency	%	
1	Less than \$10,000	330	6.8 %	
2	\$10,000-\$14,999	103	2.1 %	
3	\$15,000-\$19,999	58	1.2 %	
4	\$20,000-\$29,000	53	1.1 %	
5	\$30,000-\$39,000	16	0.3 %	
6	\$40,000-\$49,000	7	0.1 %	
7	\$50,000-\$74,999	3	0.1 %	
8	\$75,000 or more	1	0.0 %	
96 (M)	Refused	3	0.1 %	
97 (M)	Legitimate skip	4236	86.8 %	
98 (M)	Don't know	67	1.4 %	
. (M)	-	5	0.1 %	

Based upon 571 valid cases out of 4882 total cases.

- Mean: 1.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.30

H3EC6	S15Q6 TOTAL HOUSEHOLD INC 2000/2001-W3			
Location:	2409-2414 (width: 6; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	999996 , 999997 , 999998 , 999999			
Question:	Thinking about your income and the income of everyone who lives in your household and contributes to the household budget, what was the total household income before taxes in {2000/ 2001}?			

- Study 21600 -

<i>Value</i>	<i>Label</i>
0	No income
999996 (M)	Refused
999997 (M)	Legitimate skip
999998 (M)	Don't know
999999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 1092 valid cases out of 4882 total cases.

- Mean: 58988.21
- Median: 50000.00
- Mode: 50000.00
- Minimum: 0.00
- Maximum: 602500.00
- Standard Deviation: 58880.80

**H3EC7**

**S15Q7 BEST GUESS HOUSEHOLD INC B TAX-W3**

Location: 2415-2416 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What is your best guess of the total household income before taxes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than \$10,000	38	0.8 %
2	\$10,000-\$14,999	24	0.5 %
3	\$15,000-\$19,999	30	0.6 %
4	\$20,000-\$29,000	47	1.0 %
5	\$30,000-\$39,000	52	1.1 %
6	\$40,000-\$49,000	77	1.6 %
7	\$50,000-\$74,999	112	2.3 %
8	\$75,000 or more	154	3.2 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	4172	85.5 %
98 (M)	Don't know	165	3.4 %
. (M)	-	5	0.1 %

Based upon 534 valid cases out of 4882 total cases.

- Mean: 5.81
- Median: 6.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 8.00

- Study 21600 -

- Standard Deviation: 2.19

H3EC8	S15Q8 TOTAL HOUSEHOLD INCOME COUPLES-W3												
Location:	2417-2422 (width: 6; decimal: 0)												
Variable Type:	numeric												
Range of Missing Values (M):	999996 , 999997 , 999998 , 999999												
Question:	Thinking about your income and the income of your spouse or partner, and all types of income sources, what was your total household income before taxes in {2000/2001}?												
<table border="1"> <thead> <tr> <th>Value</th><th>Label</th></tr> </thead> <tbody> <tr> <td>0</td><td>No income</td></tr> <tr> <td>999996 (M)</td><td>Refused</td></tr> <tr> <td>999997 (M)</td><td>Legitimate skip</td></tr> <tr> <td>999998 (M)</td><td>Don't know</td></tr> <tr> <td>999999 (M)</td><td>Not applicable</td></tr> </tbody> </table>		Value	Label	0	No income	999996 (M)	Refused	999997 (M)	Legitimate skip	999998 (M)	Don't know	999999 (M)	Not applicable
Value	Label												
0	No income												
999996 (M)	Refused												
999997 (M)	Legitimate skip												
999998 (M)	Don't know												
999999 (M)	Not applicable												

\* Frequencies not displayed for this variable.

Based upon 1206 valid cases out of 4882 total cases.

- Mean: 29261.52
- Median: 25000.00
- Mode: 30000.00
- Minimum: 0.00
- Maximum: 300000.00
- Standard Deviation: 25918.88

H3EC9	S15Q9 BEST GUESS HHOLD INC COUPLES-W3																																																
Location:	2423-2424 (width: 2; decimal: 0)																																																
Variable Type:	numeric																																																
Range of Missing Values (M):	96 , 97 , 98 , 99 , .																																																
Question:	What is your best guess of your total household income before taxes?																																																
<table border="1"> <thead> <tr> <th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr> </thead> <tbody> <tr> <td>1</td><td>Less than \$10,000</td><td>44</td><td>0.9 %</td></tr> <tr> <td>2</td><td>\$10,000-\$14,999</td><td>35</td><td>0.7 %</td></tr> <tr> <td>3</td><td>\$15,000-\$19,999</td><td>38</td><td>0.8 %</td></tr> <tr> <td>4</td><td>\$20,000-\$29,000</td><td>48</td><td>1.0 %</td></tr> <tr> <td>5</td><td>\$30,000-\$39,000</td><td>37</td><td>0.8 %</td></tr> <tr> <td>6</td><td>\$40,000-\$49,000</td><td>18</td><td>0.4 %</td></tr> <tr> <td>7</td><td>\$50,000-\$74,999</td><td>17</td><td>0.3 %</td></tr> <tr> <td>8</td><td>\$75,000 or more</td><td>13</td><td>0.3 %</td></tr> <tr> <td>96 (M)</td><td>Refused</td><td>1</td><td>0.0 %</td></tr> <tr> <td>97 (M)</td><td>Legitimate skip</td><td>4572</td><td>93.7 %</td></tr> <tr> <td>98 (M)</td><td>Don't know</td><td>53</td><td>1.1 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	1	Less than \$10,000	44	0.9 %	2	\$10,000-\$14,999	35	0.7 %	3	\$15,000-\$19,999	38	0.8 %	4	\$20,000-\$29,000	48	1.0 %	5	\$30,000-\$39,000	37	0.8 %	6	\$40,000-\$49,000	18	0.4 %	7	\$50,000-\$74,999	17	0.3 %	8	\$75,000 or more	13	0.3 %	96 (M)	Refused	1	0.0 %	97 (M)	Legitimate skip	4572	93.7 %	98 (M)	Don't know	53	1.1 %
Value	Label	Unweighted Frequency	%																																														
1	Less than \$10,000	44	0.9 %																																														
2	\$10,000-\$14,999	35	0.7 %																																														
3	\$15,000-\$19,999	38	0.8 %																																														
4	\$20,000-\$29,000	48	1.0 %																																														
5	\$30,000-\$39,000	37	0.8 %																																														
6	\$40,000-\$49,000	18	0.4 %																																														
7	\$50,000-\$74,999	17	0.3 %																																														
8	\$75,000 or more	13	0.3 %																																														
96 (M)	Refused	1	0.0 %																																														
97 (M)	Legitimate skip	4572	93.7 %																																														
98 (M)	Don't know	53	1.1 %																																														

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 250 valid cases out of 4882 total cases.

- Mean: 3.74
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.03

<b>H3EC10</b>	<b>S15Q10 OWN RESIDENCE-W3</b>
---------------	--------------------------------

Location: 2425-2425 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Do you own a residence such as a house, condominium, or mobile home?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4244	86.9 %
1	Yes	622	12.7 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

<b>H3EC11</b>	<b>S15Q11 OWN CAR/TRUCK/VAN/MOTORCYCLE-W3</b>
---------------	---

Location: 2426-2426 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Do you own a car, truck, van, or motorcycle?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1316	27.0 %
1	Yes	3557	72.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	3	0.1 %
. (M)	-	5	0.1 %

Based upon 4873 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

<b>H3EC12</b>	<b>S15Q12 OWN COMPUTER-W3</b>
---------------	-------------------------------

Location: 2427-2427 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: Do you own a computer?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2073	42.5 %
1	Yes (skip to Q.14)	2799	57.3 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
. (M)	-	5	0.1 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

<b>H3EC13</b>	<b>S15Q13 ACCESS TO COMPUTER-W3</b>
---------------	-------------------------------------

Location: 2428-2428 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Do you have access to a computer?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	384	7.9 %
1	Yes	1691	34.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2799	57.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	5	0.1 %

Based upon 2075 valid cases out of 4882 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

#### H3EC14

#### S15Q14 HAS E-MAIL ACCOUNT-W3

Location: 2429-2429 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Do you have an email account?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1572	32.2 %
1	Yes	3302	67.6 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	2	0.0 %
. (M)	-	5	0.1 %

Based upon 4874 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

#### H3EC15

#### S15Q15 HAS CHECKING ACCOUNT-W3

Location: 2430-2430 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

## - Study 21600 -

Question:

Do you have a checking account?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1364	27.9 %
1	Yes	3511	71.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3EC16**

**S15Q16 HAS CREDIT CARD-W3**

Location: 2431-2431 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Do you have a credit card?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2047	41.9 %
1	Yes	2828	57.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4875 valid cases out of 4882 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC17**

**S15Q17 HAS SAVINGS ACCOUNT-W3**

Location: 2432-2432 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

- Study 21600 -

Question:

Do you have a savings account?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1791	36.7 %
1	Yes	3081	63.1 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
. (M)	-	5	0.1 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3EC18**

**S15Q18 PAST 12 MON NO PHONE SERVICE-W3**

Location: 2433-2433 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: In the past 12 months, was there a time when {YOU WERE/YOUR HOUSEHOLD WAS} without telephone service for any reason?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4070	83.4 %
1	Yes	791	16.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	5	0.1 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**H3EC19**

**S15Q19 PAST 12 MON NO MORTG PAYMENT-W3**

Location: 2434-2434 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

In the past 12 months, was there a time when {YOU WERE/ YOUR HOUSEHOLD WAS} didn't pay the full amount of the rent or mortgage because you didn't have enough money?

Value	Label	Unweighted Frequency	%
0	No	4482	91.8 %
1	Yes	356	7.3 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	20	0.4 %
. (M)	-	5	0.1 %

Based upon 4838 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

### H3EC20

### S15Q20 PAST 12 MON EVICTED FROM HOUSE-W3

Location: 2435-2435 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

In the past 12 months, was there a time when {YOU WERE/ YOUR HOUSEHOLD WAS} evicted from your house or apartment for not paying the rent or mortgage?

Value	Label	Unweighted Frequency	%
0	No	4802	98.4 %
1	Yes	48	1.0 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	20	0.4 %
. (M)	-	5	0.1 %

Based upon 4850 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

- Study 21600 -

**H3EC21**

**S15Q21 PAST 12 MON NO UTIL PAYMNT-W3**

Location: 2436-2436 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: In the past 12 months, was there a time when {YOU/ YOUR HOUSEHOLD} didn't pay the full amount of a gas, electricity, or oil bill because you didn't have enough money?

Value	Label	Unweighted Frequency	%
0	No	4318	88.4 %
1	Yes	528	10.8 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	12	0.2 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	5	0.1 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3EC22**

**S15Q22 PAST 12 MON UTIL TURNED OFF-W3**

Location: 2437-2437 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: In the past 12 months, was there a time when {YOU/ YOUR HOUSEHOLD} had the service turned off by the gas or electric company, or the oil company wouldn't deliver, because payments were not made?

Value	Label	Unweighted Frequency	%
0	No	4632	94.9 %
1	Yes	217	4.4 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	5	0.1 %

Based upon 4849 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3EC23**

**S15Q23 PAST 12 MON NO \$ TO SEE DOCTOR-W3**

Location: 2438-2438 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: In the past 12 months, was there a time when {YOU/ SOMEONE IN YOUR HOUSEHOLD} needed to see a doctor or go to the hospital, but didn't go because {YOU/THEY} could not afford it?

Value	Label	Unweighted Frequency	%
0	No	4441	91.0 %
1	Yes	423	8.7 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3EC24**

**S15Q24 PAST 12 MON NO \$ TO SEE DENT-W3**

Location: 2439-2439 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: In the past 12 months, was there a time when {YOU/ SOMEONE IN YOUR HOUSEHOLD} needed to see a dentist, but didn't go because {YOU/THEY} could not afford it?

Value	Label	Unweighted Frequency	%
0	No	4296	88.0 %
1	Yes	568	11.6 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	9	0.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 4864 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H3EC25	S15Q25 FAMILIAR WITH WELFARE LAWS-W3		
	Value	Label	Unweighted Frequency
Location:	2440-2440	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	Are you familiar with the laws in your state or county regarding the receipt of welfare or TANF?		
			%
	0	No	3396 69.6 %
	1	Yes	1457 29.8 %
	6 (M)	Refused	3 0.1 %
	8 (M)	Don't know	18 0.4 %
	9 (M)	Not applicable	3 0.1 %
	. (M)	-	5 0.1 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H3EC26	S15Q26 CURRENTLY GETTING AFDC-W3		
	Value	Label	Unweighted Frequency
Location:	2441-2441	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	Are you currently getting AFDC, public assistance, or welfare?		
			%
	0	No	4635 94.9 %
	1	Yes	233 4.8 %
	6 (M)	Refused	4 0.1 %
	8 (M)	Don't know	5 0.1 %
	. (M)	-	5 0.1 %

Based upon 4868 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.05
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.21

H3EC27	S15Q27 SINCE JAN 1/01 AFDC STOPPED-W3		
Location:	2442-2442 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	Between January 2001 and now, was there any time when you stopped receiving AFDC, public assistance, or welfare?		
Value	Label	Unweighted Frequency	%
0	No	172	3.5 %
1	Yes (skip to Q.31)	57	1.2 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	4635	94.9 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	5	0.1 %

Based upon 229 valid cases out of 4882 total cases.

- Mean: 0.25
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.43

H3EC28	S15Q28 WELFARE CUT OFF VOLUNTARILY-W3		
Location:	2443-2443 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , 9 , .		
Question:	The last time you stopped receiving aid, did the welfare office cut you off, or was it your decision to leave welfare?		
Value	Label	Unweighted Frequency	%
1	Cut off by welfare office (skip to Q.30)	41	0.8 %
2	Own decision to leave	49	1.0 %
7 (M)	Legitimate skip	4774	97.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	5	0.1 %

Based upon 90 valid cases out of 4882 total cases.

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

#### H3EC29A

#### S15Q29A REASON-GOT JOB-W3

Location: 2444-2444 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Why did you leave welfare?: got a job

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	35	0.7 %
1	Marked	24	0.5 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	5	0.1 %

Based upon 59 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3EC29B

#### S15Q29B REASON-GOT RAISE-W3

Location: 2445-2445 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Why did you leave welfare?: working the same job but working more hours or got a raise

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	55	1.1 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 61 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

<b>H3EC29C</b>	<b>S15Q29C REASON-GOT BETTER JOB-W3</b>
----------------	---

Location: 2446-2446 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Why did you leave welfare?: got a better job

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	61	1.2 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4815	98.6 %
. (M)	-	5	0.1 %

Based upon 62 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

<b>H3EC29D</b>	<b>S15Q29D REASON-GOT MARRIED-W3</b>
----------------	--------------------------------------

Location: 2447-2447 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Why did you leave welfare?: got married or remarried

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	59	1.2 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 61 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3EC29E**

**S15Q29E REASON-MOVED IN W PARTNER-W3**

Location: 2448-2448 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave welfare?: moved in with a partner in a marriage-like relationship

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	60	1.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 60 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3EC29F**

**S15Q29F REASON-MOVED IN W FAMILY-W3**

Location: 2449-2449 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave welfare?: moved in with family

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	60	1.2 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 61 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**H3EC29G**

**S15Q29G REASON-MOVED OTH COUNTY/STATE-W3**

Location: 2450-2450 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave welfare?: moved to another county or state

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	60	1.2 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 61 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**H3EC29H**

**S15Q29H REASON-OTHER-W3**

Location: 2451-2451 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave welfare?: other

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	36	0.7 %
1	Marked	25	0.5 %
7 (M)	Legitimate skip	4815	98.6 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 61 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3EC30A</b>	<b>S15Q30A REASON-EARNINGS INCREASED-W3</b>
----------------	---

Location: 2452-2452 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: earnings increased

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	39	0.8 %
1	Marked	15	0.3 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

<b>H3EC30B</b>	<b>S15Q30B REASON-ASSETS TOO HIGH-W3</b>
----------------	--

Location: 2453-2453 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: assets were too high

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	53	1.1 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

#### H3EC30C

#### S15Q30C REASON-DID NOT FOLLOW PROG-W3

Location: 2454-2454 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: did not follow program rules

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	47	1.0 %
1	Marked	7	0.1 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

#### H3EC30D

#### S15Q30D REASON-REACHED END TIME LIMIT-W3

Location: 2455-2455 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: reached end of time limit allowed for receiving benefits

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	48	1.0 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3EC30E

#### S15Q30E REASON-WAS NOT US CITIZEN-W3

Location: 2456-2456 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: was not a US citizen

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	54	1.1 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3EC30F

#### S15Q30F REASON-OTHER-W3

Location: 2457-2457 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the welfare office cut you off?: other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	41	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	13	0.3 %
7 (M)	Legitimate skip	4823	98.8 %
. (M)	-	5	0.1 %

Based upon 54 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

#### H3EC31

#### S15Q31 REQUIRED TO WORK/ATTND SCHOOL-W3

Location: 2458-2458 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Are you required to work, go to school, or do anything else to obtain public assistance now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.33)	118	2.4 %
1	Yes	60	1.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4692	96.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	5	0.1 %

Based upon 178 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

#### H3EC32A

#### S15Q32A REQ: LOOK FOR JOB-W3

Location: 2459-2459 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What are you required to do?: look for a job

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	38	0.8 %
1	Marked	29	0.6 %
7 (M)	Legitimate skip	4810	98.5 %
. (M)	-	5	0.1 %

Based upon 67 valid cases out of 4882 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3EC32B</b>	<b>S15Q32B REQ: WORK IN PAID JOB-W3</b>
----------------	---

Location: 2460-2460 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What are you required to do?: work in a paid job

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	28	0.6 %
1	Marked	39	0.8 %
7 (M)	Legitimate skip	4810	98.5 %
. (M)	-	5	0.1 %

Based upon 67 valid cases out of 4882 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3EC32C</b>	<b>S15Q32C REQ: WORK IN UNPAID JOB-W3</b>
----------------	---

Location: 2461-2461 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What are you required to do?: work in an unpaid job

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	67	1.4 %
7 (M)	Legitimate skip	4810	98.5 %
. (M)	-	5	0.1 %

Based upon 67 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3EC32D

#### S15Q32D REQ: ATTEND SCHOOL/TRAINING-W3

Location: 2462-2462 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What are you required to do?: attend school or training

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	36	0.7 %
1	Marked	31	0.6 %
7 (M)	Legitimate skip	4810	98.5 %
. (M)	-	5	0.1 %

Based upon 67 valid cases out of 4882 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3EC33

#### S15Q33 CURRENTLY GETTING FOOD STAMPS-W3

Location: 2463-2463 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Are you getting food stamps now ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4621	94.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	249	5.1 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	5	0.1 %

Based upon 4870 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3EC34 S15Q34 SINC JAN 1/01 F STAMPS STOPPED-W3**

Location: 2464-2464 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Since January 2001, was there any time when you stopped receiving food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.38)	187	3.8 %
1	Yes	59	1.2 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	4619	94.6 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 246 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3EC35 S15Q35 FOOD STAMPS CUT OFF VOLUNTARILY-W3**

Location: 2465-2465 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9 , .

## - Study 21600 -

Question:

The last time that happened, did the food stamp office cut you off, or was it your decision to leave the food stamp program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Cut off by food stamp office (skip to Q.37)	36	0.7 %
2	Own decision to leave	20	0.4 %
7 (M)	Legitimate skip	4818	98.7 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

**H3EC36A**

**S15Q36A REASON-GOT JOB -W3**

Location:

2466-2466 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9 , .

Question:

Why did you leave the food stamp program?: got a job

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	68	1.4 %
1	Marked	40	0.8 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC36B**

**S15Q36B REASON-GOT RAISE/WRK MORE HRS-W3**

Location:

2467-2467 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9 , .

## - Study 21600 -

Question:

Why did you leave the food stamp program?: working the same job but working more hours or got a raise

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	99	2.0 %
1	Marked	9	0.2 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3EC36C**

**S15Q36C REASON-BETTER JOB-W3**

Location: 2468-2468 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

Why did you leave the food stamp program?: got a better job

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	98	2.0 %
1	Marked	10	0.2 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3EC36D**

**S15Q36D REASON-GOT MARRIED-W3**

Location: 2469-2469 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

Why did you leave the food stamp program?: got married or remarried

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	105	2.2 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

#### H3EC36E

#### S15Q36E REASON-MOVED IN W PARTNER-W3

Location: 2470-2470 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave the food stamp program?: moved in with a partner in a marriage-like relationship

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	107	2.2 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

#### H3EC36F

#### S15Q36F REASON-MOVED IN W FAMILY-W3

Location: 2471-2471 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave the food stamp program?: moved in with family

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	103	2.1 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3EC36G**
**S15Q36G REASON-MOVED OTH COUNTY/STATE-W3**

Location: 2472-2472 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave the food stamp program?: moved to another country or state

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	105	2.2 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3EC36H**
**S15Q36H REASON-OTHER-W3**

Location: 2473-2473 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did you leave the food stamp program?: other

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	75	1.5 %
1	Marked	33	0.7 %
7 (M)	Legitimate skip	4769	97.7 %
. (M)	-	5	0.1 %

Based upon 108 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

#### H3EC37A

#### S15Q37A REASON-EARNINGS INCREASE-W3

Location: 2474-2474 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: earnings increased

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	37	0.8 %
1	Marked	19	0.4 %
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3EC37B

#### S15Q37B REASON-ASSETS TOO HIGH-W3

Location: 2475-2475 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: assets were too high

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	56	1.1 %
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3EC37C

#### S15Q37C REASON-NOT FOLLOW PROG RULES-W3

Location: 2476-2476 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: did not follow program rules

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	48	1.0 %
1	Marked	8	0.2 %
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

#### H3EC37D

#### S15Q37D REASON-REACHED TIME LIMIT-W3

Location: 2477-2477 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: reached end of time limit allowed for receiving benefits

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	54	1.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

#### H3EC37E

#### S15Q37E REASON-WAS NOT US CITIZEN-W3

Location: 2478-2478 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: was not a US citizen

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	56	1.1 %
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3EC37F

#### S15Q37F REASON-OTHER-W3

Location: 2479-2479 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Why did the food stamp office cut you off?: other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	49	1.0 %
1	Marked	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4821	98.8 %
. (M)	-	5	0.1 %

Based upon 56 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

<b>H3EC38</b>	<b>S15Q38 RECEIVED OTH PUB ASSISTANCE-W3</b>
---------------	--

Location: 2480-2480 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8 , 9 , .

Question: Have you ever received any public assistance or welfare payments other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.53)	4390	89.9 %
1	Yes	403	8.3 %
5 (M)	Question not asked of this respondent	61	1.2 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	9	0.2 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	5	0.1 %

Based upon 4793 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

<b>H3EC39</b>	<b>S15Q39 2001 RECEIVED ANY PUB ASSIST-W3</b>
---------------	---

Location: 2481-2481 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: At any time during 2001, even for one month, {DID YOU RECEIVE/HAVE YOU RECEIVED} any public assistance or welfare payments from a state or local welfare office other than food stamps?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.41)	227	4.6 %
1	Yes	173	3.5 %
7 (M)	Legitimate skip	4474	91.6 %
8 (M)	Don't know	3	0.1 %
. (M)	-	5	0.1 %

Based upon 400 valid cases out of 4882 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3EC40</b>	<b>S15Q40 2001 RECEIVED PUB ASSIST 12 MON-W3</b>		
Location:	2482-2482 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8 , .		
Question:	{DID YOU RECEIVE/HAVE YOU RECEIVED} public assistance or welfare payments in all the months of 2001?		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	98	2.0 %
1	Yes	74	1.5 %
7 (M)	Legitimate skip	4704	96.4 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 172 valid cases out of 4882 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3EC41</b>	<b>S15Q41 2000 ANY PUB ASSIS OTH/TH FOOD-W3</b>
Location:	2483-2483 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 8 , .

## - Study 21600 -

Question:

At any time during 2000, even for one month, {DID YOU RECEIVE/HAVE YOU RECEIVED} any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.43)	307	6.3 %
1	Yes	155	3.2 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	2	0.0 %
. (M)	-	5	0.1 %

Based upon 462 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3EC42**

**S15Q42 2000 REC ASSIS 12 MON OTH/FOOD-W3**

Location: 2484-2484 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: {DID YOU RECEIVE/HAVE YOU RECEIVED} public assistance or welfare payments in all the months of 2000?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	90	1.8 %
1	Yes	64	1.3 %
7 (M)	Legitimate skip	4722	96.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 154 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC43**

**S15Q43 1999 ANY PUB ASSIS OTH/TH FOOD-W3**

Location: 2485-2485 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 7 , 8 , .

Question:

At any time during 1999, even for one month, did you receive any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.45)	334	6.8 %
1	Yes	126	2.6 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	4	0.1 %
. (M)	-	5	0.1 %

Based upon 460 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3EC44**

**S15Q44 1999 REC ASSIS 12 MON OTH/FOOD-W3**

Location: 2486-2486 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question:

Did you receive public assistance or welfare payments in all the months of 1999?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	73	1.5 %
1	Yes	53	1.1 %
7 (M)	Legitimate skip	4751	97.3 %
. (M)	-	5	0.1 %

Based upon 126 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3EC45**

**S15Q45 1998 ANY PUB ASSIS OTH/TH FOOD-W3**

Location: 2487-2487 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

- Study 21600 -

Question:

At any time during 1998, even for one month, did you receive any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.47)	332	6.8 %
1	Yes	126	2.6 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 458 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3EC46**

**S15Q46 1998 REC ASSIS 12 MON OTH/FOOD-W3**

Location:

2488-2488 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 8 , .

Question:

Did you receive public assistance or welfare payments in all the months of 1998?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	72	1.5 %
1	Yes	53	1.1 %
7 (M)	Legitimate skip	4751	97.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 125 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3EC47**

**S15Q47 1997 ANY PUB ASSIS OTH/TH FOOD-W3**

Location:

2489-2489 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , .

## - Study 21600 -

Question:

At any time during 1997, even for one month, did you receive any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.49)	349	7.1 %
1	Yes	108	2.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	5	0.1 %
. (M)	-	6	0.1 %

Based upon 457 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3EC48**

**S15Q48 1997 REC ASSIS 12 MON OTH/FOOD-W3**

Location:

2490-2490 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 8 , .

Question:

Did you receive public assistance or welfare payments in all the months of 1997?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	47	1.0 %
1	Yes	60	1.2 %
7 (M)	Legitimate skip	4769	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	5	0.1 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3EC49**

**S15Q49 1996 ANY PUB ASSIS OTH/TH FOOD-W3**

Location:

2491-2491 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 7 , 8 , .

Question:

At any time during 1996, even for one month, did you receive any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.51)	371	7.6 %
1	Yes	84	1.7 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	9	0.2 %
. (M)	-	5	0.1 %

Based upon 455 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

**H3EC50**

**S15Q50 1996 REC ASSIS 12 MON OTH/FOOD-W3**

Location: 2492-2492 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question:

Did you receive public assistance or welfare payments in all the months of 1996?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32	0.7 %
1	Yes	52	1.1 %
7 (M)	Legitimate skip	4793	98.2 %
. (M)	-	5	0.1 %

Based upon 84 valid cases out of 4882 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC51**

**S15Q51 1995 ANY PUB ASSIS OTH/TH FOOD-W3**

Location: 2493-2493 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

## - Study 21600 -

Question:

At any time during 1995, even for one month, did you receive any public assistance or welfare payments from a state or local welfare office other than food stamps?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.53)	391	8.0 %
1	Yes	64	1.3 %
7 (M)	Legitimate skip	4413	90.4 %
8 (M)	Don't know	9	0.2 %
. (M)	-	5	0.1 %

Based upon 455 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

<b>H3EC52</b>	<b>S15Q52 1995 REC ASSIS 12 MON OTH/FOOD-W3</b>
---------------	---

Location: 2494-2494 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Did you receive public assistance or welfare payments in all the months of 1995?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23	0.5 %
1	Yes	41	0.8 %
7 (M)	Legitimate skip	4813	98.6 %
. (M)	-	5	0.1 %

Based upon 64 valid cases out of 4882 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

<b>H3EC53</b>	<b>S15Q53 OWN STOCKS/MUTUAL FUNDS/TRUSTS-W3</b>
---------------	---

Location: 2495-2495 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

## - Study 21600 -

Question:

Do you [if the respondent is married, add: or your spouse] have any shares of stock in publicly held corporations, mutual funds, or investment trusts, including stocks in IRAs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3701	75.8 %
1	Yes	1149	23.5 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	22	0.5 %
. (M)	-	5	0.1 %

Based upon 4850 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3EC54**

**S15Q54 HAS UNPAID LOANS-W3**

Location:

2496-2496 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , .

Question:

Do you [if the respondent is married, add: or your {HUSBAND/WIFE}] have any student loans or other educational loans that have not yet been paid?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3345	68.5 %
1	Yes	1522	31.2 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	5	0.1 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3EC55**

**S15Q55 HAS CREDIT CARD DEBT-W3**

Location:

2497-2497 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question:

Do you [if the respondent is married, add: or your {HUSBAND/WIFE}] have any credit card debt?

Value	Label	Unweighted Frequency	%
0	No	2942	60.3 %
1	Yes	1928	39.5 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	5	0.1 %

Based upon 4870 valid cases out of 4882 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3EC56**

**S15Q56 CHANCE OF-LIVING TILL AGE 85-W3**

Location: 2498-2499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question:

What do you think are the chances that each of the following things will happen to you?: You will live to age 35.

Value	Label	Unweighted Frequency	%
1	Almost certain	3533	72.4 %
2	A good chance	974	20.0 %
3	A 50-50 chance	329	6.7 %
4	Some chance, but probably not	14	0.3 %
5	Almost no chance	5	0.1 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.63

- Study 21600 -

**H3EC57**

**S15Q57 CHANCE OF-DIVORCE BY AGE 35-W3**

Location: 2500-2501 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: What do you think are the chances that each of the following things will happen to you?: You will be divorced by age 35.

Value	Label	Unweighted Frequency	%
1	Almost certain	86	1.8 %
2	A good chance	98	2.0 %
3	A 50-50 chance	435	8.9 %
4	Some chance, but probably not	1120	22.9 %
5	Almost no chance	2978	61.0 %
6	This has already happened	62	1.3 %
96 (M)	Refused	6	0.1 %
98 (M)	Don't know	73	1.5 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	5	0.1 %

Based upon 4779 valid cases out of 4882 total cases.

- Mean: 4.46
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.89

**H3EC58**

**S15Q58 CHANCE OF-MARRIAGE NEXT 10 YRS-W3**

Location: 2502-2503 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: What do you think are the chances that each of the following things will happen to you?: You will be married in the next 10 years.

Value	Label	Unweighted Frequency	%
1	Almost certain	1552	31.8 %
2	A good chance	1222	25.0 %
3	A 50-50 chance	785	16.1 %
4	Some chance, but probably not	274	5.6 %
5	Almost no chance	175	3.6 %
6	This has already happened	5	0.1 %
96 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	823	16.9 %
98 (M)	Don't know	32	0.7 %
99 (M)	Not applicable	7	0.1 %
. (M)	-	5	0.1 %

Based upon 4013 valid cases out of 4882 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.12

<b>H3EC59 S15Q59 CHANCE OF-MID/CLASS INC AT 30-W3</b>	
Location:	2504-2505 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	96 , 97 , 98 , 99 , .
Question:	What do you think are the chances that each of the following things will happen to you?: You will have a middle-class income at age 30.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Almost certain	2067	42.3 %
2	A good chance	1611	33.0 %
3	A 50-50 chance	727	14.9 %
4	Some chance, but probably not	220	4.5 %
5	Almost no chance	112	2.3 %
6	This has already happened	106	2.2 %
96 (M)	Refused	2	0.0 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	5	0.1 %

Based upon 4843 valid cases out of 4882 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.15

<b>H3EC60 S15Q60 CHANCE OF-MID/CLASS INC+ AT 30-W3</b>	

- Study 21600 -

Location: 2506-2507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What do you think are the chances that each of the following things will happen to you?: You will have much more than a middle-class income at age 30.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Almost certain	1083	22.2 %
2	A good chance	1421	29.1 %
3	A 50-50 chance	1416	29.0 %
4	Some chance, but probably not	712	14.6 %
5	Almost no chance	194	4.0 %
6	This has already happened	16	0.3 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	5	0.1 %

Based upon 4842 valid cases out of 4882 total cases.

- Mean: 2.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.13

### H3EC61

### S15Q61 CHANCE OF-GETTING HIV/AIDS-W3

Location: 2508-2509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What do you think are the chances that each of the following things will happen to you?: You will get HIV or AIDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Almost certain	6	0.1 %
2	A good chance	4	0.1 %
3	A 50-50 chance	124	2.5 %
4	Some chance, but probably not	550	11.3 %
5	Almost no chance	4147	84.9 %
6	This has already happened	6	0.1 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	30	0.6 %
99 (M)	Not applicable	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5	0.1 %

Based upon 4837 valid cases out of 4882 total cases.

- Mean: 4.83
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.46

**H3EC62**
**S15Q62 B AGE 18 HH MEM REC PUB ASSIST-W3**

Location: 2510-2510 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Before you turned 18, did anyone in your household ever receive public assistance or welfare payments?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4070	83.4 %
1	Yes	722	14.8 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	76	1.6 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	5	0.1 %

Based upon 4792 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**H3EC63**
**S15Q63 HOW LONG HH MEM REC PUB ASSIST-W3**

Location: 2511-2512 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During how much of the time before you turned 18 did anyone in your household receive this kind of help?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Only a very short time	308	6.3 %
2	Less than half the time	103	2.1 %
3	About half the time	112	2.3 %
4	Most of the time	119	2.4 %
5	Practically all the time	58	1.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4155	85.1 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 700 valid cases out of 4882 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.39

### H3SE1

### S16Q1 EVER HAVE SEX-W3

Location: 2513-2513 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever had vaginal intercourse? (Vaginal intercourse is when a man inserts his penis in to a woman's vagina.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.11)	653	13.4 %
1	Yes	4182	85.7 %
6 (M)	Refused	24	0.5 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	17	0.3 %

Based upon 4835 valid cases out of 4882 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

- Study 21600 -

**H3SE2**

**S16Q2 AGE FIRST TIME SEX-W3**

Location: 2514-2515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time you had vaginal intercourse?

Value	Label	Unweighted Frequency	%
10	-	18	0.4 %
11	-	15	0.3 %
12	-	122	2.5 %
13	-	222	4.5 %
14	-	386	7.9 %
15	-	661	13.5 %
16	-	815	16.7 %
17	-	691	14.2 %
18	-	619	12.7 %
19	-	242	5.0 %
20	-	173	3.5 %
21	-	118	2.4 %
22	-	34	0.7 %
23	-	31	0.6 %
24	-	9	0.2 %
25	-	2	0.0 %
96 (M)	Refused	16	0.3 %
97 (M)	Legitimate skip	700	14.3 %
98 (M)	Don't know	8	0.2 %

Based upon 4158 valid cases out of 4882 total cases.

- Mean: 16.40
- Median: 16.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 25.00
- Standard Deviation: 2.25

**H3SE3**

**S16Q3 TOTAL NUMBER OF SEX PRTNRS-W3**

Location: 2516-2517 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: With how many partners have you ever had vaginal intercourse, even if only once?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	833	17.1 %
2	-	548	11.2 %
3	-	487	10.0 %
4	-	358	7.3 %
5	-	372	7.6 %
6	-	232	4.8 %
7	-	193	4.0 %
8	-	148	3.0 %
9	-	76	1.6 %
10	-	212	4.3 %
11	-	62	1.3 %
12	-	72	1.5 %
13	-	38	0.8 %
14	-	42	0.9 %
15	-	76	1.6 %
16	-	13	0.3 %
17	-	22	0.5 %
18	-	21	0.4 %
19	-	12	0.2 %
20	-	84	1.7 %
21	-	14	0.3 %
22	-	12	0.2 %
23	-	11	0.2 %
24	-	5	0.1 %
25	-	39	0.8 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	7	0.1 %
30	-	37	0.8 %
31	-	1	0.0 %
32	-	5	0.1 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	15	0.3 %
36	-	1	0.0 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	7	0.1 %
41	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	1	0.0 %
45	-	5	0.1 %
46	-	2	0.0 %
47	-	2	0.0 %
50	-	33	0.7 %
96 (M)	Refused	29	0.6 %
97 (M)	Legitimate skip	700	14.3 %
98 (M)	Don't know	33	0.7 %
99 (M)	Not applicable	7	0.1 %
. (M)	-	1	0.0 %

Based upon 4112 valid cases out of 4882 total cases.

- Mean: 6.53
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 7.72

#### H3SE4

#### S16Q4 PST 12 MTHS-TOT NO SEX PRTNRS-W3

Location: 2518-2519 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: With how many different partners have you had vaginal intercourse in the past 12 months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No partners (skip to Q.11)	357	7.3 %
1	-	2398	49.1 %
2	-	682	14.0 %
3	-	307	6.3 %
4	-	138	2.8 %
5	-	85	1.7 %
6	-	52	1.1 %
7	-	30	0.6 %
8	-	12	0.2 %
9	-	6	0.1 %
10	-	32	0.7 %
11	-	6	0.1 %
12	-	11	0.2 %
14	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	5	0.1 %
22	-	2	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
30	-	3	0.1 %
34	-	1	0.0 %
50	-	1	0.0 %
96 (M)	Refused	14	0.3 %
97 (M)	Legitimate skip	700	14.3 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	22	0.5 %

Based upon 4137 valid cases out of 4882 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.30

### H3SE5

### S16Q5 PST 12 MTHS-SEX PRTNR HAVE STD-W3

Location: 2520-2520 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Now, think about {THIS PERSON/THESE PEOPLE} with whom you had vaginal intercourse in the past 12 months . To the best of your knowledge, did {HE/SHE/ANY OF THEM} ever in {HIS LIFE/ HER LIFE/ THEIR LIVES} have a sexually transmitted disease or STD?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3353	68.7 %
1	Yes	324	6.6 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	1057	21.7 %
8 (M)	Don't know	109	2.2 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	22	0.5 %

- Study 21600 -

Based upon 3677 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3SE6****S16Q6 PST 12 MTHS-TOT NO SEX INTRCRS-W3**

Location: 2521-2523 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How many times have you had vaginal intercourse in the past 12 months?

Value	Label
0	0 times
996 (M)	Refused
997 (M)	Legitimate skip
998 (M)	Don't know
999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 3349 valid cases out of 4882 total cases.

- Mean: 72.73
- Median: 35.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 108.61

**H3SE7****S16Q7 PST 12 MTHS-USE BIRTH CONTROL-W3**

Location: 2524-2524 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: On how many of these occasions of vaginal intercourse in the past 12 months did you or your partner use some form of birth control or pregnancy protection?

Value	Label	Unweighted Frequency	%
0	None	553	11.3 %
1	Some	384	7.9 %
2	Half	294	6.0 %
3	Most	766	15.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	All	1767	36.2 %
6 (M)	Refused	12	0.2 %
7 (M)	Legitimate skip	1057	21.7 %
8 (M)	Don't know	21	0.4 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	22	0.5 %

Based upon 3764 valid cases out of 4882 total cases.

- Mean: 2.75
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.49

### H3SE8

### S16Q8 PST 12 MTHS-OFTEN USE CONDOMS-W3

Location: 2525-2525 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: On how many of these occasions did {YOU/ YOUR PARTNER} use a condom ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1169	23.9 %
1	Some	797	16.3 %
2	Half	301	6.2 %
3	Most	702	14.4 %
4	All	813	16.7 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	1057	21.7 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	22	0.5 %

Based upon 3782 valid cases out of 4882 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.56

- Study 21600 -

**H3SE9**

**S16Q9 MOST RECENT SEX-USE BRTH CTRL-W3**

Location: 2526-2526 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: The most recent time you had vaginal intercourse, did you or your partner use some form of birth control?

Value	Label	Unweighted Frequency	%
0	No	1211	24.8 %
1	Yes	2557	52.4 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	1057	21.7 %
8 (M)	Don't know	20	0.4 %
9 (M)	Not applicable	7	0.1 %
. (M)	-	22	0.5 %

Based upon 3768 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3SE10**

**S16Q10 MOST RECENT SEX-USE CONDOM**

Location: 2527-2527 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: The most recent time you had vaginal intercourse did {YOU/YOUR PARTNER} use a condom?

Value	Label	Unweighted Frequency	%
0	No	2197	45.0 %
1	Yes	1584	32.4 %
6 (M)	Refused	9	0.2 %
7 (M)	Legitimate skip	1057	21.7 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	7	0.1 %
. (M)	-	22	0.5 %

Based upon 3781 valid cases out of 4882 total cases.

- Mean: 0.42
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

<b>H3SE11</b>	<b>S16Q11 EVER ATTRACTED TO FEMALE-W3</b>			
Location:	2528-2528 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9			
Question:	Have you ever had a romantic attraction to a female?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	2391	49.0 %
	1	Yes	2462	50.4 %
	6 (M)	Refused	13	0.3 %
	8 (M)	Don't know	6	0.1 %
	9 (M)	Not applicable	10	0.2 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3SE12</b>	<b>S16Q12 EVER ATTRACTED TO MALE-W3</b>			
Location:	2529-2529 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9			
Question:	Have you ever had a romantic attraction to a male?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	2209	45.2 %
	1	Yes	2648	54.2 %
	6 (M)	Refused	12	0.2 %
	8 (M)	Don't know	4	0.1 %
	9 (M)	Not applicable	9	0.2 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 0.55
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H3SE13	S16Q13 SEXUAL SELF DEFINITION-W3		
Location:	2530-2531 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99		
Question:	Please choose the description that best fits how you think about yourself.		
Value	Label	Unweighted Frequency	%
1	100% heterosexual (straight)	4347	89.0 %
2	Mostly heterosexual/somewhat attracted to people of own sex	324	6.6 %
3	Bisexual-attracted to men and women equally	73	1.5 %
4	Mostly homosexual/somewhat attracted to opposite sex	35	0.7 %
5	100% homosexual (gay)	29	0.6 %
6	Not sexually attracted to either males or females	25	0.5 %
96 (M)	Refused	21	0.4 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	16	0.3 %

Based upon 4833 valid cases out of 4882 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.62

H3SE14	S16Q14 PARENT KNOWLDGE OF SEXUALITY-W3		
Location:	2532-2532 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 8		
Question:	Which of your parents knows [if Q.13 = 3, add:] that you are bisexual? [if Q.13 = 4 or 5, add:] about your homosexuality?		
Value	Label	Unweighted Frequency	%
0	Neither parent knows	58	1.2 %
1	Only mother knows	27	0.6 %
2	Only father knows	1	0.0 %
3	Both parents know	50	1.0 %
7 (M)	Legitimate skip	4745	97.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	1	0.0 %

Based upon 136 valid cases out of 4882 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.35

**H3SE15**
**S16Q15 EVER PAID FOR SEX-W3**

Location: 2533-2533 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever paid someone to have sex with you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.17)	4738	97.1 %
1	Yes	122	2.5 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	11	0.2 %

Based upon 4860 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3SE16**
**S16Q16 PST 12 MTHS-FREQ OF PD FOR SEX-W3**

Location: 2534-2534 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, how many times have you paid someone to have sex with you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	60	1.2 %
1	1 or 2 times	50	1.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	3-10 times	9	0.2 %
3	11-25 times	1	0.0 %
4	26 or more times	2	0.0 %
7 (M)	Legitimate skip	4760	97.5 %

Based upon 122 valid cases out of 4882 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.79

**H3SE17**

**S16Q17 EVER BEEN PD FOR SEX-W3**

Location: 2535-2535 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever had sex with someone who paid you to do so?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.19)	4731	96.9 %
1	Yes	130	2.7 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	9	0.2 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3SE18**

**S16Q18 PST 12 MTHS-FREQ BEEN PD SEX-W3**

Location: 2536-2536 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, how many times have you had sex with someone who paid you to do so?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	69	1.4 %
1	1 or 2 times	43	0.9 %
2	3-10 times	13	0.3 %
3	11-25 times	1	0.0 %
4	26 or more times	4	0.1 %
7 (M)	Legitimate skip	4752	97.3 %

Based upon 130 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.92

**H3SE19**

**S16Q19 EVER HAD SEX W/DRUG NDLE USER-W3**

Location: 2537-2537 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever had sex with someone who takes or shoots street drugs using a needle?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.21)	4749	97.3 %
1	Yes	95	1.9 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	21	0.4 %
9 (M)	Not applicable	11	0.2 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3SE20**

**S16Q20 FREQ OF SEX W/DRUG NDLE USER-W3**

Location: 2538-2538 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , 9

- Study 21600 -

Question:

In the past 12 months, how many times have you had sex with someone who takes or shoots street drugs using a needle?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	55	1.1 %
1	1 or 2 times	15	0.3 %
2	3-10 times	14	0.3 %
3	11-25 times	6	0.1 %
4	26 or more times	2	0.0 %
7 (M)	Legitimate skip	4787	98.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 92 valid cases out of 4882 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.08

**H3SE21A**

**S16Q21A PST 12 MTHS-DIAGN-CHLAMYDIA-W3**

Location: 2539-2539 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: chlamydia

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4632	94.9 %
1	Yes	161	3.3 %
6 (M)	Refused	29	0.6 %
8 (M)	Don't know	18	0.4 %
9 (M)	Not applicable	42	0.9 %

Based upon 4793 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

- Study 21600 -

**H3SE21B**

**S16Q21B PST 12 MTHS-DIAGN-GONORRHEA-W3**

Location: 2540-2540 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: gonorrhea

Value	Label	Unweighted Frequency	%
0	No	4793	98.2 %
1	Yes	49	1.0 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	24	0.5 %

Based upon 4842 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

**H3SE21C**

**S16Q21C PST 12 MTHS-DIAGN-TRICHOMYSIS-W3**

Location: 2541-2541 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: trichomoniasis

Value	Label	Unweighted Frequency	%
0	No	4813	98.6 %
1	Yes	34	0.7 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

- Study 21600 -

**H3SE21D**
**S16Q21D PST 12 MTHS-DIAGN-SYPHILIS-W3**

Location: 2542-2542 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: syphilis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4833	99.0 %
1	Yes	12	0.2 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	20	0.4 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

**H3SE21E**
**S16Q21E PST 12 MTHS-DIAGN-GEN HRPS-W3**

Location: 2543-2543 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: genital herpes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4795	98.2 %
1	Yes	49	1.0 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

- Study 21600 -

**H3SE21F**
**S16Q21F PST 12 MTHS-DIAGN-GEN WRTS-W3**

Location: 2544-2544 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: genital warts

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4787	98.1 %
1	Yes	57	1.2 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3SE21G**
**S16Q21G PST 12 MTHS-DIAGN-HPV-W3**

Location: 2545-2545 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: human papilloma virus (HPV)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4780	97.9 %
1	Yes	67	1.4 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

- Study 21600 -

**H3SE21H**

**S16Q21H PST 12 MTHS-DIAGN-VAGINOSIS-W3**

Location: 2546-2546 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: bacterial vaginosis

Value	Label	Unweighted Frequency	%
0	No	4748	97.3 %
1	Yes	98	2.0 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3SE21I**

**S16Q21I PST 12 MTHS-DIAGN-PID-W3**

Location: 2547-2547 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: pelvic inflammatory disease (PID)

Value	Label	Unweighted Frequency	%
0	No	4817	98.7 %
1	Yes	26	0.5 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4843 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

- Study 21600 -

**H3SE21J**

**S16Q21J PST 12 MTHS-DIAGN-CERV/MPC-W3**

Location: 2548-2548 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: cervicitis or mucopurulent cervicitis (MPC)

Value	Label	Unweighted Frequency	%
0	No	4837	99.1 %
1	Yes	9	0.2 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

**H3SE21K**

**S16Q21K PST 12 MTHS-DIAGN-URTHRHTS-W3**

Location: 2549-2549 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: urethritis (NGU)

Value	Label	Unweighted Frequency	%
0	No	4838	99.1 %
1	Yes	7	0.1 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	22	0.5 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

- Study 21600 -

**H3SE21L**

**S16Q21L PST 12 MTHS-DIAGN-VAGINTS-W3**

Location: 2550-2550 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: vaginitis

Value	Label	Unweighted Frequency	%
0	No	4805	98.4 %
1	Yes	41	0.8 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

**H3SE21M**

**S16Q21M PST 12 MTHS-DIAGN-HIV/AIDS-W3**

Location: 2551-2551 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: HIV infection or AIDS

Value	Label	Unweighted Frequency	%
0	No	4838	99.1 %
1	Yes	9	0.2 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

- Study 21600 -

**H3SE21N**

**S16Q21N PST 12 MTHS-DIAGN-OTHER-W3**

Location: 2552-2552 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you been told by a doctor or nurse that you had the following sexually transmitted diseases?: other

Value	Label	Unweighted Frequency	%
0	No	4818	98.7 %
1	Yes	19	0.4 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	27	0.6 %

Based upon 4837 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

**H3SE22A**

**S16Q22A PST 12 MTHS-TEST-CHLAMYDIA-W3**

Location: 2553-2553 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: chlamydia

Value	Label	Unweighted Frequency	%
0	No	4007	82.1 %
1	Yes	824	16.9 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	22	0.5 %

Based upon 4831 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 21600 -

**H3SE22B**
**S16Q22B PST 12 MTHS-TEST-GONORRHEA-W3**

Location: 2554-2554 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: gonorrhea

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4099	84.0 %
1	Yes	749	15.3 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	12	0.2 %
9 (M)	Not applicable	15	0.3 %

Based upon 4848 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**H3SE22C**
**S16Q22C PST 12 MTHS-TEST-TRICHOMYSIS-W3**

Location: 2555-2555 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: trichomoniasis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4448	91.1 %
1	Yes	396	8.1 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	17	0.3 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

- Study 21600 -

**H3SE22D**
**S16Q22D PST 12 MTHS-TEST-SYPHILIS-W3**

Location: 2556-2556 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: syphilis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4272	87.5 %
1	Yes	574	11.8 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	16	0.3 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**H3SE22E**
**S16Q22E PST 12 MTHS-TEST-GEN HRPS-W3**

Location: 2557-2557 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: genital herpes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4272	87.5 %
1	Yes	574	11.8 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	16	0.3 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

- Study 21600 -

**H3SE22F**
**S16Q22F PST 12 MTHS-TEST-HPV-W3**

Location: 2558-2558 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: human papilloma virus (HPV)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4387	89.9 %
1	Yes	458	9.4 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	16	0.3 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3SE22G**
**S16Q22G PST 12 MTHS-TEST-VAGINOSIS-W3**

Location: 2559-2559 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: bacterial vaginosis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4361	89.3 %
1	Yes	481	9.9 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	16	0.3 %
9 (M)	Not applicable	17	0.3 %

Based upon 4842 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

- Study 21600 -

**H3SE22H**
**S16Q22H PST 12 MTHS-TEST-PID-W3**

Location: 2560-2560 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: pelvic inflammatory disease (PID)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4399	90.1 %
1	Yes	447	9.2 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	16	0.3 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3SE22I**
**S16Q22I PST 12 MTHS-TEST-HIV/AIDS-W3**

Location: 2561-2561 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: HIV infection or AIDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3969	81.3 %
1	Yes	876	17.9 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	16	0.3 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 21600 -

**H3SE22J**

**S16Q22J PST 12 MTHS-TEST-OTHER-W3**

Location: 2562-2562 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Next, we'd like to know which, if any, of the following sexually transmitted diseases you been tested for in the past 12 months: other

Value	Label	Unweighted Frequency	%
0	No	4645	95.1 %
1	Yes	199	4.1 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	19	0.4 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

**H3SE23A**

**S16Q23A PST 12 MTHS-SYMPTMS-URINE-W3**

Location: 2563-2563 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you had any of the following symptoms?: painful or very frequent urination (peeing)

Value	Label	Unweighted Frequency	%
0	Not marked	4506	92.3 %
1	Marked	339	6.9 %
6 (M)	Refused	13	0.3 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	21	0.4 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

- Study 21600 -

**H3SE23B**
**S16Q23B PST 12 MTHS-SYMPMTMS-GEN SORES-W3**

Location: 2564-2564 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you had any of the following symptoms?: painful sores or blisters on your genitals

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4781	97.9 %
1	Marked	68	1.4 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	19	0.4 %

Based upon 4849 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**H3SE23C**
**S16Q23C PST 12 MTHS-SYMPMTMS-GEN WARTS-W3**

Location: 2565-2565 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you had any of the following symptoms?: warts on your genitals

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4791	98.1 %
1	Marked	62	1.3 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	18	0.4 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

- Study 21600 -

**H3SE23D**

**S16Q23D PST 12 MTHS-SYMPTMS-SECRETION-W3**

Location: 2566-2566 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 12 months, have you had any of the following symptoms?: dripping or oozing from your {PENIS/VAGINA}

Value	Label	Unweighted Frequency	%
0	Not marked	4730	96.9 %
1	Marked	121	2.5 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	18	0.4 %

Based upon 4851 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3SE23E**

**S16Q23E PST 12 MTHS-SYMPTMS-VAG BLEED-W3**

Location: 2567-2567 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 12 months, have you had any of the following symptoms?: [if female,add:] bleeding after intercourse or between your periods

Value	Label	Unweighted Frequency	%
0	Not marked	4684	95.9 %
1	Marked	169	3.5 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	18	0.4 %

Based upon 4853 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

- Study 21600 -

**H3SE23F**

**S16Q23F PST 12 MTHS-SYMPTMS-VAG ITCH-W3**

Location: 2568-2568 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, have you had any of the following symptoms?: [if female,add:] itching in the vagina or in the genital area

Value	Label	Unweighted Frequency	%
0	Not marked	4407	90.3 %
1	Marked	443	9.1 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	19	0.4 %

Based upon 4850 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3SE24A**

**S16Q24A PST 24 HRS-SYMPTMS-URINE-W3**

Location: 2569-2569 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 24 hours, have you had any of the following symptoms?: painful or very frequent urination (peeing)

Value	Label	Unweighted Frequency	%
0	Not marked	4736	97.0 %
1	Marked	96	2.0 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	29	0.6 %

Based upon 4832 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

- Study 21600 -

**H3SE24B**

**S16Q24B PST 24 HRS-SYMPTMS-GEN SORES-W3**

Location: 2570-2570 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 24 hours, have you had any of the following symptoms?: painful sores or blisters on your genitals

Value	Label	Unweighted Frequency	%
0	Not marked	4826	98.9 %
1	Marked	18	0.4 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	24	0.5 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

**H3SE24C**

**S16Q24C PST 24 HRS-SYMPTMS-GEN WARTS-W3**

Location: 2571-2571 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 24 hours, have you had any of the following symptoms?: warts on your genitals

Value	Label	Unweighted Frequency	%
0	Not marked	4825	98.8 %
1	Marked	21	0.4 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

- Study 21600 -

**H3SE24D**
**S16Q24D PST 24 HRS-SYMPTMS-SECRETION-W3**

Location: 2572-2572 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 24 hours, have you had any of the following symptoms?: dripping or oozing from your {PENIS/VAGINA}

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4808	98.5 %
1	Marked	40	0.8 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4848 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

**H3SE24E**
**S16Q24E PST 24 HRS-SYMPTMS-VAG BLEED-W3**

Location: 2573-2573 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9  
 Question: In the past 24 hours, have you had any of the following symptoms?: [if female,add:] bleeding after intercourse or between your periods

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4803	98.4 %
1	Marked	44	0.9 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

- Study 21600 -

**H3SE24F**

**S16Q24F PST 24 HRS-SYMPTMS-VAG ITCH-W3**

Location: 2574-2574 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 24 hours, have you had any of the following symptoms?: [if female,add:] itching in the vagina or in the genital area

Value	Label	Unweighted Frequency	%
0	Not marked	4690	96.1 %
1	Marked	155	3.2 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	26	0.5 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3SE25**

**S16Q25 SEEN DR/NURSE POSSIBLE STD/HIV-W3**

Location: 2575-2575 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Have you ever gone to see a doctor or nurse because you thought you might have a sexually transmitted disease or HIV?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.28)	3953	81.0 %
1	Yes	902	18.5 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	16	0.3 %

Based upon 4855 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

- Study 21600 -

**H3SE26**

**S16Q26 WHEN RCNT VISIT FOR STD/HIV-W3**

Location: 2576-2577 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99  
 Question: When did you do this most recently?

Value	Label	Unweighted Frequency	%
1	Within the past 3 months	140	2.9 %
2	4-6 months ago	132	2.7 %
3	7-9 months ago	76	1.6 %
4	10-12 months ago	90	1.8 %
5	1-2 years ago	190	3.9 %
6	More than 2 years ago	266	5.4 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	3980	81.5 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	2	0.0 %

Based upon 894 valid cases out of 4882 total cases.

- Mean: 3.96
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.87

**H3SE27A**

**S16Q27 RCNT VISIT-PHYS SYMPTMS-W3**

Location: 2578-2578 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: This most recent time, why did you think you might have a sexually transmitted disease (STD) or HIV?: physical symptoms

Value	Label	Unweighted Frequency	%
0	Not marked	507	10.4 %
1	Marked	385	7.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3980	81.5 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	6	0.1 %

Based upon 892 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H3SE27B	S16Q27 RCNT VISIT-PRTNR W/STD-W3		
	Value	Label	Unweighted Frequency
Location:	2579-2579	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	This most recent time, why did you think you might have a sexually transmitted disease (STD) or HIV?: partner had an STD or HIV		
			%
	0	Not marked	825 16.9 %
	1	Marked	75 1.5 %
	7 (M)	Legitimate skip	3980 81.5 %
	9 (M)	Not applicable	2 0.0 %

Based upon 900 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H3SE27C	S16Q27 RCNT VISIT-WORRIED ENCOUNTER-W3		
	Value	Label	Unweighted Frequency
Location:	2580-2580	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	This most recent time, why did you think you might have a sexually transmitted disease (STD) or HIV?: worried about a recent sexual encounter		
			%
	0	Not marked	494 10.1 %
	1	Marked	405 8.3 %
	6 (M)	Refused	1 0.0 %
	7 (M)	Legitimate skip	3980 81.5 %
	9 (M)	Not applicable	2 0.0 %

Based upon 899 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H3SE27D	S16Q27 RCNT VISIT-WORRIED ACTIVITIES-W3		
	Value	Label	Unweighted Frequency
Location:	2581-2581	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	This most recent time, why did you think you might have a sexually transmitted disease (STD) or HIV?: worried about other activities		
			%
	0	Not marked	888 18.2 %
	1	Marked	12 0.2 %
	7 (M)	Legitimate skip	3980 81.5 %
	9 (M)	Not applicable	2 0.0 %

Based upon 900 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H3SE27E	S16Q27 RCNT VISIT-OTHER-W3		
	Value	Label	Unweighted Frequency
Location:	2582-2582	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	This most recent time, why did you think you might have a sexually transmitted disease (STD) or HIV?: other		
			%
	0	Not marked	774 15.9 %
	1	Marked	125 2.6 %
	7 (M)	Legitimate skip	3980 81.5 %
	8 (M)	Don't know	2 0.0 %
	9 (M)	Not applicable	1 0.0 %

Based upon 899 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H3SE28	S16Q28 EVER TOLD YOU HAVE HIV/AIDS-W3			
	Value	Label	Unweighted Frequency	%
Location:	2583-2583	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	5 , 6 , 8 , 9			
Question:	Have you ever been told that you have HIV or AIDS?			
	0	No	4778	97.9 %
	1	Yes	16	0.3 %
	5 (M)	Question not asked of this respondent	66	1.4 %
	6 (M)	Refused	4	0.1 %
	8 (M)	Don't know	2	0.0 %
	9 (M)	Not applicable	16	0.3 %

Based upon 4794 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

H3SE29A	S16Q29A PST 12 MTHS-BRTH CTRL PILL-W3			
	Value	Label	Unweighted Frequency	%
Location:	2584-2584	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9			
Question:	In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: birth control pills (the pill)			
	0	Not marked	2409	49.3 %
	1	Marked	2419	49.5 %
	6 (M)	Refused	11	0.2 %
	8 (M)	Don't know	10	0.2 %
	9 (M)	Not applicable	33	0.7 %

- Study 21600 -

Based upon 4828 valid cases out of 4882 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3SE29B</b>	<b>S16Q29B PST 12 MTHS-BRTH CTRL IMPLANT-W3</b>			
Location:	2585-2585 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9			
Question:	In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: an implant (Norplant)			
Value	<i>Label</i>		<i>Unweighted Frequency</i>	%
0	Not marked		4800	98.3 %
1	Marked		49	1.0 %
6 (M)	Refused		6	0.1 %
8 (M)	Don't know		5	0.1 %
9 (M)	Not applicable		22	0.5 %

Based upon 4849 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

<b>H3SE29C</b>	<b>S16Q29C PST 12 MTHS-BRTH CTRL INJECT-W3</b>			
Location:	2586-2586 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9			
Question:	In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: birth control shot (Depo Provera)			
Value	<i>Label</i>		<i>Unweighted Frequency</i>	%
0	Not marked		4266	87.4 %
1	Marked		580	11.9 %
6 (M)	Refused		7	0.1 %
8 (M)	Don't know		6	0.1 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
9 (M)	Not applicable	23	0.5 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

#### H3SE29D

#### S16Q29D PST 12 MTHS-DIAPHRAGM-W3

Location: 2587-2587 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: a diaphragm

Value	Label	Unweighted Frequency	%
0	Not marked	4790	98.1 %
1	Marked	59	1.2 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4849 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

#### H3SE29E

#### S16Q29E PST 12 MTHS-EMERG CNTRCPTN-W3

Location: 2588-2588 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: emergency contraception or the morning after pill

Value	Label	Unweighted Frequency	%
0	Not marked	4729	96.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	119	2.4 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	24	0.5 %

Based upon 4848 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

**H3SE29F**
**S16Q29F PST 12 MTHS-NTRL FAM PLANNING-W3**

Location: 2589-2589 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: natural family planning (safe periods by temperature, cervical mucus test, or calendar)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4741	97.1 %
1	Marked	109	2.2 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4850 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

**H3SE29G**
**S16Q29G PST 12 MTHS-FEMALE STRLZTN-W3**

Location: 2590-2590 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

## - Study 21600 -

Question:

In the past 12 months, which of the following methods of birth control {HAVE YOU/HAS A FEMALE PARTNER OF YOURS} used?: female sterilization (tubal ligation)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4786	98.0 %
1	Marked	64	1.3 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	23	0.5 %

Based upon 4850 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3SE30A**

**S16Q30A PST 12 MTHS-PTNR USED CONDOM-W3**

Location: 2591-2591 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: In the past 12 months, which of the following methods of birth control {HAS A MALE PARTNER OF YOURS/HAVE YOU} used?: condom

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	2167	44.4 %
1	Marked	2678	54.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	30	0.6 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3SE30B**

**S16Q30B PST 12 MTHS-PTNR MALE STRLZTN-W3**

Location: 2592-2592 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , 9

Question:

In the past 12 months, which of the following methods of birth control {HAS A MALE PARTNER OF YOURS/ HAVE YOU} used?: male sterilization (vasectomy)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4807	98.5 %
1	Marked	42	0.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	26	0.5 %

Based upon 4849 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

**H3SE31**

**S16Q31 PST 12 MTHS-CONDOM BROKE-W3**

Location: 2593-2593 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question:

In the past 12 months, has a condom {YOUR PARTNER WAS/YOU WERE} using broken or slipped off during sexual intercourse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1926	39.5 %
1	Yes	742	15.2 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	2204	45.1 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 2668 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3SE32**

**S16Q32 CHANCE YOU HAVE STD/GON/CLAM-W3**

- Study 21600 -

Location: 2594-2595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: What is the chance that right now you have either gonorrhea or chlamydia?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very high chance	26	0.5 %
2	High chance	18	0.4 %
3	Moderate chance	116	2.4 %
4	Low chance	430	8.8 %
5	Very low chance	4015	82.2 %
96 (M)	Refused	39	0.8 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	92	1.9 %
99 (M)	Not applicable	143	2.9 %

Based upon 4605 valid cases out of 4882 total cases.

- Mean: 4.82
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.54

**H3SE33**

**S16Q33 GOOD TO CHECK STD RESULTS-W3**

Location: 2596-2597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: How do you feel about calling for your gonorrhea and chlamydia test results? How good an idea do you think this is?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very good idea	2590	53.1 %
2	Somewhat good idea	643	13.2 %
3	Neither a good nor a bad idea	1088	22.3 %
4	Somewhat bad idea	81	1.7 %
5	Very bad idea	169	3.5 %
96 (M)	Refused	46	0.9 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	104	2.1 %
99 (M)	Not applicable	158	3.2 %

Based upon 4571 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.82
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.08

H3SE34	S16Q34 OTHERS APPROVE CHECK STD RSLTS-W3		
Location:	2598-2599 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99		
Question:	How would most people who are important to you feel about your calling for your test results? How strongly would they approve or disapprove?		
Value	Label	Unweighted Frequency	%
1	Strongly approve	2168	44.4 %
2	Moderately approve	601	12.3 %
3	Neither approve nor disapprove	1432	29.3 %
4	Moderately disapprove	110	2.3 %
5	Strongly disapprove	199	4.1 %
96 (M)	Refused	51	1.0 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	177	3.6 %
99 (M)	Not applicable	141	2.9 %

Based upon 4510 valid cases out of 4882 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.14

H3SE35	S16Q35 HLTH EFFCT OF STD/NO TREAT-W3		
Location:	2600-2601 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99		
Question:	If you had gonorrhea or chlamydia, and you did not get medical treatment, how bad would the disease be for your health?		
Value	Label	Unweighted Frequency	%
1	Very bad	3330	68.2 %
2	Moderately bad	616	12.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Somewhat bad	319	6.5 %
4	Only slightly bad	77	1.6 %
5	It would have no bad effect on your health	99	2.0 %
96 (M)	Refused	43	0.9 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	284	5.8 %
99 (M)	Not applicable	111	2.3 %

Based upon 4441 valid cases out of 4882 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.87

**H3SE36**

**S16Q36 EFFCT OF STD ON RELSHP W/PTNR-W3**

Location: 2602-2603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99

Question: If you had gonorrhea or chlamydia, how bad would this be for your relationship with your main sex partner?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very bad	3371	69.0 %
2	Moderately bad	441	9.0 %
3	Somewhat bad	291	6.0 %
4	Only slightly bad	106	2.2 %
5	It would have no bad effect on your relationship	184	3.8 %
96 (M)	Refused	45	0.9 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	185	3.8 %
99 (M)	Not applicable	256	5.2 %

Based upon 4393 valid cases out of 4882 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.01

- Study 21600 -

**H3SE37**

**S16Q37 CHANCE OF CURING YOUR STD-W3**

Location: 2604-2605 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99  
 Question: If you found out you had gonorrhea or chlamydia, what is the chance that you could be cured with the right medical treatment?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very high chance	2257	46.2 %
2	High chance	1006	20.6 %
3	Moderate chance	714	14.6 %
4	Low chance	173	3.5 %
5	Very low chance	150	3.1 %
96 (M)	Refused	42	0.9 %
97 (M)	Legitimate skip	3	0.1 %
98 (M)	Don't know	425	8.7 %
99 (M)	Not applicable	112	2.3 %

Based upon 4300 valid cases out of 4882 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

**RRELNO**

**RELATIONSHIP NUMBER Q1-3-W3**

Location: 2606-2607 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Romantic relationship number.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1st relationship listed	620	12.7 %
2	2nd relationship listed	239	4.9 %
3	3rd relationship listed	182	3.7 %
4	4th relationship listed	89	1.8 %
5	5th relationship listed	79	1.6 %
6	6th relationship listed	32	0.7 %
7	7th relationship listed	39	0.8 %
8	8th relationship listed	17	0.3 %
9	9th relationship listed	7	0.1 %
10	10th relationship listed	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	11th relationship listed	4	0.1 %
12	12th relationship listed	6	0.1 %
13	13th relationship listed	2	0.0 %
14	14th relationship listed	4	0.1 %
15	15th relationship listed	3	0.1 %
18	18th relationship listed	1	0.0 %
19	19th relationship listed	1	0.0 %
41	41st relationship listed	1	0.0 %
. (M)	-	3551	72.7 %

Based upon 1331 valid cases out of 4882 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 41.00
- Standard Deviation: 2.53

### H3BM1

### S20Q1 LEVEL OF R'S COMMITMENT TO P-W3

Location: 2608-2609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How committed are you to your relationship with <DPARTNER>?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Completely committed	888	18.2 %
2	Very committed	213	4.4 %
3	Moderately committed	67	1.4 %
4	Somewhat committed	61	1.2 %
5	Not at all committed	46	0.9 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	2	0.0 %

Based upon 1275 valid cases out of 4882 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

### H3BM2

### S20Q2 LEVEL OF R'S CLOSENESS TO P-W3

Location: 2610-2611 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 95 , 96 , 98 , 99 , .  
 Question: Select the picture, by entering the number under the picture, that best illustrates how close you feel to <DPARTNER>.

Value	Label	Unweighted Frequency	%
1	Picture 1	60	1.2 %
2	Picture 2	47	1.0 %
3	Picture 3	70	1.4 %
4	Picture 4	114	2.3 %
5	Picture 5	173	3.5 %
6	Picture 6	210	4.3 %
7	Picture 7	636	13.0 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	8	0.2 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	8	0.2 %

Based upon 1310 valid cases out of 4882 total cases.

- Mean: 5.65
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.74

### H3BM3

### S20Q3 LIKELIHOOD RELATNSHP PERMANENT-W3

Location: 2612-2613 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 95 , 96 , 98 , 99 , .  
 Question: How likely is it that your relationship with <DPARTNER> will be permanent?

Value	Label	Unweighted Frequency	%
1	Almost certain	704	14.4 %
2	A good chance	285	5.8 %
3	A 50-50 chance	171	3.5 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
4	Some chance, but probably not	66	1.4 %
5	Almost no chance	51	1.0 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	24	0.5 %
. (M)	-	1	0.0 %

Based upon 1277 valid cases out of 4882 total cases.

- Mean: 1.81
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

#### H3BM4

#### S20Q4 BALANCING ACCOUNTS OF FAVORS-W3

Location: 2614-2615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: It bothers me if people I like do less for me than I do for them.

Value	Label	Unweighted Frequency	%
1	Strongly agree	244	5.0 %
2	Somewhat agree	386	7.9 %
3	Neither agree nor disagree	381	7.8 %
4	Somewhat disagree	156	3.2 %
5	Strongly disagree	105	2.2 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	35	0.7 %
99 (M)	Not applicable	12	0.2 %
. (M)	-	1	0.0 %

Based upon 1272 valid cases out of 4882 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.17

- Study 21600 -

**H3BM5**
**S20Q5 REMEMBERING FAVORS R OWES-W3**

Location: 2616-2617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I usually do not forget if I owe someone a favor.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	690	14.1 %
2	Somewhat agree	418	8.6 %
3	Neither agree nor disagree	117	2.4 %
4	Somewhat disagree	48	1.0 %
5	Strongly disagree	31	0.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	9	0.2 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 1304 valid cases out of 4882 total cases.

- Mean: 1.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

**H3BM6**
**S20Q6 EXPECTATION OF RECIPROCITY-W3**

Location: 2618-2619 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: If I take a friend out to dinner, I expect him or her to do the same for me sometime.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	189	3.9 %
2	Somewhat agree	250	5.1 %
3	Neither agree nor disagree	395	8.1 %
4	Somewhat disagree	204	4.2 %
5	Strongly disagree	253	5.2 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 1291 valid cases out of 4882 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.31

**H3BM7**
**S20Q7 BALANCING ACCOUNTS OF FAVORS-W3**

Location: 2620-2621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: It bothers me if people I like do more for me than I do for them.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	282	5.8 %
2	Somewhat agree	409	8.4 %
3	Neither agree nor disagree	393	8.0 %
4	Somewhat disagree	129	2.6 %
5	Strongly disagree	76	1.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	22	0.5 %
99 (M)	Not applicable	10	0.2 %
. (M)	-	1	0.0 %

Based upon 1289 valid cases out of 4882 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.11

**H3BM8**
**S20Q8 TRADITIONAL SEX ROLES BEST-W3**

Location: 2622-2623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

## - Study 21600 -

Question:

It is much better for everyone if the man earns the money and the woman takes care of the home and family.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	146	3.0 %
2	Somewhat agree	160	3.3 %
3	Neither agree nor disagree	331	6.8 %
4	Somewhat disagree	225	4.6 %
5	Strongly disagree	428	8.8 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	19	0.4 %
99 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 1290 valid cases out of 4882 total cases.

- Mean: 3.49
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

**H3BM9**

**S20Q9 R DEFENDS BELIEFS-W3**

Location: 2624-2625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I defend my own beliefs.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	58	1.2 %
2	Usually not true	30	0.6 %
3	Sometimes but infrequently true	73	1.5 %
4	Occasionally true	121	2.5 %
5	Often true	230	4.7 %
6	Usually true	282	5.8 %
7	Always or almost always true	493	10.1 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	20	0.4 %
99 (M)	Not applicable	12	0.2 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1287 valid cases out of 4882 total cases.

- Mean: 5.53
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.65

H3BM10	S20Q10 R IS AFFECTIONATE-W3			
Location:	2626-2627 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am affectionate.			
	Value	Label	Unweighted Frequency	%
	1	Never or almost never true	39	0.8 %
	2	Usually not true	18	0.4 %
	3	Sometimes but infrequently true	52	1.1 %
	4	Occasionally true	123	2.5 %
	5	Often true	216	4.4 %
	6	Usually true	336	6.9 %
	7	Always or almost always true	517	10.6 %
	95 (M)	Question not asked of this respondent	3549	72.7 %
	96 (M)	Refused	13	0.3 %
	98 (M)	Don't know	16	0.3 %
	99 (M)	Not applicable	2	0.0 %
	. (M)	-	1	0.0 %

Based upon 1301 valid cases out of 4882 total cases.

- Mean: 5.72
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.48

H3BM11	S20Q11 R IS CONSCIENTIOUS-W3			
Location:	2628-2629 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am conscientious.			

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	32	0.7 %
2	Usually not true	23	0.5 %
3	Sometimes but infrequently true	62	1.3 %
4	Occasionally true	136	2.8 %
5	Often true	259	5.3 %
6	Usually true	373	7.6 %
7	Always or almost always true	354	7.3 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	66	1.4 %
99 (M)	Not applicable	12	0.2 %
. (M)	-	1	0.0 %

Based upon 1239 valid cases out of 4882 total cases.

- Mean: 5.50
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.44

#### H3BM12

#### S20Q12 R IS INDEPENDENT-W3

Location: 2630-2631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am independent.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	29	0.6 %
2	Usually not true	30	0.6 %
3	Sometimes but infrequently true	48	1.0 %
4	Occasionally true	116	2.4 %
5	Often true	199	4.1 %
6	Usually true	352	7.2 %
7	Always or almost always true	532	10.9 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1306 valid cases out of 4882 total cases.

- Mean: 5.76
  - Median: 6.00
  - Mode: 7.00
  - Minimum: 1.00
  - Maximum: 7.00
  - Standard Deviation: 1.45

H3BM13

**S20Q13 R IS SYMPATHETIC-W3**

Location: 2632-2633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am sympathetic.

Value	Label	Unweighted Frequency	%
1	Never or almost never true	26	0.5 %
2	Usually not true	22	0.5 %
3	Sometimes but infrequently true	41	0.8 %
4	Occasionally true	133	2.7 %
5	Often true	222	4.5 %
6	Usually true	379	7.8 %
7	Always or almost always true	475	9.7 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	22	0.5 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1298 valid cases out of 4882 total cases.

- Mean: 5.73
  - Median: 6.00
  - Mode: 7.00
  - Minimum: 1.00
  - Maximum: 7.00
  - Standard Deviation: 1.39

H3BM14

S20Q14 R IS MOODY-W3

Location: 2634-2635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 . 96 . 98 . 99 .

Question: I am moody.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	98	2.0 %
2	Usually not true	143	2.9 %
3	Sometimes but infrequently true	189	3.9 %
4	Occasionally true	348	7.1 %
5	Often true	238	4.9 %
6	Usually true	149	3.1 %
7	Always or almost always true	140	2.9 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 1305 valid cases out of 4882 total cases.

- Mean: 4.14
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.69

#### H3BM15

#### S20Q15 R IS ASSERTIVE-W3

Location: 2636-2637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am assertive.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	46	0.9 %
2	Usually not true	54	1.1 %
3	Sometimes but infrequently true	114	2.3 %
4	Occasionally true	253	5.2 %
5	Often true	277	5.7 %
6	Usually true	305	6.2 %
7	Always or almost always true	225	4.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	38	0.8 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1274 valid cases out of 4882 total cases.

- Mean: 4.94
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.57

**H3BM16****S20Q16 R IS SENSITIVE TO OTHERS-W3**

Location: 2638-2639 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): 95 , 96 , 98 , 99 , .  
Question: I am sensitive to the needs of others.

Value	Label	Unweighted Frequency	%
1	Never or almost never true	29	0.6 %
2	Usually not true	21	0.4 %
3	Sometimes but infrequently true	53	1.1 %
4	Occasionally true	153	3.1 %
5	Often true	270	5.5 %
6	Usually true	382	7.8 %
7	Always or almost always true	405	8.3 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	8	0.2 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1313 valid cases out of 4882 total cases.

- Mean: 5.57
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.40

**H3BM17****S20Q17 R IS RELIABLE-W3**

Location: 2640-2641 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): 95 , 96 , 98 , 99 , .  
Question: I am reliable.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	21	0.4 %
2	Usually not true	15	0.3 %
3	Sometimes but infrequently true	26	0.5 %
4	Occasionally true	91	1.9 %
5	Often true	193	4.0 %
6	Usually true	391	8.0 %
7	Always or almost always true	575	11.8 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	10	0.2 %
. (M)	-	1	0.0 %

Based upon 1312 valid cases out of 4882 total cases.

- Mean: 5.97
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.27

**H3BM18**

**S20Q18 R HAS A STRONG PERSONALITY-W3**

Location: 2642-2643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I have a strong personality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	19	0.4 %
2	Usually not true	17	0.3 %
3	Sometimes but infrequently true	38	0.8 %
4	Occasionally true	109	2.2 %
5	Often true	199	4.1 %
6	Usually true	321	6.6 %
7	Always or almost always true	608	12.5 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	11	0.2 %
. (M)	-	1	0.0 %

Based upon 1311 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 5.93
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.33

H3BM19	S20Q19 R IS UNDERSTANDING-W3		
Value	Label	Unweighted Frequency	%
1	Never or almost never true	16	0.3 %
2	Usually not true	8	0.2 %
3	Sometimes but infrequently true	30	0.6 %
4	Occasionally true	84	1.7 %
5	Often true	253	5.2 %
6	Usually true	415	8.5 %
7	Always or almost always true	506	10.4 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	10	0.2 %
. (M)	-	1	0.0 %

Based upon 1312 valid cases out of 4882 total cases.

- Mean: 5.91
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.20

H3BM20	S20Q20 R IS JEALOUS-W3		
Value	Label	Unweighted Frequency	%
1	Never or almost never true	189	3.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Usually not true	246	5.0 %
3	Sometimes but infrequently true	246	5.0 %
4	Occasionally true	275	5.6 %
5	Often true	154	3.2 %
6	Usually true	108	2.2 %
7	Always or almost always true	87	1.8 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 1305 valid cases out of 4882 total cases.

- Mean: 3.48
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.74

### H3BM21

### S20Q21 R IS FORCEFUL-W3

Location: 2648-2649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am forceful.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	288	5.9 %
2	Usually not true	326	6.7 %
3	Sometimes but infrequently true	239	4.9 %
4	Occasionally true	206	4.2 %
5	Often true	130	2.7 %
6	Usually true	62	1.3 %
7	Always or almost always true	45	0.9 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	22	0.5 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 1296 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.95
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.64

H3BM22	S20Q22 R IS COMPASSIONATE-W3		
Location:	2650-2651 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	I am compassionate.		
Value	Label	Unweighted Frequency	%
1	Never or almost never true	25	0.5 %
2	Usually not true	15	0.3 %
3	Sometimes but infrequently true	44	0.9 %
4	Occasionally true	103	2.1 %
5	Often true	252	5.2 %
6	Usually true	398	8.2 %
7	Always or almost always true	467	9.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	17	0.3 %
. (M)	-	1	0.0 %

Based upon 1304 valid cases out of 4882 total cases.

- Mean: 5.76
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.33

H3BM23	S20Q23 R IS TRUTHFUL-W3		
Location:	2652-2653 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	I am truthful.		
Value	Label	Unweighted Frequency	%
1	Never or almost never true	19	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Usually not true	9	0.2 %
3	Sometimes but infrequently true	31	0.6 %
4	Occasionally true	83	1.7 %
5	Often true	210	4.3 %
6	Usually true	453	9.3 %
7	Always or almost always true	504	10.3 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	12	0.2 %
. (M)	-	1	0.0 %

Based upon 1309 valid cases out of 4882 total cases.

- Mean: 5.93
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.22

#### H3BM24

#### S20Q24 R HAS LEADERSHIP ABILITY-W3

Location: 2654-2655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I have leadership abilities.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	24	0.5 %
2	Usually not true	32	0.7 %
3	Sometimes but infrequently true	67	1.4 %
4	Occasionally true	146	3.0 %
5	Often true	216	4.4 %
6	Usually true	345	7.1 %
7	Always or almost always true	475	9.7 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	16	0.3 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1305 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 5.63
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.47

<b>H3BM25</b>	<b>S20Q25 R EAGER TO HEAL HURT FEELINGS-W3</b>			
Location:	2656-2657 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am eager to soothe hurt feelings.			
Value	Label	Unweighted Frequency	%	
1	Never or almost never true	43	0.9 %	
2	Usually not true	31	0.6 %	
3	Sometimes but infrequently true	70	1.4 %	
4	Occasionally true	146	3.0 %	
5	Often true	232	4.8 %	
6	Usually true	354	7.3 %	
7	Always or almost always true	433	8.9 %	
95 (M)	Question not asked of this respondent	3549	72.7 %	
96 (M)	Refused	10	0.2 %	
98 (M)	Don't know	11	0.2 %	
99 (M)	Not applicable	2	0.0 %	
. (M)	-	1	0.0 %	

Based upon 1309 valid cases out of 4882 total cases.

- Mean: 5.51
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.55

<b>H3BM26</b>	<b>S20Q26 R IS SECRETIVE-W3</b>			
Location:	2658-2659 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am secretive.			

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	131	2.7 %
2	Usually not true	231	4.7 %
3	Sometimes but infrequently true	244	5.0 %
4	Occasionally true	247	5.1 %
5	Often true	162	3.3 %
6	Usually true	147	3.0 %
7	Always or almost always true	125	2.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1287 valid cases out of 4882 total cases.

- Mean: 3.79
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.80

#### H3BM27

#### S20Q27 R IS WILLING TO TAKE RISKS-W3

Location: 2660-2661 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am willing to take risks.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	68	1.4 %
2	Usually not true	117	2.4 %
3	Sometimes but infrequently true	170	3.5 %
4	Occasionally true	245	5.0 %
5	Often true	227	4.6 %
6	Usually true	259	5.3 %
7	Always or almost always true	214	4.4 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1300 valid cases out of 4882 total cases.

- Mean: 4.60
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.75

**H3BM28****S20Q28 R IS WARM-W3**

Location: 2662-2663 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am warm.

Value	Label	Unweighted Frequency	%
1	Never or almost never true	16	0.3 %
2	Usually not true	14	0.3 %
3	Sometimes but infrequently true	39	0.8 %
4	Occasionally true	132	2.7 %
5	Often true	269	5.5 %
6	Usually true	436	8.9 %
7	Always or almost always true	402	8.2 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	13	0.3 %
. (M)	-	1	0.0 %

Based upon 1308 valid cases out of 4882 total cases.

- Mean: 5.71
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.26

**H3BM29****S20Q29 R IS ADAPTABLE-W3**

Location: 2664-2665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am adaptable.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	19	0.4 %
2	Usually not true	14	0.3 %
3	Sometimes but infrequently true	47	1.0 %
4	Occasionally true	142	2.9 %
5	Often true	272	5.6 %
6	Usually true	434	8.9 %
7	Always or almost always true	368	7.5 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	24	0.5 %
. (M)	-	1	0.0 %

Based upon 1296 valid cases out of 4882 total cases.

- Mean: 5.63
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.29

### H3BM30

### S20Q30 R IS DOMINANT-W3

Location: 2666-2667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am dominant.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	91	1.9 %
2	Usually not true	170	3.5 %
3	Sometimes but infrequently true	203	4.2 %
4	Occasionally true	283	5.8 %
5	Often true	230	4.7 %
6	Usually true	176	3.6 %
7	Always or almost always true	129	2.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	33	0.7 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 1282 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 4.12
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.72

H3BM31	S20Q31 R IS TENDER-W3		
	Value	Label	Unweighted Frequency
Location:	2668-2669 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	I am tender.		
			%
	1	Never or almost never true	22 0.5 %
	2	Usually not true	35 0.7 %
	3	Sometimes but infrequently true	70 1.4 %
	4	Occasionally true	171 3.5 %
	5	Often true	286 5.9 %
	6	Usually true	364 7.5 %
	7	Always or almost always true	352 7.2 %
	95 (M)	Question not asked of this respondent	3549 72.7 %
	96 (M)	Refused	12 0.2 %
	98 (M)	Don't know	18 0.4 %
	99 (M)	Not applicable	2 0.0 %
	. (M)	-	1 0.0 %

Based upon 1300 valid cases out of 4882 total cases.

- Mean: 5.43
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.43

H3BM32	S20Q32 R IS CONCEITED-W3		
	Value	Label	Unweighted Frequency
Location:	2670-2671 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	I am conceited.		
			%

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	347	7.1 %
2	Usually not true	344	7.0 %
3	Sometimes but infrequently true	210	4.3 %
4	Occasionally true	157	3.2 %
5	Often true	100	2.0 %
6	Usually true	63	1.3 %
7	Always or almost always true	64	1.3 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 1285 valid cases out of 4882 total cases.

- Mean: 2.82
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.73

#### H3BM33

#### S20Q33 R IS WILLING TO TAKE A STAND-W3

Location: 2672-2673 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am willing to take a stand.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	20	0.4 %
2	Usually not true	25	0.5 %
3	Sometimes but infrequently true	69	1.4 %
4	Occasionally true	201	4.1 %
5	Often true	264	5.4 %
6	Usually true	361	7.4 %
7	Always or almost always true	371	7.6 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	10	0.2 %
. (M)	-	1	0.0 %

Based upon 1311 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 5.46
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.40

<b>H3BM34</b>	<b>S20Q34 R LOVES CHILDREN-W3</b>			
Location:	2674-2675 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I love children.			
Value	Label	Unweighted Frequency	%	
1	Never or almost never true	23	0.5 %	
2	Usually not true	22	0.5 %	
3	Sometimes but infrequently true	39	0.8 %	
4	Occasionally true	107	2.2 %	
5	Often true	158	3.2 %	
6	Usually true	232	4.8 %	
7	Always or almost always true	732	15.0 %	
95 (M)	Question not asked of this respondent	3549	72.7 %	
96 (M)	Refused	10	0.2 %	
98 (M)	Don't know	8	0.2 %	
99 (M)	Not applicable	1	0.0 %	
. (M)	-	1	0.0 %	

Based upon 1313 valid cases out of 4882 total cases.

- Mean: 6.03
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.41

<b>H3BM35</b>	<b>S20Q35 R IS TACTFUL-W3</b>			
Location:	2676-2677 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am tactful.			

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	38	0.8 %
2	Usually not true	53	1.1 %
3	Sometimes but infrequently true	93	1.9 %
4	Occasionally true	227	4.6 %
5	Often true	263	5.4 %
6	Usually true	316	6.5 %
7	Always or almost always true	270	5.5 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	54	1.1 %
99 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 1260 valid cases out of 4882 total cases.

- Mean: 5.10
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.56

#### H3BM36

#### S20Q36 R IS AGGRESSIVE-W3

Location: 2678-2679 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: I am aggressive.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	115	2.4 %
2	Usually not true	177	3.6 %
3	Sometimes but infrequently true	196	4.0 %
4	Occasionally true	266	5.4 %
5	Often true	216	4.4 %
6	Usually true	181	3.7 %
7	Always or almost always true	148	3.0 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	18	0.4 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1299 valid cases out of 4882 total cases.

- Mean: 4.10
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.80

<b>H3BM37</b>		<b>S20Q37 R IS GENTLE-W3</b>		
Location:	2680-2681 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am gentle.			
		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
		1	Never or almost never true	19 0.4 %
		2	Usually not true	11 0.2 %
		3	Sometimes but infrequently true	55 1.1 %
		4	Occasionally true	138 2.8 %
		5	Often true	295 6.0 %
		6	Usually true	408 8.4 %
		7	Always or almost always true	386 7.9 %
		95 (M)	Question not asked of this respondent	3549 72.7 %
		96 (M)	Refused	9 0.2 %
		98 (M)	Don't know	11 0.2 %
		. (M)	-	1 0.0 %

Based upon 1312 valid cases out of 4882 total cases.

- Mean: 5.63
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.29

<b>H3BM38</b>		<b>S20Q38 R IS CONVENTIONAL-W3</b>		
Location:	2682-2683 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	I am conventional.			

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never or almost never true	31	0.6 %
2	Usually not true	51	1.0 %
3	Sometimes but infrequently true	122	2.5 %
4	Occasionally true	258	5.3 %
5	Often true	322	6.6 %
6	Usually true	285	5.8 %
7	Always or almost always true	189	3.9 %
95 (M)	Question not asked of this respondent	3549	72.7 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	55	1.1 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1258 valid cases out of 4882 total cases.

- Mean: 4.91
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.47

#### H3PR1

#### S21 R LIKES WILD/QUIET PARTIES-W3

Location: 2684-2684 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sentence 1 selected	557	11.4 %
2	Sentence 2 selected	1197	24.5 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	17	0.3 %
8 (M)	Don't know	72	1.5 %
9 (M)	Not applicable	20	0.4 %
. (M)	-	5	0.1 %

Based upon 1754 valid cases out of 4882 total cases.

- Mean: 1.68
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.47

### H3PR2

### S21 R USES ALCOHOL,MARIJUANA/DOESN'T-W3

Location: 2685-2685 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9 , .

Value	Label	Unweighted Frequency	%
1	Sentence 1 selected	757	15.5 %
2	Sentence 2 selected	997	20.4 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	40	0.8 %
8 (M)	Don't know	31	0.6 %
9 (M)	Not applicable	40	0.8 %
. (M)	-	3	0.1 %

Based upon 1754 valid cases out of 4882 total cases.

- Mean: 1.57
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

### H3PR3

### S21 R INTERESTED IN EXPERIENCES/NOT-W3

Location: 2686-2686 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9 , .

Value	Label	Unweighted Frequency	%
1	Sentence 1 selected	929	19.0 %
2	Sentence 2 selected	803	16.4 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	35	0.7 %
8 (M)	Don't know	63	1.3 %
9 (M)	Not applicable	35	0.7 %
. (M)	-	3	0.1 %

Based upon 1732 valid cases out of 4882 total cases.

- Mean: 1.46
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3PR4**

**S21 R LIKES DATES FOR LOOKS/CHARACTER-W3**

Location: 2687-2687 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9 , .

Value	Label	Unweighted Frequency	%
1	Sentence 1 selected	536	11.0 %
2	Sentence 2 selected	1217	24.9 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	24	0.5 %
8 (M)	Don't know	45	0.9 %
9 (M)	Not applicable	43	0.9 %
. (M)	-	3	0.1 %

Based upon 1753 valid cases out of 4882 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

**H3PR5**

**S21 R FAVORS PRE-MARITAL SEX/DOESN'T-W3**

Location: 2688-2688 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 8 , 9 , .

Value	Label	Unweighted Frequency	%
1	Sentence 1 selected	747	15.3 %
2	Sentence 2 selected	956	19.6 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	33	0.7 %
8 (M)	Don't know	107	2.2 %
9 (M)	Not applicable	22	0.5 %
. (M)	-	3	0.1 %

Based upon 1703 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>H3PR6</b>	<b>S21 R WANTS LIFE OF IDLE RICH/DOESN'T-W3</b>		
Location:	2689-2689 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 6 , 8 , 9 , .		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
1	Sentence 1 selected	898	18.4 %
2	Sentence 2 selected	896	18.4 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	16	0.3 %
8 (M)	Don't know	40	0.8 %
9 (M)	Not applicable	15	0.3 %
. (M)	-	3	0.1 %

Based upon 1794 valid cases out of 4882 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>H3PR7</b>	<b>S21 R CHEERED BY ALCOHOL/NOT-W3</b>		
Location:	2690-2690 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	5 , 6 , 8 , 9 , .		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
1	Sentence 1 selected	387	7.9 %
2	Sentence 2 selected	1353	27.7 %
5 (M)	Question not asked of this respondent	3014	61.7 %
6 (M)	Refused	30	0.6 %
8 (M)	Don't know	68	1.4 %
9 (M)	Not applicable	27	0.6 %
. (M)	-	3	0.1 %

## - Study 21600 -

Based upon 1740 valid cases out of 4882 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

**H3DS1**
**S26Q1 12 MO,OFT DAMAGE PROP/NOT YOUR-W3**

Location: 2691-2691 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you deliberately damage property that didn't belong to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4408	90.3 %
1	1 or 2 times	357	7.3 %
2	3 or 4 times	44	0.9 %
3	5 or more times	24	0.5 %
6 (M)	Refused	26	0.5 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 4833 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.38

**H3DS2**
**S26Q2 12 MO,OFT STEAL SOMETHING/>\$50-W3**

Location: 2692-2692 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you steal something worth more than \$50?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4688	96.0 %
1	1 or 2 times	117	2.4 %
2	3 or 4 times	24	0.5 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
3	5 or more times	14	0.3 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 4843 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.26

**H3DS3**

**S26Q3 12 MO,OFT HOUSE STEAL SOMETHIN-W3**

Location: 2693-2693 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you go into a house or building to steal something?

Value	Label	Unweighted Frequency	%
0	Never	4756	97.4 %
1	1 or 2 times	61	1.2 %
2	3 or 4 times	14	0.3 %
3	5 or more times	11	0.2 %
6 (M)	Refused	21	0.4 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 4842 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.21

**H3DS4**

**S26Q4 12 MO,OFT WEAPON GET SOMETHING-W3**

Location: 2694-2694 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you use or threaten to use a weapon to get something from someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4756	97.4 %
1	1 or 2 times	69	1.4 %
2	3 or 4 times	11	0.2 %
3	5 or more times	5	0.1 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 4841 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

### H3DS5

### S26Q5 12 MO,OFT SELL DRUGS-W3

Location: 2695-2695 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you sell marijuana or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4460	91.4 %
1	1 or 2 times	136	2.8 %
2	3 or 4 times	66	1.4 %
3	5 or more times	159	3.3 %
6 (M)	Refused	28	0.6 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	13	0.3 %
. (M)	-	1	0.0 %

Based upon 4821 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.60

H3DS6	S26Q6 12 MO,OFT STEAL SOMETHING/<\$50-W3		
Location:	2696-2696 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	In the past 12 months, how often did you steal something worthless than \$50?		
Value	Label	Unweighted Frequency	%
0	Never	4474	91.6 %
1	1 or 2 times	272	5.6 %
2	3 or 4 times	46	0.9 %
3	5 or more times	46	0.9 %
6 (M)	Refused	24	0.5 %
8 (M)	Don't know	11	0.2 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 4838 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.41

H3DS7	S26Q7 12 MO,OFT PART PHYS FIGHT/GRP-W3		
Location:	2697-2697 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	In the past 12 months, how often did you take part in a physical fight where a group of your friends was against another group?		
Value	Label	Unweighted Frequency	%
0	Never	4424	90.6 %
1	1 or 2 times	326	6.7 %
2	3 or 4 times	57	1.2 %
3	5 or more times	34	0.7 %
6 (M)	Refused	20	0.4 %
8 (M)	Don't know	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	10	0.2 %
. (M)	-	1	0.0 %

Based upon 4841 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.41

<b>H3DS8</b>	<b>S26Q8 12 MO,OFT BUY,SELL,STOL PROPER-W3</b>
--------------	--

Location: 2698-2698 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you buy, sell, or hold stolen property?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4609	94.4 %
1	1 or 2 times	181	3.7 %
2	3 or 4 times	27	0.6 %
3	5 or more times	19	0.4 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.30

<b>H3DS9</b>	<b>S26Q9 12 MO,OFT USE ONE'S CRED CARD-W3</b>
--------------	---

Location: 2699-2699 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you use someone else's credit card, bank card, or automatic teller card without their permission or knowledge?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4776	97.8 %
1	1 or 2 times	44	0.9 %
2	3 or 4 times	10	0.2 %
3	5 or more times	10	0.2 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4840 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.19

**H3DS10**

**S26Q10 12 MO,OFT DELIB WRIT BAD CHECK-W3**

Location: 2700-2700 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you deliberately write a bad check?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4634	94.9 %
1	1 or 2 times	160	3.3 %
2	3 or 4 times	31	0.6 %
3	5 or more times	14	0.3 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	11	0.2 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4839 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.29

- Study 21600 -

**H3DS11**

**S26Q11 12 MO,OFT USE WEAPON/FIGHT-W3**

Location: 2701-2701 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you use a weapon in a fight?

Value	Label	Unweighted Frequency	%
0	Never	4740	97.1 %
1	1 or 2 times	70	1.4 %
2	3 or 4 times	19	0.4 %
3	5 or more times	8	0.2 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4837 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.21

**H3DS12**

**S26Q12 12 MO,OFT CARRY GUN SCH/WRK-W3**

Location: 2702-2702 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past 12 months, how often did you carry a hand gun at school or work?

Value	Label	Unweighted Frequency	%
0	Never	4780	97.9 %
1	1 or 2 times	19	0.4 %
2	3 or 4 times	9	0.2 %
3	5 or more times	29	0.6 %
6 (M)	Refused	24	0.5 %
8 (M)	Don't know	11	0.2 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4837 valid cases out of 4882 total cases.

- Mean: 0.03

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.25

<b>H3DS13</b>	<b>S26Q13 12 MO,EVER BELONGED NAMED GANG-W3</b>
---------------	---

Location: 2703-2703 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: Have you ever belonged to a named gang?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4105	84.1 %
1	Yes	731	15.0 %
6 (M)	Refused	23	0.5 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	12	0.2 %
. (M)	-	1	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

<b>H3DS14</b>	<b>S26Q14 DO YOU OWN A HANDGUN-W3</b>
---------------	---------------------------------------

Location: 2704-2704 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: Do you own a handgun? Don't count a gun you must have for your job.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.16)	4400	90.1 %
1	Yes	437	9.0 %
6 (M)	Refused	23	0.5 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	13	0.3 %
. (M)	-	1	0.0 %

Based upon 4837 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

H3DS15	S26Q15 # HANDGUNS OWN-W3			
	Value	Label	Unweighted Frequency	%
	1	-	282	5.8 %
	2	-	63	1.3 %
	3	-	22	0.5 %
	4	-	16	0.3 %
	5	-	10	0.2 %
	6	-	5	0.1 %
	7	-	3	0.1 %
	8	-	2	0.0 %
	9	-	2	0.0 %
	10	-	8	0.2 %
	96 (M)	Refused	11	0.2 %
	97 (M)	Legitimate skip	4444	91.0 %
	98 (M)	Don't know	8	0.2 %
	99 (M)	Not applicable	5	0.1 %
	. (M)	-	1	0.0 %

Based upon 413 valid cases out of 4882 total cases.

- Mean: 1.82
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.76

H3DS16	S26Q16 12 MO,#TIME PHYS FIGHT/INJURED-W3		
	Location:	Variable Type:	Range of Missing Values (M):
	2707-2708 (width: 2; decimal: 0)	numeric	
			96 , 98 , 99 , .

## - Study 21600 -

Question:

In the past 12 months, how many times did you take part in a physical fight in which you were so badly injured that you were treated by a doctor or nurse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	4617	94.6 %
1	-	118	2.4 %
2	-	41	0.8 %
3	-	9	0.2 %
4	-	4	0.1 %
5	-	3	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %
11	-	1	0.0 %
12	-	3	0.1 %
20	-	1	0.0 %
56	-	1	0.0 %
96 (M)	Refused	30	0.6 %
98 (M)	Don't know	24	0.5 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	1	0.0 %

Based upon 4801 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 0.99

**H3DS17**

**S26Q17 12 MO,#TIME HURT ONE BAD/CARE-W3**

Location: 2709-2711 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , 999 , .

Question: In the past 12 months, how often did you hurt someone badly enough in a physical fight that he or she needed care from a doctor or nurse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	4527	92.7 %
1	-	163	3.3 %
2	-	57	1.2 %
3	-	22	0.5 %
4	-	10	0.2 %
5	-	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.0 %
8	-	3	0.1 %
9	-	2	0.0 %
12	-	3	0.1 %
15	-	3	0.1 %
23	-	1	0.0 %
50	-	1	0.0 %
67	-	1	0.0 %
996 (M)	Refused	25	0.5 %
998 (M)	Don't know	27	0.6 %
999 (M)	Not applicable	27	0.6 %
. (M)	-	1	0.0 %

Based upon 4802 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 67.00
- Standard Deviation: 1.43

#### H3DS18A

#### S26Q18A 12 MO,SAW ONE SHOOT/STAB PERS-W3

Location: 2712-2712 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: You saw someone shoot or stab another person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4552	93.2 %
1	Marked	263	5.4 %
6 (M)	Refused	22	0.5 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 4815 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.23

**H3DS18B**

**S26Q18B 12 MO,ONE PULLED GUN ON YOU-W3**

Location: 2713-2713 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: Someone pulled a gun on you.

Value	Label	Unweighted Frequency	%
0	Not marked	4633	94.9 %
1	Marked	204	4.2 %
6 (M)	Refused	16	0.3 %
8 (M)	Don't know	9	0.2 %
9 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 4837 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

**H3DS18C**

**S26Q18C 12 MO,ONE PULLED KNIFE ON YOU-W3**

Location: 2714-2714 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: Someone pulled a knife on you.

Value	Label	Unweighted Frequency	%
0	Not marked	4668	95.6 %
1	Marked	177	3.6 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	14	0.3 %
. (M)	-	1	0.0 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H3DS18D	S26Q18D 12 MO,SOMEONE SHOT YOU-W3		
	Value	Label	Unweighted Frequency %
Location:	2715-2715	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	Which of the following things happened in the past 12 months?: Someone shot you.		
	0	Not marked	4819 98.7 %
	1	Marked	25 0.5 %
	6 (M)	Refused	14 0.3 %
	8 (M)	Don't know	7 0.1 %
	9 (M)	Not applicable	16 0.3 %
	. (M)	-	1 0.0 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H3DS18E	S26Q18E 12 MO,SOMEONE STABBED YOU-W3		
	Value	Label	Unweighted Frequency %
Location:	2716-2716	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	Which of the following things happened in the past 12 months?: Someone stabbed you.		
	0	Not marked	4804 98.4 %
	1	Marked	40 0.8 %
	6 (M)	Refused	14 0.3 %
	8 (M)	Don't know	7 0.1 %
	9 (M)	Not applicable	16 0.3 %
	. (M)	-	1 0.0 %

Based upon 4844 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

**H3DS18F**

**S26Q18F 12 MO,YOU WERE BEATEN UP-W3**

Location: 2717-2717 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: You were beaten up, but nothing was stolen from you.

Value	Label	Unweighted Frequency	%
0	Not marked	4730	96.9 %
1	Marked	114	2.3 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

**H3DS18G**

**S26Q18G 12 MO,WERE BEATEN UP/THG STOL-W3**

Location: 2718-2718 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: You were beaten up and something was stolen from you.

Value	Label	Unweighted Frequency	%
0	Not marked	4812	98.6 %
1	Marked	33	0.7 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	15	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 4845 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

**H3DS18H**
**S26Q18H 12 MO,PULL KNIKE/GUN SOMEONE-W3**

Location: 2719-2719 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: You pulled a knife or gun on someone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4784	98.0 %
1	Marked	62	1.3 %
6 (M)	Refused	14	0.3 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	14	0.3 %
. (M)	-	1	0.0 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3DS18I**
**S26Q18I 12 MO,SHOT/STABBED SOMEONE-W3**

Location: 2720-2720 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things happened in the past 12 months?: You stabbed someone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4825	98.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	21	0.4 %
6 (M)	Refused	13	0.3 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4846 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

**H3CJ1**

**S27Q1 NUM TIMES STOPPED BY POLICE-W3**

Location:	2721-2721 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	How many times have you been stopped or detained by the police for questioning about your activities? Don't count minor traffic violations.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never (skip to Q.160)	3894	79.8 %
1	1 time	448	9.2 %
2	2 or 3 times	330	6.8 %
3	4 or 5 times	73	1.5 %
4	6 or more times	84	1.7 %
6 (M)	Refused	27	0.6 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	1	0.0 %

Based upon 4829 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.81

**H3CJ2**

**S27Q2 AGE WHEN STOPPED BY POLICE-W3**

- Study 21600 -

Location: 2722-2723 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: How old were you the first time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	5	0.1 %
11	-	8	0.2 %
12	-	18	0.4 %
13	-	16	0.3 %
14	-	50	1.0 %
15	-	81	1.7 %
16	-	127	2.6 %
17	-	119	2.4 %
18	-	118	2.4 %
19	-	113	2.3 %
20	-	113	2.3 %
21	-	87	1.8 %
22	-	35	0.7 %
23	-	32	0.7 %
24	-	10	0.2 %
25	-	5	0.1 %
96 (M)	Refused	23	0.5 %
97 (M)	Legitimate skip	3894	79.8 %
98 (M)	Don't know	18	0.4 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	5	0.1 %

Based upon 937 valid cases out of 4882 total cases.

- Mean: 17.89
- Median: 18.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 25.00
- Standard Deviation: 2.78

**H3CJ3**

**S27Q3 EVER BEEN ARRESTED BY POLICE-W3**

Location: 2724-2724 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Have you ever been arrested or taken into custody by the police?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.160)	420	8.6 %
1	Yes	529	10.8 %
6 (M)	Refused	19	0.4 %
7 (M)	Legitimate skip	3894	79.8 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	5	0.1 %

Based upon 949 valid cases out of 4882 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

#### H3CJ4

#### S27Q4 AGE WHEN ARRESTED BY POLICE-W3

Location: 2725-2726 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: How old were you the first time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.0 %
11	-	2	0.0 %
12	-	14	0.3 %
13	-	11	0.2 %
14	-	19	0.4 %
15	-	45	0.9 %
16	-	57	1.2 %
17	-	75	1.5 %
18	-	87	1.8 %
19	-	60	1.2 %
20	-	55	1.1 %
21	-	46	0.9 %
22	-	24	0.5 %
23	-	19	0.4 %
24	-	6	0.1 %
25	-	1	0.0 %
31	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4348	89.1 %
98 (M)	Don't know	5	0.1 %
. (M)	-	5	0.1 %

Based upon 523 valid cases out of 4882 total cases.

- Mean: 17.99
- Median: 18.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 31.00
- Standard Deviation: 2.75

### H3CJ5

### S27Q5 NUM TIMES ARRESTED BEF AGE 18-W3

Location: 2727-2728 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: How many times were you arrested before you were 18?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	128	2.6 %
2	-	48	1.0 %
3	-	20	0.4 %
4	-	7	0.1 %
5	-	9	0.2 %
6	-	2	0.0 %
7	-	3	0.1 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
97 (M)	Legitimate skip	4647	95.2 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	5	0.1 %

Based upon 225 valid cases out of 4882 total cases.

- Mean: 2.27

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.16

H3CJ6	S27Q6 TYPE CHARGE-ASSAULT-W3			
	Value	Label	Unweighted Frequency	%
Location:	2729-2729	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	What were you charged with [if Q.5 > 1, add: the first time]?: assault (battery, rape, aggravated assault, manslaughter)			
	0	Not marked	186	3.8 %
	1	Marked	39	0.8 %
	6 (M)	Refused	4	0.1 %
	7 (M)	Legitimate skip	4651	95.3 %
	8 (M)	Don't know	1	0.0 %
	. (M)	-	1	0.0 %

Based upon 225 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

H3CJ7	S27Q7 TYPE CHARGE-ROBBERY-W3			
	Value	Label	Unweighted Frequency	%
Location:	2730-2730	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	What were you charged with [if Q.5 > 1, add: the first time]?: robbery (taking something using a weapon or physical force)			
	0	Not marked	216	4.4 %
	1	Marked	10	0.2 %
	6 (M)	Refused	3	0.1 %
	7 (M)	Legitimate skip	4651	95.3 %
	8 (M)	Don't know	1	0.0 %
	. (M)	-	1	0.0 %

- Study 21600 -

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3CJ8**

**S27Q8 TYPE CHARGE-THEFT-W3**

Location: 2731-2731 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: theft (taking something without using force, such as burglary, larceny, or shoplifting)

Value	Label	Unweighted Frequency	%
0	Not marked	171	3.5 %
1	Marked	55	1.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3CJ9**

**S27Q9 TYPE CHARGE-POSSES STOLEN PROP-W3**

Location: 2732-2732 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: receiving, possessing, or selling stolen property

Value	Label	Unweighted Frequency	%
0	Not marked	211	4.3 %
1	Marked	15	0.3 %
6 (M)	Refused	3	0.1 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

### H3CJ10

### S27Q10 TYPE CHARGE-DESTROY PROPERTY-W3

Location: 2733-2733 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

Value	Label	Unweighted Frequency	%
0	Not marked	198	4.1 %
1	Marked	28	0.6 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

### H3CJ11

### S27Q11 TYPE CHARGE-POS/USE MARIJUANA-W3

Location: 2734-2734 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: possessing or using marijuana or hashish

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	190	3.9 %
1	Marked	36	0.7 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

### H3CJ12

### S27Q12 TYPE CHARGE-SELLING MARIJUANA-W3

Location: 2735-2735 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: selling marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	218	4.5 %
1	Marked	7	0.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 225 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

### H3CJ13

### S27Q13 TYPE CHARGE-POSS OTH DRUGS-W3

Location: 2736-2736 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

6 , 7 , 8 , 9 , .

Question:

What were you charged with [if Q.5 > 1, add: the first time]?: possessing or using other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	212	4.3 %
1	Marked	12	0.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 224 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

**H3CJ14**

**S27Q14 TYPE CHARGE-SELL OTH DRUGS-W3**

Location:

2737-2737 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9 , .

Question:

What were you charged with [if Q.5 > 1, add: the first time]?: selling or manufacturing other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	220	4.5 %
1	Marked	6	0.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

**H3CJ15**

**S27Q15 TYPE CHARGE-MAJ TRAFF OFFENSE-W3**

- Study 21600 -

Location: 2738-2738 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: major traffic offense (driving while impaired, reckless driving, driving without a license)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	203	4.2 %
1	Marked	23	0.5 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

#### H3CJ16

#### S27Q16 TYPE CHARGE-DRINK/PURCH ALCOH-W3

Location: 2739-2739 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: drinking or purchasing alcohol while under the legal age

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	183	3.7 %
1	Marked	43	0.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.39

**H3CJ17**

**S27Q17 TYPE CHARGE-ANIMAL ABUSE/NEGL-W3**

Location: 2740-2740 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: animal abuse or neglect

Value	Label	Unweighted Frequency	%
0	Not marked	225	4.6 %
1	Marked	1	0.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

**H3CJ18**

**S27Q18 TYPE CHARGE-POSS ILL FIRE ARM-W3**

Location: 2741-2741 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: possessing or selling an illegal firearm

Value	Label	Unweighted Frequency	%
0	Not marked	222	4.5 %
1	Marked	4	0.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**H3CJ19**

**S27Q19 TYPE CHARGE-SOLICITATION-W3**

Location: 2742-2742 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: solicitation or prostitution

Value	Label	Unweighted Frequency	%
0	Not marked	226	4.6 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 226 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ20**

**S27Q20 TYPE CHARGE-OTHER FELONY-W3**

Location: 2743-2743 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: other felony

Value	Label	Unweighted Frequency	%
0	Not marked	210	4.3 %
1	Marked	15	0.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 225 valid cases out of 4882 total cases.

- Mean: 0.07

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3CJ21**

**S27Q21 TYPE CHARGE-OTH MISDEMEANOR-W3**

Location: 2744-2744 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: What were you charged with [if Q.5 > 1, add: the first time]?: other misdemeanor

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	171	3.5 %
1	Marked	54	1.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 225 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3CJ22**

**S27Q22 EVER BEEN CONVICTED/PLED CRM-W3**

Location: 2745-2745 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Have you ever been convicted of or pled guilty to a crime, or been found delinquent, in juvenile court?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.67)	118	2.4 %
1	Yes	109	2.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4651	95.3 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 227 valid cases out of 4882 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3CJ23****S27Q23 NUM OF TIMES CONVICTED-W3**

Location: 2746-2747 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How many times did this happen?

Value	Label	Unweighted Frequency	%
1	1 conviction/guilty plea	70	1.4 %
2	2 convictions/guilty pleas	16	0.3 %
3	3 convictions/guilty pleas	11	0.2 %
4	4 convictions/guilty pleas	3	0.1 %
5	5 convictions/guilty pleas	1	0.0 %
6	6 convictions/guilty pleas	2	0.0 %
8	8 convictions/guilty pleas	1	0.0 %
10	10 convictions/guilty pleas	1	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4772	97.7 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 105 valid cases out of 4882 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.48

**H3CJ24****S27Q24 AGE WHEN CONVICTED-W3**

Location: 2748-2749 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How old were you {WHEN/THE FIRST TIME} you were convicted, pled guilty, or found delinquent in juvenile court?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	0.1 %
11	-	1	0.0 %
12	-	3	0.1 %
13	-	3	0.1 %
14	-	11	0.2 %
15	-	26	0.5 %
16	-	33	0.7 %
17	-	26	0.5 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4772	97.7 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 106 valid cases out of 4882 total cases.

- Mean: 15.24
- Median: 16.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 17.00
- Standard Deviation: 2.18

#### H3CJ25M

#### S27Q25M MONTH WHEN CONVICTED-W3

Location: 2750-2751 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In what month (and year) did this happen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	4	0.1 %
2	February	5	0.1 %
3	March	14	0.3 %
4	April	5	0.1 %
5	May	12	0.2 %
6	June	15	0.3 %
7	July	8	0.2 %
8	August	11	0.2 %
9	September	6	0.1 %
10	October	6	0.1 %
11	November	4	0.1 %
12	December	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4772	97.7 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 95 valid cases out of 4882 total cases.

- Mean: 6.19
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.95

<b>H3CJ25Y</b>	<b>S27Q25Y YEAR WHEN CONVICTED-W3</b>
----------------	---------------------------------------

Location: 2752-2755 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .  
 Question: In what month (and year) did this happen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1990	-	2	0.0 %
1991	-	3	0.1 %
1992	-	6	0.1 %
1993	-	7	0.1 %
1994	-	10	0.2 %
1995	-	19	0.4 %
1996	-	21	0.4 %
1997	-	12	0.2 %
1998	-	6	0.1 %
1999	-	13	0.3 %
2000	-	2	0.0 %
2001	-	1	0.0 %
9996 (M)	Refused	2	0.0 %
9997 (M)	Legitimate skip	4772	97.7 %
9998 (M)	Don't know	4	0.1 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 102 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1995.66
  - Median: 1996.00
  - Mode: 1996.00
  - Minimum: 1990.00
  - Maximum: 2001.00
  - Standard Deviation: 2.36

H3CJ26	S27Q26 CONVICT CHARGE-ASSAULT-W3		
Location:	2756-2756 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , .		
Question:	What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: assault (battery, rape, aggravated assault, manslaughter)		
Value	Label	Unweighted Frequency	%
0	Not marked	87	1.8 %
1	Marked	17	0.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 104 valid cases out of 4882 total cases.

- Mean: 0.16
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.37

H3CJ27	S27Q27 CONVICT CHARGE-ROBBERY-W3		
Location:	2757-2757 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , .		
Question:	What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: robbery (taking something using a weapon or physical force)		
Value	Label	Unweighted Frequency	%
0	Not marked	99	2.0 %
1	Marked	8	0.2 %
6 (M)	Refused	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

#### H3CJ28

#### S27Q28 CONVICT CHARGE-THEFT-W3

Location: 2758-2758 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: theft (taking without force, such as burglary, larceny, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	81	1.7 %
1	Marked	26	0.5 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

#### H3CJ29

#### S27Q29 CONVICT CHARGE-REC STOL PROP-W3

Location: 2759-2759 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

## - Study 21600 -

Question:

What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: receiving, possessing, or selling stolen property

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	103	2.1 %
1	Marked	4	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

**H3CJ30**

**S27Q30 CONVICT CHARGE-DESTROY PROP-W3**

Location: 2760-2760 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question:

What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	92	1.9 %
1	Marked	15	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

- Study 21600 -

**H3CJ31**

**S27Q31 CONVICT CHARGE-POS/USE MARIJ-W3**

Location: 2761-2761 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: possessing or using marijuana or hashish

Value	Label	Unweighted Frequency	%
0	Not marked	100	2.0 %
1	Marked	7	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3CJ32**

**S27Q32 CONVICT CHARGE-SELLING MARIJ-W3**

Location: 2762-2762 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: selling marijuana or hashish

Value	Label	Unweighted Frequency	%
0	Not marked	104	2.1 %
1	Marked	3	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3CJ33**

**S27Q33 CONVICT CHARGE-POSS OTH DRUGS-W3**

Location: 2763-2763 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: possessing or using other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	101	2.1 %
1	Marked	6	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

**H3CJ34**

**S27Q34 CONVICT CHARGE-SELL OTH DRUGS-W3**

Location: 2764-2764 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: selling or manufacturing other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	105	2.2 %
1	Marked	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3CJ35****S27Q35 CONVICT CHARGE-MAJ TRAFF OFFN-W3**

Location: 2765-2765 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 &gt; 1, add: that first time]?: major traffic offense (driving while impaired, reckless driving, driving without a license)

Value	Label	Unweighted Frequency	%
0	Not marked	103	2.1 %
1	Marked	4	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

**H3CJ36****S27Q36 CONVICT CHARGE-DRINK/PRCH ALC-W3**

Location: 2766-2766 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 &gt; 1, add: that first time]?: drinking or purchasing alcohol while under the legal age

Value	Label	Unweighted Frequency	%
0	Not marked	98	2.0 %
1	Marked	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

<b>H3CJ37</b>	<b>S27Q37 CONVICT CHARGE-ANIMAL ABUSE-W3</b>
Location:	2767-2767 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , .
Question:	What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: animal abuse or neglect

  

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	107	2.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

<b>H3CJ38</b>	<b>S27Q38 CONVICT CHARGE-POSS ILL F ARM-W3</b>
Location:	2768-2768 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 8 , .

## - Study 21600 -

Question:

What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: possessing or selling an illegal firearm

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	105	2.2 %
1	Marked	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3CJ39**

**S27Q39 CONVICT CHARGE-SOLICITATION-W3**

Location:

2769-2769 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , .

Question:

What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: solicitation or prostitution

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	107	2.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ40**

**S27Q40 CONVICT CHARGE-OTH FELONY-W3**

- Study 21600 -

Location: 2770-2770 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: other felony

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	100	2.0 %
1	Marked	7	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

#### H3CJ41

#### S27Q41 CONVICT CHARGE-OTH MISDEMEANOR-W3

Location: 2771-2771 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: What were you convicted of doing, or did you plead guilty to doing, or were you found delinquent in juvenile court as a result of doing [if Q.23 > 1, add: that first time]?: other misdemeanor

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	79	1.6 %
1	Marked	28	0.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.44

**H3CJ42**

**S27Q42 SENTENCE PROBATION/DETENTION-W3**

Location: 2772-2772 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Were you sentenced to probation, or to a juvenile or youth detention center?

Value	Label	Unweighted Frequency	%
1	Probation only	62	1.3 %
2	A detention center only	7	0.1 %
3	Both probation and a detention center	14	0.3 %
4	Other	21	0.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4772	97.7 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 104 valid cases out of 4882 total cases.

- Mean: 1.94
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.25

**H3CJ43A**

**S27Q43A HOW LONG PROBAT/DETENTION-W3**

Location: 2773-2774 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: [If Q.42 = 1, ask:] How long were you on probation [if Q.23 > 1, add: that time]? [If Q.42 = 2, ask:] How long did you serve in a detention center [if Q.23 > 1, add: that time]? [If Q.42 = 3, ask:] How long was your total time on probation and in a detention center [if Q.23 > 1, add: that time]?

Value	Label	Unweighted Frequency	%
0	0 months	18	0.4 %
1	1 month	11	0.2 %
2	2 months	6	0.1 %
3	3 months	7	0.1 %
4	4 months	2	0.0 %
5	5 months	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	6 months	18	0.4 %
8	8 months	4	0.1 %
9	9 months	3	0.1 %
11	11 months	8	0.2 %
97 (M)	Legitimate skip	4798	98.3 %
98 (M)	Don't know	3	0.1 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 79 valid cases out of 4882 total cases.

- Mean: 4.01
- Median: 3.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.62

#### H3CJ43B

#### S27Q43B HOW LONG PROBAT/DETENTION-W3

Location: 2775-2776 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: [If Q.42 = 1, ask:] How long were you on probation [if Q.23 > 1, add: that time]? [If Q.42 = 2, ask:] How long did you serve in a detention center [if Q.23 > 1, add: that time]? [If Q.42 = 3, ask:] How long was your total time on probation and in a detention center [if Q.23 > 1, add: that time]?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	44	0.9 %
1	1 year	20	0.4 %
2	2 years	7	0.1 %
3	3 years	7	0.1 %
4	4 years	1	0.0 %
5	5 years	2	0.0 %
11	11 years	1	0.0 %
97 (M)	Legitimate skip	4798	98.3 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 82 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 11.00
- Standard Deviation: 1.65

**H3CJ44**

**S27Q44 HAD ACTUALLY COMMITTED CRIME-W3**

Location: 2777-2777 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 8 , .  
 Question: Had you actually committed this crime?

Value	Label	Unweighted Frequency	%
0	No	15	0.3 %
1	Yes	70	1.4 %
7 (M)	Legitimate skip	4794	98.2 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 85 valid cases out of 4882 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**H3CJ45**

**S27Q45 HAD ACTUALLY COMMITTED CRIMES-W3**

Location: 2778-2778 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: Had you actually committed these crimes?

Value	Label	Unweighted Frequency	%
0	No	1	0.0 %
1	Yes	15	0.3 %
2	Some yes/some no	1	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.35

**H3CJ46**

**S27Q46 2ND CONV CHARG-ASSAULT-W3**

Location: 2779-2779 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: assault (battery, rape, aggravated assault, manslaughter)

Value	Label	Unweighted Frequency	%
0	Not marked	11	0.2 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3CJ47**

**S27Q47 2ND CONV CHARG-ROBBERY-W3**

Location: 2780-2780 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: robbery (taking something using a weapon or physical force)

Value	Label	Unweighted Frequency	%
0	Not marked	14	0.3 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.39

**H3CJ48**

**S27Q48 2ND CONV CHARG-THEFT-W3**

Location: 2781-2781 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? theft (taking without force, such as burglary, larceny, or shoplifting)

Value	Label	Unweighted Frequency	%
0	Not marked	12	0.2 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3CJ49**

**S27Q49 2ND CONV CHARG-REC STOL PROP-W3**

Location: 2782-2782 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? receiving, possessing, or selling stolen property

Value	Label	Unweighted Frequency	%
0	Not marked	14	0.3 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.39

**H3CJ50**

**S27Q50 2ND CONV CHARG-DESTROY PROP-W3**

Location: 2783-2783 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

Value	Label	Unweighted Frequency	%
0	Not marked	12	0.2 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3CJ51**

**S27Q51 2ND CONV CHARG-POS/USE MARIJ-W3**

Location: 2784-2784 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: possessing or using marijuana or hashish

Value	Label	Unweighted Frequency	%
0	Not marked	10	0.2 %
1	Marked	7	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.51

**H3CJ52**

**S27Q52 2ND CONV CHARG-SELLING MARIJ-W3**

Location: 2785-2785 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: selling marijuana or hashish

Value	Label	Unweighted Frequency	%
0	Not marked	15	0.3 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

**H3CJ53**

**S27Q53 2ND CONV CHARG-POSS OTH DRUGS-W3**

Location: 2786-2786 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: possessing or using other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	13	0.3 %
1	Marked	4	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.44

<b>H3CJ54</b>	<b>S27Q54 2ND CONV CHARG-SELL OTH DRUGS-W3</b>
---------------	--

Location: 2787-2787 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: selling or manufacturing other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	15	0.3 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

<b>H3CJ55</b>	<b>S27Q55 2ND CONV CHARG-MAJ TRAFF OFFN-W3</b>
---------------	--

Location: 2788-2788 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: major traffic offense (driving while impaired, reckless driving, driving without a license)

Value	Label	Unweighted Frequency	%
0	Not marked	15	0.3 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.33

H3CJ56	S27Q56 2ND CONV CHARG-DRINK/PRCH ALC-W3		
Location:	2789-2789 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7, .		
Question:	After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? drinking or purchasing alcohol while under the legal age		
Value	Label	Unweighted Frequency	%
0	Not marked	12	0.2 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H3CJ57	S27Q57 2ND CONV CHARG-ANIMAL ABUSE-W3		
Location:	2790-2790 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7, .		
Question:	After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? animal abuse or neglect		
Value	Label	Unweighted Frequency	%
0	Not marked	17	0.3 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 21600 -

<b>H3CJ58</b>	<b>S27Q58 2ND CONV CHARG-POSS ILL F ARM-W3</b>
---------------	--

Location: 2791-2791 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? : possessing or selling an illegal firearm

Value	Label	Unweighted Frequency	%
0	Not marked	14	0.3 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

<b>H3CJ59</b>	<b>S27Q59 2ND CONV CHARG-SOLICITATION-W3</b>
---------------	--

Location: 2792-2792 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]? : solicitation or prostitution

Value	Label	Unweighted Frequency	%
0	Not marked	17	0.3 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

<b>H3CJ60</b>	<b>S27Q60 2ND CONV CHARG-OTH FELONY-W3</b>
---------------	--

Location: 2793-2793 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: other felony

Value	Label	Unweighted Frequency	%
0	Not marked	13	0.3 %
1	Marked	4	0.1 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3CJ61 S27Q61 2ND CONV CHARG-OTH MISDEMEANOR-W3**

Location: 2794-2794 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: After your first conviction or guilty plea, you had <Q.23 - 1> {OTHER/OTHERS}. What crimes were involved [if Q.23 > 2, add: in all of them]?: other misdemeanor

Value	Label	Unweighted Frequency	%
0	Not marked	15	0.3 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

**H3CJ62 S27Q62 SENTENCE PROBATION/DETENTION-W3**

Location: 2795-2795 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 7 , 8 , 9 , .

Question:

As a result of {THIS/THESE} other juvenile {CONVICTION OR GUILTY PLEA/CONVICTIONS OR GUILTY PLEAS}, were you sentenced to probation, to a detention center, or both?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Probation only	8	0.2 %
2	A detention center only	1	0.0 %
3	Both probation and a detention center	4	0.1 %
4	Other	2	0.0 %
7 (M)	Legitimate skip	4864	99.6 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 15 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.20

**H3CJ63A**

**S27Q63A TOTAL MON DETENTION CENTER-W3**

Location: 2796-2797 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question:

In total, how long did you serve in a detention center for {THIS CONVICTION OR PLEA/THESE CONVICTIONS OR PLEAS}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2 months	2	0.0 %
3	3 months	1	0.0 %
6	6 months	1	0.0 %
8	8 months	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
. (M)	-	1	0.0 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 4.20
- Median: 3.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 8.00

- Study 21600 -

- Standard Deviation: 2.68

<b>H3CJ63B</b>	<b>S27Q63B TOTAL YRS DETENTION CENTER-W3</b>
----------------	--

Location: 2798-2799 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: In total, how long did you serve in a detention center for {THIS CONVICTION OR PLEA/THESE CONVICTIONS OR PLEAS}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	2	0.0 %
1	1 year	1	0.0 %
2	2 years	1	0.0 %
3	3 years	1	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
. (M)	-	1	0.0 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.30

<b>H3CJ64A</b>	<b>S27Q64A TOTAL MON ON PROBATION-W3</b>
----------------	--

Location: 2800-2801 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , .  
 Question: In total, how long were you on probation for {THIS CONVICTION OR PLEA/THESE CONVICTIONS OR PLEAS}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	4	0.1 %
1	1 month	1	0.0 %
2	2 months	1	0.0 %
3	3 months	1	0.0 %
6	6 months	1	0.0 %
7	7 months	1	0.0 %
11	11 months	3	0.1 %
97 (M)	Legitimate skip	4869	99.7 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 12 valid cases out of 4882 total cases.

- Mean: 4.33
- Median: 2.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 4.64

**H3CJ64B****S27Q64B TOTAL YRS ON PROBATION-W3**

Location: 2802-2803 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: In total, how long were you on probation for {THIS CONVICTION OR PLEA/THESE CONVICTIONS OR PLEAS}?

Value	Label	Unweighted Frequency	%
0	0 years	2	0.0 %
1	1 year	3	0.1 %
2	2 years	2	0.0 %
3	3 years	2	0.0 %
5	5 years	1	0.0 %
6	6 years	1	0.0 %
97 (M)	Legitimate skip	4869	99.7 %
. (M)	-	2	0.0 %

Based upon 11 valid cases out of 4882 total cases.

- Mean: 2.18
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.94

**H3CJ65****S27Q65 HAD ACTUALLY COMMITTED CRIME-W3**

Location: 2804-2804 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Had you actually committed this crime?

Value	Label	Unweighted Frequency	%
0	No	3	0.1 %
1	Yes	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4873	99.8 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 7 valid cases out of 4882 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.53

### H3CJ66

### S27Q66 HAD ACTUALLY COMMITTED CRIMES-W3

Location: 2805-2805 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Had you actually committed these crimes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	9	0.2 %
7 (M)	Legitimate skip	4872	99.8 %
. (M)	-	1	0.0 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

### H3CJ67

### S27Q67 EVER ARRESTED SINCE AGE 18-W3

Location: 2806-2806 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Have you ever been arrested since you were 18?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.160)	106	2.2 %
1	Yes	123	2.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4651	95.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 229 valid cases out of 4882 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3CJ68**

**S27Q68 NUM OF TIMES ARRESTED SINCE 18-W3**

Location: 2807-2809 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999 , .

Question: How many times have you been arrested since you were 18?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	247	5.1 %
2	-	84	1.7 %
3	-	42	0.9 %
4	-	19	0.4 %
5	-	10	0.2 %
6	-	2	0.0 %
7	-	3	0.1 %
8	-	1	0.0 %
10	-	3	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	2	0.0 %
30	-	1	0.0 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	4455	91.3 %
998 (M)	Don't know	2	0.0 %
999 (M)	Not applicable	1	0.0 %
. (M)	-	5	0.1 %

Based upon 416 valid cases out of 4882 total cases.

- Mean: 2.03

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.55

**H3CJ69**

**S27Q69 TYPE CHARGE-ASSAULT-W3**

Location: 2810-2810 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 9 , .  
 Question: What were you charged with [if Q.68 > 1, add: the first time]?: assault (battery, rape, aggravated assault, manslaughter)

Value	Label	Unweighted Frequency	%
0	Not marked	362	7.4 %
1	Marked	59	1.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 421 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**H3CJ70**

**S27Q70 TYPE CHARGE-ROBBERY-W3**

Location: 2811-2811 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 9 , .  
 Question: What were you charged with [if Q.68 > 1, add: the first time]?: robbery (taking something using a weapon or physical force)

Value	Label	Unweighted Frequency	%
0	Not marked	406	8.3 %
1	Marked	16	0.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 422 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H3CJ71	S27Q71 TYPE CHARGE-THEFT-W3			
Location:	2812-2812 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 9 , .			
Question:	What were you charged with [if Q.68 > 1, add: the first time]?: theft (taking without force, such as burglary, larceny, or shoplifting)			
Value	Label		Unweighted Frequency	%
0	Not marked		382	7.8 %
1	Marked		41	0.8 %
6 (M)	Refused		2	0.0 %
7 (M)	Legitimate skip		4455	91.3 %
9 (M)	Not applicable		1	0.0 %
. (M)	-		1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H3CJ72	S27Q72 TYPE CHARGE-POSSES STOLEN PROP-W3			
Location:	2813-2813 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 9 , .			
Question:	What were you charged with [if Q.68 > 1, add: the first time]?: receiving, possessing, or selling stolen property			
Value	Label		Unweighted Frequency	%
0	Not marked		407	8.3 %
1	Marked		16	0.3 %
6 (M)	Refused		2	0.0 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

**H3CJ73**

**S27Q73 TYPE CHARGE-DESTROY PROPERTY-W3**

Location: 2814-2814 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

Value	Label	Unweighted Frequency	%
0	Not marked	399	8.2 %
1	Marked	23	0.5 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 422 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

**H3CJ74**

**S27Q74 TYPE CHARGE-POS/USE MARIJUANA-W3**

Location: 2815-2815 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: possessing or using marijuana or hashish

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	345	7.1 %
1	Marked	78	1.6 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

**H3CJ75**
**S27Q75 TYPE CHARGE-SELLING MARIJUANA-W3**

Location: 2816-2816 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: selling marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	403	8.3 %
1	Marked	20	0.4 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3CJ76**
**S27Q76 TYPE CHARGE-POSS OTH DRUGS-W3**

Location: 2817-2817 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

6 , 7 , 9 , .

Question:

What were you charged with [if Q.68 > 1, add: the first time]?: possessing or using other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	384	7.9 %
1	Marked	39	0.8 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H3CJ77**

**S27Q77 TYPE CHARGE-SELL OTH DRUGS-W3**

Location:

2818-2818 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 9 , .

Question:

What were you charged with [if Q.68 > 1, add: the first time]?: selling or manufacturing other illegal drugs

Value	Label	Unweighted Frequency	%
0	Not marked	409	8.4 %
1	Marked	14	0.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3CJ78**

**S27Q78 TYPE CHARGE-MAJ TRAFF OFFENSE-W3**

- Study 21600 -

Location: 2819-2819 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: major traffic offense (driving while impaired, reckless driving, driving without a license)

Value	Label	Unweighted Frequency	%
0	Not marked	295	6.0 %
1	Marked	128	2.6 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

### H3CJ79

### S27Q79 TYPE CHARGE-ANIMAL ABUSE/NEGL-W3

Location: 2820-2820 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: animal abuse or neglect

Value	Label	Unweighted Frequency	%
0	Not marked	422	8.6 %
1	Marked	1	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

- Study 21600 -

**H3CJ80**

**S27Q80 TYPE CHARGE-POSS ILL FIRE ARM-W3**

Location: 2821-2821 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 9 , .  
 Question: What were you charged with [if Q.68 > 1, add: the first time]?: possessing or selling an illegal firearm

Value	Label	Unweighted Frequency	%
0	Not marked	415	8.5 %
1	Marked	8	0.2 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3CJ81**

**S27Q81 TYPE CHARGE-SOLICITATION-W3**

Location: 2822-2822 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 9 , .  
 Question: What were you charged with [if Q.68 > 1, add: the first time]?: solicitation or prostitution

Value	Label	Unweighted Frequency	%
0	Not marked	421	8.6 %
1	Marked	2	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.07

<b>H3CJ82</b>	<b>S27Q82 TYPE CHARGE-CHILD ABUSE-W3</b>
---------------	--

Location:	2823-2823 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 9 , .
Question:	What were you charged with [if Q.68 > 1, add: the first time]? child abuse or neglect

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	421	8.6 %
1	Marked	2	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

<b>H3CJ83</b>	<b>S27Q83 TYPE CHARGE-DOMESTIC VIOLENCE-W3</b>
---------------	--

Location:	2824-2824 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 7 , 9 , .
Question:	What were you charged with [if Q.68 > 1, add: the first time]? domestic violence or spousal abuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	404	8.3 %
1	Marked	20	0.4 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
. (M)	-	1	0.0 %

Based upon 424 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.21

**H3CJ84**

**S27Q84 TYPE CHARGE-OTHER FELONY-W3**

Location: 2825-2825 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: other - felony

Value	Label	Unweighted Frequency	%
0	Not marked	387	7.9 %
1	Marked	36	0.7 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3CJ85**

**S27Q85 TYPE CHARGE-OTH MISDEMEANOR-W3**

Location: 2826-2826 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 9 , .

Question: What were you charged with [if Q.68 > 1, add: the first time]?: other - misdemeanor

Value	Label	Unweighted Frequency	%
0	Not marked	286	5.9 %
1	Marked	137	2.8 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4455	91.3 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 423 valid cases out of 4882 total cases.

- Mean: 0.32
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H3CJ86	S27Q86 BEEN CONVIC/PLED ADULT COURT-W3		
	Value	Label	Unweighted Frequency
Location:	2827-2827	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , .		
Question:	Have you ever been convicted of or pled guilty to a crime in adult court?		
			%
	0	No (skip to Q.160)	167 3.4 %
	1	Yes	257 5.3 %
	6 (M)	Refused	1 0.0 %
	7 (M)	Legitimate skip	4452 91.2 %
	8 (M)	Don't know	2 0.0 %
	. (M)	-	3 0.1 %

Based upon 424 valid cases out of 4882 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H3CJ87	S27Q87 NUM OF TIMES CONVICTED-W3		
	Value	Label	Unweighted Frequency
Location:	2828-2829	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , .		
Question:	How many times has this happened?		
			%
	1	1 conviction/guilty plea	171 3.5 %
	2	2 convictions/guilty pleas	51 1.0 %
	3	3 convictions/guilty pleas	18 0.4 %
	4	4 convictions/guilty pleas	6 0.1 %
	5	5 convictions/guilty pleas	4 0.1 %
	6	6 convictions/guilty pleas	2 0.0 %
	7	7 convictions/guilty pleas	1 0.0 %
	10	10 convictions/guilty pleas	1 0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4624	94.7 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 254 valid cases out of 4882 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.13

### H3CJ88

### S27Q88 AGE WHEN CONVICTED-W3

Location: 2830-2831 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 99 , .

Question: How old were you {WHEN/THE FIRST TIME} this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	84	1.7 %
19	-	51	1.0 %
20	-	46	0.9 %
21	-	38	0.8 %
22	-	21	0.4 %
23	-	8	0.2 %
24	-	5	0.1 %
25	-	1	0.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4624	94.7 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 254 valid cases out of 4882 total cases.

- Mean: 19.65
- Median: 19.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 25.00
- Standard Deviation: 1.61

- Study 21600 -

**H3CJ89M**

**S27Q89M MONTH WHEN CONVICTED-W3**

Location: 2832-2833 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: In what month (and year) was that?

Value	Label	Unweighted Frequency	%
1	January	18	0.4 %
2	February	21	0.4 %
3	March	13	0.3 %
4	April	14	0.3 %
5	May	23	0.5 %
6	June	32	0.7 %
7	July	20	0.4 %
8	August	22	0.5 %
9	September	16	0.3 %
10	October	25	0.5 %
11	November	13	0.3 %
12	December	15	0.3 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	4624	94.7 %
98 (M)	Don't know	18	0.4 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 232 valid cases out of 4882 total cases.

- Mean: 6.44
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.26

**H3CJ89Y**

**S27Q89Y YEAR WHEN CONVICTED-W3**

Location: 2834-2837 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9996 , 9997 , 9998 , 9999 , .  
 Question: In what month (and year) was that?

Value	Label	Unweighted Frequency	%
1994	-	1	0.0 %
1995	-	12	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1996	-	9	0.2 %
1997	-	15	0.3 %
1998	-	39	0.8 %
1999	-	50	1.0 %
2000	-	52	1.1 %
2001	-	58	1.2 %
2002	-	1	0.0 %
9996 (M)	Refused	5	0.1 %
9997 (M)	Legitimate skip	4624	94.7 %
9998 (M)	Don't know	13	0.3 %
9999 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 237 valid cases out of 4882 total cases.

- Mean: 1999.09
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 1.71

### H3CJ90

### S27Q90 TYPE CHARGE-ASSAULT-W3

Location: 2838-2838 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: assault (battery, rape, aggravated assault, manslaughter)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	225	4.6 %
1	Marked	29	0.6 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 254 valid cases out of 4882 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.32

**H3CJ91**

**S27Q91 TYPE CHARGE-ROBBERY-W3**

Location: 2839-2839 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , .  
 Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: robbery (taking something using a weapon or physical force)

Value	Label	Unweighted Frequency	%
0	Not marked	247	5.1 %
1	Marked	8	0.2 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 255 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3CJ92**

**S27Q92 TYPE CHARGE-THEFT-W3**

Location: 2840-2840 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , .  
 Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: theft (taking without force, such as burglary, larceny, or shoplifting)

Value	Label	Unweighted Frequency	%
0	Not marked	223	4.6 %
1	Marked	33	0.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**H3CJ93**

**S27Q93 TYPE CHARGE-POSSES STOLEN PROP-W3**

Location: 2841-2841 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: receiving, possessing, or selling stolen property

Value	Label	Unweighted Frequency	%
0	Not marked	247	5.1 %
1	Marked	9	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3CJ94**

**S27Q94 TYPE CHARGE-DESTROY PROPERTY-W3**

Location: 2842-2842 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

Value	Label	Unweighted Frequency	%
0	Not marked	243	5.0 %
1	Marked	13	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.05

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

<b>H3CJ95</b>	<b>S27Q95 TYPE CHARGE-POS/USE MARIJUANA-W3</b>
---------------	--

Location: 2843-2843 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: possessing or using marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	224	4.6 %
1	Marked	32	0.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

<b>H3CJ96</b>	<b>S27Q96 TYPE CHARGE-SELLING MARIJUANA-W3</b>
---------------	--

Location: 2844-2844 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: selling marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	244	5.0 %
1	Marked	12	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

<b>H3CJ97</b>	<b>S27Q97 TYPE CHARGE-POSS OTH DRUGS-W3</b>			
Location:	2845-2845 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , .			
Question:	What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: possessing or using other illegal drugs			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	Not marked	235	4.8 %
	1	Marked	21	0.4 %
	6 (M)	Refused	1	0.0 %
	7 (M)	Legitimate skip	4622	94.7 %
	. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

<b>H3CJ98</b>	<b>S27Q98 TYPE CHARGE-SELL OTH DRUGS-W3</b>			
Location:	2846-2846 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , .			
Question:	What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: selling or manufacturing other illegal drugs			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	Not marked	250	5.1 %
	1	Marked	6	0.1 %
	6 (M)	Refused	1	0.0 %
	7 (M)	Legitimate skip	4622	94.7 %
	. (M)	-	3	0.1 %

- Study 21600 -

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H3CJ99	S27Q99 TYPE CHARGE-MAJ TRAFF OFFENSE-W3			
Location:	2847-2847 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , .			
Question:	What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: major traffic offense (driving while impaired, reckless driving, driving without a license)			
Value	Label	Unweighted Frequency	%	
0	Not marked	192	3.9 %	
1	Marked	64	1.3 %	
6 (M)	Refused	1	0.0 %	
7 (M)	Legitimate skip	4622	94.7 %	
. (M)	-	3	0.1 %	

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

H3CJ100	S27Q100 TYPE CHARGE-ANIMAL ABUSE/NEGL-W3			
Location:	2848-2848 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , .			
Question:	What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: animal abuse or neglect			
Value	Label	Unweighted Frequency	%	
0	Not marked	256	5.2 %	
6 (M)	Refused	1	0.0 %	
7 (M)	Legitimate skip	4622	94.7 %	
. (M)	-	3	0.1 %	

- Study 21600 -

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ101****S27Q101 TYPE CHARGE-POSS ILL FIRE ARM-W3**

Location: 2849-2849 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 &gt; 1, add: that first time]?: possessing or selling an illegal firearm

Value	Label	Unweighted Frequency	%
0	Not marked	252	5.2 %
1	Marked	4	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**H3CJ102****S27Q102 TYPE CHARGE-SOLICITATION-W3**

Location: 2850-2850 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 &gt; 1, add: that first time]?: solicitation or prostitution

Value	Label	Unweighted Frequency	%
0	Not marked	256	5.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

- Study 21600 -

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ103**

**S27Q103 TYPE CHARGE-CHILD ABUSE-W3**

Location: 2851-2851 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: child abuse or neglect

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	256	5.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ104**

**S27Q104 TYPE CHARGE-DOMESTIC VIOLENCE-W3**

Location: 2852-2852 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 > 1, add: that first time]?: domestic violence or spousal abuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	248	5.1 %
1	Marked	8	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

- Study 21600 -

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**H3CJ105****S27Q105 TYPE CHARGE-OTHER FELONY-W3**

Location: 2853-2853 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 &gt; 1, add: that first time]?: other - felony

Value	Label	Unweighted Frequency	%
0	Not marked	241	4.9 %
1	Marked	15	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

**H3CJ106****S27Q106 TYPE CHARGE-OTH MISDEMEANOR-W3**

Location: 2854-2854 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: What were you convicted of doing or did you plead guilty to doing [if Q.87 &gt; 1, add: that first time]?: other - misdemeanor

Value	Label	Unweighted Frequency	%
0	Not marked	195	4.0 %
1	Marked	61	1.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4622	94.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

Based upon 256 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H3CJ107**
**S27Q107 SENTENCE PROB/JAIL/PRISON-W3**

Location: 2855-2855 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: When you were [if Q.87 > 1, add: first] convicted or [if Q.87 > 1, add: first] pled guilty as an adult, were you sentenced to probation, jail, or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Probation	149	3.1 %
2	Jail	32	0.7 %
3	Prison	9	0.2 %
4	Other	59	1.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4622	94.7 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	3	0.1 %

Based upon 249 valid cases out of 4882 total cases.

- Mean: 1.91
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.26

**H3CJ108A**
**S27Q108A LENGTH OF SENTENCE MONTHS-W3**

Location: 2856-2857 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: How long did you serve in jail or prison?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	7	0.1 %
1	1 month	10	0.2 %
2	2 months	3	0.1 %
3	3 months	5	0.1 %
4	4 months	2	0.0 %
5	5 months	1	0.0 %
6	6 months	4	0.1 %
7	7 months	2	0.0 %
8	8 months	1	0.0 %
9	9 months	3	0.1 %
11	11 months	1	0.0 %
97 (M)	Legitimate skip	4840	99.1 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 39 valid cases out of 4882 total cases.

- Mean: 3.28
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.14

**H3CJ108B**
**S27Q108B LENGTH OF SENTENCE YEARS-W3**

Location: 2858-2860 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , 999 , .

Question: How long did you serve in jail or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	15	0.3 %
1	1 year	1	0.0 %
2	2 years	6	0.1 %
3	3 years	1	0.0 %
4	4 years	1	0.0 %
997 (M)	Legitimate skip	4840	99.1 %
998 (M)	Don't know	1	0.0 %
999 (M)	Not applicable	1	0.0 %
. (M)	-	16	0.3 %

- Study 21600 -

Based upon 24 valid cases out of 4882 total cases.

- Mean: 0.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.20

**H3CJ109A****S27Q109A LENGTH OF PROBATION MONTHS-W3**

Location: 2861-2862 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): 97 , 98 , 99 , .  
Question: How long were you on probation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	68	1.4 %
1	1 month	5	0.1 %
2	2 months	6	0.1 %
3	3 months	5	0.1 %
4	4 months	4	0.1 %
5	5 months	1	0.0 %
6	6 months	34	0.7 %
8	8 months	3	0.1 %
9	9 months	3	0.1 %
11	11 months	17	0.3 %
97 (M)	Legitimate skip	4732	96.9 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 146 valid cases out of 4882 total cases.

- Mean: 3.39
- Median: 1.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.90

**H3CJ109B****S27Q109B LENGTH OF PROBATION YEARS-W3**

Location: 2863-2864 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): 97 , 98 , 99 , .

- Study 21600 -

Question:

How long were you on probation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	38	0.8 %
1	1 year	56	1.1 %
2	2 years	27	0.6 %
3	3 years	13	0.3 %
5	5 years	8	0.2 %
6	6 years	1	0.0 %
9	9 years	1	0.0 %
10	10 years	2	0.0 %
97 (M)	Legitimate skip	4732	96.9 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 146 valid cases out of 4882 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.77

**H3CJ110**

**S27Q110 HAD ACTUALLY COMMITTED CRIME-W3**

Location: 2865-2865 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Had you actually committed this crime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38	0.8 %
1	Yes	181	3.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4658	95.4 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 219 valid cases out of 4882 total cases.

- Mean: 0.83
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

<b>H3CJ111</b>	<b>S27Q111 HAD ACTUALLY COMMITTED CRIMES-W3</b>			
Location:	2866-2866 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , .			
Question:	Had you actually committed these crimes?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	2	0.0 %
	1	Yes	23	0.5 %
	2	Some yes/some no	7	0.1 %
	7 (M)	Legitimate skip	4849	99.3 %
	. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.51

<b>H3CJ112M</b>	<b>S27Q112M MONTH CONVICTED RECENT CRIME-W3</b>			
Location:	2867-2868 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , 98 , 99 , .			
Question:	In what month (and year) were you convicted of a crime or did you plead guilty to a crime most recently?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	January	5	0.1 %
	4	April	1	0.0 %
	5	May	6	0.1 %
	6	June	2	0.0 %
	7	July	2	0.0 %
	8	August	3	0.1 %
	9	September	3	0.1 %
	10	October	5	0.1 %
	12	December	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4849	99.3 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 29 valid cases out of 4882 total cases.

- Mean: 6.55
- Median: 7.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.38

**H3CJ112Y**

**S27Q112Y YEAR CONVICTED RECENT CRIME-W3**

Location: 2869-2872 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , 9999 , .

Question: In what month (and year) were you convicted of a crime or did you plead guilty to a crime most recently?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1997	-	2	0.0 %
1998	-	1	0.0 %
1999	-	10	0.2 %
2000	-	8	0.2 %
2001	-	9	0.2 %
9997 (M)	Legitimate skip	4849	99.3 %
9998 (M)	Don't know	1	0.0 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 30 valid cases out of 4882 total cases.

- Mean: 1999.70
- Median: 2000.00
- Mode: 1999.00
- Minimum: 1997.00
- Maximum: 2001.00
- Standard Deviation: 1.15

**H3CJ113**

**S27Q113 TYPE CHARGE-ASSAULT-W3**

Location: 2873-2873 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: assault (battery, rape, aggravated assault, manslaughter)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	22	0.5 %
1	Marked	9	0.2 %
7 (M)	Legitimate skip	4849	99.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 31 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

#### H3CJ114

#### S27Q114 TYPE CHARGE-ROBBERY-W3

Location: 2874-2874 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: robbery (taking something using a weapon or physical force)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	28	0.6 %
1	Marked	4	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

#### H3CJ115

#### S27Q115 TYPE CHARGE-THEFT-W3

Location: 2875-2875 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: theft (taking without force, such as burglary, larceny, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	27	0.6 %
1	Marked	5	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**H3CJ116**

**S27Q116 TYPE CHARGE-POSSES STOLN PROP-W3**

Location: 2876-2876 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: receiving, possessing, or selling stolen property

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	31	0.6 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**H3CJ117**

**S27Q117 TYPE CHARGE-DESTROY PROPERTY-W3**

Location: 2877-2877 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

Value	Label	Unweighted Frequency	%
0	Not marked	30	0.6 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3CJ118**

**S27Q118 TYPE CHARGE-POS/USE MARIJUANA-W3**

Location: 2878-2878 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: possessing or using marijuana or hashish

Value	Label	Unweighted Frequency	%
0	Not marked	23	0.5 %
1	Marked	9	0.2 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3CJ119**

**S27Q119 TYPE CHARGE-SELLING MARIJUANA-W3**

Location: 2879-2879 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8 , .

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: selling marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	26	0.5 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3CJ120**

**S27Q120 TYPE CHARGE-POSS OTH DRUGS-W3**

Location: 2880-2880 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: possessing or using other illegal drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	22	0.5 %
1	Marked	10	0.2 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**H3CJ121**

**S27Q121 TYPE CHARGE-SELL OTH DRUGS-W3**

Location: 2881-2881 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

## - Study 21600 -

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: selling or manufacturing other illegal drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	28	0.6 %
1	Marked	4	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**H3CJ122**

**S27Q122 TYPE CHARGE-MAJ TRAFF OFFENSE-W3**

Location: 2882-2882 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: major traffic offense (driving while impaired, reckless driving, driving without a license)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	26	0.5 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3CJ123**

**S27Q123 TYPE CHARGE-ANIMAL ABUSE/NEGL-W3**

Location: 2883-2883 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

- Study 21600 -

Question:

This most recent time, what were you convicted of or did you plead guilty to doing?: animal abuse or neglect

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	32	0.7 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ124**

**S27Q124 TYPE CHARGE-POSS ILL FIRE ARM-W3**

Location: 2884-2884 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: possessing or selling an illegal firearm

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	30	0.6 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3CJ125**

**S27Q125 TYPE CHARGE-SOLICITATION-W3**

Location: 2885-2885 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: solicitation or prostitution

- Study 21600 -

Value	Label	Unweighted Frequency	%
0	Not marked	32	0.7 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3CJ126

#### S27Q126 TYPE CHARGE-CHILD ABUSE-W3

Location: 2886-2886 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: child abuse or neglect

Value	Label	Unweighted Frequency	%
0	Not marked	32	0.7 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3CJ127

#### S27Q127 TYPE CHARGE-DOMESTIC VIOLENCE-W3

Location: 2887-2887 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: domestic violence or spousal abuse

Value	Label	Unweighted Frequency	%
0	Not marked	30	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3CJ128**
**S27Q128 TYPE CHARGE-OTHER FELONY-W3**

Location: 2888-2888 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: other - felony

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	29	0.6 %
1	Marked	3	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

**H3CJ129**
**S27Q129 TYPE CHARGE-OTH MISDEMEANOR-W3**

Location: 2889-2889 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: This most recent time, what were you convicted of or did you plead guilty to doing?: other - misdemeanor

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	26	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

#### H3CJ130

#### S27Q130 SENTENCE PROB/JAIL/PRISON-W3

Location: 2890-2890 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Were you sentenced to probation, jail, or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Probation	17	0.3 %
2	Jail	5	0.1 %
3	Prison	4	0.1 %
4	Other	6	0.1 %
7 (M)	Legitimate skip	4849	99.3 %
. (M)	-	1	0.0 %

Based upon 32 valid cases out of 4882 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.20

#### H3CJ131A

#### S27Q131A LENGTH OF SENTENCE MONTHS-W3

Location: 2891-2892 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: How long did you serve in jail or prison this most recent time?

- Study 21600 -

Value	Label	Unweighted Frequency	%
0	0 months	4	0.1 %
2	2 months	2	0.0 %
4	4 months	1	0.0 %
6	6 months	1	0.0 %
9	9 months	1	0.0 %
97 (M)	Legitimate skip	4872	99.8 %
. (M)	-	1	0.0 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.21

**H3CJ131B**
**S27Q131B LENGTH OF SENTENCE YEARS-W3**

Location: 2893-2894 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: How long did you serve in jail or prison this most recent time?

Value	Label	Unweighted Frequency	%
0	0 years	5	0.1 %
1	1 year	1	0.0 %
2	2 years	2	0.0 %
12	12 years	1	0.0 %
97 (M)	Legitimate skip	4872	99.8 %
. (M)	-	1	0.0 %

Based upon 9 valid cases out of 4882 total cases.

- Mean: 1.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.89

**H3CJ132A**
**S27Q132A LENGTH OF PROBATION MONTHS-W3**

Location: 2895-2896 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: How long were you on probation this most recent time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	10	0.2 %
1	1 month	2	0.0 %
6	6 months	4	0.1 %
9	9 months	1	0.0 %
97 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 2.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.11

### H3CJ132B

### S27Q132B LENGTH OF PROBATION YEARS-W3

Location: 2897-2898 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: How long were you on probation this most recent time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	5	0.1 %
1	1 year	3	0.1 %
2	2 years	3	0.1 %
3	3 years	4	0.1 %
5	5 years	2	0.0 %
97 (M)	Legitimate skip	4864	99.6 %
. (M)	-	1	0.0 %

Based upon 17 valid cases out of 4882 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.67

- Study 21600 -

H3CJ133	S27Q133 HAD ACTUALLY COMMITTED CRIME-W3																											
Location:	2899-2899 (width: 1; decimal: 0)																											
Variable Type:	numeric																											
Range of Missing Values (M):	7 , .																											
Question:	Had you actually committed this crime?																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No</td> <td style="text-align: right; padding: 2px;">2</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes</td> <td style="text-align: right; padding: 2px;">9</td> <td style="text-align: right; padding: 2px;">0.2 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4870</td> <td style="text-align: right; padding: 2px;">99.8 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td> <td style="text-align: left; padding: 2px;">-</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	0	No	2	0.0 %	1	Yes	9	0.2 %	7 (M)	Legitimate skip	4870	99.8 %	. (M)	-	1	0.0 %				
Value	Label	Unweighted Frequency	%																									
0	No	2	0.0 %																									
1	Yes	9	0.2 %																									
7 (M)	Legitimate skip	4870	99.8 %																									
. (M)	-	1	0.0 %																									
	Based upon 11 valid cases out of 4882 total cases.																											
	<ul style="list-style-type: none"> <li>• Mean: 0.82</li> <li>• Median: 1.00</li> <li>• Mode: 1.00</li> <li>• Minimum: 0.00</li> <li>• Maximum: 1.00</li> <li>• Standard Deviation: 0.40</li> </ul>																											
H3CJ134	S27Q134 HAD ACTUALLY COMMITTED CRIMES-W3																											
Location:	2900-2900 (width: 1; decimal: 0)																											
Variable Type:	numeric																											
Range of Missing Values (M):	7 , .																											
Question:	Had you actually committed these crimes?																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Label</th> <th style="text-align: right; padding: 2px;">Unweighted Frequency</th> <th style="text-align: right; padding: 2px;">%</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No</td> <td style="text-align: right; padding: 2px;">2</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes</td> <td style="text-align: right; padding: 2px;">13</td> <td style="text-align: right; padding: 2px;">0.3 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Some yes/some no</td> <td style="text-align: right; padding: 2px;">5</td> <td style="text-align: right; padding: 2px;">0.1 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4861</td> <td style="text-align: right; padding: 2px;">99.6 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td> <td style="text-align: left; padding: 2px;">-</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	0	No	2	0.0 %	1	Yes	13	0.3 %	2	Some yes/some no	5	0.1 %	7 (M)	Legitimate skip	4861	99.6 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																									
0	No	2	0.0 %																									
1	Yes	13	0.3 %																									
2	Some yes/some no	5	0.1 %																									
7 (M)	Legitimate skip	4861	99.6 %																									
. (M)	-	1	0.0 %																									
	Based upon 20 valid cases out of 4882 total cases.																											
	<ul style="list-style-type: none"> <li>• Mean: 1.15</li> <li>• Median: 1.00</li> <li>• Mode: 1.00</li> <li>• Minimum: 0.00</li> <li>• Maximum: 2.00</li> <li>• Standard Deviation: 0.59</li> </ul>																											
H3CJ135	S27Q135 OTH TYPE CHARGE-ASSAULT-W3																											

- Study 21600 -

Location: 2901-2901 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: assault (battery, rape, aggravated assault, manslaughter)

Value	Label	Unweighted Frequency	%
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

### H3CJ136

### S27Q136 OTH TYPE CHARGE-ROBBERY-W3

Location: 2902-2902 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: robbery (taking something using a weapon or physical force)

Value	Label	Unweighted Frequency	%
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

### H3CJ137

### S27Q137 OTH TYPE CHARGE-THEFT-W3

Location: 2903-2903 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: theft (taking without force, such as burglary, larceny, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ138**

**S27Q138 OTH TYPE CHARGE-POS STLN PROP-W3**

Location: 2904-2904 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: receiving, possessing, or selling stolen property

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ139**

**S27Q139 OTH TYPE CHARGE-DESTROY PROP-W3**

Location: 2905-2905 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

## - Study 21600 -

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking and entering)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ140**

**S27Q140 OTH TYPE CHARGE-POS/USE MARIJ-W3**

Location: 2906-2906 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: possessing or using marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3CJ141**

**S27Q141 OTH TYPE CHARGE-SELLING MARIJ-W3**

Location: 2907-2907 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

## - Study 21600 -

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: selling marijuana or hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ142**

**S27Q142 OTH TYPE CHARGE-POSS OTH DRGS-W3**

Location: 2908-2908 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: possessing or using other illegal drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3CJ143**

**S27Q143 OTH TYPE CHARGE-SELL OTH DRGS-W3**

Location: 2909-2909 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

- Study 21600 -

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: selling or manufacturing other illegal drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ144**

**S27Q144 OTH TYPE CHARGE-MAJ TRAFF OFF-W3**

Location: 2910-2910 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: major traffic offense (driving while impaired, reckless driving, driving without a license)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ145**

**S27Q145 OTH TYPE CHARGE-ANIM ABS/NEGL-W3**

Location: 2911-2911 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

- Study 21600 -

Question:

The other times you have been convicted or pled guilty as an adult, what crimes were involved?: animal abuse or neglect

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ146 S27Q146 OTH TYPE CHARGE-P IL FIRE ARM-W3**

Location: 2912-2912 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: possessing or selling an illegal firearm

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ147 S27Q147 OTH TYPE CHARGE-SOLICITATION-W3**

Location: 2913-2913 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: solicitation or prostitution

- Study 21600 -

Value	Label	Unweighted Frequency	%
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3CJ148

#### S27Q148 OTH TYPE CHARGE-CHILD ABUSE-W3

Location: 2914-2914 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: child abuse or neglect

Value	Label	Unweighted Frequency	%
0	Not marked	20	0.4 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

#### H3CJ149

#### S27Q149 OTH TYPE CHARGE-DMSTIC VLNCE-W3

Location: 2915-2915 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: domestic violence or spousal abuse

Value	Label	Unweighted Frequency	%
0	Not marked	19	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

#### H3CJ150

#### S27Q150 OTH TYPE CHARGE-OTHER FELONY-W3

Location: 2916-2916 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: other - felony

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

#### H3CJ151

#### S27Q151 OTH TYPE CHARGE-OTH MSDMEANOR-W3

Location: 2917-2917 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The other times you have been convicted or pled guilty as an adult, what crimes were involved?: other - misdemeanor

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

### H3CJ152

### S27Q152 SENTENCE TYPE PROBATION-W3

Location: 2918-2918 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: For all these convictions or guilty pleas, have you been sentenced to probation, jail, or prison?: probation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	14	0.3 %
1	Marked	6	0.1 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

### H3CJ153

### S27Q153 SENTENCE TYPE JAIL-W3

Location: 2919-2919 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: For all these convictions or guilty pleas, have you been sentenced to probation, jail, or prison?: jail

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	18	0.4 %
1	Marked	2	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3CJ154**
**S27Q154 SENTENCE TYPE PRISON-W3**

Location: 2920-2920 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: For all these convictions or guilty pleas, have you been sentenced to probation, jail, or prison?: prison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ155**
**S27Q155 SENTENCE TYPE NONE OF ABOVE-W3**

Location: 2921-2921 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: For all these convictions or guilty pleas, have you been sentenced to probation, jail, or prison?: none of these

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	19	0.4 %
1	Marked (skip to Q.158)	1	0.0 %
7 (M)	Legitimate skip	4861	99.6 %
. (M)	-	1	0.0 %

Based upon 20 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H3CJ156A**
**S27Q156A LENGTH SENTENCE PRISON MONTH-W3**

Location: 2922-2923 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: How long did you serve in jail or prison for these other adult convictions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	3	0.1 %
97 (M)	Legitimate skip	4878	99.9 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ156B**
**S27Q156B LENGTH SENTENCE PRISON YEAR-W3**

Location: 2924-2925 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: How long did you serve in jail or prison for these other adult convictions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	4878	99.9 %
. (M)	-	1	0.0 %

Based upon 3 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3CJ157A**
**S27Q157A LENGTH SENTENCE PROBAT MONTH-W3**

Location: 2926-2927 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: How long were you on probation for these other adult convictions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 months	3	0.1 %
2	2 months	1	0.0 %
6	6 months	1	0.0 %
97 (M)	Legitimate skip	4875	99.9 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 1.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.61

**H3CJ157B**
**S27Q157A LENGTH SENTENCE PROBAT YEAR-W3**

Location: 2928-2929 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: How long were you on probation for these other adult convictions?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	1	0.0 %
2	2 years	2	0.0 %
3	3 years	2	0.0 %
8	8 years	1	0.0 %
97 (M)	Legitimate skip	4875	99.9 %
. (M)	-	1	0.0 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 3.00
- Median: 2.50
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.68

**H3CJ158**

**S27Q158 HAD ACTUALLY COMMITTED CRIME-W3**

Location: 2930-2930 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: Had you actually committed this crime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.0 %
1	Yes	3	0.1 %
7 (M)	Legitimate skip	4877	99.9 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3CJ159**

**S27Q159 HAD ACTUALLY COMMITTED CRIMES-W3**

Location: 2931-2931 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: Had you actually committed these crimes?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3	0.1 %
2	Some yes/some no	1	0.0 %
7 (M)	Legitimate skip	4877	99.9 %
. (M)	-	1	0.0 %

Based upon 4 valid cases out of 4882 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

**H3CJ160**
**S27Q160 HAS BIOL FATHER SERVED TIME-W3**

Location: 2932-2932 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Has your biological father ever served time in jail or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3942	80.7 %
1	Yes	632	12.9 %
6 (M)	Refused	24	0.5 %
8 (M)	Don't know	267	5.5 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4574 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**H3TO1**
**S28Q1 EVER TRIED CIG SMOKING-W3**

Location: 2933-2933 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Have you ever tried cigarette smoking, even just one or two puffs?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.27)	1277	26.2 %
1	Yes	3570	73.1 %
6 (M)	Refused	16	0.3 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

### H3TO2

### S28Q2 EVER SMOKED ENTIRE CIGARRETE-W3

Location: 2934-2934 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Have you ever smoked an entire cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.6)	649	13.3 %
1	Yes	2921	59.8 %
7 (M)	Legitimate skip	1311	26.9 %
. (M)	-	1	0.0 %

Based upon 3570 valid cases out of 4882 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

### H3TO3

### S28Q3 AGE AT 1ST ENTIRE CIG SMOKING-W3

Location: 2935-2936 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: How old were you the first time you smoked an entire cigarette?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	6	0.1 %
6	-	7	0.1 %
7	-	7	0.1 %
8	-	16	0.3 %
9	-	23	0.5 %
10	-	56	1.1 %
11	-	53	1.1 %
12	-	218	4.5 %
13	-	277	5.7 %
14	-	328	6.7 %
15	-	408	8.4 %
16	-	462	9.5 %
17	-	323	6.6 %
18	-	353	7.2 %
19	-	139	2.8 %
20	-	106	2.2 %
21	-	61	1.2 %
22	-	21	0.4 %
23	-	11	0.2 %
24	-	7	0.1 %
25	-	2	0.0 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	1960	40.1 %
98 (M)	Don't know	31	0.6 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 2884 valid cases out of 4882 total cases.

- Mean: 15.51
- Median: 16.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 25.00
- Standard Deviation: 2.80

**H3TO4**

**S28Q4 EVER SMOK REGLRLY 1 CIG/30 DAYS-W3**

Location:

2937-2937 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9 , .

Question:

Have you ever smoked cigarettes regularly—that is, at least one cigarette every day for 30 days?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.27)	967	19.8 %
1	Yes	1948	39.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	1960	40.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 2915 valid cases out of 4882 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

<b>H3TO5</b>	<b>S28Q5 AGE AT REGULAR SMOKING-W3</b>		
Location:	2938-2939 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 97 , 98 , 99 , .		
Question:	How old were you when you first smoked cigarettes regularly—that is, at least one cigarette every day for 30 days?		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	0.1 %
6	-	1	0.0 %
7	-	3	0.1 %
9	-	7	0.1 %
10	-	8	0.2 %
11	-	15	0.3 %
12	-	61	1.2 %
13	-	91	1.9 %
14	-	136	2.8 %
15	-	254	5.2 %
16	-	346	7.1 %
17	-	287	5.9 %
18	-	366	7.5 %
19	-	143	2.9 %
20	-	94	1.9 %
21	-	57	1.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	25	0.5 %
23	-	11	0.2 %
24	-	7	0.1 %
25	-	4	0.1 %
26	-	1	0.0 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	2933	60.1 %
98 (M)	Don't know	19	0.4 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 1920 valid cases out of 4882 total cases.

- Mean: 16.60
- Median: 17.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 26.00
- Standard Deviation: 2.49

### H3TO6

### S28Q6 HAVE SMOKED PAST 30 DAYS-W3

Location: 2940-2940 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: Have you ever smoked at all in the past 30 days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.18)	987	20.2 %
1	Yes	1606	32.9 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	2284	46.8 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 2593 valid cases out of 4882 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

- Study 21600 -

**H3TO7**

**S28Q7 HOW MANY SMOKED PAST 30 DAYS-W3**

Location: 2941-2942 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past 30 days, on how many days did you smoke cigarettes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 days	25	0.5 %
1	-	41	0.8 %
2	-	37	0.8 %
3	-	25	0.5 %
4	-	20	0.4 %
5	-	34	0.7 %
6	-	8	0.2 %
7	-	31	0.6 %
8	-	6	0.1 %
9	-	2	0.0 %
10	-	47	1.0 %
11	-	1	0.0 %
12	-	11	0.2 %
13	-	6	0.1 %
14	-	3	0.1 %
15	-	54	1.1 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	4	0.1 %
19	-	1	0.0 %
20	-	75	1.5 %
21	-	3	0.1 %
22	-	7	0.1 %
23	-	6	0.1 %
24	-	3	0.1 %
25	-	39	0.8 %
26	-	5	0.1 %
27	-	11	0.2 %
28	-	31	0.6 %
29	-	25	0.5 %
30	-	1029	21.1 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	3275	67.1 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 1594 valid cases out of 4882 total cases.

- Mean: 24.00
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.87

### H3TO8

### S28Q8 PAST 30 DAYS HOW MANY CIGARS-W3

Location: 2943-2944 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past 30 days, on how many days did you smoke cigars?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 days	1157	23.7 %
1	-	69	1.4 %
2	-	48	1.0 %
3	-	19	0.4 %
4	-	9	0.2 %
5	-	23	0.5 %
6	-	3	0.1 %
7	-	10	0.2 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	21	0.4 %
12	-	9	0.2 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	9	0.2 %
16	-	1	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	12	0.2 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	3	0.1 %
25	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	-	1	0.0 %
28	-	4	0.1 %
29	-	7	0.1 %
30	-	168	3.4 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	3275	67.1 %
98 (M)	Don't know	6	0.1 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 1592 valid cases out of 4882 total cases.

- Mean: 4.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.76

### H3TO9

### S28Q9 PAST 30 DAYS HOW MANY BIDIS-W3

Location: 2945-2946 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past 30 days, on how many days did you smoke beedies?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 days	1527	31.3 %
1	-	19	0.4 %
2	-	9	0.2 %
3	-	5	0.1 %
4	-	2	0.0 %
5	-	2	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
10	-	3	0.1 %
12	-	6	0.1 %
13	-	1	0.0 %
15	-	3	0.1 %
19	-	1	0.0 %
20	-	1	0.0 %
30	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	3275	67.1 %
98 (M)	Don't know	7	0.1 %
99 (M)	Not applicable	7	0.1 %
. (M)	-	1	0.0 %

Based upon 1587 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.17

**H3TO10**

**S28Q10 PST 30 DAYS HOW MANY SMK E/DAY-W3**

Location: 2947-2949 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999 , .

Question: During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	115	2.4 %
2	-	121	2.5 %
3	-	99	2.0 %
4	-	80	1.6 %
5	-	163	3.3 %
6	-	54	1.1 %
7	-	46	0.9 %
8	-	28	0.6 %
9	-	12	0.2 %
10	-	214	4.4 %
11	-	7	0.1 %
12	-	43	0.9 %
13	-	7	0.1 %
14	-	4	0.1 %
15	-	153	3.1 %
16	-	3	0.1 %
17	-	2	0.0 %
18	-	13	0.3 %
19	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	301	6.2 %
21	-	2	0.0 %
23	-	1	0.0 %
24	-	5	0.1 %
25	-	29	0.6 %
26	-	1	0.0 %
29	-	2	0.0 %
30	-	49	1.0 %
32	-	1	0.0 %
35	-	6	0.1 %
40	-	8	0.2 %
50	-	1	0.0 %
60	-	1	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
80	-	2	0.0 %
100	-	3	0.1 %
996 (M)	Refused	5	0.1 %
997 (M)	Legitimate skip	3275	67.1 %
998 (M)	Don't know	16	0.3 %
999 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 1581 valid cases out of 4882 total cases.

- Mean: 11.44
- Median: 10.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 9.74

**H3TO11**

**S28Q11 PST 6 MON TRIED TO QUIT SMOKNG-W3**

Location: 2950-2950 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the past six months, have you tried to quit smoking cigarettes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	832	17.0 %
1	Yes	766	15.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	1	0.0 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1598 valid cases out of 4882 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3TO12**

**S28Q12 SMOKE HOW SOON AFTER WAKE UP -W3**

Location: 2951-2951 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Currently, how soon after you wake up do you have your first cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within 5 minutes	285	5.8 %
2	Within 6-30 minutes	411	8.4 %
3	Within 31-60 minutes	248	5.1 %
4	After 60 minutes	484	9.9 %
6 (M)	Refused	10	0.2 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	58	1.2 %
9 (M)	Not applicable	110	2.3 %
. (M)	-	1	0.0 %

Based upon 1428 valid cases out of 4882 total cases.

- Mean: 2.65
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.14

**H3TO13**

**S28Q13 IS DIFFICL NO SMOKE IN PLACES-W3**

- Study 21600 -

Location: 2952-2952 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Do you find it difficult not to smoke in places where it is forbidden, for example, in church, at the library, or in theaters?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1268	26.0 %
1	Yes	306	6.3 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	23	0.5 %
. (M)	-	1	0.0 %

Based upon 1574 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

#### H3TO14

#### S28Q14 WHICH CIG MOST DIFF TO GIVE UP-W3

Location: 2953-2953 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Which cigarette would you hate most to give up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	The first in the morning	515	10.5 %
2	All others	760	15.6 %
6 (M)	Refused	12	0.2 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	195	4.0 %
9 (M)	Not applicable	124	2.5 %
. (M)	-	1	0.0 %

Based upon 1275 valid cases out of 4882 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.49

**H3TO15**

**S28Q15 HOW MANY CIGRRT SMOKE A DAY-W3**

Location: 2954-2954 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: How many cigarettes a day do you smoke?

Value	Label	Unweighted Frequency	%
1	10 or fewer	790	16.2 %
2	11-20	536	11.0 %
3	21-30	148	3.0 %
4	31 or more	28	0.6 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	84	1.7 %
. (M)	-	1	0.0 %

Based upon 1502 valid cases out of 4882 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

**H3TO16**

**S28Q16 SMOKE MORE FREQ MORNING-W3**

Location: 2955-2955 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Do you smoke more frequently during the first hours after waking than during the rest of the day?

Value	Label	Unweighted Frequency	%
0	No	1098	22.5 %
1	Yes	412	8.4 %
6 (M)	Refused	9	0.2 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	22	0.5 %
9 (M)	Not applicable	65	1.3 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 1510 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3TO17**

**S28Q17 SMOKE EVEN IF ILL IN MORNING-W3**

Location: 2956-2956 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Do you still smoke even if you are so ill that you are in bed most of the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1079	22.1 %
1	Yes	464	9.5 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	3275	67.1 %
8 (M)	Don't know	8	0.2 %
9 (M)	Not applicable	48	1.0 %
. (M)	-	1	0.0 %

Based upon 1543 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3TO18**

**S28Q18 EVER SMOKE MORE THAN CURRENT-W3**

Location: 2957-2957 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Was there ever a period in your life when you smoked more than you do now ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.25)	2148	44.0 %
1	Yes	1352	27.7 %
6 (M)	Refused	14	0.3 %
7 (M)	Legitimate skip	1311	26.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	37	0.8 %
. (M)	-	1	0.0 %

Based upon 3500 valid cases out of 4882 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3TO19**

**S28Q19 SMOK MOST TIME MORN 1ST CIG-W3**

Location: 2958-2958 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the period when you smoked the most, how soon after you woke up did you have your first cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within 5 minutes	331	6.8 %
2	Within 6-30 minutes	299	6.1 %
3	Within 31-60 minutes	178	3.6 %
4	After 60 minutes	433	8.9 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	3529	72.3 %
8 (M)	Don't know	57	1.2 %
9 (M)	Not applicable	48	1.0 %
. (M)	-	1	0.0 %

Based upon 1241 valid cases out of 4882 total cases.

- Mean: 2.57
- Median: 2.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.22

**H3TO20**

**S28Q20 SMOK MOST DFFCLT NOT IN PLACE-W3**

Location: 2959-2959 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

During the period when you smoked the most, did you find it difficult not to smoke in places where it is forbidden, for example, in church, at the library, or in theaters?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	974	20.0 %
1	Yes	357	7.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3529	72.3 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	14	0.3 %
. (M)	-	1	0.0 %

Based upon 1331 valid cases out of 4882 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3TO21**

**S28Q21 SMOK MOST WHICH CIG HARD G/UP-W3**

Location: 2960-2960 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

During the period when you smoked the most, which cigarette would you hate most to give up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	The first in the morning	405	8.3 %
2	All others	647	13.3 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	3529	72.3 %
8 (M)	Don't know	203	4.2 %
9 (M)	Not applicable	91	1.9 %
. (M)	-	1	0.0 %

Based upon 1052 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

- Study 21600 -

**H3TO22**

**S28Q22 SMOK MOST HOW MANY CIG/DAY-W3**

Location: 2961-2961 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the period when you smoked the most, how many cigarettes a day do you smoke?

Value	Label	Unweighted Frequency	%
1	10 or fewer	599	12.3 %
2	11-20	342	7.0 %
3	21-30	248	5.1 %
4	31 or more	117	2.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3529	72.3 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	28	0.6 %
. (M)	-	1	0.0 %

Based upon 1306 valid cases out of 4882 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.00

**H3TO23**

**S28Q23 SMOK MOST MORE FREQ IN MORN -W3**

Location: 2962-2962 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the period when you smoked the most, did you smoke more frequently during the first hours after waking than during the rest of the day?

Value	Label	Unweighted Frequency	%
0	No	947	19.4 %
1	Yes	317	6.5 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3529	72.3 %
8 (M)	Don't know	47	1.0 %
9 (M)	Not applicable	39	0.8 %
. (M)	-	1	0.0 %

Based upon 1264 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

H3TO24	S28Q24 SMOK MOST DID IT EVEN WHEN ILL-W3			
	Value	Label	Unweighted Frequency	%
Location:	2963-2963	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	During the period when you smoked the most, did you still smoke even if you are so ill that you are in bed most of the day?			
	0	No	880	18.0 %
	1	Yes	436	8.9 %
	6 (M)	Refused	3	0.1 %
	7 (M)	Legitimate skip	3529	72.3 %
	8 (M)	Don't know	11	0.2 %
	9 (M)	Not applicable	22	0.5 %
	. (M)	-	1	0.0 %

Based upon 1316 valid cases out of 4882 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H3TO25A	S28Q25A 1ST BEG SMOK PLSANT SENSATION-W3			
	Value	Label	Unweighted Frequency	%
Location:	2964-2964	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	To what extent did you experience each of the following with your first few cigarettes?: pleasant sensations			
	0	None	1676	34.3 %
	1	Slight	1011	20.7 %
	2	Moderate	600	12.3 %
	3	Intense	133	2.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	24	0.5 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	68	1.4 %
9 (M)	Not applicable	58	1.2 %
. (M)	-	1	0.0 %

Based upon 3420 valid cases out of 4882 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

<b>H3TO25B</b>	<b>S28Q25B 1ST BEG SMOK UNPLSANT SENSATN-W3</b>
----------------	---

Location: 2965-2965 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: To what extent did you experience each of the following with your first few cigarettes?: unpleasant sensations

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1334	27.3 %
1	Slight	1039	21.3 %
2	Moderate	660	13.5 %
3	Intense	401	8.2 %
6 (M)	Refused	23	0.5 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	61	1.2 %
9 (M)	Not applicable	52	1.1 %
. (M)	-	1	0.0 %

Based upon 3434 valid cases out of 4882 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.02

<b>H3TO25C</b>	<b>S28Q25C 1ST BEG SMOK NAUSEA-W3</b>
----------------	---------------------------------------

- Study 21600 -

Location: 2966-2966 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: To what extent did you experience each of the following with your first few cigarettes?: nausea

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	2210	45.3 %
1	Slight	767	15.7 %
2	Moderate	344	7.0 %
3	Intense	142	2.9 %
6 (M)	Refused	19	0.4 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	33	0.7 %
9 (M)	Not applicable	55	1.1 %
. (M)	-	1	0.0 %

Based upon 3463 valid cases out of 4882 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

#### H3TO25D

#### S28Q25D 1ST BEG SMOK RELAXATION-W3

Location: 2967-2967 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: To what extent did you experience each of the following with your first few cigarettes?: relaxation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1568	32.1 %
1	Slight	902	18.5 %
2	Moderate	782	16.0 %
3	Intense	216	4.4 %
6 (M)	Refused	18	0.4 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	30	0.6 %
9 (M)	Not applicable	54	1.1 %
. (M)	-	1	0.0 %

Based upon 3468 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.90
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.96

H3TO25E	S28Q25E 1ST BEG SMOK DIZZINESS-W3		
Location:	2968-2968 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	To what extent did you experience each of the following with your first few cigarettes?: dizziness		
Value	Label	Unweighted Frequency	%
0	None	1695	34.7 %
1	Slight	1010	20.7 %
2	Moderate	508	10.4 %
3	Intense	260	5.3 %
6 (M)	Refused	19	0.4 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	28	0.6 %
9 (M)	Not applicable	50	1.0 %
. (M)	-	1	0.0 %

Based upon 3473 valid cases out of 4882 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.95

H3TO25F	S28Q25F 1ST BEG SMOK PLEASURE RUSH-W3		
Location:	2969-2969 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	To what extent did you experience each of the following with your first few cigarettes?: a pleasurable rush or buzz		
Value	Label	Unweighted Frequency	%
0	None	1560	32.0 %
1	Slight	1012	20.7 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
2	Moderate	614	12.6 %
3	Intense	279	5.7 %
6 (M)	Refused	21	0.4 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	30	0.6 %
9 (M)	Not applicable	54	1.1 %
. (M)	-	1	0.0 %

Based upon 3465 valid cases out of 4882 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.97

<b>H3TO25G</b>	<b>S28Q25G 1ST BEG SMOK COUGHING-W3</b>
----------------	---

Location: 2970-2970 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: To what extent did you experience each of the following with your first few cigarettes?: coughing

Value	Label	Unweighted Frequency	%
0	None	1320	27.0 %
1	Slight	1242	25.4 %
2	Moderate	586	12.0 %
3	Intense	327	6.7 %
6 (M)	Refused	19	0.4 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	26	0.5 %
9 (M)	Not applicable	50	1.0 %
. (M)	-	1	0.0 %

Based upon 3475 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.96

- Study 21600 -

H3TO25H	S28Q25H 1ST BEG SMOK DIFFCLT INHALING-W3		
Location:	2971-2971 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	To what extent did you experience each of the following with your first few cigarettes?: difficulty inhaling		
Value	Label	Unweighted Frequency	%
0	None	1950	39.9 %
1	Slight	916	18.8 %
2	Moderate	372	7.6 %
3	Intense	229	4.7 %
6 (M)	Refused	16	0.3 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	31	0.6 %
9 (M)	Not applicable	56	1.1 %
. (M)	-	1	0.0 %

Based upon 3467 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.91

H3TO25I	S28Q25I 1ST BEG SMOK HEART POUNDING-W3		
Location:	2972-2972 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	To what extent did you experience each of the following with your first few cigarettes?: heart pounding		
Value	Label	Unweighted Frequency	%
0	None	2420	49.6 %
1	Slight	729	14.9 %
2	Moderate	235	4.8 %
3	Intense	77	1.6 %
6 (M)	Refused	17	0.3 %
7 (M)	Legitimate skip	1311	26.9 %
8 (M)	Don't know	38	0.8 %
9 (M)	Not applicable	54	1.1 %
. (M)	-	1	0.0 %

## - Study 21600 -

Based upon 3461 valid cases out of 4882 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

**H3TO26**
**S28Q26 HOW OFTEN SMOKE W/SIBLING-W3**

Location: 2973-2973 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 5 , 6 , 7 , 8 , 9 , .  
 Question: How often do you smoke with your siblings?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very often	308	6.3 %
2	Sometimes	576	11.8 %
3	Never	2268	46.5 %
4	I have no siblings	269	5.5 %
5 (M)	Question not asked of this respondent	66	1.4 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	1286	26.3 %
8 (M)	Don't know	27	0.6 %
9 (M)	Not applicable	66	1.4 %
. (M)	-	1	0.0 %

Based upon 3421 valid cases out of 4882 total cases.

- Mean: 2.73
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

**H3TO27**
**S28Q27 TRUE-TRY NEW THING/THRILLS-W3**

Location: 2974-2975 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99 , .  
 Question: I often try new things just for fun or thrills, even if most people think they are a waste of time.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not true	1679	34.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	A little true	728	14.9 %
3	Somewhat true	1127	23.1 %
4	Pretty true	672	13.8 %
5	Very true	551	11.3 %
96 (M)	Refused	42	0.9 %
98 (M)	Don't know	57	1.2 %
99 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 4757 valid cases out of 4882 total cases.

- Mean: 2.51
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.39

**H3TO28**
**S28Q28 TRUE-LOOK FOR EXCITEMENT-W3**

Location: 2976-2977 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: When nothing new is happening, I usually start looking for something exciting.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not true	1138	23.3 %
2	A little true	855	17.5 %
3	Somewhat true	1183	24.2 %
4	Pretty true	878	18.0 %
5	Very true	710	14.5 %
96 (M)	Refused	45	0.9 %
98 (M)	Don't know	47	1.0 %
99 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 4764 valid cases out of 4882 total cases.

- Mean: 2.83
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.37

- Study 21600 -

**H3TO29**

**S28Q29 TRUE-GET PEOPLE TO BELIEVE ME-W3**

Location: 2978-2979 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: I can usually get people to believe me, even when what I'm saying isn't quite true.

Value	Label	Unweighted Frequency	%
1	Not true	1314	26.9 %
2	A little true	745	15.3 %
3	Somewhat true	1025	21.0 %
4	Pretty true	918	18.8 %
5	Very true	698	14.3 %
96 (M)	Refused	39	0.8 %
98 (M)	Don't know	75	1.5 %
99 (M)	Not applicable	67	1.4 %
. (M)	-	1	0.0 %

Based upon 4700 valid cases out of 4882 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.42

**H3TO30**

**S28Q30 TRUE-DO THINGS HOW FELL MOMENT-W3**

Location: 2980-2981 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: I often do things based on how I feel at the moment.

Value	Label	Unweighted Frequency	%
1	Not true	484	9.9 %
2	A little true	731	15.0 %
3	Somewhat true	1359	27.8 %
4	Pretty true	1165	23.9 %
5	Very true	1034	21.2 %
96 (M)	Refused	37	0.8 %
98 (M)	Don't know	47	1.0 %
99 (M)	Not applicable	24	0.5 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 4773 valid cases out of 4882 total cases.

- Mean: 3.32
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.25

<b>H3TO31</b>		<b>S28Q31 TRUE-SO EXCITED LOOSE CONTROL-W3</b>					
Location:	2982-2983 (width: 2; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	96 , 98 , 99 , .						
Question:	I sometimes get so excited that I lose control of myself.						
Value	Label	Unweighted Frequency	%				
1	Not true	2685	55.0 %				
2	A little true	869	17.8 %				
3	Somewhat true	675	13.8 %				
4	Pretty true	270	5.5 %				
5	Very true	282	5.8 %				
96 (M)	Refused	37	0.8 %				
98 (M)	Don't know	39	0.8 %				
99 (M)	Not applicable	24	0.5 %				
. (M)	-	1	0.0 %				

Based upon 4781 valid cases out of 4882 total cases.

- Mean: 1.87
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

<b>H3TO32</b>		<b>S28Q32 TRUE-LIKE NO RESTRICTIONS-W3</b>					
Location:	2984-2985 (width: 2; decimal: 0)						
Variable Type:	numeric						
Range of Missing Values (M):	96 , 98 , 99 , .						
Question:	I like it when people can do whatever they want, without strict rules and regulations.						
Value	Label	Unweighted Frequency	%				
1	Not true	1673	34.3 %				
2	A little true	963	19.7 %				

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Somewhat true	1071	21.9 %
4	Pretty true	532	10.9 %
5	Very true	513	10.5 %
96 (M)	Refused	39	0.8 %
98 (M)	Don't know	63	1.3 %
99 (M)	Not applicable	27	0.6 %
. (M)	-	1	0.0 %

Based upon 4752 valid cases out of 4882 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.35

**H3TO33**

**S28Q33 TRUE-FOLLOW INSTINCTS-W3**

Location: 2986-2987 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: I often follow my instincts, without thinking through all the details.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not true	1713	35.1 %
2	A little true	1110	22.7 %
3	Somewhat true	1001	20.5 %
4	Pretty true	484	9.9 %
5	Very true	460	9.4 %
96 (M)	Refused	39	0.8 %
98 (M)	Don't know	49	1.0 %
99 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 4768 valid cases out of 4882 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.31

- Study 21600 -

**H3TO34**

**S28Q34 TRUE-STRETCH THE TRUTH-W3**

Location: 2988-2989 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: I can do a good job of stretching the truth when I'm talking to people.

Value	Label	Unweighted Frequency	%
1	Not true	1490	30.5 %
2	A little true	1159	23.7 %
3	Somewhat true	963	19.7 %
4	Pretty true	609	12.5 %
5	Very true	527	10.8 %
96 (M)	Refused	44	0.9 %
98 (M)	Don't know	48	1.0 %
99 (M)	Not applicable	41	0.8 %
. (M)	-	1	0.0 %

Based upon 4748 valid cases out of 4882 total cases.

- Mean: 2.48
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.34

**H3TO35**

**S28Q35 TRUE-CHANGE INTERESTS A LOT-W3**

Location: 2990-2991 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: I change my interest a lot, because my attention often shifts to something else.

Value	Label	Unweighted Frequency	%
1	Not true	1771	36.3 %
2	A little true	1140	23.4 %
3	Somewhat true	996	20.4 %
4	Pretty true	460	9.4 %
5	Very true	386	7.9 %
96 (M)	Refused	40	0.8 %
98 (M)	Don't know	61	1.2 %
99 (M)	Not applicable	27	0.6 %
. (M)	-	1	0.0 %

Based upon 4753 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.27
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.27

H3TO36	S28Q36 PAST 30 DAYS CHEW TOBCCO/SNUFF-W3			
	Value	Label	Unweighted Frequency	%
	0	-	4529	92.8 %
	1	-	51	1.0 %
	2	-	23	0.5 %
	3	-	17	0.3 %
	4	-	11	0.2 %
	5	-	20	0.4 %
	6	-	1	0.0 %
	7	-	5	0.1 %
	9	-	2	0.0 %
	10	-	16	0.3 %
	11	-	3	0.1 %
	12	-	5	0.1 %
	13	-	1	0.0 %
	14	-	3	0.1 %
	15	-	12	0.2 %
	20	-	5	0.1 %
	21	-	1	0.0 %
	22	-	1	0.0 %
	24	-	1	0.0 %
	25	-	3	0.1 %
	26	-	1	0.0 %
	27	-	1	0.0 %
	28	-	3	0.1 %
	29	-	1	0.0 %
	30	-	75	1.5 %
	96 (M)	Refused	32	0.7 %
	98 (M)	Don't know	24	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	34	0.7 %
. (M)	-	1	0.0 %

Based upon 4791 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.15

**H3TO37**
**S28Q37 SINCE JUN95 DRINK 2/3 TIMES-W3**

Location: 2994-2994 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Since June 1995, have you had a drink of beer, wine, or liquor more than two or three times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.50)	1095	22.4 %
1	Yes	3720	76.2 %
6 (M)	Refused	33	0.7 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4815 valid cases out of 4882 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

**H3TO38**
**S28Q38 PST 12 MON # DAYS DRINK ALCOH-W3**

Location: 2995-2996 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past 12 months, on how many days did you drink alcohol?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None (skip to Q.50)	220	4.5 %
1	1 or 2 days in past 12 months	539	11.0 %
2	Once a month or less (3-12 times in past 12 months)	787	16.1 %
3	2 or 3 days a month	775	15.9 %
4	1 or 2 days a week	947	19.4 %
5	3-5 days a week	337	6.9 %
6	Every day/almost every day	99	2.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1161	23.8 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 3704 valid cases out of 4882 total cases.

- Mean: 2.84
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.47

**H3TO39**

**S28Q39 PST 12 MON AVRG # DRINKS TIME-W3**

Location: 2997-2998 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: Think of all the times you have had a drink during the past 12 months. How many drinks did you usually have each time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	416	8.5 %
2	-	674	13.8 %
3	-	682	14.0 %
4	-	414	8.5 %
5	-	370	7.6 %
6	-	307	6.3 %
7	-	96	2.0 %
8	-	109	2.2 %
9	-	25	0.5 %
10	-	124	2.5 %
11	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	106	2.2 %
13	-	5	0.1 %
14	-	2	0.0 %
15	-	46	0.9 %
16	-	2	0.0 %
18	-	66	1.4 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 3448 valid cases out of 4882 total cases.

- Mean: 4.49
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.49

**H3TO40**

**S28Q40 PST 12 MON MANY DAYS/5+ DRINKS-W3**

Location: 2999-3000 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past 12 months, on how many days did you drink five or more drinks in a row?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1113	22.8 %
1	1 or 2 days in past 12 months	774	15.9 %
2	Once a month or less (3-12 times in past 12 months)	499	10.2 %
3	2 or 3 days a month	452	9.3 %
4	1 or 2 days a week	455	9.3 %
5	3-5 days a week	138	2.8 %
6	Every day/almost every day	38	0.8 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 3469 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.69
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.61

**H3TO41**

**S28Q41 PST 2 WEEKS # TIMES 5+ DRINKS-W3**

Location: 3001-3002 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: During the past two weeks, how many times did you have five or more drinks on a single occasion, for example, in the same evening?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0Ä Ä ^•Ä	1919	39.3 %
1	-	550	11.3 %
2	-	378	7.7 %
3	-	199	4.1 %
4	-	134	2.7 %
5	-	112	2.3 %
6	-	38	0.8 %
7	-	21	0.4 %
8	-	22	0.5 %
9	-	10	0.2 %
10	-	31	0.6 %
11	-	4	0.1 %
12	-	16	0.3 %
13	-	3	0.1 %
14	-	22	0.5 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	7	0.1 %
. (M)	-	1	0.0 %

Based upon 3459 valid cases out of 4882 total cases.

- Mean: 1.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.29

- Study 21600 -

**H3TO42**

**S28Q42 PST 2 WEEKS # TIMES 4+ DRINKS-W3**

Location: 3003-3004 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: During the past two weeks, how many times did you have four or more drinks on a single occasion, for example, in the same evening?

Value	Label	Unweighted Frequency	%
0	0Ã¢Â•Ã	1896	38.8 %
1	-	591	12.1 %
2	-	368	7.5 %
3	-	191	3.9 %
4	-	149	3.1 %
5	-	106	2.2 %
6	-	37	0.8 %
7	-	29	0.6 %
8	-	23	0.5 %
9	-	8	0.2 %
10	-	22	0.5 %
11	-	1	0.0 %
12	-	18	0.4 %
13	-	2	0.0 %
14	-	18	0.4 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	8	0.2 %
. (M)	-	1	0.0 %

Based upon 3459 valid cases out of 4882 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.20

**H3TO43**

**S28Q43 PST 12 MON # DAYS BEEN DRUNK-W3**

Location: 3005-3006 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: During the past 12 months, on how many days have you been drunk or very high on alcohol?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1020	20.9 %
1	1 or 2 days in past 12 months	936	19.2 %
2	Once a month or less (3-12 times in past 12 months)	598	12.2 %
3	2 or 3 days a month	441	9.0 %
4	1 or 2 days a week	360	7.4 %
5	3-5 days a week	89	1.8 %
6	Every day/almost every day	22	0.5 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 3466 valid cases out of 4882 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.46

#### H3TO44

#### S28Q44 MORE OFTEN KIND OF DRINK-W3

Location:

3007-3008 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 97 , 98 , 99 , .

Question:

Which do you drink most often - beer, wine, wine coolers, hard cider, straight liquor, or mixed drinks?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Beer	1568	32.1 %
2	Wine	228	4.7 %
3	Wine coolers	286	5.9 %
4	Hard cider	37	0.8 %
5	Straight liquor	206	4.2 %
6	Mixed drinks	1005	20.6 %
7	Whatever is available	117	2.4 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	1397	28.6 %
98 (M)	Don't know	16	0.3 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

## - Study 21600 -

Based upon 3447 valid cases out of 4882 total cases.

- Mean: 3.16
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.30

### H3TO45 S28Q45 PST 12 MON PROB WORK DUE DRINK-W3

Location: 3009-3009 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: You had problems at school or work because you had been drinking.

Value	Label	Unweighted Frequency	%
0	Never	3208	65.7 %
1	Once	126	2.6 %
2	Twice	74	1.5 %
3	3 or 4 times	39	0.8 %
4	5 or more times	23	0.5 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 3470 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.56

### H3TO46 S28Q46 PST 12 MON PROB W/FRIENDS-W3

Location: 3010-3010 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: You had problems with your friends because you had been drinking.

Value	Label	Unweighted Frequency	%
0	Never	3081	63.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Once	248	5.1 %
2	Twice	88	1.8 %
3	3 or 4 times	47	1.0 %
4	5 or more times	11	0.2 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	5	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 3475 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.56

#### H3TO47

#### S28Q47 PST 12 MON PROB W/DATING FRND-W3

Location: 3011-3011 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: You had problems with someone you were dating because you had been drinking.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	2978	61.0 %
1	Once	288	5.9 %
2	Twice	96	2.0 %
3	3 or 4 times	70	1.4 %
4	5 or more times	35	0.7 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 3467 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.69

**H3TO48A**

**S28Q48A PST 12 MON # TIMES HUNG OVER-W3**

Location: 3012-3012 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Over the past 12 months, how many times were you hung over?

Value	Label	Unweighted Frequency	%
0	Never	1447	29.6 %
1	Once	669	13.7 %
2	Twice	479	9.8 %
3	3 or 4 times	488	10.0 %
4	5 or more times	375	7.7 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	20	0.4 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 3458 valid cases out of 4882 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.41

**H3TO48B**

**S28Q48B PST 12 MON SICK STOMACH-W3**

Location: 3013-3013 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Over the past 12 months, how many times were you sick to your stomach or threw up after drinking?

Value	Label	Unweighted Frequency	%
0	Never	1815	37.2 %
1	Once	773	15.8 %
2	Twice	452	9.3 %
3	3 or 4 times	285	5.8 %
4	5 or more times	141	2.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	12	0.2 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 3466 valid cases out of 4882 total cases.

- Mean: 0.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.16

**H3TO48C**

**S28Q48C PST 12 MON SEXUAL REGRET-W3**

Location: 3014-3014 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Over the past 12 months, how many times did you get into a sexual situation that you later regretted because you had been drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	2771	56.8 %
1	Once	428	8.8 %
2	Twice	153	3.1 %
3	3 or 4 times	84	1.7 %
4	5 or more times	31	0.6 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 3467 valid cases out of 4882 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.75

- Study 21600 -

**H3TO48D**

**S28Q48D PST 12 MON PHYSICAL FIGHT-W3**

Location: 3015-3015 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Over the past 12 months, how many times did you get into a physical fight because you had been drinking?

Value	Label	Unweighted Frequency	%
0	Never	3115	63.8 %
1	Once	206	4.2 %
2	Twice	93	1.9 %
3	3 or 4 times	37	0.8 %
4	5 or more times	25	0.5 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 3476 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.59

**H3TO48E**

**S28Q48E PST 12 MON DRUNK SCHOOL/WORK-W3**

Location: 3016-3016 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Over the past 12 months, how many times were you drunk at school or work?

Value	Label	Unweighted Frequency	%
0	Never	3238	66.3 %
1	Once	131	2.7 %
2	Twice	44	0.9 %
3	3 or 4 times	33	0.7 %
4	5 or more times	29	0.6 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 3475 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.54

<b>H3TO49</b>	<b>S28Q49 SINCE JUN95 HAVE DRIVEN DRUNK-W3</b>
---------------	--

Location: 3017-3017 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Since June 1995, have you driven while drunk?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2275	46.6 %
1	Yes	1164	23.8 %
2	I haven't driven since June 1995	17	0.3 %
6 (M)	Refused	14	0.3 %
7 (M)	Legitimate skip	1397	28.6 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	7	0.1 %
. (M)	-	1	0.0 %

Based upon 3456 valid cases out of 4882 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.49

<b>H3TO50</b>	<b>S28Q50 BINGE-HOW FAVOURABLE FEEL-W3</b>
---------------	--

Location: 3018-3019 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How favorable or unfavorably do you feel about your engaging in binge drinking?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very favorably	32	0.7 %
2	Slightly favorably	52	1.1 %
3	Neither favorably nor unfavorably	125	2.6 %
4	Slightly unfavorably	48	1.0 %
5	Very unfavorably	329	6.7 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	23	0.5 %
99 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 586 valid cases out of 4882 total cases.

- Mean: 4.01
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.27

**H3TO51**

**S28Q51 BINGE-IMP PEOPLE DISAPPROVE-W3**

Location: 3020-3021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: Most people who are important to me would disapprove of my binge drinking.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	337	6.9 %
2	Agree	102	2.1 %
3	Neither agree nor disagree	79	1.6 %
4	Disagree	28	0.6 %
5	Strongly disagree	40	0.8 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	27	0.6 %
. (M)	-	1	0.0 %

Based upon 586 valid cases out of 4882 total cases.

- Mean: 1.86
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.22

H3TO52	S28Q52 BINGE-FRIENDS DISAPPROVE-W3			
	Value	Label	Unweighted Frequency	%
Location:	3022-3023 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	My close friends would disapprove of my binge drinking.			
	1	Strongly agree	255	5.2 %
	2	Agree	84	1.7 %
	3	Neither agree nor disagree	112	2.3 %
	4	Disagree	85	1.7 %
	5	Strongly disagree	52	1.1 %
	95 (M)	Question not asked of this respondent	4242	86.9 %
	96 (M)	Refused	9	0.2 %
	98 (M)	Don't know	15	0.3 %
	99 (M)	Not applicable	27	0.6 %
	. (M)	-	1	0.0 %

Based upon 588 valid cases out of 4882 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.38

H3TO53	S28Q53 BINGE-MOTHER DISAPPROVE-W3			
	Value	Label	Unweighted Frequency	%
Location:	3024-3025 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	My mother would disapprove of my binge drinking.			
	1	Strongly agree	433	8.9 %
	2	Agree	57	1.2 %
	3	Neither agree nor disagree	57	1.2 %
	4	Disagree	28	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Strongly disagree	18	0.4 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	9	0.2 %
98 (M)	Don't know	11	0.2 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	1	0.0 %

Based upon 593 valid cases out of 4882 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

**H3TO54**

**S28Q54 BINGE-FATHER DISAPPROVE-W3**

Location: 3026-3027 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: My father would disapprove of my binge drinking.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	416	8.5 %
2	Agree	59	1.2 %
3	Neither agree nor disagree	72	1.5 %
4	Disagree	13	0.3 %
5	Strongly disagree	23	0.5 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	29	0.6 %
. (M)	-	1	0.0 %

Based upon 583 valid cases out of 4882 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.05

- Study 21600 -

H3TO55	S28Q55 BINGE-PARTNER DISAPPROVE-W3		
Location:	3028-3029 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	My romantic partner would disapprove of my binge drinking.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	311	6.4 %
2	Agree	63	1.3 %
3	Neither agree nor disagree	118	2.4 %
4	Disagree	43	0.9 %
5	Strongly disagree	27	0.6 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	54	1.1 %
. (M)	-	1	0.0 %

Based upon 562 valid cases out of 4882 total cases.

- Mean: 1.95
  - Median: 1.00
  - Mode: 1.00
  - Minimum: 1.00
  - Maximum: 5.00
  - Standard Deviation: 1.23

H3TO56	S28Q56 BINGE-ALLOW HAVE FUN-W3		
Location:	3030-3031 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	Binge drinking would allow me to have fun.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	32	0.7 %
2	Agree	63	1.3 %
3	Neither agree nor disagree	151	3.1 %
4	Disagree	93	1.9 %
5	Strongly disagree	256	5.2 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	19	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 595 valid cases out of 4882 total cases.

- Mean: 3.80
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.25

**H3TO57**
**S28Q57 BINGE-People think alcoholic-W3**

Location: 3032-3033 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: Binge drinking would make people think I am an alcoholic.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	238	4.9 %
2	Agree	123	2.5 %
3	Neither agree nor disagree	136	2.8 %
4	Disagree	67	1.4 %
5	Strongly disagree	34	0.7 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	21	0.4 %
. (M)	-	1	0.0 %

Based upon 598 valid cases out of 4882 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.24

**H3TO58**
**S28Q58 BINGE-HELP RELAX BETTER-W3**

Location: 3034-3035 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

## - Study 21600 -

Question:

Binge drinking would help me relax better.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	21	0.4 %
2	Agree	51	1.0 %
3	Neither agree nor disagree	143	2.9 %
4	Disagree	119	2.4 %
5	Strongly disagree	258	5.3 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 592 valid cases out of 4882 total cases.

- Mean: 3.92
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

**H3TO59**

**S28Q59 BINGE-FRIENDS THINK IS COOL-W3**

Location: 3036-3037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: Binge drinking would make my close friends think I was cool.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	14	0.3 %
2	Agree	19	0.4 %
3	Neither agree nor disagree	107	2.2 %
4	Disagree	135	2.8 %
5	Strongly disagree	320	6.6 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 595 valid cases out of 4882 total cases.

- Mean: 4.22

- Study 21600 -

- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.00

H3TO60	S28Q60 BINGE-EASIER TO SOCALIZE-W3		
Location:	3038-3039 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	Binge drinking would make it easier for me to socialize.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	19	0.4 %
2	Agree	74	1.5 %
3	Neither agree nor disagree	124	2.5 %
4	Disagree	107	2.2 %
5	Strongly disagree	268	5.5 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	21	0.4 %
. (M)	-	1	0.0 %

Based upon 592 valid cases out of 4882 total cases.

- Mean: 3.90
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

H3TO61	S28Q61 BINGE-MAKE SICK/HANGOVER-W3		
Location:	3040-3041 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	Binge drinking would make me get sick or get a hangover.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	281	5.8 %
2	Agree	114	2.3 %
3	Neither agree nor disagree	84	1.7 %
4	Disagree	63	1.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Strongly disagree	55	1.1 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 597 valid cases out of 4882 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

### H3TO62

### S28Q62 BINGE-DAMAGE HEALTH-W3

Location: 3042-3043 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 95 , 96 , 98 , 99 , .  
 Question: Binge drinking would damage my health.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	364	7.5 %
2	Agree	138	2.8 %
3	Neither agree nor disagree	67	1.4 %
4	Disagree	14	0.3 %
5	Strongly disagree	19	0.4 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	9	0.2 %
99 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 602 valid cases out of 4882 total cases.

- Mean: 1.65
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

- Study 21600 -

H3TO63	S28Q63 BINGE-HELP LOSE CONTROL-W3		
Location:	3044-3045 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	Binge drinking would damage my health.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	298	6.1 %
2	Agree	118	2.4 %
3	Neither agree nor disagree	100	2.0 %
4	Disagree	56	1.1 %
5	Strongly disagree	27	0.6 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 599 valid cases out of 4882 total cases.

- Mean: 1.99
  - Median: 2.00
  - Mode: 1.00
  - Minimum: 1.00
  - Maximum: 5.00
  - Standard Deviation: 1.20

H3TO64	S28Q64 BINGE-LOSE INHIBITIONS-W3		
Location:	3046-3047 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	Binge drinking would make me lose my inhibitions.		
Value	Label	Unweighted Frequency	%
1	Strongly agree	289	5.9 %
2	Agree	122	2.5 %
3	Neither agree nor disagree	117	2.4 %
4	Disagree	45	0.9 %
5	Strongly disagree	24	0.5 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	15	0.3 %
99 (M)	Not applicable	16	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 597 valid cases out of 4882 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

### H3TO65

### S28Q65 BINGE-EASIER MEET PEOPLE-W3

Location: 3048-3049 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: Binge drinking would make it easier to meet new people.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	44	0.9 %
2	Agree	90	1.8 %
3	Neither agree nor disagree	128	2.6 %
4	Disagree	123	2.5 %
5	Strongly disagree	207	4.2 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	10	0.2 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 592 valid cases out of 4882 total cases.

- Mean: 3.61
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

### H3TO66

### S28Q66 BINGE-IF WANTED GO BINGE DRNK-W3

Location: 3050-3051 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

## - Study 21600 -

Question:

If I wanted, I could get alcohol so I could go binge drinking.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	223	4.6 %
2	Agree	144	2.9 %
3	Neither agree nor disagree	88	1.8 %
4	Disagree	59	1.2 %
5	Strongly disagree	88	1.8 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	15	0.3 %
. (M)	-	1	0.0 %

Based upon 602 valid cases out of 4882 total cases.

- Mean: 2.41
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.44

**H3TO67**

**S28Q67 BINGE-HARD TO BINGE IF WANTED-W3**

Location: 3052-3053 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: It would be hard for me to go binge drinking even if I wanted to.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	130	2.7 %
2	Agree	71	1.5 %
3	Neither agree nor disagree	108	2.2 %
4	Disagree	129	2.6 %
5	Strongly disagree	162	3.3 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 600 valid cases out of 4882 total cases.

- Mean: 3.20

- Study 21600 -

- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.50

**H3TO68**

**S28Q68 BINGE-WHO DOES IS INTELLIGENT-W3**

Location: 3054-3055 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very intelligent	15	0.3 %
2	Moderately intelligent	82	1.7 %
3	Slightly intelligent	150	3.1 %
4	Not at all intelligent	275	5.6 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	79	1.6 %
99 (M)	Not applicable	26	0.5 %
. (M)	-	1	0.0 %

Based upon 522 valid cases out of 4882 total cases.

- Mean: 3.31
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

**H3TO69**

**S28Q69 BINGE-WHO DOES IS POPULAR-W3**

Location: 3056-3057 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very popular	26	0.5 %
2	Moderately popular	124	2.5 %
3	Slightly popular	174	3.6 %
4	Not at all popular	206	4.2 %
95 (M)	Question not asked of this respondent	4242	86.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	73	1.5 %
99 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 530 valid cases out of 4882 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.90

**H3TO70**

**S28Q70 BINGE-WHO DOES IS IMMATURE-W3**

Location: 3058-3059 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very immature	163	3.3 %
2	Moderately immature	138	2.8 %
3	Slightly immature	156	3.2 %
4	Not at all immature	93	1.9 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	58	1.2 %
99 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 550 valid cases out of 4882 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.07

**H3TO71**

**S28Q71 BINGE-WHO DOES IS CONFIDENT-W3**

Location: 3060-3061 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very confident of (HIMSELF/HERSELF)	30	0.6 %
2	Moderately confident of (HIMSELF/HERSELF)	85	1.7 %
3	Slightly confident of (HIMSELF/HERSELF)	146	3.0 %
4	Not at all confident of (HIMSELF/HERSELF)	290	5.9 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	58	1.2 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 551 valid cases out of 4882 total cases.

- Mean: 3.26
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.91

### H3TO72

### S28Q72 BINGE-WHO DOES IS INDEPENDENT-W3

Location: 3062-3063 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very independent	34	0.7 %
2	Moderately independent	117	2.4 %
3	Slightly independent	147	3.0 %
4	Not at all independent	244	5.0 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	63	1.3 %
99 (M)	Not applicable	22	0.5 %
. (M)	-	1	0.0 %

Based upon 542 valid cases out of 4882 total cases.

- Mean: 3.11

- Study 21600 -

- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.95

**H3TO73**

**S28Q73 BINGE-WHO DOES IS CAREFUL-W3**

Location: 3064-3065 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very careful	17	0.3 %
2	Moderately careful	63	1.3 %
3	Slightly careful	124	2.5 %
4	Not at all careful	363	7.4 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	41	0.8 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 567 valid cases out of 4882 total cases.

- Mean: 3.47
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

**H3TO74**

**S28Q74 BINGE-WHO DOES IS ATTRACTIVE-W3**

Location: 3066-3067 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very attractive	20	0.4 %
2	Moderately attractive	93	1.9 %
3	Slightly attractive	154	3.2 %
4	Not at all attractive	240	4.9 %
95 (M)	Question not asked of this respondent	4242	86.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	87	1.8 %
99 (M)	Not applicable	31	0.6 %
. (M)	-	1	0.0 %

Based upon 507 valid cases out of 4882 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.88

**H3TO75**

**S28Q75 BINGE-WHO DOES IS CONSIDERATE-W3**

Location: 3068-3069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very considerate	16	0.3 %
2	Moderately considerate	67	1.4 %
3	Slightly considerate	162	3.3 %
4	Not at all considerate	286	5.9 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	66	1.4 %
99 (M)	Not applicable	29	0.6 %
. (M)	-	1	0.0 %

Based upon 531 valid cases out of 4882 total cases.

- Mean: 3.35
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

**H3TO76**

**S28Q76 BINGE-WHO DOES IS SLF-CENTERED-W3**

Location: 3070-3071 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: A {MAN/ WOMAN} who binge drinks probably is

Value	Label	Unweighted Frequency	%
1	Very self-centered	123	2.5 %
2	Moderately self-centered	128	2.6 %
3	Slightly self-centered	137	2.8 %
4	Not at all self-centered	133	2.7 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	80	1.6 %
99 (M)	Not applicable	25	0.5 %
. (M)	-	1	0.0 %

Based upon 521 valid cases out of 4882 total cases.

- Mean: 2.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.11

### H3TO77

### S28Q77 BINGE-HOW POSITIVE IF MORE FUN-W3

Location: 3072-3073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if you had more fun as a result of binge drinking?

Value	Label	Unweighted Frequency	%
1	Very positive	19	0.4 %
2	Slightly positive	52	1.1 %
3	Neither positive nor negative	149	3.1 %
4	Slightly negative	90	1.8 %
5	Very negative	260	5.3 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	13	0.3 %
98 (M)	Don't know	37	0.8 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 570 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 3.91
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.17

H3TO78	S28Q78 BINGE-HOW POS IF ALCOHOLIC-W3			
	Value	Label	Unweighted Frequency	%
Location:	3074-3075 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	How positive or negative would it be if people thought you were an alcoholic as a result of binge drinking?			
	1	Very positive	40	0.8 %
	2	Slightly positive	22	0.5 %
	3	Neither positive nor negative	77	1.6 %
	4	Slightly negative	80	1.6 %
	5	Very negative	367	7.5 %
	95 (M)	Question not asked of this respondent	4242	86.9 %
	96 (M)	Refused	11	0.2 %
	98 (M)	Don't know	26	0.5 %
	99 (M)	Not applicable	16	0.3 %
	. (M)	-	1	0.0 %

Based upon 586 valid cases out of 4882 total cases.

- Mean: 4.22
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.22

H3TO79	S28Q79 BINGE-HOW POS IF HELP RELAX-W3			
	Value	Label	Unweighted Frequency	%
Location:	3076-3077 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	How positive or negative would it be if you could relax better as a result of binge drinking?			
	1	Very positive	26	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Slightly positive	43	0.9 %
3	Neither positive nor negative	137	2.8 %
4	Slightly negative	88	1.8 %
5	Very negative	279	5.7 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	32	0.7 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 573 valid cases out of 4882 total cases.

- Mean: 3.96
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

### H3TO80

### S28Q80 BINGE-HOW POS IF THOUGHT COOL-W3

Location: 3078-3079 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if your close friends thought you were cool as a result of binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	18	0.4 %
2	Slightly positive	29	0.6 %
3	Neither positive nor negative	136	2.8 %
4	Slightly negative	92	1.9 %
5	Very negative	299	6.1 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	32	0.7 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 574 valid cases out of 4882 total cases.

- Mean: 4.09
- Median: 5.00

- Study 21600 -

- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.11

H3TO81	S28Q81 BINGE-HOW POS IF SOCALIZE-W3			
	Value	Label	Unweighted Frequency	%
Location:	3080-3081	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	How positive or negative would it be if it were easier for you to socialize as a result of binge drinking?			
	1	Very positive	20	0.4 %
	2	Slightly positive	57	1.2 %
	3	Neither positive nor negative	140	2.9 %
	4	Slightly negative	83	1.7 %
	5	Very negative	273	5.6 %
	95 (M)	Question not asked of this respondent	4242	86.9 %
	96 (M)	Refused	16	0.3 %
	98 (M)	Don't know	30	0.6 %
	99 (M)	Not applicable	20	0.4 %
	. (M)	-	1	0.0 %

Based upon 573 valid cases out of 4882 total cases.

- Mean: 3.93
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

H3TO82	S28Q82 BINGE-HOW POS IF SICK/HUNG-W3			
	Value	Label	Unweighted Frequency	%
Location:	3082-3083	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99 , .			
Question:	How positive or negative would it be if you got sick and had hangovers as a result of binge drinking?			
	1	Very positive	39	0.8 %
	2	Slightly positive	19	0.4 %
	3	Neither positive nor negative	92	1.9 %
	4	Slightly negative	85	1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Very negative	341	7.0 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	29	0.6 %
99 (M)	Not applicable	19	0.4 %
. (M)	-	1	0.0 %

Based upon 576 valid cases out of 4882 total cases.

- Mean: 4.16
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.21

**H3TO83**

**S28Q83 BINGE-HOW POS IF DAMAGE HEALTH-W3**

Location: 3084-3085 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if you damages your health as a result of binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	36	0.7 %
2	Slightly positive	23	0.5 %
3	Neither positive nor negative	61	1.2 %
4	Slightly negative	46	0.9 %
5	Very negative	415	8.5 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	16	0.3 %
98 (M)	Don't know	24	0.5 %
99 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 581 valid cases out of 4882 total cases.

- Mean: 4.34
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

- Study 21600 -

**H3TO84**

**S28Q84 BINGE-HOW POS IF LOSE CONTROL-W3**

Location: 3086-3087 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if you tended to lose control of yourself as a result of binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	33	0.7 %
2	Slightly positive	27	0.6 %
3	Neither positive nor negative	72	1.5 %
4	Slightly negative	60	1.2 %
5	Very negative	388	7.9 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 580 valid cases out of 4882 total cases.

- Mean: 4.28
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

**H3TO85**

**S28Q85 BINGE-HOW POS IF LOSE INHBTN-W3**

Location: 3088-3089 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if you lost your inhibitions as a result of binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	32	0.7 %
2	Slightly positive	34	0.7 %
3	Neither positive nor negative	74	1.5 %
4	Slightly negative	80	1.6 %
5	Very negative	359	7.4 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	29	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 579 valid cases out of 4882 total cases.

- Mean: 4.21
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.20

**H3TO86**

**S28Q86 BINGE-HOW POS IF MEET PEOPLE-W3**

Location: 3090-3091 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positive or negative would it be if it were easier for you to meet new people as a result of binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	31	0.6 %
2	Slightly positive	77	1.6 %
3	Neither positive nor negative	131	2.7 %
4	Slightly negative	68	1.4 %
5	Very negative	273	5.6 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	26	0.5 %
99 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 580 valid cases out of 4882 total cases.

- Mean: 3.82
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

**H3TO87**

**S28Q87 BINGE-GOING OUT HOW EXCITED-W3**

Location: 3092-3093 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question:

If you thought about going out and binge drinking (even if you don't currently do this), how excited would you feel?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very excited	41	0.8 %
2	Moderately excited	77	1.6 %
3	Slightly excited	140	2.9 %
4	Not at all excited	326	6.7 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	27	0.6 %
99 (M)	Not applicable	13	0.3 %
. (M)	-	1	0.0 %

Based upon 584 valid cases out of 4882 total cases.

- Mean: 3.29
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.94

**H3TO88**

**S28Q88 BINGE-GOING OUT HOW PLEASED-W3**

Location: 3094-3095 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question:

If you thought about going out and binge drinking (even if you don't currently do this), how pleased would you feel?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very pleased	27	0.6 %
2	Moderately pleased	70	1.4 %
3	Slightly pleased	126	2.6 %
4	Not at all pleased	355	7.3 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	30	0.6 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 578 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 3.40
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.87

H3TO89	S28Q89 BINGE-GOING OUT HOW NERVOUS-W3		
	Value	Label	Unweighted Frequency
Location:	3096-3097	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	If you thought about going out and binge drinking (even if you don't currently do this), how nervous would you feel?		
	Value	Label	Unweighted Frequency
1	Very nervous		181
2	Moderately nervous		76
3	Slightly nervous		119
4	Not at all nervous		203
95 (M)	Question not asked of this respondent		4242
96 (M)	Refused		16
98 (M)	Don't know		30
99 (M)	Not applicable		14
. (M)	-		1
			0.0 %

Based upon 579 valid cases out of 4882 total cases.

- Mean: 2.59
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.25

H3TO90	S28Q90 BINGE-GOING OUT HOW AROUSED-W3		
	Value	Label	Unweighted Frequency
Location:	3098-3099	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	95 , 96 , 98 , 99 , .		
Question:	If you thought about going out and binge drinking (even if you don't currently do this), how aroused or pumped up would you feel?		
	Value	Label	Unweighted Frequency
1	Very aroused or 'pumped up'		36
2	Moderately aroused or 'pumped up'		83
			0.7 %
			1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Slightly aroused or 'pumped up'	147	3.0 %
4	Not at all aroused or 'pumped up'	299	6.1 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	17	0.3 %
98 (M)	Don't know	41	0.8 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 565 valid cases out of 4882 total cases.

- Mean: 3.25
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.93

**H3TO91**

**S28Q91 BINGE-HOW POS IF ENGAGING-W3**

Location: 3100-3101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How positively or negatively do you feel about your engaging in binge drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very positive	32	0.7 %
2	Slightly positive	38	0.8 %
3	Neither positive nor negative	119	2.4 %
4	Slightly negative	81	1.7 %
5	Very negative	304	6.2 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	19	0.4 %
98 (M)	Don't know	30	0.6 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 574 valid cases out of 4882 total cases.

- Mean: 4.02
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.23

- Study 21600 -

**H3TO92**

**S28Q92 BINGE-FRIENDS EVALUAT BINGING-W3**

Location: 3102-3103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How would your friends evaluate a {MAN/ WOMAN} who engages in binge drinking?

Value	Label	Unweighted Frequency	%
1	Very positive	22	0.5 %
2	Slightly positive	43	0.9 %
3	Neither positive nor negative	164	3.4 %
4	Slightly negative	95	1.9 %
5	Very negative	246	5.0 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	19	0.4 %
98 (M)	Don't know	38	0.8 %
99 (M)	Not applicable	12	0.2 %
. (M)	-	1	0.0 %

Based upon 570 valid cases out of 4882 total cases.

- Mean: 3.88
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

**H3TO93**

**S28Q93 BINGE-FRIENDS EVALUAT ABSTAIN-W3**

Location: 3104-3105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99 , .

Question: How would your friends evaluate a {MAN/ WOMAN} who abstains in binge drinking?

Value	Label	Unweighted Frequency	%
1	Very positive	192	3.9 %
2	Slightly positive	65	1.3 %
3	Neither positive nor negative	180	3.7 %
4	Slightly negative	47	1.0 %
5	Very negative	87	1.8 %
95 (M)	Question not asked of this respondent	4242	86.9 %
96 (M)	Refused	18	0.4 %
98 (M)	Don't know	39	0.8 %
99 (M)	Not applicable	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 571 valid cases out of 4882 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.41

**H3TO94**
**S28Q94 SELF-HOW INTELLIGENT-W3**

Location: 3106-3106 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How intelligent are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very intelligent	1665	34.1 %
2	Moderately intelligent	2519	51.6 %
3	Slightly intelligent	492	10.1 %
4	Not at all intelligent	63	1.3 %
6 (M)	Refused	40	0.8 %
8 (M)	Don't know	40	0.8 %
9 (M)	Not applicable	22	0.5 %
. (M)	-	41	0.8 %

Based upon 4739 valid cases out of 4882 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.68

**H3TO95**
**S28Q95 SELF-HOW POPULAR-W3**

Location: 3107-3107 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How popular are you?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very popular	1081	22.1 %
2	Moderately popular	2607	53.4 %
3	Slightly popular	818	16.8 %
4	Not at all popular	210	4.3 %
6 (M)	Refused	37	0.8 %
8 (M)	Don't know	66	1.4 %
9 (M)	Not applicable	22	0.5 %
. (M)	-	41	0.8 %

Based upon 4716 valid cases out of 4882 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

**H3TO96**

**S28Q96 SELF-HOW IMMATURE-W3**

Location: 3108-3108 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How immature are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very immature	372	7.6 %
2	Moderately immature	441	9.0 %
3	Slightly immature	1799	36.8 %
4	Not at all immature	2122	43.5 %
6 (M)	Refused	38	0.8 %
8 (M)	Don't know	56	1.1 %
9 (M)	Not applicable	13	0.3 %
. (M)	-	41	0.8 %

Based upon 4734 valid cases out of 4882 total cases.

- Mean: 3.20
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.90

- Study 21600 -

**H3TO97**

**S28Q97 SELF-HOW CONFIDENT-W3**

Location: 3109-3109 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: How confident are you of yourself?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very confident of myself	2279	46.7 %
2	Moderately confident of myself	1825	37.4 %
3	Slightly confident of myself	563	11.5 %
4	Not at all confident of myself	95	1.9 %
6 (M)	Refused	32	0.7 %
8 (M)	Don't know	34	0.7 %
9 (M)	Not applicable	13	0.3 %
. (M)	-	41	0.8 %

Based upon 4762 valid cases out of 4882 total cases.

- Mean: 1.68
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

**H3TO98**

**S28Q98 SELF-HOW INDEPENDENT-W3**

Location: 3110-3110 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: How independent are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very independent	2486	50.9 %
2	Moderately independent	1813	37.1 %
3	Slightly independent	415	8.5 %
4	Not at all independent	57	1.2 %
6 (M)	Refused	31	0.6 %
8 (M)	Don't know	27	0.6 %
9 (M)	Not applicable	12	0.2 %
. (M)	-	41	0.8 %

Based upon 4771 valid cases out of 4882 total cases.

- Mean: 1.59

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.70

**H3TO99**

**S28Q99 SELF-HOW CAREFUL-W3**

Location: 3111-3111 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How careful are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very careful	2354	48.2 %
2	Moderately careful	2028	41.5 %
3	Slightly careful	362	7.4 %
4	Not at all careful	37	0.8 %
6 (M)	Refused	28	0.6 %
8 (M)	Don't know	22	0.5 %
9 (M)	Not applicable	10	0.2 %
. (M)	-	41	0.8 %

Based upon 4781 valid cases out of 4882 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.66

**H3TO100**

**S28Q100 SELF-HOW ATTRACTIVE-W3**

Location: 3112-3112 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How attractive are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very attractive	1343	27.5 %
2	Moderately attractive	2503	51.3 %
3	Slightly attractive	811	16.6 %
4	Not at all attractive	97	2.0 %
6 (M)	Refused	30	0.6 %
8 (M)	Don't know	46	0.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	11	0.2 %
. (M)	-	41	0.8 %

Based upon 4754 valid cases out of 4882 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

<b>H3TO101</b>	<b>S28Q101 SELF-HOW CONSIDERATE-W3</b>
----------------	--

Location: 3113-3113 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How considerate are you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very considerate	2832	58.0 %
2	Moderately considerate	1652	33.8 %
3	Slightly considerate	274	5.6 %
4	Not at all considerate	18	0.4 %
6 (M)	Refused	27	0.6 %
8 (M)	Don't know	30	0.6 %
9 (M)	Not applicable	8	0.2 %
. (M)	-	41	0.8 %

Based upon 4776 valid cases out of 4882 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

<b>H3TO102</b>	<b>S28Q102 SELF-HOW SELF-CENTERED-W3</b>
----------------	--

Location: 3114-3114 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How self-centered are you?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very self-centered	460	9.4 %
2	Moderately self-centered	792	16.2 %
3	Slightly self-centered	1890	38.7 %
4	Not at all self-centered	1616	33.1 %
6 (M)	Refused	29	0.6 %
8 (M)	Don't know	42	0.9 %
9 (M)	Not applicable	12	0.2 %
. (M)	-	41	0.8 %

Based upon 4758 valid cases out of 4882 total cases.

- Mean: 2.98
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.94

**H3TO103**

**S28Q103 3 BEST FRNDS H/MANY DRINK MON-W3**

Location: 3115-3115 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Of your three best friends, how many drink alcohol at least once a month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of my friends	1174	24.0 %
1	One friend	873	17.9 %
2	Two friends	749	15.3 %
3	Three friends	1885	38.6 %
6 (M)	Refused	33	0.7 %
8 (M)	Don't know	34	0.7 %
9 (M)	Not applicable	21	0.4 %
. (M)	-	113	2.3 %

Based upon 4681 valid cases out of 4882 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.23

- Study 21600 -

**H3TO104**

**S28Q104 3 BEST FRNDS H/MANY BINGE-W3**

Location: 3116-3116 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Of your three best friends, how many binge drink at least once a month?

Value	Label	Unweighted Frequency	%
0	None of my friends	1613	33.0 %
1	One friend	755	15.5 %
2	Two friends	365	7.5 %
3	Three friends	756	15.5 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	1262	25.9 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	113	2.3 %

Based upon 3489 valid cases out of 4882 total cases.

- Mean: 1.08
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.20

**H3TO105A**

**S28Q105A SINC JUN95 TAKEN SEDATIVES-W3**

Location: 3117-3117 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Since June 1995, have you taken any of the following drugs without a doctor's permission?: sedatives or downers, such as barbiturates, sleeping pills, or Seconal?

Value	Label	Unweighted Frequency	%
0	No	4284	87.8 %
1	Yes	527	10.8 %
6 (M)	Refused	35	0.7 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4811 valid cases out of 4882 total cases.

- Mean: 0.11

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

<b>H3TO105B</b>	<b>S28Q105B SINC JUN95 TAKN TRANQUILIZER-W3</b>
-----------------	---

Location:	3118-3118 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	Since June 1995, have you taken any of the following drugs without a doctor's permission?: tranquilizers, such as Librium, Valium, or Xanax?

Value	Label	Unweighted Frequency	%
0	No	4398	90.1 %
1	Yes	408	8.4 %
6 (M)	Refused	36	0.7 %
8 (M)	Don't know	22	0.5 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4806 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

<b>H3TO105C</b>	<b>S28Q105C SINCE JUN95 TAKEN STIMULANTS-W3</b>
-----------------	---

Location:	3119-3119 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	Since June 1995, have you taken any of the following drugs without a doctor's permission?: stimulants or uppers, such as amphetamines, Preludin, or speed?

Value	Label	Unweighted Frequency	%
0	No	4452	91.2 %
1	Yes	355	7.3 %
6 (M)	Refused	37	0.8 %
8 (M)	Don't know	21	0.4 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 4807 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H3TO105D	S28Q105D SINC JUN95 TAKEN PAIN KILLER-W3		
Location:	3120-3120 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	Since June 1995, have you taken any of the following drugs without a doctor's permission?: pain killers, such as Darvon, Demerol, Percodan, or Tylenol with codeine?		
Value	Label	Unweighted Frequency	%
0	No	3864	79.1 %
1	Yes	935	19.2 %
6 (M)	Refused	37	0.8 %
8 (M)	Don't know	28	0.6 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4799 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H3TO105E	S28Q105E SINCE JUN95 TAKEN STEROIDS-W3		
Location:	3121-3121 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	Since June 1995, have you taken any of the following drugs without a doctor's permission?: steroids or anabolic steroids		
Value	Label	Unweighted Frequency	%
0	No	4727	96.8 %
1	Yes	81	1.7 %
6 (M)	Refused	36	0.7 %

- Study 21600 -

Value	Label	Unweighted Frequency	%
8 (M)	Don't know	21	0.4 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4808 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**H3TO106**

**S28Q106 PST YEAR USED CREATINE-W3**

Location: 3122-3122 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past year, have you used a legal performance enhancing substance for athletes (such as Creatine, Monohydrate, or Andro)?

Value	Label	Unweighted Frequency	%
0	No	4427	90.7 %
1	Yes	385	7.9 %
6 (M)	Refused	34	0.7 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4812 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**H3TO107**

**S28Q107 PST YEAR USED ANABOLIC STER-W3**

Location: 3123-3123 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: In the past year, have you used anabolic steroids or other illegal performance-enhancing substances for athletes?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4740	97.1 %
1	Yes	67	1.4 %
6 (M)	Refused	34	0.7 %
8 (M)	Don't know	22	0.5 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4807 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

**H3TO108**
**S28Q108 SINCE JUN95 USED MARIJUANA-W3**

Location: 3124-3124 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Since June 1995, have you used marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.111)	2618	53.6 %
1	Yes	2177	44.6 %
6 (M)	Refused	50	1.0 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4795 valid cases out of 4882 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3TO109**
**S28Q109 PAST YEAR USED MARIJUANA-W3**

Location: 3125-3125 (width: 1; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

7 , 9 , .

Question:

In the past year, have you used marijuana?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.111)	620	12.7 %
1	Yes	1556	31.9 %
7 (M)	Legitimate skip	2704	55.4 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 2176 valid cases out of 4882 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3TO110**

**S28Q110 PAST 30 DAYS USED MARIJUANA -W3**

Location:

3126-3129 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9996 , 9997 , 9998 , 9999 , .

Question:

During the past 30 days, how many times have you used marijuana?

Value	Label	Unweighted Frequency	%
0	0 times	478	9.8 %
1	-	218	4.5 %
2	-	129	2.6 %
3	-	74	1.5 %
4	-	41	0.8 %
5	-	64	1.3 %
6	-	17	0.3 %
7	-	9	0.2 %
8	-	4	0.1 %
9	-	2	0.0 %
10	-	67	1.4 %
11	-	2	0.0 %
12	-	6	0.1 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	66	1.4 %
16	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	3	0.1 %
19	-	2	0.0 %
20	-	56	1.1 %
21	-	2	0.0 %
22	-	4	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	32	0.7 %
26	-	3	0.1 %
27	-	5	0.1 %
28	-	10	0.2 %
29	-	8	0.2 %
30	-	169	3.5 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
40	-	6	0.1 %
45	-	5	0.1 %
50	-	4	0.1 %
55	-	1	0.0 %
60	-	9	0.2 %
66	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
90	-	6	0.1 %
100	-	13	0.3 %
120	-	1	0.0 %
150	-	4	0.1 %
300	-	1	0.0 %
365	-	1	0.0 %
400	-	1	0.0 %
500	-	2	0.0 %
9996 (M)	Refused	3	0.1 %
9997 (M)	Legitimate skip	3325	68.1 %
9998 (M)	Don't know	12	0.2 %
9999 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1540 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 11.36
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 29.14

H3TO111	S28Q111 SINCE JUN95 USED COCAINE-W3		
	Value	Label	Unweighted Frequency
Location:	3130-3130	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	6 , 8 , 9 , .		
Question:	Since June 1995, have you used any kind of cocaine including crack, freebase, or powder?		
			%
	0	No (skip to Q.114)	4332 88.7 %
	1	Yes	475 9.7 %
	6 (M)	Refused	42 0.9 %
	8 (M)	Don't know	15 0.3 %
	9 (M)	Not applicable	17 0.3 %
	. (M)	-	1 0.0 %

Based upon 4807 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H3TO112	S28Q112 PAST YEAR USED COCAINE-W3		
	Value	Label	Unweighted Frequency
Location:	3131-3131	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	7 , .		
Question:	In the past year, have you used any kind of cocaine?		
			%
	0	No (skip to Q.114)	176 3.6 %
	1	Yes	299 6.1 %
	7 (M)	Legitimate skip	4406 90.2 %
	. (M)	-	1 0.0 %

Based upon 475 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3TO113**

**S28Q113 PAST 30 DAYS USED COCAINE-W3**

Location: 3132-3134 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: During the past 30 days, how many times have you used any kind of cocaine?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	151	3.1 %
1	-	54	1.1 %
2	-	26	0.5 %
3	-	20	0.4 %
4	-	10	0.2 %
5	-	10	0.2 %
7	-	3	0.1 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	4	0.1 %
11	-	1	0.0 %
12	-	5	0.1 %
14	-	1	0.0 %
16	-	1	0.0 %
20	-	2	0.0 %
30	-	2	0.0 %
888	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	4582	93.9 %
998 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 294 valid cases out of 4882 total cases.

- Mean: 4.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 888.00

- Study 21600 -

- Standard Deviation: 51.83

<b>H3TO114</b>	<b>S28Q114 SINCE JUN95 USED CRYSTAL METH-W3</b>
----------------	---

Location: 3135-3135 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Since June 1995, have you used crystal meth?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.117)	4540	93.0 %
1	Yes	265	5.4 %
6 (M)	Refused	40	0.8 %
8 (M)	Don't know	19	0.4 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4805 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

<b>H3TO115</b>	<b>S28Q115 PAST YEAR USED CRYSTAL METH-W3</b>
----------------	---

Location: 3136-3136 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: In the past year, have you used crystal meth?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.117)	143	2.9 %
1	Yes	120	2.5 %
7 (M)	Legitimate skip	4616	94.6 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 263 valid cases out of 4882 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.50

**H3TO116**

**S28Q116 PAST 30 DYS USED CRYSTAL METH-W3**

Location: 3137-3139 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: During the past 30 days, how many times have you used crystal meth?

Value	Label	Unweighted Frequency	%
0	0 times	53	1.1 %
1	-	29	0.6 %
2	-	7	0.1 %
3	-	10	0.2 %
4	-	1	0.0 %
5	-	4	0.1 %
6	-	2	0.0 %
9	-	1	0.0 %
10	-	4	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
25	-	2	0.0 %
30	-	2	0.0 %
90	-	1	0.0 %
997 (M)	Legitimate skip	4761	97.5 %
998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 119 valid cases out of 4882 total cases.

- Mean: 3.31
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.70

**H3TO117**

**S28Q117 SINCE JUN95 USED OTH DRUG-W3**

Location: 3140-3140 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

## - Study 21600 -

Question:

Since June 1995, have you used any other types of illegal drugs, such as LSD, PCP, ecstasy, mushrooms, inhalants, ice, heroin, or prescription medicines not prescribed for you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.120)	4027	82.5 %
1	Yes	773	15.8 %
6 (M)	Refused	41	0.8 %
8 (M)	Don't know	22	0.5 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4800 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**H3TO118**

**S28Q118 PAST YEAR USED OTH DRUGS-W3**

Location:

3141-3141 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , .

Question:

In the past year, have you used any of these types of illegal drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.120)	332	6.8 %
1	Yes	441	9.0 %
7 (M)	Legitimate skip	4108	84.1 %
. (M)	-	1	0.0 %

Based upon 773 valid cases out of 4882 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3TO119**

**S28Q119 PAST 30 DYS # TIME OTH DRUGS-W3**

Location:

3142-3144 (width: 3; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

997 , 998 , .

## - Study 21600 -

Question:

During the past 30 days, how many times have you used any of these types of illegal drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	231	4.7 %
1	-	77	1.6 %
2	-	48	1.0 %
3	-	18	0.4 %
4	-	8	0.2 %
5	-	12	0.2 %
6	-	2	0.0 %
7	-	3	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	8	0.2 %
11	-	2	0.0 %
12	-	3	0.1 %
15	-	6	0.1 %
20	-	4	0.1 %
21	-	1	0.0 %
25	-	1	0.0 %
30	-	10	0.2 %
40	-	1	0.0 %
50	-	1	0.0 %
997 (M)	Legitimate skip	4440	90.9 %
998 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 438 valid cases out of 4882 total cases.

- Mean: 2.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 6.23

**H3TO120**

**S28Q120 SINCE JUN95 SHOT DRUGS-W3**

Location: 3145-3145 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Since June 1995, have you injected (shot up with a needle) any illegal drug, such as heroin or cocaine?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.123)	4752	97.3 %
1	Yes	61	1.2 %
6 (M)	Refused	37	0.8 %
8 (M)	Don't know	14	0.3 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4813 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3TO121**
**S28Q121 PST YEAR SHOT DRUGS-W3**

Location: 3146-3146 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past year, have you injected an illegal drug?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.123)	37	0.8 %
1	Yes	22	0.5 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4820	98.7 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 59 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3TO122**
**S28Q122 PST 30 DYS SHOT DRUGS-W3**

Location: 3147-3149 (width: 3; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 997 , .

Question:

During the past 30 days, how many times did you inject an illegal drug?

Value	Label	Unweighted Frequency	%
0	0 times	10	0.2 %
1	-	5	0.1 %
3	-	1	0.0 %
5	-	3	0.1 %
9	-	1	0.0 %
11	-	1	0.0 %
30	-	1	0.0 %
997 (M)	Legitimate skip	4859	99.5 %
. (M)	-	1	0.0 %

Based upon 22 valid cases out of 4882 total cases.

- Mean: 3.32
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.72

**H3TO123**

**S28Q123 PST 12 MON PROB SCH/WORK-W3**

Location: 3150-3150 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question:

During the past 12 months, how often did you have problems at school or work because you had been using drugs?

Value	Label	Unweighted Frequency	%
0	Never	1465	30.0 %
1	Once	58	1.2 %
2	Twice	52	1.1 %
3	3 or 4 times	18	0.4 %
4	5 or more times	19	0.4 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3254	66.7 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 1612 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.18
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 4.00
  - Standard Deviation: 0.65

H3TO124	S28Q124 PST 12 MON PROB FRND DUE DRUG-W3		
Location:	3151-3151 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	During the past 12 months, how often did you have problems with your friends because you had been using drugs?		
Value	Label	Unweighted Frequency	%
0	Never	1479	30.3 %
1	Once	61	1.2 %
2	Twice	48	1.0 %
3	3 or 4 times	17	0.3 %
4	5 or more times	11	0.2 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3254	66.7 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1616 valid cases out of 4882 total cases.

- Mean: 0.16
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 4.00
  - Standard Deviation: 0.58

H3TO125	S28Q125 PST 12 MON PROB PART DUE DRUG-W3		
Location:	3152-3152 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9 , .		
Question:	During the past 12 months, how often did you have problems with someone you were dating because you had been using drugs?		
Value	Label	Unweighted Frequency	%
0	Never	1407	28.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Once	109	2.2 %
2	Twice	52	1.1 %
3	3 or 4 times	22	0.5 %
4	5 or more times	24	0.5 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3254	66.7 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 1614 valid cases out of 4882 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.71

**H3TO126**

**S28Q126 PST 12 MON PROB SEX DUE DRUG-W3**

Location: 3153-3153 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the past 12 months, how often did you get into a sexual situation that you later regretted because you had been using drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1480	30.3 %
1	Once	76	1.6 %
2	Twice	31	0.6 %
3	3 or 4 times	20	0.4 %
4	5 or more times	7	0.1 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3254	66.7 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1614 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 4.00
- Standard Deviation: 0.53

**H3TO127**

**S28Q127 PST 12 MON FIGHT DUE DRUG-W3**

Location: 3154-3154 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the past 12 months how often did you get into a physical fight because you had been using drugs?

Value	Label	Unweighted Frequency	%
0	Never	1547	31.7 %
1	Once	35	0.7 %
2	Twice	29	0.6 %
3	3 or 4 times	7	0.1 %
4	5 or more times	1	0.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3254	66.7 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 1619 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.37

**H3TO128**

**S28Q128 PST 12 MON HIGH AT SCH/WORK-W3**

Location: 3155-3155 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the past 12 months, how often were you high on drugs at school or work?

Value	Label	Unweighted Frequency	%
0	Never	1320	27.0 %
1	Once	68	1.4 %
2	Twice	64	1.3 %
3	3 or 4 times	61	1.2 %
4	5 or more times	102	2.1 %
7 (M)	Legitimate skip	3254	66.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 1615 valid cases out of 4882 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.15

#### H3TO129

#### S28Q129 MEMBER OF 12 STEP PROG-W3

Location: 3156-3156 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Are you a member of any kind of 12-step recovery group or program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4718	96.6 %
1	Yes	94	1.9 %
6 (M)	Refused	34	0.7 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	20	0.4 %
. (M)	-	1	0.0 %

Based upon 4812 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

#### H3TO130

#### S28Q130 PST 12 MON THOUGHT AB SUICIDE-W3

Location: 3157-3157 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: During the past 12 months, have you ever seriously thought about committing suicide?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.133)	4448	91.1 %
1	Yes	303	6.2 %
6 (M)	Refused	34	0.7 %
7 (M)	Legitimate skip	58	1.2 %
8 (M)	Don't know	20	0.4 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4751 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

**H3TO131**

**S28Q131 PST 12 MON # TIMES ATTMPT SUI-W3**

Location: 3158-3158 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: During the past 12 months, how many times have you actually attempted suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	233	4.8 %
1	Once	48	1.0 %
2	Twice	16	0.3 %
3	3 or 4 times	4	0.1 %
4	5 or more times	2	0.0 %
7 (M)	Legitimate skip	4578	93.8 %
. (M)	-	1	0.0 %

Based upon 303 valid cases out of 4882 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

**H3TO132**

**S28Q132 PST 12 MON ATTEMP INJRY/POISN-W3**

- Study 21600 -

Location: 3159-3159 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: Did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

Value	Label	Unweighted Frequency	%
0	No	42	0.9 %
1	Yes	28	0.6 %
7 (M)	Legitimate skip	4811	98.5 %
. (M)	-	1	0.0 %

Based upon 70 valid cases out of 4882 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3TO133 S28Q133 PST 12 MON FRNDS KILL SELVS-W3**

Location: 3160-3160 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: During the past 12 months, have any of your friends tried to kill themselves?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.135)	4418	90.5 %
1	Yes	332	6.8 %
6 (M)	Refused	30	0.6 %
7 (M)	Legitimate skip	58	1.2 %
8 (M)	Don't know	25	0.5 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4750 valid cases out of 4882 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

**H3TO134 S28Q134 PST 12 MON HAVE ANY DIED-W3**

- Study 21600 -

Location: 3161-3161 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , .  
 Question: Have any of them died as a result?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	218	4.5 %
1	Yes	114	2.3 %
7 (M)	Legitimate skip	4549	93.2 %
. (M)	-	1	0.0 %

Based upon 332 valid cases out of 4882 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3TO135**

**S28Q135 PST 12 MON FAM MEM KILL SLF-W3**

Location: 3162-3162 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: During the past 12 months, have any of your family members tried to kill themselves?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4595	94.1 %
1	Yes	146	3.0 %
6 (M)	Refused	32	0.7 %
7 (M)	Legitimate skip	58	1.2 %
8 (M)	Don't know	32	0.7 %
9 (M)	Not applicable	18	0.4 %
. (M)	-	1	0.0 %

Based upon 4741 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

- Study 21600 -

H3TO136	S28Q136 PST 12 MON HAVE ANY DIED-W3		
Location:	3163-3163 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , .		
Question:	Have any of them died as a result?		
Value	Label	Unweighted Frequency	%
0	No	107	2.2 %
1	Yes	39	0.8 %
7 (M)	Legitimate skip	4735	97.0 %
. (M)	-	1	0.0 %

Based upon 146 valid cases out of 4882 total cases.

- Mean: 0.27
  - Median: 0.00
  - Mode: 0.00
  - Minimum: 0.00
  - Maximum: 1.00
  - Standard Deviation: 0.44

H3MA1	S29Q1 BY 6 GRD TIMES LEFT HOME ALONE-W3		
Location:	3164-3165 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99 , .		
Question:	By the time you started 6th grade, how often had your parents or other adult care-givers left you home alone when an adult should have been with you?		
Value	Label	Unweighted Frequency	%
1	One time	548	11.2 %
2	Two times	430	8.8 %
3	3-5 times	356	7.3 %
4	6-10 times	117	2.4 %
5	More than 10 times	344	7.0 %
6	This has never happened	2747	56.3 %
96 (M)	Refused	49	1.0 %
98 (M)	Don't know	229	4.7 %
99 (M)	Not applicable	60	1.2 %
. (M)	-	2	0.0 %

Based upon 4542 valid cases out of 4882 total cases.

- Mean: 4.66
  - Median: 6.00

- Study 21600 -

- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.90

H3MA2	S29Q2 BY 6 GRD NEEDS NOT TAKEN CARE-W3		
	Value	Label	Unweighted Frequency
Location:	3166-3167	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99 , .		
Question:	How often had your parents or other adult care-givers not taken care of your basic needs, such as keeping you clean or providing food or clothing?		
			%
	1	One time	189 3.9 %
	2	Two times	82 1.7 %
	3	3-5 times	58 1.2 %
	4	6-10 times	36 0.7 %
	5	More than 10 times	125 2.6 %
	6	This has never happened	4157 85.1 %
	96 (M)	Refused	65 1.3 %
	98 (M)	Don't know	102 2.1 %
	99 (M)	Not applicable	66 1.4 %
	. (M)	-	2 0.0 %

Based upon 4647 valid cases out of 4882 total cases.

- Mean: 5.65
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.16

H3MA3	S29Q3 BY 6 GRD TIMES BEING HIT/KICK-W3		
	Value	Label	Unweighted Frequency
Location:	3168-3169	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	96 , 98 , 99 , .		
Question:	How often had your parents or other adult care-givers slapped, hit, or kicked you?		
			%
	1	One time	346 7.1 %
	2	Two times	241 4.9 %
	3	3-5 times	280 5.7 %
	4	6-10 times	108 2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	More than 10 times	266	5.4 %
6	This has never happened	3392	69.5 %
96 (M)	Refused	75	1.5 %
98 (M)	Don't know	100	2.0 %
99 (M)	Not applicable	72	1.5 %
. (M)	-	2	0.0 %

Based upon 4633 valid cases out of 4882 total cases.

- Mean: 5.13
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.63

**H3MA4**

**S29Q4 BY 6 GRD TIMES TOUCH SEXUAL WAY-W3**

Location: 3170-3171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: How often had one of your parents or other adult care-givers touched you in a sexual way, forced you to touch him or her in a sexual way, or forced you to have sexual relations?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One time	105	2.2 %
2	Two times	22	0.5 %
3	3-5 times	29	0.6 %
4	6-10 times	15	0.3 %
5	More than 10 times	29	0.6 %
6	This has never happened	4477	91.7 %
96 (M)	Refused	70	1.4 %
98 (M)	Don't know	66	1.4 %
99 (M)	Not applicable	67	1.4 %
. (M)	-	2	0.0 %

Based upon 4677 valid cases out of 4882 total cases.

- Mean: 5.84
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.83

- Study 21600 -

**H3MA5**

**S29Q5 BY 6 GRD OFTEN SOC SVCS INVESTG-W3**

Location: 3172-3173 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99 , .  
 Question: How often had Social Services investigated how you were taken care of or tried to take you out of your living situation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	4328	88.7 %
1	1 time	113	2.3 %
2	2 times	36	0.7 %
3	3 times	11	0.2 %
4	4 times	10	0.2 %
5	5 times	6	0.1 %
6	6 times	14	0.3 %
9	9 times	1	0.0 %
10	10 times	3	0.1 %
11	11 times	1	0.0 %
15	15 times	1	0.0 %
22	22 times	1	0.0 %
96 (M)	Refused	47	1.0 %
98 (M)	Don't know	32	0.7 %
99 (M)	Not applicable	28	0.6 %
. (M)	-	250	5.1 %

Based upon 4525 valid cases out of 4882 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 0.72

**H3MA6**

**S29Q6 BY 6 GRD OFTEN TAKN BY SOC SVCS-W3**

Location: 3174-3175 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 97 , 98 , .  
 Question: How often had you actually been taken out of your living situation by Social Services?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 times	123	2.5 %
1	1 time	44	0.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2 times	7	0.1 %
3	3 times	5	0.1 %
4	4 times	1	0.0 %
5	5 times	2	0.0 %
6	6 times	5	0.1 %
8	8 times	1	0.0 %
11	11 times	2	0.0 %
22	22 times	1	0.0 %
97 (M)	Legitimate skip	4435	90.8 %
98 (M)	Don't know	1	0.0 %
. (M)	-	255	5.2 %

Based upon 191 valid cases out of 4882 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.30

**H3MAC7**

**S28Q7 OFTEN LEFT CHILDREN ALONE-W3**

Location: 3176-3177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99

Question: How often have you left your {CHILD/ CHILDREN} home alone, even when an adult should have been with {HIM/ HER/ THEM}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	This has never happened	872	17.9 %
1	One time	22	0.5 %
2	Two times	12	0.2 %
3	3-5 times	4	0.1 %
4	6-10 times	1	0.0 %
5	More than 10 times	1	0.0 %
95 (M)	Question not asked of this respondent	3946	80.8 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	10	0.2 %

Based upon 912 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.39

H3MAC8	S28Q8 OFTEN NEGLECTED CHILDREN-W3			
	Value	Label	Unweighted Frequency	%
Location:	3178-3179	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99			
Question:	How often have you not taken care of your {CHILD/CHILDREN}'s basic needs, such as keeping {HIM/HER/THEM} clean or providing food or clothing?			
	0	This has never happened	796	16.3 %
	1	One time	12	0.2 %
	2	Two times	6	0.1 %
	3	3-5 times	6	0.1 %
	4	6-10 times	4	0.1 %
	5	More than 10 times	89	1.8 %
	95 (M)	Question not asked of this respondent	3946	80.8 %
	96 (M)	Refused	13	0.3 %
	98 (M)	Don't know	3	0.1 %
	99 (M)	Not applicable	7	0.1 %

Based upon 913 valid cases out of 4882 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.52

H3MAC9	S28Q9 OFTEN SLAP,HIT,KICK CHILDREN-W3			
	Value	Label	Unweighted Frequency	%
Location:	3180-3181	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	95 , 96 , 98 , 99			
Question:	How often have you slapped, hit, or kicked {YOUR CHILD/ANY OF YOUR CHILDREN}?			
	0	This has never happened	847	17.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One time	23	0.5 %
2	Two times	10	0.2 %
3	3-5 times	21	0.4 %
4	6-10 times	3	0.1 %
5	More than 10 times	4	0.1 %
95 (M)	Question not asked of this respondent	3946	80.8 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	5	0.1 %
99 (M)	Not applicable	8	0.2 %

Based upon 908 valid cases out of 4882 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.65

#### H3MAC10

#### S28Q10 OFTEN SOCIAL SERVICES INVOLVED-W3

Location: 3182-3183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 98 , 99

Question: How often has Social Services investigated how you take care of your {CHILD/ CHILDREN} or tried to take {YOUR CHILD/ ANY OF YOUR CHILDREN} away from your family?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	This has never happened	879	18.0 %
1	One time	29	0.6 %
2	Two times	4	0.1 %
3	3-5 times	1	0.0 %
4	6-10 times	1	0.0 %
95 (M)	Question not asked of this respondent	3946	80.8 %
96 (M)	Refused	14	0.3 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	6	0.1 %

Based upon 914 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 4.00
- Standard Deviation: 0.27

**H3CC1**
**S30Q1 DUR ADOLSCNC PART VOL/COMM SVC-W3**

Location: 3184-3184 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: At any time during your adolescence, when you were between 12 to 18 years old, did you regularly participate in volunteer or community service work? Don't count things like washing cars or selling candy to raise money.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.3)	2661	54.5 %
1	Yes	2196	45.0 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	10	0.2 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**H3CC2A**
**S30Q2 WAS WORK VOLUNTARY-W3**

Location: 3185-3185 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Was this work strictly voluntary (that is, you did it only because you wanted to), or was it ordered by a court as part of a sentence or required by your parents, school, or religious group?: strictly voluntary

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	379	7.8 %
1	Marked	1816	37.2 %
7 (M)	Legitimate skip	2685	55.0 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 2195 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

H3CC2B	S30Q3 WAS WORK COURT-ORDERED-W3		
	Value	Label	Unweighted Frequency
Location:	3186-3186	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	7 , 9 , .		
Question:	Was this work strictly voluntary (that is, you did it only because you wanted to), or was it ordered by a court as part of a sentence or required by your parents, school, or religious group?: court-ordered		
			%
	0	Not marked	2076 42.5 %
	1	Marked	119 2.4 %
	7 (M)	Legitimate skip	2685 55.0 %
	9 (M)	Not applicable	1 0.0 %
	. (M)	-	1 0.0 %

Based upon 2195 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

H3CC2C	S30Q4 WAS WORK REQ PARENTS/SCH/CHURCH-W3		
	Value	Label	Unweighted Frequency
Location:	3187-3187	(width: 1; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	7 , 9 , .		
Question:	Was this work strictly voluntary (that is, you did it only because you wanted to), or was it ordered by a court as part of a sentence or required by your parents, school, or religious group?: required by parents/school/religious group		
			%
	0	Not marked	1726 35.4 %
	1	Marked	467 9.6 %
	7 (M)	Legitimate skip	2685 55.0 %
	9 (M)	Not applicable	3 0.1 %
	. (M)	-	1 0.0 %

- Study 21600 -

Based upon 2193 valid cases out of 4882 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

**H3CC3**

**S30Q5 LAST 12 MON PERFORM VOLTRY WORK-W3**

Location: 3188-3188 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: During the last 12 months did you perform any unpaid volunteer or community service work?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.5)	3454	70.7 %
1	Yes	1407	28.8 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3CC4A**

**S30Q6 ORG TYPE: YOUTH ORG/LTL\_LG/SCTS-W3**

Location: 3189-3189 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: youth organizations, such as Little League or scouts

Value	Label	Unweighted Frequency	%
0	Not marked	996	20.4 %
1	Marked	408	8.4 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 1404 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3CC4B**
**S30Q7 ORG TYPE: SVC ORG/BIG BRO/SIS-W3**

Location: 3190-3190 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: service organizations, such as Big Brother or Big Sister

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1175	24.1 %
1	Marked	231	4.7 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**H3CC4C**
**S30Q8 ORG TYPE: POLITICAL CLUB-W3**

Location: 3191-3191 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: political clubs or organizations

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1290	26.4 %
1	Marked	116	2.4 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

<b>H3CC4D</b>	<b>S30Q9 ORG TYPE: SOLIDARITY/ETHNIC-W3</b>		
Location:	3192-3192 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	7 , 9 , .		
Question:	Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: solidarity or ethnic-support groups, such as the NAACP		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	1351	27.7 %
1	Marked	55	1.1 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

<b>H3CC4E</b>	<b>S30Q10 ORG TYPE: CHURCH RELATED-W3</b>
Location:	3193-3193 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	7 , 9 , .

## - Study 21600 -

Question:

Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: church or church-related groups (not including worship services)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	903	18.5 %
1	Marked	503	10.3 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3CC4F**

**S30Q11 ORG TYPE: COMM/CNTR/ASSOC/SOC-W3**

Location:

3194-3194 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , 9 , .

Question:

Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: community centers, neighborhood improvement associations, or social-action groups

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	972	19.9 %
1	Marked	434	8.9 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H3CC4G**

**S30Q12 ORG TYPE: VOL/GRP/HOSPITAL-W3**

- Study 21600 -

Location: 3195-3195 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: organized volunteer groups in hospitals or nursing homes

Value	Label	Unweighted Frequency	%
0	Not marked	1175	24.1 %
1	Marked	231	4.7 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

#### H3CC4H

#### S30Q13 ORG TYPE: EDUCATIONAL GRP-W3

Location: 3196-3196 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 9 , .

Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: educational organizations

Value	Label	Unweighted Frequency	%
0	Not marked	1039	21.3 %
1	Marked	367	7.5 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1406 valid cases out of 4882 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

- Study 21600 -

**H3CC4I**

**S30Q14 ORG TYPE: ENVIRON/RECYCL-W3**

Location: 3197-3197 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7 , 9 , .  
 Question: Which of the following types of organizations have you been involved with in your volunteer or community service work in the last 12 months?: conservation, recycling, or environmental groups, such as the Sierra Club or the Nature Conservancy

Value	Label	Unweighted Frequency	%
0	Not marked	1285	26.3 %
1	Marked	120	2.5 %
7 (M)	Legitimate skip	3474	71.2 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 1405 valid cases out of 4882 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**H3CC5**

**S30Q15 LAST 12 MON HAVE DONATED BLOOD-W3**

Location: 3198-3198 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9 , .  
 Question: Have you donated blood, plasma, or platelets during the last 12 months?

Value	Label	Unweighted Frequency	%
0	No	4002	82.0 %
1	Yes	864	17.7 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	4	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.38

**H3CC6**

**S30Q16 REGISTERED ORGAN DONOR-W3**

Location: 3199-3199 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Are you a registered organ donor?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3095	63.4 %
1	Yes	1730	35.4 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	46	0.9 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4825 valid cases out of 4882 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3CC7**

**S30Q17 REGISTERED TO VOTE-W3**

Location: 3200-3200 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Are you registered to vote?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1265	25.9 %
1	Yes	3595	73.6 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	13	0.3 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 4860 valid cases out of 4882 total cases.

- Mean: 0.74
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

<b>H3CC8</b>	<b>S30Q18 VOTED LAST PRESIDENTIAL/ELECT-W3</b>			
Location:	3201-3201 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 7 , 8 , 9 , .			
Question:	Did you vote in the most recent presidential election?			
Value	Label	Unweighted Frequency	%	
0	No	2643	54.1 %	
1	Yes	2201	45.1 %	
6 (M)	Refused	6	0.1 %	
7 (M)	Legitimate skip	19	0.4 %	
8 (M)	Don't know	6	0.1 %	
9 (M)	Not applicable	6	0.1 %	
. (M)	-	1	0.0 %	

Based upon 4844 valid cases out of 4882 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3CC9A</b>	<b>S30Q19 LAST 12 MON CONTRB/T/POL/PRTY-W3</b>			
Location:	3202-3202 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9 , .			
Question:	Which of the following things have you done during the last 12 months?: contributed money to a political party or candidate			
Value	Label	Unweighted Frequency	%	
0	Not marked	4792	98.2 %	
1	Marked	74	1.5 %	
6 (M)	Refused	4	0.1 %	
8 (M)	Don't know	4	0.1 %	
9 (M)	Not applicable	7	0.1 %	
. (M)	-	1	0.0 %	

- Study 21600 -

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

<b>H3CC9B</b>	<b>S30Q20 LAST 12 MON CONTCT OFF COM ISS-W3</b>			
Location:	3203-3203 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9 , .			
Question:	Which of the following things have you done during the last 12 months?: contacted a government official regarding political or community issues			
Value	<i>Label</i>		Unweighted Frequency	%
0	Not marked		4716	96.6 %
1	Marked		155	3.2 %
6 (M)	Refused		3	0.1 %
8 (M)	Don't know		3	0.1 %
9 (M)	Not applicable		4	0.1 %
. (M)	-		1	0.0 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

<b>H3CC9C</b>	<b>S30Q21 LAST 12 MON RUN FOR PUB OFF-W3</b>			
Location:	3204-3204 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9 , .			
Question:	Which of the following things have you done during the last 12 months?: run for a public office			
Value	<i>Label</i>		Unweighted Frequency	%
0	Not marked		4867	99.7 %
1	Marked		5	0.1 %
6 (M)	Refused		3	0.1 %
8 (M)	Don't know		3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

<b>H3CC9D</b>	<b>S30Q22 LAST 12 MON RUN NON/PUB/OFF-W3</b>
---------------	--

Location: 3205-3205 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things have you done during the last 12 months?: run for a non-public office

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4839	99.1 %
1	Marked	31	0.6 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4870 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

<b>H3CC9E</b>	<b>S30Q23 LAST 12 MON ATTND POL/RALLY-W3</b>
---------------	--

Location: 3206-3206 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things have you done during the last 12 months?: attended a political rally or march

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	4682	95.9 %
1	Marked	189	3.9 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

**H3CC9F**
**S30Q24 LAST 12 MON FILED TAX RETURN-W3**

Location: 3207-3207 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which of the following things have you done during the last 12 months?: filed a tax return

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	997	20.4 %
1	Marked	3874	79.4 %
6 (M)	Refused	3	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	4	0.1 %
. (M)	-	1	0.0 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3CC10**
**S30Q25 AGREE WITH TRUST FED GOV-W3**

Location: 3208-3209 (width: 2; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

96 , 98 , 99 , .

Question:

I trust the federal government.

Value	Label	Unweighted Frequency	%
1	Strongly agree	328	6.7 %
2	Agree	1777	36.4 %
3	Neither agree nor disagree	1730	35.4 %
4	Disagree	720	14.7 %
5	Strongly disagree	281	5.8 %
96 (M)	Refused	8	0.2 %
98 (M)	Don't know	31	0.6 %
99 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 2.76
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.98

**H3CC11**

**S30Q26 AGREE WITH TRUST STATE GOV-W3**

Location:

3210-3211 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 98 , 99 , .

Question:

I trust my state government.

Value	Label	Unweighted Frequency	%
1	Strongly agree	329	6.7 %
2	Agree	1965	40.2 %
3	Neither agree nor disagree	1708	35.0 %
4	Disagree	613	12.6 %
5	Strongly disagree	220	4.5 %
96 (M)	Refused	9	0.2 %
98 (M)	Don't know	28	0.6 %
99 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4835 valid cases out of 4882 total cases.

- Mean: 2.68
- Median: 3.00

- Study 21600 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.94

H3CC12	S30Q27 AGREE WITH TRUST LOCAL GOV-W3			
	Value	Label	Unweighted Frequency	%
Location:	3212-3213 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99 , .			
Question:	I trust my local government.			
	1	Strongly agree	308	6.3 %
	2	Agree	2001	41.0 %
	3	Neither agree nor disagree	1715	35.1 %
	4	Disagree	586	12.0 %
	5	Strongly disagree	224	4.6 %
	96 (M)	Refused	7	0.1 %
	98 (M)	Don't know	30	0.6 %
	99 (M)	Not applicable	10	0.2 %
	. (M)	-	1	0.0 %

Based upon 4834 valid cases out of 4882 total cases.

- Mean: 2.67
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

H3CC13	S30Q28 CONSIDER CONSERV/LIBERAL/MIDDLE-W3			
	Value	Label	Unweighted Frequency	%
Location:	3214-3215 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , 99 , .			
Question:	In terms of politics, do you consider yourself conservative, liberal, or middle-of-the-road?			
	1	Very conservative	117	2.4 %
	2	Conservative	879	18.0 %
	3	Middle-of-the-road	2496	51.1 %
	4	Liberal	807	16.5 %
	5	Very liberal	91	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	26	0.5 %
98 (M)	Don't know	331	6.8 %
99 (M)	Not applicable	134	2.7 %
. (M)	-	1	0.0 %

Based upon 4390 valid cases out of 4882 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.76

#### H3CC14

#### S30Q29 IDENTIFY WITH POLITICAL PARTY-W3

Location: 3216-3216 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8 , 9 , .  
 Question: Do you identify with a specific political party?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3083	63.2 %
1	Yes	1736	35.6 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	35	0.7 %
9 (M)	Not applicable	17	0.3 %
. (M)	-	1	0.0 %

Based upon 4819 valid cases out of 4882 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

#### H3CC15

#### S30Q30 POLITICAL PARTY IDENTIFICATION-W3

Location: 3217-3218 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: With which party do you identify?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Democrat	1026	21.0 %
2	Republican	630	12.9 %
3	Reform	6	0.1 %
4	Libertarian	18	0.4 %
5	Green	23	0.5 %
6	Socialist	2	0.0 %
7	Independent	23	0.5 %
8	Other	5	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3145	64.4 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1733 valid cases out of 4882 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.01

**H3RE1**
**S31Q1 PRESENT RELIGION-W3**

Location: 3219-3220 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , 99 , .  
 Question: What is your present religion?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None/atheist/agnostic	919	18.8 %
1	Protestant	801	16.4 %
2	Catholic	1010	20.7 %
3	Jewish	41	0.8 %
4	Buddhist	17	0.3 %
5	Hindu	6	0.1 %
6	Moslem	15	0.3 %
7	Other	413	8.5 %
8	Christian	1571	32.2 %
96 (M)	Refused	24	0.5 %
98 (M)	Don't know	34	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	Not applicable	30	0.6 %
. (M)	-	1	0.0 %

Based upon 4793 valid cases out of 4882 total cases.

- Mean: 3.88
- Median: 2.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.38

### H3RE2

### S31Q2 PRESENT RELIGION ADD/CODES-W3

Location: 3221-3222 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, .

Question: Other religion

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None/atheist/agnostic	89	1.8 %
1	Protestant	1288	26.4 %
2	Catholic	7	0.1 %
4	Buddhist	2	0.0 %
6	Moslem	1	0.0 %
7	Other	9	0.2 %
8	Pagan	22	0.5 %
9	Spiritual	5	0.1 %
10	Asian	2	0.0 %
11	Personal	18	0.4 %
12	Orthodox	1	0.0 %
13	Eastern Orthodox	10	0.2 %
14	Native American	4	0.1 %
15	Unknown	92	1.9 %
97 (M)	Legitimate skip	3330	68.2 %
. (M)	-	2	0.0 %

Based upon 1550 valid cases out of 4882 total cases.

- Mean: 2.19
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 15.00
- Standard Deviation: 3.76

#### H3RE3

#### S31Q3 FUNDAMENTALIST/LIBERAL/PENTECTL-W3

Location: 3223-3224 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: Are you fundamentalist, evangelical, mainline, liberal, Pentecostal, or none of these?

Value	Label	Unweighted Frequency	%
0	None of these	749	15.3 %
1	Fundamentalist	65	1.3 %
2	Evangelical	71	1.5 %
3	Mainline	171	3.5 %
4	Liberal	33	0.7 %
5	Pentecostal	91	1.9 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	3644	74.6 %
98 (M)	Don't know	45	0.9 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	2	0.0 %

Based upon 1180 valid cases out of 4882 total cases.

- Mean: 1.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.66

#### H3RE4

#### S31Q4 TRADITIONAL/MODERATE/LIBERAL-W3

Location: 3225-3225 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Are you traditional, moderate, liberal, or none of these?

Value	Label	Unweighted Frequency	%
0	None of these	298	6.1 %
1	Traditional	331	6.8 %
2	Moderate	228	4.7 %
3	Liberal	124	2.5 %
6 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	3871	79.3 %
8 (M)	Don't know	25	0.5 %
9 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 981 valid cases out of 4882 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

<b>H3RE5</b>	<b>S31Q5 ORTHODOX/CONSERVATIVE/REFORM-W3</b>
--------------	--

Location: 3226-3226 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Are you Orthodox, Conservative, Reform, or none of these?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of these	13	0.3 %
1	Orthodox	1	0.0 %
2	Conservative	8	0.2 %
3	Reform	19	0.4 %
7 (M)	Legitimate skip	4840	99.1 %
. (M)	-	1	0.0 %

Based upon 41 valid cases out of 4882 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.33

<b>H3RE6</b>	<b>S31Q6 DENOMINATION-W3</b>
--------------	------------------------------

Location: 3227-3228 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: What is your denomination?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Assembly of God	28	0.6 %
3	Baptist	510	10.4 %
4	Brethren	2	0.0 %
5	Charismatic	7	0.1 %
6	Christian/'just Christian'	107	2.2 %
7	Christian and Missionary Alliance (CMA)	6	0.1 %
9	Church of Christ	47	1.0 %
10	Church of God	38	0.8 %
11	Church of the Nazarene	6	0.1 %
12	Congregational	5	0.1 %
13	Disciples of Christ	2	0.0 %
14	Episcopalian/Anglican/Church of England	29	0.6 %
15	Evangelical Covenant Church	2	0.0 %
16	Evangelical Free Church	1	0.0 %
17	Four-square Gospel	4	0.1 %
18	Free Methodist Church	7	0.1 %
19	Holiness	13	0.3 %
20	Independent	10	0.2 %
21	Jehovah's Witness	1	0.0 %
22	Lutheran	74	1.5 %
24	Methodist	123	2.5 %
25	Mormon/Latter-Day Saints	8	0.2 %
26	Nondenominational/inter-denominational Protestant	36	0.7 %
27	Pentecostal	27	0.6 %
28	Presbyterian	49	1.0 %
29	Quaker/Friends	1	0.0 %
30	Reformed	1	0.0 %
32	Unitarian/Universalist	2	0.0 %
33	United Church of Christ	3	0.1 %
35	Other	22	0.5 %
36	Just Protestant	22	0.5 %
96 (M)	Refused	7	0.1 %
97 (M)	Legitimate skip	2354	48.2 %
98 (M)	Don't know	22	0.5 %
99 (M)	Not applicable	16	0.3 %
. (M)	-	1290	26.4 %

Based upon 1193 valid cases out of 4882 total cases.

- Mean: 11.72
- Median: 6.00

- Study 21600 -

- Mode: 3.00
- Minimum: 2.00
- Maximum: 36.00
- Standard Deviation: 10.45

H3RE7	S31Q7 DENOMINATION ADDITIONAL CODES-W3			
	Value	Label	Unweighted Frequency	%
	2	Assembly of God	13	0.3 %
	3	Baptist	553	11.3 %
	4	Brethren	4	0.1 %
	5	Charismatic	1	0.0 %
	6	Christian/'just Christian'	118	2.4 %
	7	Christian and Missionary Alliance (CMA)	2	0.0 %
	8	Christian Science	1	0.0 %
	9	Church of Christ	27	0.6 %
	10	Church of God	13	0.3 %
	11	Church of the Nazarene	13	0.3 %
	12	Congregational	3	0.1 %
	13	Disciples of Christ	2	0.0 %
	14	Episcopalian/Anglican/Church of England	26	0.5 %
	16	Evangelical Free Church	5	0.1 %
	17	Four-square Gospel	2	0.0 %
	19	Holiness	19	0.4 %
	20	Independent	1	0.0 %
	21	Jehovah's Witness	31	0.6 %
	22	Lutheran	63	1.3 %
	24	Methodist	111	2.3 %
	25	Mormon/Latter-Day Saints	45	0.9 %
	26	Nondenominational/inter-denominational Protestant	124	2.5 %
	27	Pentecostal	67	1.4 %
	28	Presbyterian	35	0.7 %
	30	Reformed	1	0.0 %
	32	Unitarian/Universalist	5	0.1 %
	33	United Church of Christ	4	0.1 %
	34	Wesleyan Church	2	0.0 %
	35	Other	7	0.1 %
	36	Just Protestant	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	Seven Day Adventists	3	0.1 %
97 (M)	Legitimate skip	3570	73.1 %
. (M)	-	7	0.1 %

Based upon 1305 valid cases out of 4882 total cases.

- Mean: 12.72
- Median: 6.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 37.00
- Standard Deviation: 10.55

#### H3RE8

#### S31Q8 ANABAPTIST CHURCH NAME-W3

Location: 3231-3232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: Which Anabaptist church is that? What is it called exactly?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4876	99.9 %
98 (M)	Don't know	2	0.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 4882 total cases.

#### H3RE9

#### S31Q9 BAPTIST GROUP NAME-W3

Location: 3233-3234 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , 99 , .

Question: With which Baptist group is your church associated for example, the Southern Baptist Convention, the American Baptist Churches in the USA, and so on

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	American Baptist Association	33	0.7 %
2	American Baptist Churches in the USA	9	0.2 %
3	Baptist Bible Fellowship	31	0.6 %
4	Baptist General Conference	11	0.2 %
5	Baptist Missionary Association	16	0.3 %
6	Conservative Baptist Association of America	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Free Will Baptist	18	0.4 %
8	Fundamentalist Baptist (no denominational ties)	10	0.2 %
9	General Association of Regular Baptists	5	0.1 %
10	Independent Baptist (no denominational ties)	12	0.2 %
11	Missionary Baptist	85	1.7 %
12	National Baptist Convention USA	6	0.1 %
13	Primitive Baptist	1	0.0 %
14	Progressive National Baptist Convention	2	0.0 %
15	Reformed Baptist	1	0.0 %
16	Southern Baptist Convention	156	3.2 %
17	Other	11	0.2 %
18	Just Baptist	74	1.5 %
97 (M)	Legitimate skip	4371	89.5 %
98 (M)	Don't know	22	0.5 %
99 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 485 valid cases out of 4882 total cases.

- Mean: 11.84
- Median: 14.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 5.62

#### H3RE10

#### S31Q10 CHURCH OF BRETHREN GROUP-W3

Location: 3235-3236 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Is that the Church of the Brethren, the Plymouth Brethren, the United Brethren in Christ, or another Brethren group?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Church of the Brethren	2	0.0 %
97 (M)	Legitimate skip	4879	99.9 %
. (M)	-	1	0.0 %

Based upon 2 valid cases out of 4882 total cases.

- Mean: 1.00
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

H3RE11	S31Q11 ASSOCIATED WITH DENOMINATION-W3			
	Value	Label	Unweighted Frequency	%
Location:	3237-3237	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7 , 8 , .			
Question:	Is it associated with a denomination, a Pentecostal church, or a nondenominational charismatic church?			
	2	Pentecostal	2	0.0 %
	3	Nondenominational charismatic	4	0.1 %
	7 (M)	Legitimate skip	4874	99.8 %
	8 (M)	Don't know	1	0.0 %
	. (M)	-	1	0.0 %

Based upon 6 valid cases out of 4882 total cases.

- Mean: 2.67
- Median: 3.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.52

H3RE12	S31Q12 CHRISTIAN DENOMINATION-W3			
	Value	Label	Unweighted Frequency	%
Location:	3238-3238	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7 , .			
Question:	When you say Christian, do you mean the denomination called the Christian Church (Disciples of Christ) or some other Christian denomination, or do you mean to say, I am simply a Christian?			
	1	Christian Church (Disciples of Christ)	22	0.5 %
	3	'Simply a Christian'	85	1.7 %
	7 (M)	Legitimate skip	4774	97.8 %
	. (M)	-	1	0.0 %

Based upon 107 valid cases out of 4882 total cases.

- Mean: 2.59
- Median: 3.00

- Study 21600 -

- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.81

H3RE13	S31Q13 CHURCH OF CHRIST ID-W3			
Location:	3239-3239 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , .			
Question:	Is that the Church of Christ or the United Church of Christ?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	Church of Christ	45	0.9 %
	2	United Church of Christ	2	0.0 %
	7 (M)	Legitimate skip	4834	99.0 %
	. (M)	-	1	0.0 %

Based upon 47 valid cases out of 4882 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.20

H3RE14	S31Q14 CHURCH OF GOD ID-W3			
Location:	3240-3240 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 8 , .			
Question:	Is that the Church of God of Anderson, Indiana; the Church of God of Cleveland, Tennessee; the Church of God in Christ; or some other Church of God?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	Church of God of Anderson, IN	1	0.0 %
	2	Church of God of Cleveland, TN	2	0.0 %
	3	Church of God in Christ	9	0.2 %
	4	Other	24	0.5 %
	7 (M)	Legitimate skip	4843	99.2 %
	8 (M)	Don't know	2	0.0 %
	. (M)	-	1	0.0 %

Based upon 36 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 3.56
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

<b>H3RE15</b>	<b>S31Q15 UNITED CHURCH OF CHRIST ID-W3</b>
---------------	---

Location: 3241-3241 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is that the United Church of Christ or just a Congregational church?

Value	Label	Unweighted Frequency	%
1	United Church of Christ	1	0.0 %
2	'Just Congregational'	4	0.1 %
7 (M)	Legitimate skip	4876	99.9 %
. (M)	-	1	0.0 %

Based upon 5 valid cases out of 4882 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

<b>H3RE16</b>	<b>S31Q16 HOLINESS GROUP ID-W3</b>
---------------	------------------------------------

Location: 3242-3243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which Holiness group is that?

Value	Label	Unweighted Frequency	%
7	Other	3	0.1 %
8	'Just Holiness'	10	0.2 %
97 (M)	Legitimate skip	4868	99.7 %
. (M)	-	1	0.0 %

Based upon 13 valid cases out of 4882 total cases.

- Mean: 7.77
- Median: 8.00

- Study 21600 -

- Mode: 8.00
- Minimum: 7.00
- Maximum: 8.00
- Standard Deviation: 0.44

H3RE17	S31Q17 INDEPENDENT CHARIS/PENTECTL ID-W3			
	Value	Label	Unweighted Frequency	%
Location:	3244-3245 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97 , .			
Question:	Is that independent charismatic, independent evangelical, independent fundamentalist, independent Pentecostal, or something else?			
	2	Independent evangelical	1	0.0 %
	3	Independent fundamentalist	1	0.0 %
	5	Other	4	0.1 %
	6	'Just independent'	4	0.1 %
	97 (M)	Legitimate skip	4871	99.8 %
	. (M)	-	1	0.0 %

Based upon 10 valid cases out of 4882 total cases.

- Mean: 4.90
- Median: 5.00
- Minimum: 2.00
- Maximum: 6.00
- Standard Deviation: 1.37

H3RE18	S31Q18 AFFILIATED WITH DENOMINATION-W3			
	Value	Label	Unweighted Frequency	%
Location:	3246-3246 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 8 , 9 , .			
Question:	Is your church affiliated with any denomination at all?			
	0	No	47	1.0 %
	7 (M)	Legitimate skip	4823	98.8 %
	8 (M)	Don't know	8	0.2 %
	9 (M)	Not applicable	2	0.0 %
	. (M)	-	2	0.0 %

Based upon 47 valid cases out of 4882 total cases.

- Mean: 0.00

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**H3RE19**

**S31Q19 EVAN LUTHERAN/MISSR SYNOD ID-W3**

Location: 3247-3247 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Is that the Evangelical Lutheran Church in America, the Missouri Synod, the Wisconsin Synod, or another Lutheran group?

Value	Label	Unweighted Frequency	%
1	Evangelical Lutheran Church in America	18	0.4 %
2	Missouri Synod	27	0.6 %
4	Other	3	0.1 %
5	'Just Lutheran'	21	0.4 %
7 (M)	Legitimate skip	4807	98.5 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 69 valid cases out of 4882 total cases.

- Mean: 2.74
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.63

**H3RE20**

**S31Q20 METHODIST CHURCH ID-W3**

Location: 3248-3249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which Methodist church is that? What is it called exactly?

Value	Label	Unweighted Frequency	%
1	African Methodist Episcopal Church	21	0.4 %
2	African Methodist Episcopal Zion Church	7	0.1 %
4	United Methodist Church	83	1.7 %
5	Other	3	0.1 %
6	'Just Methodist'	9	0.2 %
97 (M)	Legitimate skip	4758	97.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 123 valid cases out of 4882 total cases.

- Mean: 3.54
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.37

**H3RE21**

**S31Q21 PENTECOSTAL CHURCH ID-W3**

Location: 3250-3251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , .

Question: Which Pentecostal church is that? What is it called exactly?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Apostolic Pentecostal	3	0.1 %
2	Assemblies of God	3	0.1 %
5	Church of God in Christ	4	0.1 %
8	Four-square Gospel	1	0.0 %
9	Full Gospel	1	0.0 %
10	Pentecostal Church of God	1	0.0 %
11	Pentecostal Holiness Church	2	0.0 %
13	United Pentecostal Church International	6	0.1 %
14	Other	5	0.1 %
15	'Just Pentecostal'	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4852	99.4 %
. (M)	-	1	0.0 %

Based upon 28 valid cases out of 4882 total cases.

- Mean: 9.14
- Median: 11.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 5.11

**H3RE22**

**S31Q22 PRESBYTERIAN CHURCH ID-W3**

- Study 21600 -

Location: 3252-3253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97, 99, .

Question: Which Presbyterian church is that? What is it called exactly?

Value	Label	Unweighted Frequency	%
1	Evangelical Presbyterian Church	2	0.0 %
2	PCUSA (Presbyterian Church in the USA)	8	0.2 %
3	Presbyterian Church of America	5	0.1 %
4	Other	6	0.1 %
5	'Just Presbyterian'	27	0.6 %
97 (M)	Legitimate skip	4832	99.0 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	1	0.0 %

Based upon 48 valid cases out of 4882 total cases.

- Mean: 4.00
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.32

### H3RE23

### S31Q23 CHRISTIAN REFORM CHURCH ID-W3

Location: 3254-3254 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7, .

Question: Is that the Christian Reformed Church, the Reformed Church in America, or another Reformed group?

Value	Label	Unweighted Frequency	%
2	Reformed Church in America	1	0.0 %
7 (M)	Legitimate skip	4880	100.0 %
. (M)	-	1	0.0 %

Based upon 1 valid cases out of 4882 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

### H3RE24

### S31Q24 HAVE ATTENDED CHURCH/MOSQ/SYNG-W3

- Study 21600 -

Location: 3255-3256 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: How often have you attended {CHURCH/ SYNAGOGUE/ TEMPLE/ MOSQUE/ RELIGIOUS} services in the past 12 months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1266	25.9 %
1	A few times	1215	24.9 %
2	Several times	599	12.3 %
3	Once a month	360	7.4 %
4	2 or 3 times a month	508	10.4 %
5	Once a week	620	12.7 %
6	More than once a week	271	5.6 %
96 (M)	Refused	21	0.4 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4839 valid cases out of 4882 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.96

### H3RE25

### S31Q25 PARTICIPATED CHURCH ACTIVITIES-W3

Location: 3257-3258 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: Many churches, synagogues, and other places of worship have special activities for young adults such as Bible classes, retreats, youth groups, or choir. In the past 12 months, how often have you taken part in such activities?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3531	72.3 %
1	A few times	584	12.0 %
2	Several times	226	4.6 %
3	Once a month	104	2.1 %
4	2 or 3 times a month	119	2.4 %
5	Once a week	164	3.4 %
6	More than once a week	107	2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	24	0.5 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4835 valid cases out of 4882 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.44

### H3RE26

### S31Q26 RELIGION BEEN RAISED-W3

Location: 3259-3260 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: In what religion were you raised?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None (skip to Q.30)	518	10.6 %
1	Protestant	925	18.9 %
2	Catholic	1288	26.4 %
3	Jewish	52	1.1 %
4	Buddhist	21	0.4 %
5	Hindu	7	0.1 %
6	Moslem	12	0.2 %
7	Other	375	7.7 %
8	Christian	1618	33.1 %
96 (M)	Refused	23	0.5 %
98 (M)	Don't know	29	0.6 %
99 (M)	Not applicable	13	0.3 %
. (M)	-	1	0.0 %

Based upon 4816 valid cases out of 4882 total cases.

- Mean: 4.03
- Median: 2.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.26

- Study 21600 -

**H3RE27**

**S31Q27 RAISED FUNDMLT/MODER/LIBERL-W3**

Location: 3261-3262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: Were you raised as fundamentalist, evangelical, mainline, liberal, Pentecostal, or none of these?

Value	Label	Unweighted Frequency	%
0	None of these	1651	33.8 %
1	Fundamentalist	106	2.2 %
2	Evangelical	128	2.6 %
3	Mainline	255	5.2 %
4	Liberal	68	1.4 %
5	Pentecostal	188	3.9 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	2338	47.9 %
98 (M)	Don't know	132	2.7 %
99 (M)	Not applicable	11	0.2 %
. (M)	-	1	0.0 %

Based upon 2396 valid cases out of 4882 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.64

**H3RE28**

**S31Q28 RAISED TARDTL/MODERATE/LIBERAL-W3**

Location: 3263-3263 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Were you raised as traditional, moderate, liberal, or none of these?

Value	Label	Unweighted Frequency	%
0	None of these	285	5.8 %
1	Traditional	625	12.8 %
2	Moderate	261	5.3 %
3	Liberal	76	1.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3593	73.6 %
8 (M)	Don't know	39	0.8 %
9 (M)	Not applicable	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 1247 valid cases out of 4882 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

**H3RE29**
**S31Q29 RAISED ORTHDX/CONSRVT/REFORM-W3**

Location: 3264-3264 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Were you raised as Orthodox, Conservative, Reform, or none of these?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of these	12	0.2 %
1	Orthodox	2	0.0 %
2	Conservative	9	0.2 %
3	Reform	29	0.6 %
7 (M)	Legitimate skip	4829	98.9 %
. (M)	-	1	0.0 %

Based upon 52 valid cases out of 4882 total cases.

- Mean: 2.06
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.24

**H3RE30**
**S31Q30 HOW IMPORTANT RELIG FAITH-W3**

Location: 3265-3265 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How important [if Q.1 = 0 and Q.26 = 0, add if at all] is your religious faith to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not important	723	14.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Somewhat important	1490	30.5 %
2	Very important	2142	43.9 %
3	More important than anything else	474	9.7 %
6 (M)	Refused	19	0.4 %
8 (M)	Don't know	17	0.3 %
9 (M)	Not applicable	16	0.3 %
. (M)	-	1	0.0 %

Based upon 4829 valid cases out of 4882 total cases.

- Mean: 1.49
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

**H3RE31**

**S31Q31 AVG NUM HRS RELIG ACTIVITIES-W3**

Location: 3266-3267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: In an average week, about how many hours do you spend in religious activities in your home (such as praying, meditating, or reading religious books)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	1914	39.2 %
1	-	1180	24.2 %
2	-	582	11.9 %
3	-	254	5.2 %
4	-	159	3.3 %
5	-	222	4.5 %
6	-	58	1.2 %
7	-	182	3.7 %
8	-	35	0.7 %
9	-	2	0.0 %
10	-	106	2.2 %
11	-	2	0.0 %
12	-	18	0.4 %
13	-	1	0.0 %
14	-	22	0.5 %
15	-	28	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	34	0.7 %
21	-	3	0.1 %
22	-	1	0.0 %
24	-	6	0.1 %
25	-	2	0.0 %
28	-	2	0.0 %
30	-	3	0.1 %
36	-	1	0.0 %
40	-	6	0.1 %
50	-	2	0.0 %
60	-	2	0.0 %
72	-	1	0.0 %
96 (M)	Refused	15	0.3 %
98 (M)	Don't know	29	0.6 %
99 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4832 valid cases out of 4882 total cases.

- Mean: 2.18
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 4.13

### H3RE32

### S31Q32 OFTEN PRAY IN RELIG PLACES-W3

Location: 3268-3269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: How often do you pray privately, that is, when you're alone, in places other than a {CHURCH/ SYNAGOGUE/ TEMPLE/ MOSQUE/ RELIGIOUS ASSEMBLY}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1046	21.4 %
1	Less than once a month	411	8.4 %
2	Once a month	219	4.5 %
3	A few times a month	434	8.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Once a week	257	5.3 %
5	A few times a week	609	12.5 %
6	Once a day	1118	22.9 %
7	More than once a day	742	15.2 %
96 (M)	Refused	23	0.5 %
98 (M)	Don't know	13	0.3 %
99 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4836 valid cases out of 4882 total cases.

- Mean: 3.75
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.62

**H3RE33**

**S31Q33 HOW IMPORTANT SPIRITUAL LIFE-W3**

Location: 3270-3270 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: How important is your spiritual life to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not important	568	11.6 %
1	Somewhat important	1596	32.7 %
2	Very important	2177	44.6 %
3	More important than anything else	488	10.0 %
6 (M)	Refused	18	0.4 %
8 (M)	Don't know	25	0.5 %
9 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 4829 valid cases out of 4882 total cases.

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

- Study 21600 -

**H3RE34**

**S31Q34 EVER HAD RELG EXP CHANGE LIFE-W3**

Location: 3271-3271 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Did you ever have a religious or spiritual experience that changed your life?

Value	Label	Unweighted Frequency	%
0	No (skip to Q.36)	3451	70.7 %
1	Yes	1389	28.5 %
6 (M)	Refused	17	0.3 %
8 (M)	Don't know	18	0.4 %
9 (M)	Not applicable	6	0.1 %
. (M)	-	1	0.0 %

Based upon 4840 valid cases out of 4882 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3RE35**

**S31Q35 HOW OLD WHEN EXPRNC HAPPENED-W3**

Location: 3272-3273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: About how old were you the first time this happened?

Value	Label	Unweighted Frequency	%
0	0 years	6	0.1 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	3	0.1 %
4	-	7	0.1 %
5	-	20	0.4 %
6	-	17	0.3 %
7	-	28	0.6 %
8	-	52	1.1 %
9	-	27	0.6 %
10	-	43	0.9 %
11	-	25	0.5 %
12	-	91	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	90	1.8 %
14	-	85	1.7 %
15	-	101	2.1 %
16	-	138	2.8 %
17	-	124	2.5 %
18	-	143	2.9 %
19	-	107	2.2 %
20	-	93	1.9 %
21	-	71	1.5 %
22	-	51	1.0 %
23	-	30	0.6 %
24	-	17	0.3 %
25	-	4	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3492	71.5 %
98 (M)	Don't know	12	0.2 %
. (M)	-	1	0.0 %

Based upon 1376 valid cases out of 4882 total cases.

- Mean: 15.53
- Median: 16.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 4.59

**H3RE36**

**S31Q36 BEST DESCRIPT OF BELIEFS ABT GOD-W3**

Location: 3274-3274 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Which statement best describes your beliefs about God?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	I don't believe in God now and I never have	109	2.2 %
1	I don't believe in God now, but I used to	91	1.9 %
2	I believe in God, but I didn't before	209	4.3 %
3	I believe in God and always have	3964	81.2 %
4	I've never been sure if there is a God or not	418	8.6 %
6 (M)	Refused	25	0.5 %
8 (M)	Don't know	36	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	29	0.6 %
. (M)	-	1	0.0 %

Based upon 4791 valid cases out of 4882 total cases.

- Mean: 2.94
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.64

**H3RE37**
**S31Q37 BEING LED SPIRITUALLY-W3**

Location: 3275-3276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: What seem to be coincidences in my life are not really coincidences; I am being led spiritually.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	698	14.3 %
2	Agree	1512	31.0 %
3	Neither agree nor disagree	1647	33.7 %
4	Disagree	660	13.5 %
5	Strongly disagree	261	5.3 %
96 (M)	Refused	21	0.4 %
98 (M)	Don't know	60	1.2 %
99 (M)	Not applicable	22	0.5 %
. (M)	-	1	0.0 %

Based upon 4778 valid cases out of 4882 total cases.

- Mean: 2.64
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

**H3RE38**
**S31Q38 REL/SPRTL BELIEFS GUIDE TO LIV-W3**

Location: 3277-3278 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

## - Study 21600 -

Question:

I employ my religious or spiritual beliefs as a basis for how to act and live on a daily basis.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	790	16.2 %
2	Agree	1851	37.9 %
3	Neither agree nor disagree	1265	25.9 %
4	Disagree	647	13.3 %
5	Strongly disagree	237	4.9 %
96 (M)	Refused	24	0.5 %
98 (M)	Don't know	39	0.8 %
99 (M)	Not applicable	28	0.6 %
. (M)	-	1	0.0 %

Based upon 4790 valid cases out of 4882 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

**H3RE39**

**S31Q39 ANGELS WATCH OVER-W3**

Location: 3279-3280 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99 , .

Question: Angels are present to help or watch over me.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1063	21.8 %
2	Agree	1911	39.1 %
3	Neither agree nor disagree	1227	25.1 %
4	Disagree	384	7.9 %
5	Strongly disagree	218	4.5 %
96 (M)	Refused	20	0.4 %
98 (M)	Don't know	34	0.7 %
99 (M)	Not applicable	24	0.5 %
. (M)	-	1	0.0 %

Based upon 4803 valid cases out of 4882 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 2.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.05

**H3RE40**

**S31Q40 BORN AGAIN-W3**

Location: 3281-3281 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9 , .

Question: Would you say you have been born again or have had a born again experience that is, a turning point in your life when you committed yourself to Jesus Christ?

Value	Label	Unweighted Frequency	%
0	No	1652	33.8 %
1	Yes	637	13.0 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	2570	52.6 %
8 (M)	Don't know	15	0.3 %
9 (M)	Not applicable	3	0.1 %
. (M)	-	1	0.0 %

Based upon 2289 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**H3RE41**

**S31Q41 RELIGIOUS PERSON-W3**

Location: 3282-3282 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: To what extent are you a religious person?

Value	Label	Unweighted Frequency	%
0	Not religious at all	910	18.6 %
1	Slightly religious	1605	32.9 %
2	Moderately religious	1693	34.7 %
3	Very religious	607	12.4 %
6 (M)	Refused	19	0.4 %
8 (M)	Don't know	23	0.5 %
9 (M)	Not applicable	24	0.5 %
. (M)	-	1	0.0 %

- Study 21600 -

Based upon 4815 valid cases out of 4882 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.93

<b>H3RE42</b>	<b>S31Q43 SPIRITUAL PERSON-W3</b>
---------------	-----------------------------------

Location:	3283-3283 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	To what extent are you a spiritual person?

Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	Not spiritual at all	673	13.8 %
1	Slightly spiritual	1593	32.6 %
2	Moderately spiritual	1693	34.7 %
3	Very spiritual	849	17.4 %
6 (M)	Refused	17	0.3 %
8 (M)	Don't know	33	0.7 %
9 (M)	Not applicable	23	0.5 %
. (M)	-	1	0.0 %

Based upon 4808 valid cases out of 4882 total cases.

- Mean: 1.57
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.94

<b>H3GM1</b>	<b>S32Q1 BOUGHT LOTTRY/SCRATCH TCKT-W3</b>
--------------	--

Location:	3284-3284 (width: 1; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	6 , 8 , 9 , .
Question:	Have you ever bought lottery tickets, such as daily, scratch-offs, or lotto?

Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	No	2008	41.1 %
1	Yes	2849	58.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	7	0.1 %
. (M)	-	1	0.0 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

### H3GM2

### S32Q2 PLAYED CHANCE GAMES FOR MONEY-3

Location: 3285-3285 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

Question: Have you ever played casino tables or video games for money such games as craps, blackjack, roulette, slot machines, or video poker?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2741	56.1 %
1	Yes	2118	43.4 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	6	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4859 valid cases out of 4882 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

### H3GM3

### S32Q3 PLAYED OR BET OTH EVENTS-W3

Location: 3286-3286 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9 , .

## - Study 21600 -

Question:

Have you ever played any other games, such as cards or bingo, for money, or bet on horse races or sporting events, or taken part in any other kinds of gambling for money?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2926	59.9 %
1	Yes	1932	39.6 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	7	0.1 %
9 (M)	Not applicable	5	0.1 %
. (M)	-	1	0.0 %

Based upon 4858 valid cases out of 4882 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H3GM4**

**S32Q4 LARGEST AMOUNT BEHIND IN A YR-W3**

Location: 3287-3288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , 99 , .

Question: In all the time since you first started any type of gambling, what would you say was the largest amount of money that you have ever been behind across an entire year of gambling?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never gambled	304	6.2 %
1	Never lost money	674	13.8 %
2	Lost less than \$100	1919	39.3 %
3	Lost between \$100 and \$500	410	8.4 %
4	Lost between \$501 and \$1000	95	1.9 %
5	Lost between \$1001 and \$5000	50	1.0 %
6	Lost between \$5001 and \$10,000	8	0.2 %
7	Lost more than \$10,000	3	0.1 %
96 (M)	Refused	13	0.3 %
97 (M)	Legitimate skip	1379	28.2 %
98 (M)	Don't know	17	0.3 %
99 (M)	Not applicable	9	0.2 %
. (M)	-	1	0.0 %

Based upon 3463 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.97

<b>H3GM5</b>	<b>S32Q5 PERIODS TIME THINKNG ON BETS-W3</b>			
Location:	3289-3289 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 8 , .			
Question:	Have there ever been periods lasting two weeks or longer when you spent a lot of time thinking about your gambling experiences or planning out future gambling ventures or bets?			
Value	<i>Label</i>		<i>Unweighted Frequency</i>	%
0	No		106	2.2 %
1	Yes		50	1.0 %
7 (M)	Legitimate skip		4725	96.8 %
. (M)	-		1	0.0 %

Based upon 156 valid cases out of 4882 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

<b>H3GM6</b>	<b>S32Q6 GAMBLED TO RELIEVE FEELINGS-W3</b>			
Location:	3290-3290 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 8 , .			
Question:	Have you ever gambled to relieve uncomfortable feelings such as guilt, anxiety, helplessness, or depression?			
Value	<i>Label</i>		<i>Unweighted Frequency</i>	%
0	No		132	2.7 %
1	Yes		23	0.5 %
7 (M)	Legitimate skip		4725	96.8 %
8 (M)	Don't know		1	0.0 %
. (M)	-		1	0.0 %

Based upon 155 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

<b>H3GM7</b>	<b>S32Q7 LOST ONE DAY RETURN TO GET EVEN-W3</b>																										
Location:	3291-3291 (width: 1; decimal: 0)																										
Variable Type:	numeric																										
Range of Missing Values (M):	7 , 8 , .																										
Question:	Has there ever been a period when, if you lost money gambling one day, you would return another day to get even ?																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th> <th style="text-align: left; padding: 2px;"><i>Label</i></th> <th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th> <th style="text-align: right; padding: 2px;"><i>%</i></th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No</td> <td style="text-align: right; padding: 2px;">81</td> <td style="text-align: right; padding: 2px;">1.7 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes</td> <td style="text-align: right; padding: 2px;">74</td> <td style="text-align: right; padding: 2px;">1.5 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4725</td> <td style="text-align: right; padding: 2px;">96.8 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">8 (M)</td> <td style="text-align: left; padding: 2px;">Don't know</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td> <td style="text-align: left; padding: 2px;">-</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	81	1.7 %	1	Yes	74	1.5 %	7 (M)	Legitimate skip	4725	96.8 %	8 (M)	Don't know	1	0.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																								
0	No	81	1.7 %																								
1	Yes	74	1.5 %																								
7 (M)	Legitimate skip	4725	96.8 %																								
8 (M)	Don't know	1	0.0 %																								
. (M)	-	1	0.0 %																								

Based upon 155 valid cases out of 4882 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

<b>H3GM8</b>	<b>S32Q8 GAMBLING AFFECTED RELATIONSHIPS-W3</b>																										
Location:	3292-3292 (width: 1; decimal: 0)																										
Variable Type:	numeric																										
Range of Missing Values (M):	7 , 8 , .																										
Question:	Has your gambling ever caused serious or repeated problems in your relationships with any of your family members or friends?																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th> <th style="text-align: left; padding: 2px;"><i>Label</i></th> <th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th> <th style="text-align: right; padding: 2px;"><i>%</i></th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No</td> <td style="text-align: right; padding: 2px;">146</td> <td style="text-align: right; padding: 2px;">3.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes</td> <td style="text-align: right; padding: 2px;">9</td> <td style="text-align: right; padding: 2px;">0.2 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">7 (M)</td> <td style="text-align: left; padding: 2px;">Legitimate skip</td> <td style="text-align: right; padding: 2px;">4725</td> <td style="text-align: right; padding: 2px;">96.8 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">8 (M)</td> <td style="text-align: left; padding: 2px;">Don't know</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td> <td style="text-align: left; padding: 2px;">-</td> <td style="text-align: right; padding: 2px;">1</td> <td style="text-align: right; padding: 2px;">0.0 %</td> </tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	146	3.0 %	1	Yes	9	0.2 %	7 (M)	Legitimate skip	4725	96.8 %	8 (M)	Don't know	1	0.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																								
0	No	146	3.0 %																								
1	Yes	9	0.2 %																								
7 (M)	Legitimate skip	4725	96.8 %																								
8 (M)	Don't know	1	0.0 %																								
. (M)	-	1	0.0 %																								

- Study 21600 -

Based upon 155 valid cases out of 4882 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

**H3DA1****S33Q1 WORK AROUND THE HOUSE-W3**

Location: 3293-3294 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you do housework, such as cleaning, cooking, or laundry?

Value	Label	Unweighted Frequency	%
0	Not at all	260	5.3 %
1	1 time	270	5.5 %
2	2 times	520	10.7 %
3	3 times	768	15.7 %
4	4 times	630	12.9 %
5	5 times	484	9.9 %
6	6 times	223	4.6 %
7	7 or more times	1709	35.0 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	13	0.3 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.27

**H3DA2****S33Q2 HOBBIES-W3**

Location: 3295-3296 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you engage in a hobby such as working on a collection, playing cards or board games, arts and crafts, drama, playing a musical instrument or singing with a group, or shopping just for fun?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	1152	23.6 %
1	1 time	546	11.2 %
2	2 times	791	16.2 %
3	3 times	814	16.7 %
4	4 times	494	10.1 %
5	5 times	342	7.0 %
6	6 times	125	2.6 %
7	7 or more times	601	12.3 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	12	0.2 %

Based upon 4865 valid cases out of 4882 total cases.

- Mean: 2.72
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.29

<b>H3DA3</b>	<b>S33Q3 WATCH VIDEOS-W3</b>
--------------	------------------------------

Location: 3297-3298 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you watch a movie, play video or computer games, or use a computer for surfing the Web, exchanging email, or participating in a chat room?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	561	11.5 %
1	1 time	292	6.0 %
2	2 times	568	11.6 %
3	3 times	683	14.0 %
4	4 times	526	10.8 %
5	5 times	502	10.3 %
6	6 times	191	3.9 %
7	7 or more times	1538	31.5 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	16	0.3 %

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 4.11

- Study 21600 -

- Median: 4.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.47

H3DA4	S33Q4 HRS/WK WATCH VIDEOS-W3			
	Value	Label	Unweighted Frequency	%
	0	0 hours	744	15.2 %
	1	-	390	8.0 %
	2	-	1003	20.5 %
	3	-	405	8.3 %
	4	-	592	12.1 %
	5	-	314	6.4 %
	6	-	343	7.0 %
	7	-	95	1.9 %
	8	-	147	3.0 %
	9	-	22	0.5 %
	10	-	287	5.9 %
	11	-	2	0.0 %
	12	-	70	1.4 %
	13	-	2	0.0 %
	14	-	71	1.5 %
	15	-	78	1.6 %
	16	-	10	0.2 %
	17	-	2	0.0 %
	18	-	3	0.1 %
	19	-	2	0.0 %
	20	-	118	2.4 %
	21	-	14	0.3 %
	22	-	1	0.0 %
	23	-	4	0.1 %
	24	-	7	0.1 %
	25	-	22	0.5 %
	28	-	12	0.2 %
	30	-	34	0.7 %
	35	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	1	0.0 %
40	-	10	0.2 %
42	-	3	0.1 %
45	-	1	0.0 %
48	-	4	0.1 %
50	-	3	0.1 %
55	-	1	0.0 %
56	-	2	0.0 %
60	-	1	0.0 %
72	-	4	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
98	-	1	0.0 %
100	-	3	0.1 %
126	-	1	0.0 %
140	-	1	0.0 %
168	-	1	0.0 %
996 (M)	Refused	12	0.2 %
998 (M)	Don't know	26	0.5 %
999 (M)	Not applicable	6	0.1 %

Based upon 4838 valid cases out of 4882 total cases.

- Mean: 5.23
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 7.96

#### H3DA5

#### S33Q5 HRS/WK PLAY COMPUTER GAMES-W3

Location: 3302-3304 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , 999

Question: On the average, how many hours a week do you spend playing video or computer games, or using a computer for something other than school work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	1680	34.4 %
1	-	607	12.4 %
2	-	560	11.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	330	6.8 %
4	-	220	4.5 %
5	-	316	6.5 %
6	-	109	2.2 %
7	-	108	2.2 %
8	-	85	1.7 %
9	-	12	0.2 %
10	-	294	6.0 %
11	-	4	0.1 %
12	-	73	1.5 %
14	-	47	1.0 %
15	-	84	1.7 %
16	-	8	0.2 %
17	-	4	0.1 %
18	-	3	0.1 %
20	-	123	2.5 %
21	-	11	0.2 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	11	0.2 %
25	-	23	0.5 %
26	-	3	0.1 %
28	-	8	0.2 %
30	-	46	0.9 %
32	-	1	0.0 %
35	-	13	0.3 %
38	-	1	0.0 %
40	-	18	0.4 %
44	-	1	0.0 %
45	-	4	0.1 %
46	-	1	0.0 %
48	-	4	0.1 %
50	-	9	0.2 %
55	-	1	0.0 %
56	-	2	0.0 %
60	-	4	0.1 %
72	-	5	0.1 %
75	-	1	0.0 %
80	-	2	0.0 %
90	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98	-	1	0.0 %
100	-	2	0.0 %
120	-	1	0.0 %
140	-	1	0.0 %
168	-	2	0.0 %
996 (M)	Refused	11	0.2 %
998 (M)	Don't know	18	0.4 %
999 (M)	Not applicable	6	0.1 %

Based upon 4847 valid cases out of 4882 total cases.

- Mean: 4.72
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 9.29

#### H3DA6

#### S33Q6 WATCH TV-W3

Location: 3305-3306 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you watch television?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	189	3.9 %
1	1 time	152	3.1 %
2	2 times	305	6.2 %
3	3 times	396	8.1 %
4	4 times	407	8.3 %
5	5 times	403	8.3 %
6	6 times	219	4.5 %
7	7 or more times	2786	57.1 %
96 (M)	Refused	4	0.1 %
98 (M)	Don't know	21	0.4 %

Based upon 4857 valid cases out of 4882 total cases.

- Mean: 5.44
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 7.00
- Standard Deviation: 2.14

**H3DA7**

**S33Q7 HRS/WK WATCH TV-W3**

Location: 3307-3309 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , 999

Question: On the average, how many hours a week do you spend watching television?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	165	3.4 %
1	-	179	3.7 %
2	-	340	7.0 %
3	-	278	5.7 %
4	-	279	5.7 %
5	-	374	7.7 %
6	-	204	4.2 %
7	-	246	5.0 %
8	-	164	3.4 %
9	-	39	0.8 %
10	-	612	12.5 %
11	-	16	0.3 %
12	-	167	3.4 %
13	-	12	0.2 %
14	-	232	4.8 %
15	-	262	5.4 %
16	-	16	0.3 %
17	-	4	0.1 %
18	-	18	0.4 %
20	-	428	8.8 %
21	-	121	2.5 %
22	-	5	0.1 %
23	-	4	0.1 %
24	-	57	1.2 %
25	-	86	1.8 %
26	-	2	0.0 %
27	-	5	0.1 %
28	-	61	1.2 %
29	-	2	0.0 %
30	-	170	3.5 %
31	-	1	0.0 %
32	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	-	2	0.0 %
35	-	49	1.0 %
36	-	3	0.1 %
38	-	1	0.0 %
40	-	76	1.6 %
42	-	13	0.3 %
45	-	8	0.2 %
48	-	6	0.1 %
49	-	5	0.1 %
50	-	28	0.6 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	8	0.2 %
60	-	12	0.2 %
62	-	1	0.0 %
63	-	1	0.0 %
68	-	1	0.0 %
70	-	15	0.3 %
72	-	9	0.2 %
75	-	2	0.0 %
76	-	1	0.0 %
80	-	4	0.1 %
82	-	1	0.0 %
83	-	1	0.0 %
84	-	2	0.0 %
90	-	2	0.0 %
94	-	1	0.0 %
98	-	3	0.1 %
100	-	10	0.2 %
120	-	2	0.0 %
126	-	1	0.0 %
168	-	1	0.0 %
996 (M)	Refused	13	0.3 %
998 (M)	Don't know	42	0.9 %
999 (M)	Not applicable	3	0.1 %

Based upon 4824 valid cases out of 4882 total cases.

- Mean: 12.76
- Median: 10.00
- Mode: 10.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 13.09

**H3DA8**

**S33Q8 BIKE/SKATEBRD/DANCE/HIKE/HUNT-W3**

Location:	3310-3311 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	96 , 98
Question:	In the past seven days, how many times did you bicycle, skateboard, dance, hike, hunt, or do yard work?

Value	Label	Unweighted Frequency	%
0	Not at all	2625	53.8 %
1	1 time	627	12.8 %
2	2 times	612	12.5 %
3	3 times	400	8.2 %
4	4 times	212	4.3 %
5	5 times	138	2.8 %
6	6 times	54	1.1 %
7	7 or more times	194	4.0 %
96 (M)	Refused	6	0.1 %
98 (M)	Don't know	14	0.3 %

Based upon 4862 valid cases out of 4882 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.86

**H3DA9**

**S33Q9 ROLR BLADE/SKATE/SKI/AEROBICS-W3**

Location:	3312-3313 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	96 , 98
Question:	In the past seven days, how many times did you roller blade, roller skate, downhill ski, snowboard, play racquet sports, or do aerobics?

Value	Label	Unweighted Frequency	%
0	Not at all	3807	78.0 %
1	1 time	318	6.5 %
2	2 times	258	5.3 %
3	3 times	217	4.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	4 times	103	2.1 %
5	5 times	77	1.6 %
6	6 times	18	0.4 %
7	7 or more times	66	1.4 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	13	0.3 %

Based upon 4864 valid cases out of 4882 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.37

**H3DA10**

**S33Q10 PLAY A STRENUOUS SPORT-W3**

Location: 3314-3315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you participate in strenuous team sports such as football, soccer, basketball, lacrosse, rugby, field hockey, or ice hockey?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	3938	80.7 %
1	1 time	316	6.5 %
2	2 times	240	4.9 %
3	3 times	149	3.1 %
4	4 times	77	1.6 %
5	5 times	55	1.1 %
6	6 times	22	0.5 %
7	7 or more times	66	1.4 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	14	0.3 %

Based upon 4863 valid cases out of 4882 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.29

- Study 21600 -

**H3DA11**

**S33Q11 PLAY INDIVIDUAL SPORT-W3**

Location: 3316-3317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you participate in individual sports such as running, wrestling, swimming, cross-country skiing, cycle racing, or martial arts?

Value	Label	Unweighted Frequency	%
0	Not at all	3691	75.6 %
1	1 time	334	6.8 %
2	2 times	291	6.0 %
3	3 times	224	4.6 %
4	4 times	122	2.5 %
5	5 times	91	1.9 %
6	6 times	30	0.6 %
7	7 or more times	80	1.6 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	14	0.3 %

Based upon 4863 valid cases out of 4882 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.47

**H3DA12**

**S33Q12 GYMNSTCS/WT LIFT/STRENGTH-W3**

Location: 3318-3319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you participate in gymnastics, weight lifting, or strength training?

Value	Label	Unweighted Frequency	%
0	Not at all	3418	70.0 %
1	1 time	272	5.6 %
2	2 times	335	6.9 %
3	3 times	379	7.8 %
4	4 times	193	4.0 %
5	5 times	137	2.8 %
6	6 times	39	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	7 or more times	93	1.9 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	11	0.2 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.66

#### H3DA13

#### S33Q13 PLAY GOLF/FISH/BOWL/BASEBALL-W3

Location: 3320-3321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you play golf, go fishing or bowling, or play softball or baseball?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	4103	84.0 %
1	1 time	421	8.6 %
2	2 times	177	3.6 %
3	3 times	79	1.6 %
4	4 times	30	0.6 %
5	5 times	25	0.5 %
6	6 times	5	0.1 %
7	7 or more times	27	0.6 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	10	0.2 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.91

#### H3DA14

#### S33Q14 WALK FOR EXERCISE-W3

Location: 3322-3323 (width: 2; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you walk for exercise?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	2543	52.1 %
1	1 time	472	9.7 %
2	2 times	544	11.1 %
3	3 times	426	8.7 %
4	4 times	235	4.8 %
5	5 times	184	3.8 %
6	6 times	56	1.1 %
7	7 or more times	406	8.3 %
96 (M)	Refused	6	0.1 %
98 (M)	Don't know	10	0.2 %

Based upon 4866 valid cases out of 4882 total cases.

- Mean: 1.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.22

**H3DA15**

**S33Q15 HANG OUT WITH FRIENDS - W3**

Location: 3324-3325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: In the past seven days, how many times did you just hang out with friends, or talk on the telephone for more than five minutes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	405	8.3 %
1	1 time	248	5.1 %
2	2 times	531	10.9 %
3	3 times	696	14.3 %
4	4 times	548	11.2 %
5	5 times	501	10.3 %
6	6 times	234	4.8 %
7	7 or more times	1698	34.8 %
96 (M)	Refused	5	0.1 %
98 (M)	Don't know	16	0.3 %

- Study 21600 -

Based upon 4861 valid cases out of 4882 total cases.

- Mean: 4.40
- Median: 5.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.38

**H3DA16****S33Q16 LAST 7 DAYS-TYP PHYS ACTIV-W3**

Location: 3326-3326 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Were the past seven days typical in terms of your physical activity?

Value	Label	Unweighted Frequency	%
0	No	966	19.8 %
1	Yes (skip to Q.18)	3890	79.7 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	11	0.2 %
9 (M)	Not applicable	5	0.1 %

Based upon 4856 valid cases out of 4882 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H3DA17****S33Q17 GEN MORE/LESS ACTIVE LAST WEEK-W3**

Location: 3327-3327 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: Are you generally more active or less active than you were last week?

Value	Label	Unweighted Frequency	%
1	More active	741	15.2 %
2	Less active	218	4.5 %
6 (M)	Refused	9	0.2 %
7 (M)	Legitimate skip	3890	79.7 %
8 (M)	Don't know	16	0.3 %
9 (M)	Not applicable	8	0.2 %

- Study 21600 -

Based upon 959 valid cases out of 4882 total cases.

- Mean: 1.23
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

**H3DA18**

**S33Q18 CHILDREN < 6 IN HH-W3**

Location: 3328-3329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: How many children less than six years old live in your household?

Value	Label	Unweighted Frequency	%
0	No children	3601	73.8 %
1	1 child	857	17.6 %
2	2 children	309	6.3 %
3	3 children	81	1.7 %
4	4 children	16	0.3 %
5	5 children	3	0.1 %
9	9 children	1	0.0 %
32	32 children	1	0.0 %
96 (M)	Refused	6	0.1 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	3	0.1 %

Based upon 4869 valid cases out of 4882 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 0.86

**H3DA19**

**S33Q19 CHILDREN 6-12 IN HH-W3**

Location: 3330-3331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , 99

Question: How many children between the ages of six and twelve live in your household?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No children	4399	90.1 %
1	1 child	361	7.4 %
2	2 children	87	1.8 %
3	3 children	13	0.3 %
4	4 children	7	0.1 %
96 (M)	Refused	6	0.1 %
98 (M)	Don't know	4	0.1 %
99 (M)	Not applicable	5	0.1 %

Based upon 4867 valid cases out of 4882 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.42

**H3DA20**

**S33Q20 HRS FEED/BATHE/DRESS CHILD < 6-W3**

Location: 3332-3334 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999 , .

Question: On the average, how many hours per week do you spend taking care of the children in your household who are less than six years old by feeding, bathing, or dressing them?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	85	1.7 %
1	-	26	0.5 %
2	-	38	0.8 %
3	-	25	0.5 %
4	-	19	0.4 %
5	-	30	0.6 %
6	-	19	0.4 %
7	-	30	0.6 %
8	-	16	0.3 %
9	-	2	0.0 %
10	-	54	1.1 %
11	-	1	0.0 %
12	-	36	0.7 %
13	-	6	0.1 %
14	-	53	1.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	37	0.8 %
16	-	10	0.2 %
17	-	4	0.1 %
18	-	8	0.2 %
20	-	97	2.0 %
21	-	37	0.8 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	49	1.0 %
25	-	27	0.6 %
26	-	3	0.1 %
28	-	20	0.4 %
30	-	53	1.1 %
32	-	2	0.0 %
35	-	46	0.9 %
36	-	4	0.1 %
38	-	1	0.0 %
40	-	75	1.5 %
42	-	16	0.3 %
44	-	2	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	7	0.1 %
49	-	3	0.1 %
50	-	34	0.7 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	15	0.3 %
60	-	33	0.7 %
63	-	2	0.0 %
64	-	1	0.0 %
65	-	3	0.1 %
70	-	36	0.7 %
72	-	7	0.1 %
73	-	1	0.0 %
74	-	1	0.0 %
75	-	5	0.1 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	1	0.0 %
80	-	11	0.2 %
84	-	8	0.2 %
85	-	1	0.0 %
90	-	4	0.1 %
91	-	2	0.0 %
96	-	3	0.1 %
98	-	5	0.1 %
99	-	1	0.0 %
100	-	33	0.7 %
105	-	2	0.0 %
110	-	1	0.0 %
112	-	2	0.0 %
114	-	1	0.0 %
116	-	1	0.0 %
120	-	8	0.2 %
122	-	2	0.0 %
125	-	1	0.0 %
126	-	2	0.0 %
128	-	3	0.1 %
130	-	1	0.0 %
140	-	6	0.1 %
144	-	3	0.1 %
150	-	5	0.1 %
151	-	1	0.0 %
160	-	3	0.1 %
168	-	33	0.7 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	3614	74.0 %
998 (M)	Don't know	28	0.6 %
. (M)	-	1	0.0 %

Based upon 1236 valid cases out of 4882 total cases.

- Mean: 34.86
- Median: 21.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 37.97

- Study 21600 -

**H3DA21**

**S33Q21 HRS CARE/WALK/PLAY W/CHILD < 6-W3**

Location: 3335-3337 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999 , .

Question: On the average, how many hours per week do you spend taking care of these children by carrying them, walking with them, or playing with them?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	33	0.7 %
1	-	20	0.4 %
2	-	31	0.6 %
3	-	23	0.5 %
4	-	19	0.4 %
5	-	50	1.0 %
6	-	26	0.5 %
7	-	19	0.4 %
8	-	19	0.4 %
9	-	5	0.1 %
10	-	82	1.7 %
11	-	3	0.1 %
12	-	38	0.8 %
13	-	3	0.1 %
14	-	41	0.8 %
15	-	53	1.1 %
16	-	9	0.2 %
17	-	2	0.0 %
18	-	5	0.1 %
19	-	2	0.0 %
20	-	135	2.8 %
21	-	31	0.6 %
22	-	2	0.0 %
23	-	3	0.1 %
24	-	49	1.0 %
25	-	27	0.6 %
26	-	2	0.0 %
28	-	27	0.6 %
29	-	2	0.0 %
30	-	83	1.7 %
32	-	3	0.1 %
35	-	42	0.9 %
36	-	4	0.1 %
39	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	64	1.3 %
42	-	12	0.2 %
44	-	1	0.0 %
45	-	7	0.1 %
46	-	1	0.0 %
48	-	12	0.2 %
49	-	3	0.1 %
50	-	50	1.0 %
52	-	2	0.0 %
54	-	1	0.0 %
55	-	6	0.1 %
56	-	8	0.2 %
60	-	25	0.5 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
64	-	2	0.0 %
65	-	2	0.0 %
70	-	30	0.6 %
72	-	5	0.1 %
74	-	1	0.0 %
75	-	4	0.1 %
76	-	2	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	5	0.1 %
84	-	8	0.2 %
90	-	5	0.1 %
95	-	2	0.0 %
96	-	2	0.0 %
98	-	4	0.1 %
100	-	25	0.5 %
105	-	1	0.0 %
110	-	1	0.0 %
112	-	3	0.1 %
114	-	1	0.0 %
116	-	1	0.0 %
120	-	10	0.2 %
128	-	2	0.0 %
140	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
144	-	1	0.0 %
150	-	3	0.1 %
151	-	1	0.0 %
154	-	1	0.0 %
160	-	4	0.1 %
168	-	10	0.2 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	3614	74.0 %
998 (M)	Don't know	28	0.6 %
999 (M)	Not applicable	2	0.0 %
. (M)	-	1	0.0 %

Based upon 1234 valid cases out of 4882 total cases.

- Mean: 31.08
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 31.18

### H3DA22

### S33Q22 HH CHILD INVOLVED IN SPORTS-W3

Location: 3338-3338 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Are the children in your household involved in any sports activities?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.28)	1251	25.6 %
1	Yes	258	5.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3370	69.0 %
8 (M)	Don't know	2	0.0 %

Based upon 1509 valid cases out of 4882 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 21600 -

H3DA23	S33Q23 ATTEND HH CHILD SPORTS-W3			
	Value	Label	Unweighted Frequency	%
Location:	3339-3339	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9			
Question:	In the last seven days did you attend any of their sports activities as a spectator or transport any of them to a game or practice?			

Based upon 257 valid cases out of 4882 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H3DA24	S33Q24 NO TIMES ATTEND CHILD SPORTS-W3			
	Value	Label	Unweighted Frequency	%
Location:	3340-3341	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	How many times did you do this?			

Based upon 103 valid cases out of 4882 total cases.

- Mean: 2.55

- Study 21600 -

- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.88

H3DA25	S33Q25 PARTIC/COACH CHILD SPORTS-W3			
Location:	3342-3342 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	7 , 9			
Question:	In the last seven days did you actively participate in any of their sports activities for example as a coach or referee?			
Value	Label	Unweighted Frequency	%	
0	No (skip to Q.28)	236	4.8 %	
1	Yes	21	0.4 %	
7 (M)	Legitimate skip	4624	94.7 %	
9 (M)	Not applicable	1	0.0 %	

Based upon 257 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

H3DA26	S33Q26 TIMES PART/COACH CHILD SPORTS-W3			
Location:	3343-3344 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	How many times did you do this?			
Value	Label	Unweighted Frequency	%	
1	-	7	0.1 %	
2	-	4	0.1 %	
3	-	6	0.1 %	
4	-	2	0.0 %	
5	-	1	0.0 %	
10	-	1	0.0 %	
97 (M)	Legitimate skip	4861	99.6 %	

Based upon 21 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 2.67
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.06

H3DA27	S33Q27 AVG/HRS SPENT CHILD SPORTS-W3			
	Value	Label	Unweighted Frequency	%
Location:	3345-3346	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	97			
Question:	On the average, how many hours did you spend each time you participated in such a sports activity in the last seven days?			
	0	0 hours	2	0.0 %
	1	-	6	0.1 %
	2	-	6	0.1 %
	3	-	2	0.0 %
	5	-	1	0.0 %
	6	-	3	0.1 %
	10	-	1	0.0 %
	97 (M)	Legitimate skip	4861	99.6 %

Based upon 21 valid cases out of 4882 total cases.

- Mean: 2.71
- Median: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.51

H3DA28	S33Q28 CURRENTLY HAVE JOB-W3			
	Value	Label	Unweighted Frequency	%
Location:	3347-3347	(width: 1; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	6 , 8 , 9			
Question:	Do you currently have a job?			
	0	No (skip to Q.36)	1274	26.1 %
	1	Yes	3598	73.7 %
	6 (M)	Refused	4	0.1 %
	8 (M)	Don't know	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Not applicable	3	0.1 %

Based upon 4872 valid cases out of 4882 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H3DA29A**
**S33Q29 WORK TRANSPORT-CAR-W3**

Location: 3348-3348 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: How do you get to and from work?: car

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	386	7.9 %
1	Marked	3213	65.8 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	3	0.1 %

Based upon 3599 valid cases out of 4882 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**H3DA29B**
**S33Q29 WORK TRANSPORT-BUS-W3**

Location: 3349-3349 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: How do you get to and from work?: bus

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3423	70.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marked	177	3.6 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 3600 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

<b>H3DA29C</b>	<b>S33Q29 WORK TRANSPORT-SUBWAY-W3</b>
----------------	--

Location: 3350-3350 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9  
 Question: How do you get to and from work?: subway

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3538	72.5 %
1	Marked	62	1.3 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	2	0.0 %

Based upon 3600 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

<b>H3DA29D</b>	<b>S33Q29 WORK TRANSPORT-WALK-W3</b>
----------------	--------------------------------------

Location: 3351-3351 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , 9

- Study 21600 -

Question:

How do you get to and from work?: walking

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3319	68.0 %
1	Marked	282	5.8 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 3601 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**H3DA29E**

**S33Q29 WORK TRANSPORT-BIKE-W3**

Location:

3352-3352 (width: 1; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , 9

Question:

How do you get to and from work?: bicycle

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3533	72.4 %
1	Marked	68	1.4 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 3601 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3DA29F**

**S33Q29 WORK TRANSPORT-OTHER-W3**

Location:

3353-3353 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: How do you get to and from work?: other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not marked	3527	72.2 %
1	Marked	74	1.5 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	1274	26.1 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 3601 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

### H3DA30

### S33Q30 DAILY NO MILES COMMUTE-WORK-W3

Location: 3354-3356 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How many miles must you travel each work day from where you live to where you work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 miles	110	2.3 %
1	-	425	8.7 %
2	-	307	6.3 %
3	-	215	4.4 %
4	-	151	3.1 %
5	-	373	7.6 %
6	-	101	2.1 %
7	-	103	2.1 %
8	-	102	2.1 %
9	-	19	0.4 %
10	-	368	7.5 %
11	-	13	0.3 %
12	-	92	1.9 %
13	-	24	0.5 %
14	-	22	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	288	5.9 %
16	-	28	0.6 %
17	-	19	0.4 %
18	-	29	0.6 %
19	-	2	0.0 %
20	-	200	4.1 %
21	-	5	0.1 %
22	-	16	0.3 %
23	-	12	0.2 %
24	-	8	0.2 %
25	-	105	2.2 %
26	-	6	0.1 %
27	-	1	0.0 %
28	-	8	0.2 %
29	-	2	0.0 %
30	-	139	2.8 %
31	-	2	0.0 %
32	-	5	0.1 %
33	-	2	0.0 %
34	-	3	0.1 %
35	-	29	0.6 %
36	-	5	0.1 %
37	-	4	0.1 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	50	1.0 %
42	-	4	0.1 %
43	-	2	0.0 %
44	-	4	0.1 %
45	-	26	0.5 %
46	-	1	0.0 %
47	-	3	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	35	0.7 %
52	-	3	0.1 %
55	-	5	0.1 %
56	-	1	0.0 %
60	-	21	0.4 %
62	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	-	2	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	8	0.2 %
72	-	1	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
80	-	7	0.1 %
83	-	1	0.0 %
90	-	4	0.1 %
100	-	11	0.2 %
108	-	1	0.0 %
120	-	1	0.0 %
150	-	4	0.1 %
200	-	3	0.1 %
250	-	1	0.0 %
260	-	1	0.0 %
300	-	1	0.0 %
460	-	1	0.0 %
996 (M)	Refused	4	0.1 %
997 (M)	Legitimate skip	1274	26.1 %
998 (M)	Don't know	36	0.7 %
999 (M)	Not applicable	12	0.2 %

Based upon 3556 valid cases out of 4882 total cases.

- Mean: 12.67
- Median: 7.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 460.00
- Standard Deviation: 18.94

### H3DA31

### S33Q31 NO HRS/WK SPENT AT WORK-W3

Location: 3357-3359 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How many hours a week do you usually spend at work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	5	0.1 %
3	-	10	0.2 %
4	-	6	0.1 %
5	-	17	0.3 %
6	-	23	0.5 %
7	-	13	0.3 %
8	-	29	0.6 %
9	-	6	0.1 %
10	-	74	1.5 %
11	-	4	0.1 %
12	-	39	0.8 %
13	-	13	0.3 %
14	-	11	0.2 %
15	-	73	1.5 %
16	-	23	0.5 %
17	-	10	0.2 %
18	-	17	0.3 %
19	-	4	0.1 %
20	-	207	4.2 %
21	-	6	0.1 %
22	-	18	0.4 %
23	-	4	0.1 %
24	-	41	0.8 %
25	-	158	3.2 %
26	-	7	0.1 %
27	-	7	0.1 %
28	-	23	0.5 %
29	-	2	0.0 %
30	-	208	4.3 %
31	-	2	0.0 %
32	-	37	0.8 %
33	-	4	0.1 %
34	-	12	0.2 %
35	-	181	3.7 %
36	-	35	0.7 %
37	-	26	0.5 %
38	-	32	0.7 %
39	-	8	0.2 %
40	-	1321	27.1 %
41	-	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	43	0.9 %
43	-	19	0.4 %
44	-	17	0.3 %
45	-	233	4.8 %
46	-	8	0.2 %
47	-	4	0.1 %
48	-	44	0.9 %
49	-	2	0.0 %
50	-	200	4.1 %
51	-	2	0.0 %
52	-	17	0.3 %
53	-	2	0.0 %
54	-	6	0.1 %
55	-	56	1.1 %
56	-	9	0.2 %
57	-	1	0.0 %
58	-	4	0.1 %
59	-	1	0.0 %
60	-	100	2.0 %
62	-	2	0.0 %
64	-	2	0.0 %
65	-	18	0.4 %
67	-	1	0.0 %
70	-	28	0.6 %
72	-	4	0.1 %
75	-	3	0.1 %
80	-	18	0.4 %
84	-	5	0.1 %
86	-	1	0.0 %
90	-	5	0.1 %
97	-	1	0.0 %
100	-	2	0.0 %
120	-	2	0.0 %
996 (M)	Refused	8	0.2 %
997 (M)	Legitimate skip	1274	26.1 %
998 (M)	Don't know	4	0.1 %
999 (M)	Not applicable	4	0.1 %

Based upon 3592 valid cases out of 4882 total cases.

- Mean: 36.55

- Study 21600 -

- Median: 40.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 13.66

<b>H3DA32</b>	<b>S33Q32 AVG HRS/WK HARD/PHYS LABOR-WRK-W3</b>		
Location:	3360-3362 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	996 , 997 , 998 , 999		
Question:	On the average, how many hours a week at work do you spend standing, doing hard physical work (for example, doing construction work)?		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	0 hours	2409	49.3 %
1	-	59	1.2 %
2	-	59	1.2 %
3	-	32	0.7 %
4	-	24	0.5 %
5	-	94	1.9 %
6	-	24	0.5 %
7	-	8	0.2 %
8	-	32	0.7 %
9	-	5	0.1 %
10	-	136	2.8 %
11	-	2	0.0 %
12	-	13	0.3 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	35	0.7 %
16	-	3	0.1 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	102	2.1 %
21	-	1	0.0 %
22	-	4	0.1 %
23	-	2	0.0 %
24	-	7	0.1 %
25	-	53	1.1 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	90	1.8 %
32	-	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	51	1.0 %
36	-	7	0.1 %
37	-	4	0.1 %
38	-	6	0.1 %
39	-	1	0.0 %
40	-	186	3.8 %
41	-	2	0.0 %
42	-	5	0.1 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	32	0.7 %
48	-	7	0.1 %
49	-	1	0.0 %
50	-	25	0.5 %
52	-	4	0.1 %
54	-	1	0.0 %
55	-	4	0.1 %
56	-	1	0.0 %
60	-	18	0.4 %
65	-	2	0.0 %
70	-	5	0.1 %
74	-	1	0.0 %
80	-	3	0.1 %
84	-	2	0.0 %
996 (M)	Refused	10	0.2 %
997 (M)	Legitimate skip	1274	26.1 %
998 (M)	Don't know	10	0.2 %
999 (M)	Not applicable	4	0.1 %

Based upon 3584 valid cases out of 4882 total cases.

- Mean: 7.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 84.00
- Standard Deviation: 14.27

**H3DA33**

**S33Q33 AVG HRS/WK MOD/PHYS LABOR-WRK-W3**

Location:

3363-3364 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M):

96 , 97 , 98 , 99

Question:

On the average, how many hours a week at work do you spend standing, doing moderate physical work (for example, nursing or being a mechanic)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	2086	42.7 %
1	-	52	1.1 %
2	-	73	1.5 %
3	-	51	1.0 %
4	-	36	0.7 %
5	-	163	3.3 %
6	-	26	0.5 %
7	-	19	0.4 %
8	-	36	0.7 %
9	-	4	0.1 %
10	-	240	4.9 %
11	-	3	0.1 %
12	-	20	0.4 %
13	-	5	0.1 %
14	-	9	0.2 %
15	-	76	1.6 %
16	-	6	0.1 %
17	-	1	0.0 %
18	-	6	0.1 %
19	-	3	0.1 %
20	-	161	3.3 %
21	-	3	0.1 %
22	-	7	0.1 %
23	-	1	0.0 %
24	-	12	0.2 %
25	-	54	1.1 %
26	-	4	0.1 %
27	-	5	0.1 %
28	-	6	0.1 %
29	-	3	0.1 %
30	-	110	2.3 %
31	-	1	0.0 %
32	-	12	0.2 %
33	-	3	0.1 %
34	-	6	0.1 %
35	-	54	1.1 %
36	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	-	3	0.1 %
38	-	8	0.2 %
39	-	2	0.0 %
40	-	143	2.9 %
42	-	2	0.0 %
43	-	5	0.1 %
44	-	1	0.0 %
45	-	16	0.3 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	4	0.1 %
49	-	1	0.0 %
50	-	12	0.2 %
52	-	1	0.0 %
55	-	5	0.1 %
56	-	2	0.0 %
60	-	8	0.2 %
65	-	1	0.0 %
72	-	1	0.0 %
80	-	1	0.0 %
96 (M)	Refused	10	0.2 %
97 (M)	Legitimate skip	1274	26.1 %
98 (M)	Don't know	10	0.2 %
99 (M)	Not applicable	6	0.1 %

Based upon 3582 valid cases out of 4882 total cases.

- Mean: 7.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 12.79

**H3DA34**

**S33Q34 AVG HRS/WK LGT/PHYS LABOR-WRK-W3**

Location:	3365-3366 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	96 , 97 , 98 , 99
Question:	On the average, how many hours a week at work do you spend standing, doing light physical work (for example, standing at a counter, teaching, working at a conveyer belt)?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	1789	36.6 %
1	-	52	1.1 %
2	-	100	2.0 %
3	-	60	1.2 %
4	-	47	1.0 %
5	-	226	4.6 %
6	-	37	0.8 %
7	-	29	0.6 %
8	-	47	1.0 %
9	-	26	0.5 %
10	-	259	5.3 %
11	-	6	0.1 %
12	-	28	0.6 %
13	-	10	0.2 %
14	-	6	0.1 %
15	-	105	2.2 %
16	-	10	0.2 %
17	-	9	0.2 %
18	-	6	0.1 %
19	-	2	0.0 %
20	-	180	3.7 %
21	-	5	0.1 %
22	-	11	0.2 %
23	-	4	0.1 %
24	-	7	0.1 %
25	-	72	1.5 %
26	-	2	0.0 %
27	-	8	0.2 %
28	-	9	0.2 %
29	-	2	0.0 %
30	-	105	2.2 %
31	-	2	0.0 %
32	-	12	0.2 %
33	-	4	0.1 %
34	-	2	0.0 %
35	-	48	1.0 %
36	-	9	0.2 %
37	-	10	0.2 %
38	-	7	0.1 %
39	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	156	3.2 %
42	-	9	0.2 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	12	0.2 %
48	-	4	0.1 %
49	-	1	0.0 %
50	-	15	0.3 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	4	0.1 %
56	-	2	0.0 %
58	-	1	0.0 %
60	-	8	0.2 %
65	-	1	0.0 %
80	-	1	0.0 %
96 (M)	Refused	10	0.2 %
97 (M)	Legitimate skip	1274	26.1 %
98 (M)	Don't know	12	0.2 %
99 (M)	Not applicable	7	0.1 %

Based upon 3579 valid cases out of 4882 total cases.

- Mean: 8.59
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 12.90

#### H3DA35

#### S33Q35 AVG HRS/WK SEATED AT WORK-W3

Location: 3367-3369 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: On the average, how many hours a week at work do you spend seated (for example, using a computer or driving)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	1679	34.4 %
1	-	67	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	88	1.8 %
3	-	74	1.5 %
4	-	36	0.7 %
5	-	190	3.9 %
6	-	37	0.8 %
7	-	30	0.6 %
8	-	38	0.8 %
9	-	12	0.2 %
10	-	213	4.4 %
11	-	5	0.1 %
12	-	26	0.5 %
13	-	8	0.2 %
14	-	12	0.2 %
15	-	88	1.8 %
16	-	12	0.2 %
17	-	9	0.2 %
18	-	13	0.3 %
19	-	4	0.1 %
20	-	144	2.9 %
21	-	4	0.1 %
22	-	12	0.2 %
23	-	8	0.2 %
24	-	9	0.2 %
25	-	63	1.3 %
26	-	4	0.1 %
27	-	7	0.1 %
28	-	12	0.2 %
29	-	5	0.1 %
30	-	105	2.2 %
32	-	6	0.1 %
33	-	5	0.1 %
34	-	10	0.2 %
35	-	69	1.4 %
36	-	18	0.4 %
37	-	14	0.3 %
38	-	20	0.4 %
39	-	9	0.2 %
40	-	277	5.7 %
41	-	4	0.1 %
42	-	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	6	0.1 %
44	-	4	0.1 %
45	-	41	0.8 %
46	-	3	0.1 %
47	-	4	0.1 %
48	-	3	0.1 %
49	-	3	0.1 %
50	-	31	0.6 %
51	-	1	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	5	0.1 %
58	-	4	0.1 %
60	-	7	0.1 %
62	-	2	0.0 %
65	-	1	0.0 %
70	-	4	0.1 %
72	-	1	0.0 %
80	-	2	0.0 %
100	-	1	0.0 %
996 (M)	Refused	11	0.2 %
997 (M)	Legitimate skip	1274	26.1 %
998 (M)	Don't know	13	0.3 %
999 (M)	Not applicable	6	0.1 %

Based upon 3578 valid cases out of 4882 total cases.

- Mean: 11.05
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 15.44

**H3DA36**
**S33Q36 ENROLLED SCHOOL/VOC TRAIN-W3**

Location: 3370-3370 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , 9

Question: Are you currently enrolled in school or in a job training or vocational education program?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No (skip to Q.43)	3063	62.7 %
1	Yes	1808	37.0 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 4871 valid cases out of 4882 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H3DA37**

**S33Q37 NO HRS/WK SPENT SCHOOL/VOC-W3**

Location: 3371-3373 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , 999

Question: How many hours a week do you spend in school or at this program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	46	0.9 %
1	-	15	0.3 %
2	-	22	0.5 %
3	-	49	1.0 %
4	-	38	0.8 %
5	-	34	0.7 %
6	-	82	1.7 %
7	-	19	0.4 %
8	-	64	1.3 %
9	-	50	1.0 %
10	-	98	2.0 %
11	-	10	0.2 %
12	-	192	3.9 %
13	-	48	1.0 %
14	-	52	1.1 %
15	-	207	4.2 %
16	-	105	2.2 %
17	-	33	0.7 %
18	-	66	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	9	0.2 %
20	-	178	3.6 %
21	-	10	0.2 %
22	-	6	0.1 %
23	-	9	0.2 %
24	-	21	0.4 %
25	-	79	1.6 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	8	0.2 %
30	-	87	1.8 %
32	-	11	0.2 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	38	0.8 %
36	-	2	0.0 %
38	-	1	0.0 %
40	-	54	1.1 %
45	-	10	0.2 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	15	0.3 %
52	-	2	0.0 %
55	-	1	0.0 %
60	-	12	0.2 %
70	-	1	0.0 %
80	-	2	0.0 %
100	-	1	0.0 %
140	-	1	0.0 %
168	-	1	0.0 %
996 (M)	Refused	6	0.1 %
997 (M)	Legitimate skip	3063	62.7 %
998 (M)	Don't know	12	0.2 %
999 (M)	Not applicable	3	0.1 %

Based upon 1798 valid cases out of 4882 total cases.

- Mean: 16.66
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 168.00
- Standard Deviation: 11.86

### H3DA38A

### S33Q38 SCHOOL TRANSPORT-CAR-W3

Location: 3374-3374 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: How do you get to and from your school or program?: car

Value	Label	Unweighted Frequency	%
0	Not marked	480	9.8 %
1	Marked	1329	27.2 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	3	0.1 %
9 (M)	Not applicable	2	0.0 %

Based upon 1809 valid cases out of 4882 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

### H3DA38B

### S33Q38 SCHOOL TRANSPORT-BUS-W3

Location: 3375-3375 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: How do you get to and from your school or program?: bus

Value	Label	Unweighted Frequency	%
0	Not marked	1669	34.2 %
1	Marked	143	2.9 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	2	0.0 %

Based upon 1812 valid cases out of 4882 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**H3DA38C**

**S33Q38 SCHOOL TRANSPORT-SUBWAY-W3**

Location: 3376-3376 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: How do you get to and from your school or program?: subway

Value	Label	Unweighted Frequency	%
0	Not marked	1773	36.3 %
1	Marked	38	0.8 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	2	0.0 %
9 (M)	Not applicable	1	0.0 %

Based upon 1811 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**H3DA38D**

**S33Q38 SCHOOL TRANSPORT-WALK-W3**

Location: 3377-3377 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 9

Question: How do you get to and from your school or program?: walking

Value	Label	Unweighted Frequency	%
0	Not marked	1385	28.4 %
1	Marked	427	8.7 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	2	0.0 %

Based upon 1812 valid cases out of 4882 total cases.

- Mean: 0.24
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H3DA38E	S33Q38 SCHOOL TRANSPORT-BIKE-W3		
Location:	3378-3378 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	How do you get to and from your school or program?: bicycle		
Value	Label	Unweighted Frequency	%
0	Not marked	1756	36.0 %
1	Marked	56	1.1 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	2	0.0 %

Based upon 1812 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H3DA38F	S33Q38 SCHOOL TRANSPORT-OTHER-W3		
Location:	3379-3379 (width: 1; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	6 , 7 , 8 , 9		
Question:	How do you get to and from your school or program?: other		
Value	Label	Unweighted Frequency	%
0	Not marked	1768	36.2 %
1	Marked	45	0.9 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3063	62.7 %
8 (M)	Don't know	1	0.0 %

Based upon 1813 valid cases out of 4882 total cases.

- Mean: 0.02
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

<b>H3DA39</b>	<b>S33Q39 DAILY NO MILES COMMUTE-SCH-W3</b>		
Location:	3380-3382 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	996 , 997 , 998 , 999		
Question:	How many miles must you travel each class day from where you live to your school or program?		
Value	Label	Unweighted Frequency	%
0	0 miles	212	4.3 %
1	-	348	7.1 %
2	-	153	3.1 %
3	-	85	1.7 %
4	-	58	1.2 %
5	-	149	3.1 %
6	-	31	0.6 %
7	-	30	0.6 %
8	-	49	1.0 %
9	-	4	0.1 %
10	-	160	3.3 %
11	-	6	0.1 %
12	-	32	0.7 %
13	-	10	0.2 %
14	-	7	0.1 %
15	-	106	2.2 %
16	-	9	0.2 %
17	-	6	0.1 %
18	-	8	0.2 %
20	-	101	2.1 %
22	-	7	0.1 %
23	-	4	0.1 %
24	-	2	0.0 %
25	-	41	0.8 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	4	0.1 %
30	-	49	1.0 %
32	-	5	0.1 %
35	-	18	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	1	0.0 %
38	-	3	0.1 %
40	-	23	0.5 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	17	0.3 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	12	0.2 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
60	-	7	0.1 %
62	-	1	0.0 %
65	-	2	0.0 %
66	-	1	0.0 %
70	-	3	0.1 %
72	-	1	0.0 %
75	-	2	0.0 %
80	-	1	0.0 %
84	-	1	0.0 %
90	-	1	0.0 %
120	-	2	0.0 %
150	-	1	0.0 %
180	-	1	0.0 %
200	-	2	0.0 %
996 (M)	Refused	7	0.1 %
997 (M)	Legitimate skip	3063	62.7 %
998 (M)	Don't know	19	0.4 %
999 (M)	Not applicable	5	0.1 %

Based upon 1788 valid cases out of 4882 total cases.

- Mean: 10.05
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 15.39

- Study 21600 -

<b>H3DA40</b>	<b>S33Q40 AVG HRS/WK WALK/BIKE SCHOOL-W3</b>			
Location:	3383-3384 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 97 , 98 , 99			
Question:	On the average, how many hours a week do you spend walking or biking to and from classes?			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	0 hours	30	0.6 %
	1	-	163	3.3 %
	2	-	109	2.2 %
	3	-	60	1.2 %
	4	-	23	0.5 %
	5	-	30	0.6 %
	6	-	8	0.2 %
	7	-	9	0.2 %
	8	-	3	0.1 %
	9	-	1	0.0 %
	10	-	7	0.1 %
	12	-	2	0.0 %
	13	-	1	0.0 %
	15	-	2	0.0 %
	16	-	1	0.0 %
	20	-	2	0.0 %
	25	-	1	0.0 %
	30	-	1	0.0 %
	35	-	1	0.0 %
	97 (M)	Legitimate skip	4424	90.6 %
	98 (M)	Don't know	3	0.1 %
	99 (M)	Not applicable	1	0.0 %

Based upon 454 valid cases out of 4882 total cases.

- Mean: 2.71
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 3.43

<b>H3DA41</b>	<b>S33Q41 AVG HRS/WK STAND AT SCHOOL-W3</b>			
Location:	3385-3386 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 97 , 98 , 99			

- Study 21600 -

Question:

On the average, how many hours a week at school do you spend standing (for example, doing lab work or library research)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 hours	1019	20.9 %
1	-	192	3.9 %
2	-	163	3.3 %
3	-	97	2.0 %
4	-	52	1.1 %
5	-	58	1.2 %
6	-	39	0.8 %
7	-	14	0.3 %
8	-	19	0.4 %
9	-	6	0.1 %
10	-	39	0.8 %
11	-	1	0.0 %
12	-	10	0.2 %
15	-	13	0.3 %
16	-	4	0.1 %
18	-	1	0.0 %
20	-	25	0.5 %
23	-	1	0.0 %
24	-	4	0.1 %
25	-	5	0.1 %
28	-	1	0.0 %
30	-	12	0.2 %
32	-	1	0.0 %
35	-	6	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.1 %
45	-	1	0.0 %
50	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	3063	62.7 %
98 (M)	Don't know	16	0.3 %
99 (M)	Not applicable	4	0.1 %

Based upon 1793 valid cases out of 4882 total cases.

- Mean: 2.51

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.00

<b>H3DA42</b>	<b>S33Q42 AVG HRS/WK SEATED AT SCHOOL-W3</b>		
Location:	3387-3389 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	996 , 997 , 998 , 999		
Question:	On the average, how many hours a week at school do you spend sitting (for example, reading, attending class, or using a computer)?		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	0 hours	59	1.2 %
1	-	22	0.5 %
2	-	48	1.0 %
3	-	63	1.3 %
4	-	56	1.1 %
5	-	61	1.2 %
6	-	81	1.7 %
7	-	28	0.6 %
8	-	76	1.6 %
9	-	52	1.1 %
10	-	131	2.7 %
11	-	36	0.7 %
12	-	167	3.4 %
13	-	59	1.2 %
14	-	59	1.2 %
15	-	198	4.1 %
16	-	84	1.7 %
17	-	20	0.4 %
18	-	59	1.2 %
19	-	17	0.3 %
20	-	161	3.3 %
21	-	8	0.2 %
22	-	5	0.1 %
23	-	7	0.1 %
24	-	30	0.6 %
25	-	52	1.1 %
26	-	3	0.1 %
27	-	5	0.1 %
28	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	4	0.1 %
30	-	53	1.1 %
31	-	2	0.0 %
32	-	4	0.1 %
33	-	1	0.0 %
34	-	5	0.1 %
35	-	15	0.3 %
36	-	2	0.0 %
37	-	3	0.1 %
38	-	5	0.1 %
39	-	1	0.0 %
40	-	15	0.3 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	5	0.1 %
49	-	2	0.0 %
50	-	9	0.2 %
52	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
70	-	1	0.0 %
99	-	1	0.0 %
996 (M)	Refused	6	0.1 %
997 (M)	Legitimate skip	3063	62.7 %
998 (M)	Don't know	17	0.3 %
999 (M)	Not applicable	5	0.1 %

Based upon 1791 valid cases out of 4882 total cases.

- Mean: 14.01
- Median: 13.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.46

- Study 21600 -

Location: 3390-3391 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98 , .  
 Question: How tall are you in feet (and inches)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	4 feet	69	1.4 %
5	5 feet	3867	79.2 %
6	6 feet	920	18.8 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	18	0.4 %
. (M)	-	5	0.1 %

Based upon 4856 valid cases out of 4882 total cases.

- Mean: 5.18
- Median: 5.00
- Mode: 5.00
- Minimum: 4.00
- Maximum: 6.00
- Standard Deviation: 0.42

<b>H3DA43I</b>		<b>S33Q43 HEIGHT-INCHES-W3</b>		
Location:	3392-3393 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , .			
Question:	How tall are you in feet (and inches)?			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	
0	0 inches	414	8.5 %	
1	1 inch	346	7.1 %	
2	2 inches	455	9.3 %	
3	3 inches	435	8.9 %	
4	4 inches	459	9.4 %	
5	5 inches	372	7.6 %	
6	6 inches	453	9.3 %	
7	7 inches	429	8.8 %	
8	8 inches	373	7.6 %	
9	9 inches	368	7.5 %	
10	10 inches	359	7.4 %	
11	11 inches	389	8.0 %	
96 (M)	Refused	3	0.1 %	
98 (M)	Don't know	22	0.5 %	

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5	0.1 %

Based upon 4852 valid cases out of 4882 total cases.

- Mean: 5.39
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.39

**H3DA44**
**S33Q44 WEIGHT-LBS-W3**

Location: 3394-3396 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 996 , 998 , 999  
 Question: What is your current weight in pounds?

<i>Value</i>	<i>Label</i>
996 (M)	Refused
998 (M)	Don't know
999 (M)	Not applicable

\* Frequencies not displayed for this variable.

Based upon 4771 valid cases out of 4882 total cases.

- Mean: 168.47
- Median: 160.00
- Mode: 140.00
- Minimum: 80.00
- Maximum: 430.00
- Standard Deviation: 43.32

**H3DA45**
**S33Q45 MENSTR-AGE FIRST PERIOD-W3**

Location: 3397-3398 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99 , .  
 Question: How old were you when you got your period for the first time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Seven years or younger	4	0.1 %
8	-	11	0.2 %
9	-	76	1.6 %
10	-	135	2.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	351	7.2 %
12	-	744	15.2 %
13	-	633	13.0 %
14	-	313	6.4 %
15	-	158	3.2 %
16	-	104	2.1 %
17	-	25	0.5 %
18	-	13	0.3 %
19	-	3	0.1 %
20	-	5	0.1 %
21	-	5	0.1 %
22	-	4	0.1 %
23	-	6	0.1 %
24	-	3	0.1 %
25	-	1	0.0 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	2253	46.1 %
98 (M)	Don't know	25	0.5 %
99 (M)	Not applicable	1	0.0 %
. (M)	-	3	0.1 %

Based upon 2594 valid cases out of 4882 total cases.

- Mean: 12.66
- Median: 12.00
- Mode: 12.00
- Minimum: 7.00
- Maximum: 25.00
- Standard Deviation: 1.90

### H3WGT

### MEASURED WEIGHT-W3

Location: 3399-3405 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996

Question: Measured weight

<i>Value</i>	<i>Label</i>
888	Over 330 lbs--scale measured only to 330
996 (M)	Refused

\* Frequencies not displayed for this variable.

Based upon 4656 valid cases out of 4882 total cases.

- Study 21600 -

- Mean: 173.48
- Minimum: 84.00
- Maximum: 888.00
- Standard Deviation: 65.53

H3HGT_F	MEASURED HEIGHT,FEET-W3			
Location:	3406-3407 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , .			
Question:	Measured height [feet]			
Value	Label	Unweighted Frequency	%	
4	4 feet	84	1.7 %	
5	5 feet	3913	80.2 %	
6	6 feet	732	15.0 %	
7	7 feet	1	0.0 %	
96 (M)	Refused	141	2.9 %	
98 (M)	Don't know	1	0.0 %	
. (M)	-	10	0.2 %	

Based upon 4730 valid cases out of 4882 total cases.

- Mean: 5.14
- Median: 5.00
- Mode: 5.00
- Minimum: 4.00
- Maximum: 7.00
- Standard Deviation: 0.39

H3HGT_I	MEASURED HEIGHT,INCHES-W3			
Location:	3408-3409 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	96 , 98 , .			
Question:	Measured height [inches]			
Value	Label	Unweighted Frequency	%	
0	0 inches	343	7.0 %	
1	1 inch	383	7.8 %	
2	2 inches	448	9.2 %	
3	3 inches	424	8.7 %	
4	4 inches	470	9.6 %	
5	5 inches	388	7.9 %	
6	6 inches	458	9.4 %	

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	7 inches	409	8.4 %
8	8 inches	362	7.4 %
9	9 inches	380	7.8 %
10	10 inches	317	6.5 %
11	11 inches	345	7.1 %
96 (M)	Refused	141	2.9 %
98 (M)	Don't know	1	0.0 %
. (M)	-	13	0.3 %

Based upon 4727 valid cases out of 4882 total cases.

- Mean: 5.34
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.32

#### H3HGT\_PI

#### MEASURED HEIGHT, PARTIAL INCH-W3

Location: 3410-3414 (width: 5; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 6.00 , 8.00 , .

Question: Measured height, partial inch

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	0 inches	1680	34.4 %
0.13	-	452	9.3 %
0.25	-	645	13.2 %
0.38	-	175	3.6 %
0.50	-	877	18.0 %
0.63	-	160	3.3 %
0.75	-	447	9.2 %
0.88	-	266	5.4 %
6.00 (M)	Refused	141	2.9 %
8.00 (M)	Don't know	1	0.0 %
. (M)	-	38	0.8 %

Based upon 4702 valid cases out of 4882 total cases.

- Mean: 0.30
- Median: 0.25
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 0.88
- Standard Deviation: 0.29

CH	CHLAMYDIA ASSAY RESULTS			
Location:	3415-3415 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6			
Question:	Chlamydia assay results			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	No results	194	4.0 %
	2	Positive	202	4.1 %
	3	Negative	4092	83.8 %
	6 (M)	Refused	394	8.1 %

Based upon 4488 valid cases out of 4882 total cases.

- Mean: 2.87
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.45

GC	GONORRHEAEE ASSAY RESULTS			
Location:	3416-3416 (width: 1; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	6			
Question:	Gonorrhea assay results			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	No results	488	10.0 %
	2	Positive	24	0.5 %
	3	Negative	3976	81.4 %
	6 (M)	Refused	394	8.1 %

Based upon 4488 valid cases out of 4882 total cases.

- Mean: 2.78
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

- Study 21600 -

### TRICH

### TRICH ASSAY RESULTS

Location: 3417-3417 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6  
 Question: Trich assay results

Value	Label	Unweighted Frequency	%
1	No results	227	4.6 %
2	Positive	125	2.6 %
3	Negative	4136	84.7 %
6 (M)	Refused	394	8.1 %

Based upon 4488 valid cases out of 4882 total cases.

- Mean: 2.87
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.46

### H3RPART

### AGREE TO RECRUIT PARTNER-W3

Location: 3418-3419 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , 99  
 Question: Action taken by respondent

Value	Label	Unweighted Frequency	%
1	Resp passed on letter;spouse/partner available can proceed	156	3.2 %
2	Resp passed on letter;spouse/partner not available now	273	5.6 %
3	Resp agreed pass on letter;spouse/partner not there	335	6.9 %
4	Resp agreed pass on letter;spouse/partner there, not avail	113	2.3 %
5	Respondent didn't agree to pass on the letter	178	3.6 %
6	In partner sample--no eligible partner	1103	22.6 %
7	In partner sample-eligible partnr/not recruit/computer error	228	4.7 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	2465	50.5 %
98 (M)	Don't know	1	0.0 %
99 (M)	Not applicable	26	0.5 %

Based upon 2386 valid cases out of 4882 total cases.

- Mean: 4.72

- Study 21600 -

- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.86

**H3IR1**

**S35Q1 PHYSICAL ATTRACTIVENESS OF R-W3**

Location: 3420-3420 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: How physically attractive is the respondent?

Value	Label	Unweighted Frequency	%
1	Very unattractive	84	1.7 %
2	Unattractive	239	4.9 %
3	About average	2210	45.3 %
4	Attractive	1790	36.7 %
5	Very attractive	554	11.3 %
. (M)	-	5	0.1 %

Based upon 4877 valid cases out of 4882 total cases.

- Mean: 3.51
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.82

**H3IR2**

**S35Q2 PERSONALITY ATTRACTIVENESS OF R-W3**

Location: 3421-3421 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: How attractive is the respondent's personality?

Value	Label	Unweighted Frequency	%
1	Very unattractive	94	1.9 %
2	Unattractive	171	3.5 %
3	About average	1891	38.7 %
4	Attractive	1911	39.1 %
5	Very attractive	809	16.6 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 3.65

- Study 21600 -

- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.86

<b>H3IR3</b>	<b>S35Q3 GROOMING-W3</b>		
<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	Very poorly groomed	30	0.6 %
2	Poorly groomed	243	5.0 %
3	About average	2309	47.3 %
4	Well groomed	1792	36.7 %
5	Very well groomed	502	10.3 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 3.51
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.77

<b>H3IR4</b>	<b>S35Q4 RACE OF RESPONDENT BY FI-W3</b>		
<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	White	3390	69.4 %
2	Black/African American	1199	24.6 %
3	American Indian/Alaska Native	82	1.7 %
4	Asian/Pacific Islander	205	4.2 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 1.41
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

**H3IR5**

**S35Q5 THIRD PERSON PRESENT AT INTRVW-W3**

Location: 3424-3424 (width: 1; decimal: 0)

Variable Type: numeric

Question: Was a third person present during any portion of the interview not just walking through the area where the interview was being conducted, but listening to or taking part in the interview process?

Value	Label	Unweighted Frequency	%
0	No	3735	76.5 %
1	Yes	1141	23.4 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

**H3IR6**

**S35Q6 INTERRUPTIONS DURING INTERVIEW-W3**

Location: 3425-3425 (width: 1; decimal: 0)

Variable Type: numeric

Question: How many interruptions occurred during the interview ?

Value	Label	Unweighted Frequency	%
0	No interruptions	2845	58.3 %
1	A few interruptions	1698	34.8 %
2	Many interruptions	333	6.8 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.62

- Study 21600 -

**H3IR7**

**S35Q7 LOCATION OF INTERVIEW-W3**

Location: 3426-3426 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Where was the interview conducted ?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Inside respondent's residence	3864	79.1 %
2	Immediately outside respondent's residence	60	1.2 %
3	Inside a parent's residence	403	8.3 %
4	Immediately outside a parent's residence	12	0.2 %
5	In interviewer's car	4	0.1 %
6	At another location	533	10.9 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.60

**H3IR8**

**S35Q8 CONCERN FOR SAFETY-W3**

Location: 3427-3427 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: When you went to the interview site, did you feel concerned for your safety?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4658	95.4 %
1	Yes	218	4.5 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

**H3IR9**

**S35Q9 R APPEARED TO BE DRUNK-W3**

Location: 3428-3428 (width: 1; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Did the respondent appear to be drunk or under the influence of a drug?

Value	Label	Unweighted Frequency	%
0	No	4795	98.2 %
1	Yes	17	0.3 %
2	Perhaps	64	1.3 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.23

**H3IR10**

**S35Q10 R APPEARED BORED/IMPATIENT-W3**

Location: 3429-3429 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did the respondent ever seem bored or impatient during the interview?

Value	Label	Unweighted Frequency	%
0	No	4177	85.6 %
1	Yes	699	14.3 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**H3IR11**

**S35Q11 BOREDOM NEG AFFECT ON INTRVW-W3**

Location: 3430-3430 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Did the respondent's boredom or impatience negatively affect the quality of the interview?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	565	11.6 %
1	Yes	134	2.7 %
7 (M)	Legitimate skip	4177	85.6 %
. (M)	-	6	0.1 %

Based upon 699 valid cases out of 4882 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

#### H3IR12

#### S35Q12 R APPEARED EMBARRASSED-W3

Location: 3431-3431 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did the respondent ever appear embarrassed about answering questions during the interview?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4644	95.1 %
1	Yes	232	4.8 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

#### H3IR13

#### S35Q13 CANDIDNESS OF R-W3

Location: 3432-3432 (width: 1; decimal: 0)

Variable Type: numeric

Question: In your opinion, was the respondent candid in {HIS/HER} responses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	206	4.2 %
1	Yes	4670	95.7 %
. (M)	-	6	0.1 %

- Study 21600 -

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

**H3IR14****S35Q14 IS RESPONDENT BLIND-W3**

Location: 3433-3433 (width: 1; decimal: 0)

Variable Type: numeric

Question: Is the respondent blind?

Value	Label	Unweighted Frequency	%
0	No	4863	99.6 %
1	Yes, in one eye	7	0.1 %
2	Yes, in both eyes	6	0.1 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.08

**H3IR15****S35Q15 IS RESPONDENT DEAF-W3**

Location: 3434-3434 (width: 1; decimal: 0)

Variable Type: numeric

Question: Is the respondent deaf?

Value	Label	Unweighted Frequency	%
0	No	4867	99.7 %
1	Yes, somewhat	6	0.1 %
2	Yes, completely	3	0.1 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.06

**H3IR16**

**S35Q16 IS RESPONDENT PHYS DISABLED-W3**

Location: 3435-3435 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Is the respondent physically disabled?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4814	98.6 %
1	Yes	62	1.3 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**H3IR17**

**S35Q17 RESPONDENT SKIN COLOR-W3**

Location: 3436-3436 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: What is the respondent's skin color?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Black	343	7.0 %
2	Dark brown	346	7.1 %
3	Medium brown	523	10.7 %
4	Light brown	514	10.5 %
5	White	3150	64.5 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 4.19
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.28

- Study 21600 -

**H3IR18**

**S35Q18 RESPONDENT HAIR COLOR-W3**

Location: 3437-3437 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: What color is the respondent's hair?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No hair: bald or shaved	39	0.8 %
1	Black	1654	33.9 %
2	Brown	2069	42.4 %
3	Blond	877	18.0 %
4	Red	181	3.7 %
6	Other	56	1.1 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.94

**H3IR19**

**S35Q19 RESPONDENT EYE COLOR-W3**

Location: 3438-3438 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: What color are the respondent's eyes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Black	314	6.4 %
2	Brown	2618	53.6 %
3	Hazel	629	12.9 %
4	Blue	926	19.0 %
5	Green	252	5.2 %
6	Other	137	2.8 %
. (M)	-	6	0.1 %

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 2.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00

- Study 21600 -

- Standard Deviation: 1.17

<b>H3IR20</b>	<b>S35Q20 R NEED HELP W/SELF ADMIN-W3</b>																										
Location:	3439-3439 (width: 1; decimal: 0)																										
Variable Type:	numeric																										
Range of Missing Values (M):	5 , .																										
Question:	Did the respondent require your help in completing the self administered part of the questionnaire?																										
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No</td><td style="text-align: right;">3999</td><td style="text-align: right;">81.9 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Yes, all of the self-administered questions</td><td style="text-align: right;">110</td><td style="text-align: right;">2.3 %</td></tr> <tr> <td style="text-align: center;">2</td><td>Yes, some of the self-administered questions</td><td style="text-align: right;">703</td><td style="text-align: right;">14.4 %</td></tr> <tr> <td style="text-align: center;">5 (M)</td><td>Question not asked of this respondent</td><td style="text-align: right;">66</td><td style="text-align: right;">1.4 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">4</td><td style="text-align: right;">0.1 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	3999	81.9 %	1	Yes, all of the self-administered questions	110	2.3 %	2	Yes, some of the self-administered questions	703	14.4 %	5 (M)	Question not asked of this respondent	66	1.4 %	. (M)	-	4	0.1 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																								
0	No	3999	81.9 %																								
1	Yes, all of the self-administered questions	110	2.3 %																								
2	Yes, some of the self-administered questions	703	14.4 %																								
5 (M)	Question not asked of this respondent	66	1.4 %																								
. (M)	-	4	0.1 %																								

Based upon 4812 valid cases out of 4882 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.71

<b>H3IR21</b>	<b>S35Q21 ANYTHING ESSENTIAL-W3</b>																		
Location:	3440-3440 (width: 1; decimal: 0)																		
Variable Type:	numeric																		
Question:	Note anything else essential to the interpretation and understanding of this interview.																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No comments</td><td style="text-align: right;">3535</td><td style="text-align: right;">72.4 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Enter comments</td><td style="text-align: right;">1341</td><td style="text-align: right;">27.5 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">6</td><td style="text-align: right;">0.1 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No comments	3535	72.4 %	1	Enter comments	1341	27.5 %	. (M)	-	6	0.1 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																
0	No comments	3535	72.4 %																
1	Enter comments	1341	27.5 %																
. (M)	-	6	0.1 %																

Based upon 4876 valid cases out of 4882 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45