

ICPSR 21600

**National Longitudinal Study of
Adolescent Health (Add Health),
1994-2008**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Codebook for Wave 4, Public Use Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/21600/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
6.0% (55 of 922 variables)		have 0% Missing Values
24.0% (221 of 922 variables)		have 0% - 1% Missing Values
5.9% (54 of 922 variables)		have 1% - 3% Missing Values
2.6% (24 of 922 variables)		have 3% - 5% Missing Values
4.8% (44 of 922 variables)		have 5% - 10% Missing Values
H4WP9	S2Q9 HAS BIO FATHER SERVED TIME-W4	5.7%
H4WP20	S2Q20 MOM FIGURE TRVL TIME DSTANCE-W4	5.8%
H4WP23	S2Q23 MOM FIGURE GOOD COMMUNICATION-W4	5.7%
H4WP24	S2Q24 HOW CLOSE TO MOM FIGURE-W4	5.7%
H4WP25	S2Q25 NUM TIME MOM FIG GIVE \$ LIV EXP-W4	5.8%
H4WP26	S2Q26 NUM TIME GIVE \$ TO MOM FIG -W4	5.8%
H4WS2	S3Q2 NO SIBLINGS THAT HAVE DIED-W4	5.1%
H4LM5	S11Q5 AGE STRT 1ST PAID FULL TIME JOB-W4	5.5%
H4LM6	S11Q6 STILL WORK FIRST PAY JOB EVER-W4	6.6%
H4EC1	S12Q1 TOTAL HOUSEHOLD INC 06/07/08-W4	6.9%
H4EC2	S12Q2 INCOME PERS EARNINGS 06/07/08-W4	5.2%
H4EC8	S12Q8 BEST EST TOTAL COLL HSHLD DEBT-W4	7.5%
H4SE7	S15Q7 AGE FIRST TIME VAGINAL SEX-W4	7.1%
H4SE10	S15Q10 AGE 1ST TIME HAD ORAL SEX-W4	9.7%
H4RD2D	S17Q2 TIME DUR INVLD CRNT PTNR, DAYS-W4	8.0%
H4RD2M	S17Q2 TIME DUR INVLD CRNT PTNR, MNTHS-W4	6.3%
H4RD2Y	S17Q2 TIME DUR INVLD CRNT PTNR, YEARS-W4	5.1%
H4RD14	S17Q14 SEXUAL ACTIVITY W/ PTNR, NUMBER-W4	7.5%
H4RD14T	S17Q14 SEXUAL ACTIVITY W/ PRTNR, UNIT-W4	8.0%
H4DS13	S21Q13 12 MO YOUR PROP STOLEN >\$50-W4	8.9%
H4DS14	S21Q14 12 MO,SAW ONE SHOOT/STAB PERS-W4	8.9%
H4DS15	S21Q15 12 MO,PULLED GUN/KNIFE ON YOU-W4	8.9%
H4DS16	S21Q16 12 MO,SOMEONE SHOT/STAB YOU-W4	8.9%
H4DS17	S21Q17 12 MO,ONE SLAP/HIT/CHOKE YOU-W4	8.9%
H4DS18	S21Q18 12 MO,YOU WERE BEATEN UP-W4	8.9%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4DS19	S21Q19 12 MO,PULL KNIFE/GUN SOMEONE-W4	8.9%
H4DS20	S21Q20 12 MO,SHOT/STABBED SOMEONE-W4	8.9%
H4DA28	S25Q28 CONSIDER CONSERV/LIBERAL/MIDDL-W4	6.3%
H4EO1	S30Q1 VISITED RESPONDENT HOME-W4	9.5%
H4EO2	S29Q2 ENVIRON DATA FROM CDF/MEMORY-W4	8.9%
H4EO3	S29Q3 BUILDING CRACKING/ENTR UNSAFE-W4	8.8%
H4EO4	S29Q4 YARD UNKEMPT W/ DEBRIS/TRASH-W4	8.8%
H4EO5A	S29Q5A BARRIER-NONE-W4	8.7%
H4EO5B	S29Q5B BARRIER-HAVE TO CALL UNIT-W4	8.7%
H4EO5C	S29Q5C BARRIER-DOOR PRSN GIVE ACCESS-W4	8.7%
H4EO5D	S29Q5D BARRIER-DOOR PRSN AT GATE-W4	8.7%
H4EO5E	S29Q5E BARRIER-MANAGR CONTRL ACCESS-W4	8.7%
H4EO5F	S29Q5F BARRIER-LOCKD ENTRY NO BUZZER-W4	8.7%
H4EO5G	S29Q5G BARRIER-LOCKD ENTRY/HAS BUZZR-W4	8.7%
H4EO5H	S29Q5H BARRIER-LOCKD ENTRY/BUZZR/LABL-W4	8.7%
H4EO5I	S29Q5I BARRIER-THREATENING ANIMAL-W4	8.7%
H4EO5J	S29Q5J BARRIER-THREATENING SIGN-W4	8.7%
H4EO6	S29Q6 DOMINT LAND USE OF IMMED AREA-W4	8.7%
H4EO7	S29Q7 CONCERN FOR SAFETY-W4	8.7%
4.9% (45 of 922 variables)		have 10% - 20% Missing Values
H4WP34	S2Q34 DAD FIGURE TRVL TIME DSTANCE-W4	17.5%
H4WP37	S2Q37 DAD FIGURE GOOD COMMUNICATION-W4	17.3%
H4WP38	S2Q38 HOW CLOSE TO DAD FIGURE-W4	17.3%
H4WP39	S2Q39 NUM TIME DAD FIG GIVE \$ LIV EXP-W4	17.3%
H4WP40	S2Q40 NUM TIME GIVE \$ TO DAD FIG-W4	17.3%
H4HR4	S8Q4 HOW MANY PEOPLE RESP LIVES WITH-W4	13.0%
H4HR5A	S8Q5A HH MEMBER 1-GENDER-W4	13.0%
H4HR6A	S8Q6A HH MEMBER 1-AGE-W4	13.4%
H4HR8A	S8Q8A HH MEMBER 1-RELATION TO RESP-W4	13.0%
H4LM7	S11Q7 ANOTHER JOB SINCE 1ST > 10H/WK-W4	19.6%
H4LM11	S11Q11 CURRENTLY WORK/10 HRS WEEK-W4	16.4%
H4LM12	S11Q12 # JOBS CURRENTLY WORK/10HRS/WK-W4	20.0%
H4LM22	S11Q22 SPEND MST TIME STAND/SEAT WORK-W4	20.0%
H4EC7	S12Q7 BEST EST TOT COMBINED ASSETS-W4	10.4%
H4MH14A	S14Q14A NUMBER STRING/1-5-2-8-6-W4	12.0%
H4SE8	S15Q8 NUM PARTNERS VAGINAL SEX-W4	11.1%
H4SE26A	S15Q26A PST 12 MTHS-USE CONDOMS-W4	14.7%
H4SE26B	S15Q26B PST 12 MTHS-USE FMALE CONDOMS-W4	14.7%
H4SE26C	S15Q26C PST 12 MOS-ORAL BIRTH CONTROL-W4	14.7%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4SE26D	S15Q26D PST 12 MTHS-BRTH CTRL INJECT-W4	14.7%
H4SE26E	S15Q26E PST 12 MTHS-EMERG CNTRCPTN-W4	14.7%
H4SE26F	S15Q26F PST 12 MTHS-BRTH CTRL IMPLANT-W4	14.7%
H4SE26G	S15Q26G PST 12 MTHS-DIAPHRAGM-W4	14.7%
H4SE26H	S15Q26H PST 12 MTHS-IUD-W4	14.7%
H4SE26I	S15Q26I PST 12 MTHS-NTRL FAM PLANNING-W4	14.7%
H4SE26J	S15Q26J PST 12 MTHS-WITHDRAWAL METHOD-W4	14.7%
H4SE26K	S15Q26K PST 12 MTHS-RHYTHM METHOD-W4	14.7%
H4SE26L	S15Q26L PST 12 MTHS-VAGINAL SPONGE-W4	14.7%
H4SE26M	S15Q26M PST 12 MTHS-SPERMICIDE CRM-W4	14.7%
H4SE26N	S15Q26N PST 12 MTHS-RING-W4	14.7%
H4SE26O	S15Q26O PST 12 MTHS-CONTRACPTVE PTCH-W4	14.7%
H4SE26P	S15Q26P PST 12 MTHS-CONTRACPTVE FILM-W4	14.7%
H4SE26Q	S15Q26Q PST 12 MTHS-EMERG IUD INSERT-W4	14.7%
H4SE26R	S15Q26R PST 12 MTHS-PARTNER VASECTOMY-W4	14.7%
H4SE26S	S15Q26S PST 12 MTHS-TUBAL LIGATION-W4	14.7%
H4SE26T	S15Q26T PST 12 MTHS-OTHR CONTRACEPTVE-W4	14.7%
H4SE26V	S15Q26V PST 12 MTHS NO METHOD USED-W4	14.7%
H4SE27	S15Q27 SEX W/ MORE 1 PTNR SAME TIME-W4	14.5%
H4SE28	S15Q28 TX PAID FOR SEX/ WAS PAID SEX-W4	14.5%
H4DA14	S25Q14 DAILY COMMUTE TIME TO WRK/SCHL-W4	15.7%
H4DA15A	S25Q15A WORK/SCHOOL TRANSPORT-CAR-W4	15.4%
H4DA15B	S25Q15B WORK/SCHOOL TRNSPRT-PUB TRNSP-W4	15.4%
H4DA15C	S25Q15C WORK/SCHOOL TRANSPORT-WALK-W4	15.4%
H4DA15D	S25Q15D WORK/SCHOOL TRANSPORT-BIKE-W4	15.4%
H4DA15E	S25Q15E WORK/SCHOOL TRANSPORT-NONE-W4	15.4%
3.6% (33 of 922 variables)		have 20% - 40% Missing Values
H4WP21	S2Q21 MOM FIGURE OFTEN SEE EACH/O-W4	21.3%
H4WP22	S2Q22 MOM FIGURE FREQ COMMUNICATE-W4	21.3%
H4WP35	S2Q35 DAD FIGURE OFTEN SEE EACH/O-W4	26.9%
H4WP36	S2Q36 DAD FIGURE FREQ COMMUNICATE-W4	26.9%
H4GH13H	S4Q13H TIME OF LAST CAFFEINE BEV HR-W4	30.2%
H4GH13M	S4Q13M TIME OF LAST CAFFEINE BEV MIN-W4	30.2%
H4GH13T	S4Q13T TIME OF LAST CAFFENE BEV AM/PM-W4	30.2%
H4HR5B	S8Q5B HH MEMBER 2-GENDER-W4	39.3%
H4HR6B	S8Q6B HH MEMBER 2-AGE-W4	39.6%
H4HR8B	S8Q8B HH MEMBER 2-RELATION TO RESP-W4	39.3%
H4ED3A	S9Q3 MOST RECENT DEGREE/CERTIF-W4	27.7%
H4ED9	S9Q9 HIGHEST EDUC LEVEL EVER EXPECTED-W4	24.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4LM9M	S11Q9M MTHS WRKD 1ST F/T JOB-W4	23.9%
H4LM9Y	S11Q9Y YRS WRKD 1ST F/T JOB-W4	24.2%
H4LM10	S11Q10 GOAL DESCRIPTION 1ST F/T JOB-W4	23.6%
H4MH15A	S14Q15A NUMBER STRING/5-3-9-4-1-8-W4	38.8%
H4TR10	S16AQ10 TOTAL # LIVE BIRTHS-W4	39.6%
H4RD8	S17Q8 EXTENT R'S LOVE FOR CRNT PTNR-W4	20.8%
H4RD9	S17Q9 EXTNT R'S HAPPINESS W/CRNT PTNR-W4	20.9%
H4RD10	S17Q10 EXTNT R COMMITTED TO/CRNT PTNR-W4	20.9%
H4RD12	S17Q12 LVL R'S CLOSENESS TO/CRNT PTNR-W4	20.9%
H4RD13	S17Q13 LIKELIHOOD RELATNSHP PERMANENT-W4	20.9%
H4TO2	S23Q2 AGE 1ST SMOKED ENTIRE CIGARETTE-W4	35.6%
H4TO3	S23Q3 EVER SMOKED CIGS REGULARLY-W4	35.1%
H4TO7	S23Q7 EVER SMOKE MORE THAN CURRENT-W4	35.0%
H4TO34	S23Q34 AGE 1ST DRINK ALCOHOL-W4	21.0%
H4TO35	S23Q35 PST 12 MON # DAYS DRINK ALCOH-W4	20.3%
H4TO36	S23Q36 PST 12 MON AVRG # DRINKS TIME-W4	29.0%
H4TO37	S23Q37 PST 12 MON MANY DAYS/5+ DRINKS-W4	28.5%
H4TO38	S23Q38 PST 12 MON # DAYS BEEN DRUNK-W4	28.4%
H4TO39	S23Q39 NUM DAYS HAD DRINK PST 30 DAYS-W4	28.3%
H4TO43	S23Q43 TIME WHEN DRANK MORE THAN NOW-W4	20.3%
H4DA25	S25Q25 GAMBLING FINANC/RELAT PROBLEMS-W4	26.8%
44.8% (413 of 922 variables)		have 40% - 99% Missing Values
H4OD3	S1Q3 LANG USED MOST W/FAMILY-W4	84.7%
H4OD5	S1Q5 HAVE BECOME A US CITIZEN-W4	96.5%
H4OD6Y	S1Q6Y YEAR BECAME A US CITIZEN-W4	98.0%
H4OD7	S1Q7 TRYING TO BECOME A US CITIZEN-W4	98.7%
H4WP2Y	S2Q2Y BIO MOM DEATH-YEAR-W4	95.1%
H4WP4	S2Q4 NO TX BIO MOM IN JAIL/PRISON-W4	96.9%
H4WP5	S2Q5 YOUR AGE BIO MOM SNT JAIL/PRISON-W4	96.9%
H4WP6	S2Q6 YOUR AGE BIO MOM REL JAIL/PRISON-W4	96.9%
H4WP8Y	S2Q8Y BIO DAD DEATH-YEAR-W4	89.2%
H4WP10	S2Q10 NO TX BIO DAD IN JAIL/PRISON-W4	88.8%
H4WP11	S2Q11 YOUR AGE BIO DAD SNT JAIL/PRISN-W4	89.8%
H4WP12	S2Q12 YOUR AGE BIO DAD REL JAIL/PRISN-W4	89.9%
H4WP14	S2Q14 IS MOM FIGURE STILL ALIVE-W4	91.9%
H4WP15Y	S2Q15Y MOM FIGURE DEATH-YEAR-W4	98.3%
H4WP16	S2Q16 MOM FIGURE SRV TME JAIL/PRIS-W4	91.9%
H4WP17	S2Q17 NO TX MOM FIGURE IN JAIL/PRS-W4	99.9%
H4WP18	S2Q18 YOUR AGE MOM FIGURE SNT JAIL-W4	100.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4WP28	S2Q28 IS DAD FIGURE STILL ALIVE-W4	81.7%
H4WP29Y	S2Q29Y DAD FIGURE DEATH-YEAR-W4	97.4%
H4WP30	S2Q30 DAD FIGURE SRV TME JAIL/PRIS-W4	81.7%
H4WP31	S2Q31 NO TX DAD FIGURE IN JAIL/PRS-W4	98.2%
H4WP32	S2Q32 YOUR AGE DAD FIGURE SNT JAIL-W4	98.3%
H4WP33	S2Q33 YOUR AGE DAD FIGURE REL JAIL-W4	98.3%
H4GH3M	S4Q3M LAST MENSTRUAL PERIOD START M-W4	47.1%
H4GH3D	S4Q3D LAST MENSTRUAL PERIOD START D-W4	46.2%
H4GH3Y	S4Q3Y LAST MENSTRUAL PERIOD START Y-W4	46.8%
H4GH4A	S4Q4A LAST MENSTRL PERIOD START EST-W4	97.6%
H4GH4B	S4Q4B LAST MENST EST START DAY/WK/MTH-W4	97.5%
H4HS2A	S5Q2A WHY NO HEALTH INS-NO OFFER-W4	78.8%
H4HS2B	S5Q2B WHY NO HLTH INS-TOO EXPENSIVE-W4	79.0%
H4HS2C	S5Q2C WHY NO HLTH INS-NOT NEED/WANT-W4	78.9%
H4HS2D	S5Q2D WHY NO HLTH INS-DENIED INSUR-W4	79.0%
H4HS5	S5Q5 PAST12 MON PROB GOT WORSE-W4	75.4%
H4ID2	S06Q2 LIMIT:CLIMB SEV. FLIGHT STAIRS-W4	90.9%
H4ID3	S06Q3 LIMIT CAUSE BY COND>YR/RECENT-W4	90.9%
H4ID15	S06Q15 W/CORRECTION HOW IS EYESIGHT-W4	53.2%
H4ID19	S06Q19 BEST DESCRIBES STUTT/STAM PROB-W4	95.9%
H4ID21	S06Q21 DURATION OF TINNITUS-W4	93.9%
H4ID22	S06Q22 FREQUENCY OF TINNITUS-W4	93.8%
H4ID24	S06Q24 FREQ VOICE PROBLEMS PAST YEAR-W4	94.3%
H4ID25	S06Q25 DIFFICULTY PROJECT/HEAR LST YR-W4	94.3%
H4ID26	S06Q26 DOES VOICE PROB AFFECT LIFE-W4	94.3%
H4HR2	S8Q2 KIND GROUP QUARTERS LIVING NOW-W4	98.9%
H4HR7A	S8Q7A HH MEMBER 1-APPROXIMATE AGE-W4	99.7%
H4HR9A	S8Q9A HH MEMBER 1-BEST/FIT RELATION-W4	75.0%
H4HR7B	S8Q7B HH MEMBER 2-APPROXIMATE AGE-W4	99.8%
H4HR9B	S8Q9B HH MEMBER 2-BEST/FIT RELATION-W4	51.8%
H4HR5C	S8Q5C HH MEMBER 3-GENDER-W4	61.9%
H4HR6C	S8Q6C HH MEMBER 3-AGE-W4	62.0%
H4HR7C	S8Q7C HH MEMBER 3-APPROXIMATE AGE-W4	99.8%
H4HR8C	S8Q8C HH MEMBER 3-RELATION TO RESP-W4	61.9%
H4HR9C	S8Q9C HH MEMBER 3-BEST/FIT RELATION-W4	69.8%
H4HR5D	S8Q5D HH MEMBER 4-GENDER-W4	82.8%
H4HR6D	S8Q6D HH MEMBER 4-AGE-W4	82.9%
H4HR7D	S8Q7D HH MEMBER 4-APPROXIMATE AGE-W4	100.0%
H4HR8D	S8Q8D HH MEMBER 4-RELATION TO RESP-W4	82.8%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4HR9D	S8Q9D HH MEMBER 4-BEST/FIT RELATION-W4	87.6%
H4HR5E	S8Q5E HH MEMBER 5-GENDER-W4	92.4%
H4HR6E	S8Q6E HH MEMBER 5-AGE-W4	92.5%
H4HR7E	S8Q7E HH MEMBER 5-APPROXIMATE AGE-W4	100.0%
H4HR8E	S8Q8E HH MEMBER 5-RELATION TO RESP-W4	92.4%
H4HR9E	S8Q9E HH MEMBER 5-BEST/FIT RELATION-W4	95.1%
H4HR5F	S8Q5F HH MEMBER 6-GENDER-W4	97.0%
H4HR6F	S8Q6F HH MEMBER 6-AGE-W4	97.0%
H4HR8F	S8Q8F HH MEMBER 6-RELATION TO RESP-W4	97.0%
H4HR9F	S8Q9F HH MEMBER 6-BEST/FIT RELATION-W4	98.5%
H4HR5G	S8Q5G HH MEMBER 7-GENDER-W4	98.6%
H4HR6G	S8Q6G HH MEMBER 7-AGE-W4	98.6%
H4HR8G	S8Q8G HH MEMBER 7-RELATION TO RESP-W4	98.6%
H4HR9G	S8Q9G HH MEMBER 7-BEST/FIT RELATION-W4	99.3%
H4HR5H	S8Q5H HH MEMBER 8-GENDER-W4	99.4%
H4HR6H	S8Q6H HH MEMBER 8-AGE-W4	99.4%
H4HR8H	S8Q8H HH MEMBER 8-RELATION TO RESP-W4	99.4%
H4HR9H	S8Q9H HH MEMBER 8-BEST/FIT RELATION-W4	99.8%
H4HR5I	S8Q5I HH MEMBER 9-GENDER-W4	99.6%
H4HR6I	S8Q6I HH MEMBER 9-AGE-W4	99.6%
H4HR8I	S8Q8I HH MEMBER 9-RELATION TO RESP-W4	99.6%
H4HR9I	S8Q9I HH MEMBER 9-BEST/FIT RELATION-W4	99.9%
H4HR5J	S8Q5J HH MEMBER 10-GENDER-W4	99.9%
H4HR6J	S8Q6J HH MEMBER 10-AGE-W4	99.9%
H4HR8J	S8Q8J HH MEMBER 10-RELATION TO RESP-W4	99.9%
H4HR9J	S8Q9J HH MEMBER 10-BEST/FIT RELATION-W4	100.0%
H4HR5K	S8Q5K HH MEMBER 11-GENDER-W4	99.9%
H4HR6K	S8Q5K HH MEMBER 11-AGE-W4	99.9%
H4HR8K	S8Q8K HH MEMBER 11-RELATION TO RESP-W4	99.9%
H4HR9K	S8Q9K HH MEMBER 11-BEST/FIT RELATION-W4	100.0%
H4HR5L	S8Q5L HH MEMBER 12-GENDER-W4	99.9%
H4HR6L	S8Q6L HH MEMBER 12-AGE-W4	99.9%
H4HR8L	S8Q8L HH MEMBER 12-RELATION TO RESP-W4	99.9%
H4HR9L	S8Q9L HH MEMBER 12-BEST/FIT RELATION-W4	100.0%
H4HR5M	S8Q5M HH MEMBER 13-GENDER-W4	100.0%
H4HR6M	S8Q6M HH MEMBER 13-AGE-W4	100.0%
H4HR8M	S8Q8M HH MEMBER 13-RELATION TO RESP-W4	100.0%
H4HR5N	S8Q5N HH MEMBER 14-GENDER-W4	100.0%
H4HR6N	S8Q6N HH MEMBER 14-AGE-W4	100.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4HR8N	S8Q8N HH MEMBER 14-RELATION TO RESP-W4	100.0%
H4HR5O	S8Q5O HH MEMBER 15-GENDER-W4	100.0%
H4HR6O	S8Q6O HH MEMBER 15-AGE-W4	100.0%
H4HR8O	S8Q8O HH MEMBER 15-RELATION TO RESP-W4	100.0%
H4HR11YA	S8Q11YA YEAR MOVED STATE LISTED 1-W4	70.6%
H4HR11YB	S8Q11YB YEAR MOVED STATE LISTED 2-W4	70.2%
H4HR11YC	S8Q11YC YEAR MOVED STATE LISTED 3-W4	84.2%
H4HR11YD	S8Q11YD YEAR MOVED STATE LISTED 4-W4	92.5%
H4HR11YE	S8Q11YE YEAR MOVED STATE LISTED 5-W4	96.1%
H4HR11YF	S8Q11YF YEAR MOVED STATE LISTED 6-W4	97.9%
H4HR11YG	S8Q11YG YEAR MOVED STATE LISTED 7-W4	98.9%
H4HR11YH	S8Q11YH YEAR MOVED STATE LISTED 8-W4	99.5%
H4HR11YI	S8Q11YI YEAR MOVED STATE LISTED 9-W4	99.7%
H4HR11YJ	S8Q11YJ YEAR MOVED STATE LISTED 10-W4	99.9%
H4ED3B	S9Q3 2ND MOST RECENT DEGREE/CERTIF-W4	86.1%
H4ED3C	S9Q3 3RD MOST RECENT DEGREE/CERTIF-W4	98.0%
H4ED3D	S9Q3 4TH MOST RECENT DEGREE/CERTIF-W4	99.8%
H4ED3E	S9Q3 5TH MOST RECENT DEGREE/CERTIF-W4	100.0%
H4ED4A	S9Q4 YR RECVD MOST RECENT DEGREE-W4	50.5%
H4ED4B	S9Q4 YR RECVD 2ND MOST RECENT DEGREE-W4	86.1%
H4ED4C	S9Q4 YR RECVD 3RD MOST RECENT DEGREE-W4	98.0%
H4ED4D	S9Q4 YR RECVD 4TH MOST RECENT DEGREE-W4	99.8%
H4ED4E	S9Q4 YR RECVD 5TH MOST RECENT DEGREE-W4	100.0%
H4ED5A	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	50.5%
H4ED5B	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	86.1%
H4ED5C	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	98.0%
H4ED5D	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	99.8%
H4ED5E	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	100.0%
H4MI2	S10Q2 SERVICE IN/OUTSIDE THE US-W4	93.1%
H4MI3	S10Q3 CURRENTLY SERVING IN MILITARY-W4	93.1%
H4MI4A	S10Q4A SERVED BEFORE ARMY-W4	93.1%
H4MI4B	S10Q4B SERVED BEFORE AIR FORCE-W4	93.1%
H4MI4C	S10Q4C SERVED BEFORE MARINES-W4	93.1%
H4MI4D	S10Q4D SERVED BEFORE NAVY-W4	93.1%
H4MI4E	S10Q4E SERVED BEFORE COAST GUARD-W4	93.1%
H4MI5	S10Q5 CURRENT BRANCH OF ARMED FORCES-W4	99.9%
H4MI6A	S10Q6A COMPONENT SERVED ACTIVE DUTY-W4	93.2%
H4MI6B	S10Q6B COMPONENT SERVED RESERVES-W4	93.2%
H4MI6C	S10Q6C COMPONENT SERVED NATL GUARD-W4	93.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4MI7	S10Q7 COMPONENT CURRENTLY SERVING-W4	99.5%
H4MI8Y	S10Q8Y YEAR START ACT/MILITARY DUTY-W4	93.2%
H4MI9Y	S10Q9Y YEAR DISCHARGED ACT/MILITARY-W4	95.2%
H4MI10	S10Q10 HIGHEST MILITARY RANK ACHIEVED-W4	93.2%
H4MI11Y	S10Q11Y TOTAL ACTIVE DUTY TIME YEARS-W4	94.2%
H4MI11M	S10Q11M TOTAL ACTIVE DUTY TIME MONTHS-W4	94.2%
H4MI12Y	S10Q12Y TOTAL COMBAT TIME YEARS-W4	94.2%
H4MI12M	S10Q12M TOTAL COMBAT TIME MONTHS-W4	94.2%
H4MI13	S10Q13 NUMBER OF COMBAT ENGAGEMENTS-W4	97.5%
H4MI14	S10Q14 KILLED SOMEONE DURING COMBAT-W4	97.5%
H4MI15	S10Q15 WOUNDED/INJURED DURING COMBAT-W4	97.4%
H4MI16A	S10Q16A SAW DEAD/WOUNDED ALLY-W4	97.4%
H4MI16B	S10Q16B SAW DEAD/WOUNDED ENEMY-W4	97.4%
H4MI16C	S10Q16C SAW DEAD/WOUNDED CIVILIAN-W4	97.4%
H4MI16D	S10Q16D SAW DEAD/WOUNDED NO-W4	97.4%
H4MI17	S10Q17 WILL GIVE SOCIAL SECURITY NUM-W4	93.2%
H4LM2	S11Q2 EVER WORK 9 WEEKS/MORE/10 HRS-W4	94.8%
H4LM13	S11Q13 TOTAL HR/WK CURRENTLY WORKING-W4	93.6%
H4LM14	S11Q14 DESCR CURRENT WORK STATUS-W4	82.1%
H4LM16Y	S11Q16Y YEAR PAY JOB ENDED-W4	82.0%
H4LM17	S11Q17 REASON LEFT MST RECENT JOB-W4	85.1%
H4EC3	S12Q3 BEST GUESS INCOME PERS EARNINGS-W4	97.2%
H4EC5	S12Q5 CURRENT RESID MORTGAGE BALANCE-W4	62.0%
H4EC16	S12Q16 B AGE 18 HH MEM REC PUB ASSIST-W4	82.6%
H4EC17	S12Q17 HOW LONG HH MEM REC PUB ASSIST-W4	94.9%
H4RE2	S13Q2 PRESENT RELIGION OTHR CHRISTIAN-W4	93.6%
H4RE3	S13Q3 FUNDAMENTALIST/LIBERAL/PENTECTL-W4	42.4%
H4RE4	S13Q4 TRADITIONAL/MODERATE/LIBERAL-W4	82.2%
H4RE5	S13Q5 ORTHODOX/CONSERVATIVE/REFORM-W4	99.3%
H4RE6	S13Q6 DENOMINATION-W4	41.6%
H4MH11B	S14Q11B NUMBER STRING/5-7-W4	99.6%
H4MH12B	S14Q12B NUMBER STRING/4-1-5-W4	89.8%
H4MH13B	S14Q13B NUMBER STRING/4-9-6-8-W4	80.2%
H4MH14B	S14Q14B NUMBER STRING/6-1-8-4-3-W4	56.4%
H4MH15B	S14Q15B NUMBER STRING/7-2-4-8-5-6-W4	65.2%
H4MH16A	S14Q16A NUMBER STRING/8-1-2-9-3-6-5-W4	60.7%
H4MH16B	S14Q16B NUMBER STRING/4-7-3-9-1-2-8-W4	75.3%
H4MH17A	S14Q17A NUMBER STRING/9-4-3-7-6-2-5-8-W4	77.0%
H4MH17B	S14Q17B NUMBER STRING/7-2-8-1-9-6-5-3-W4	82.9%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4MH29	S14Q29 REASON TREATED LESS RESPECT-W4	75.8%
H4SE3	S15Q3 SUICIDE ATTEMPT CAUSE INJURY-W4	98.7%
H4SE5	S15Q5 FAMILY/FRND KILLED BY SUICIDE-W4	93.2%
H4SE12	S15Q12 AGE 1ST ANAL INTERCOURSE-W4	58.3%
H4SE14	S15Q14 BEST EST NO MALE PARTNERS-W4	99.0%
H4SE15	S15Q15 NO MALE PTNR BFORE 18-W4	46.2%
H4SE16	S15Q16 BEST EST NO MALE PTNR BFORE 18-W4	99.5%
H4SE17	S15Q17 NO MALE PTNR LST YR -W4	50.2%
H4SE18	S15Q18 BEST EST NO MALE PTNR LST YR -W4	99.9%
H4SE20	S15Q20 EST NO FEMALE PTNRS EVER HAD-W4	98.0%
H4SE22	S15Q22 EST NO FEMALE PTNR BEFORE 18-W4	99.3%
H4SE23	S15Q23 NO FEM PTNR LST YR-W4	52.1%
H4SE24	S15Q24 BEST EST NO FEM PTNR LST YR-W4	99.7%
H4SE33	S15Q33 AGE 1ST NON-PHYS FORCED SEX-W4	87.7%
H4SE35	S15Q35 AGE 1ST TIME PHYS FORCED SEX-W4	91.6%
H4SE37A	S15Q37A DX LST YR-CHLAMYDIA-W4	88.4%
H4SE37B	S15Q37B DX LST YR-GONORRHEA-W4	96.1%
H4SE37C	S15Q37C DX LST YR-TRICHOMONIASIS-W4	96.6%
H4SE37D	S15Q37D DX LST YR-SYPHILIS-W4	99.8%
H4SE37E	S15Q37E DX LST YR-GENITAL HERPES-W4	97.0%
H4SE37F	S15Q37F DX LST YR-GENITAL WARTS-W4	97.4%
H4SE37G	S15Q37G DX LST YR-HEPATITIS B-W4	99.9%
H4SE37H	S15Q37H DX LST YR-HUM PAPILLOMA VIRUS-W4	93.5%
H4SE37I	S15Q37I DX LST YR-PELV INFLAM DISEASE-W4	98.8%
H4SE37J	S15Q37J DX LST YR-CERVICITIS OR MPC-W4	99.9%
H4SE37K	S15Q37K DX LST YR-URETHRITIS (NGU)-W4	99.9%
H4SE37L	S15Q37L DX LST YR-VAGINITIS-W4	98.0%
H4SE37N	S15Q37N DX LST YR-ANY OTHER STD-W4	99.5%
H4SE37O	S15Q37O DX LST YR-HAD NO STD-W4	74.6%
H4TR7	S16AQ7 R CURRENTLY PREGNANT-W4	46.2%
H4TR8	S16AQ8 R PROBABLY PREGNANT-W4	100.0%
H4TR11	S16AQ11 TOTAL # CHILDREN STILL LIVING-W4	49.1%
H4RD1	S17Q1 R'S AGE ROMANTIC REL. BEGAN-W4	82.5%
H4RD3	S17Q3 RELATIONSHIP TYPE W/ PARTNER-W4	73.3%
H4RD4	S17Q4 R/P HOME OTHER THAN CO-HAB?-W4	73.7%
H4RD5	S17Q5 FREQ. NIGHT TOGETHER-W4	67.5%
H4RD6	S17Q6 CRNT STATUS OF MARRIAGE TO PTNR-W4	56.4%
H4RD11	S17Q11 CHANCE R AND CRNT PARTNR MARRY-W4	63.7%
H4RD20	S17Q20 FREQ. R INJURED BY PARTNER-W4	87.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4RD24	S17Q24 FREQ. PARTNER INJURED BY R-W4	90.7%
H4KK14	S20BQ14 LANGUAGE SPOKEN CHILD AT HOME-W4	49.6%
H4KK15A	S20BQ15 R HAPPY IN ROLE AS A PARENT-W4	49.6%
H4KK15B	S20BQ15 R FEEL CLOSE TO CHILD(REN)-W4	49.5%
H4KK15C	S20BQ15 CHILD(REN) MAJOR STRESS TO R-W4	49.5%
H4KK15D	S20BQ15 PARENT RESPONSBLTY OVRWHELM R-W4	49.6%
H4DS12	S21Q12 12 MO,OFT HURT ONE BAD/CARE-W4	94.9%
H4CJ2	S22Q2 NUM TIMES ARRESTED BY POLICE-W4	71.0%
H4CJ3	S22Q3 AGE WHEN ARRESTED BY POLICE-W4	86.0%
H4CJ4	S22Q4 AGE WHEN 1ST ARRESTED BY POLICE-W4	85.2%
H4CJ5	S22Q5 NUM TIMES ARRESTED BEF AGE 18-W4	94.4%
H4CJ6	S22Q6 NUM TIMES ARRESTED SINCE 18-W4	85.6%
H4CJ7A	S22Q7A TYPE ARREST CHARGE-DUI/DWI-W4	71.4%
H4CJ7B	S22Q7B TYPE ARREST CHARGE-OTH ETOH-W4	71.4%
H4CJ7C	S22Q7C TYPE ARREST CHARGE-MARIJ-W4	71.4%
H4CJ7D	S22Q7D TYPE ARREST CHARGE-OTH DRUG-W4	71.4%
H4CJ7E	S22Q7E TYPE ARREST CHARGE-ROBBERY-W4	71.4%
H4CJ7F	S22Q7F TYPE ARREST CHARGE-THEFT-W4	71.4%
H4CJ7G	S22Q7G TYPE ARREST CHARGE-RAPE-W4	71.4%
H4CJ7H	S22Q7H TYPE ARREST CHARGE-AGR ASSLT-W4	71.4%
H4CJ7I	S22Q7I TYPE ARREST CHARGE-SIMP ASSLT-W4	71.4%
H4CJ7J	S22Q7J TYPE ARREST CHARGE-FRAUD-W4	71.4%
H4CJ7K	S22Q7K TYPE ARREST CHARGE-OTHER OFFNS-W4	71.4%
H4CJ8	S22Q8 AGE LAST TIME ARRESTED-W4	85.3%
H4CJ9A	S22Q9A LAST ARREST CHARGE-DUI/DWI-W4	85.3%
H4CJ9B	S22Q9B LAST ARREST CHARGE-OTH ETOH-W4	85.3%
H4CJ9C	S22Q9C LAST ARREST CHARGE-MARIJ-W4	85.3%
H4CJ9D	S22Q9D LAST ARREST CHARGE-OTH DRUG-W4	85.3%
H4CJ9E	S22Q9E LAST ARREST CHARGE-ROBBERY-W4	85.3%
H4CJ9F	S22Q9F LAST ARREST CHARGE-THEFT-W4	85.3%
H4CJ9G	S22Q9G LAST ARREST CHARGE-RAPE-W4	85.3%
H4CJ9H	S22Q9H LAST ARREST CHARGE-AGR ASSLT-W4	85.3%
H4CJ9I	S22Q9I LAST ARREST CHARGE-SIMP ASSLT-W4	85.3%
H4CJ9J	S22Q9J LAST ARREST CHARGE-FRAUD-W4	85.3%
H4CJ9K	S22Q9K LAST ARREST CHARGE-OTH OFFNS-W4	85.3%
H4CJ10	S22Q10 EVER BEEN CONVICTED/PLED CRM-W4	71.0%
H4CJ11	S22Q11 AGE WHEN CONVICTED-W4	91.7%
H4CJ12	S22Q12 AGE WHEN 1ST CONVICTED-W4	95.2%
H4CJ13A	S22Q13A CONVICT/PLED CHARGE-DUI/DWI-W4	86.9%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4CJ13B	S22Q13B CONVICT/PLED CHARGE-OTH ETOH-W4	86.9%
H4CJ13C	S22Q13C CONVICT/PLED CHARGE-MARIJ-W4	86.9%
H4CJ13D	S22Q13D CONVICT/PLED CHARGE-OTH DRUG-W4	86.9%
H4CJ13E	S22Q13E CONVICT/PLED CHARGE-ROBBERY-W4	86.9%
H4CJ13F	S22Q13F CONVICT/PLED CHARGE-THEFT-W4	86.9%
H4CJ13G	S22Q13G CONVICT/PLED CHARGE-RAPE-W4	86.9%
H4CJ13H	S22Q13H CONVICT/PLED CHARGE-AGR ASSLT-W4	86.9%
H4CJ13I	S22Q13I CONVICT/PLED CHARGE-SIM ASSLT-W4	86.9%
H4CJ13J	S22Q13J CONVICT/PLED CHARGE-FRAUD-W4	86.9%
H4CJ13K	S22Q13K CONVICT/PLED CHARGE-OTH OFFNS-W4	86.9%
H4CJ14	S22Q14 AGE WHEN LST CONVICTED/PLED-W4	95.1%
H4CJ15A	S22Q15A LST CONV/PLED CHARG-DUI/DWI-W4	95.1%
H4CJ15B	S22Q15B LST CONV/PLED CHARG-OTH ETOH-W4	95.1%
H4CJ15C	S22Q15C LST CONV/PLED CHARG-MARIJ-W4	95.1%
H4CJ15D	S22Q15D LST CONV/PLED CHARG-OTH DRUG-W4	95.1%
H4CJ15E	S22Q15E LST CONV/PLED CHARG-ROBBERY-W4	95.1%
H4CJ15F	S22Q15F LST CONV/PLED CHARG-THEFT-W4	95.1%
H4CJ15G	S22Q15G LST CONV/PLED CHARG-RAPE-W4	95.1%
H4CJ15H	S22Q15H LST CONV/PLED CHARG-AGR ASSLT-W4	95.1%
H4CJ15I	S22Q15I LST CONV/PLED CHARG-SIM ASSLT-W4	95.1%
H4CJ15J	S22Q15J LST CONV/PLED CHARG-FRAUD-W4	95.1%
H4CJ15K	S22Q15K LST CONV/PLED CHARG-OTH OFFNS-W4	95.1%
H4CJ16	S22Q16 EVER SENTENCED PROBATION-W4	71.0%
H4CJ17	S22Q17 EVER INCARCERATED-W4	71.6%
H4CJ18	S22Q18 NUM OF TIMES INCARCERATED-W4	84.1%
H4CJ19	S22Q19 AGE WHEN INCARCERATED-W4	92.0%
H4CJ20	S22Q20 AGE 1ST INCARCERATED-W4	92.4%
H4CJ21	S22Q21 AGE LST INCARCERATED-W4	92.4%
H4CJ22Y	S22Q22Y LENGTH OF SENTENCE YEARS-W4	92.0%
H4CJ22M	S22Q22M LENGTH OF SENTENCE MONTHS-W4	92.0%
H4CJ23Y	S22Q23Y LENGTH OF LST SENTENCE YEARS-W4	92.5%
H4CJ23M	S22Q23M LENGTH OF LST SENTENCE MONTHS-W4	92.7%
H4CJ24Y	S22Q24Y TOTAL YRS INCARCERATED BEF 18-W4	97.1%
H4CJ24M	S22Q24M TOTAL MON INCARCERATED BEF 18-W4	97.1%
H4CJ25Y	S22Q25Y TOT YR INCARCERATION AFT 18-W4	84.7%
H4CJ25M	S22Q25M TOT MTH INCARCERATION AFT 18-W4	84.7%
H4TO4	S23Q4 AGE SMOKED CIGS REGULARLY-W4	55.2%
H4TO6	S23Q6 NUM CIG SMOKE PR DAY LST 30 DYS-W4	63.9%
H4TO8	S23Q8 SMOKE HOW SOON AFTER WAKE UP-W4	82.8%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4TO9	S23Q9 DIFFICLT NO SMOKE IN PLACES-W4	82.7%
H4TO10	S23Q10 WHICH CIG MOST DIFF TO GIVE UP-W4	83.1%
H4TO11	S23Q11 NUM CIGS SMOKE PER DAY-W4	82.8%
H4TO12	S23Q12 SMOKE MORE FREQ MORNING-W4	82.8%
H4TO13	S23Q13 SMOKE EVEN IF ILL IN MORNING-W4	82.7%
H4TO14	S23Q14 AGE HAD EXPER 1ST TIME-W4	82.8%
H4TO15	S23Q15 SMOK MOST TIME MORN 1ST CIG-W4	65.4%
H4TO16	S23Q16 SMOK MOST DFFCLT NOT IN PLACE-W4	65.4%
H4TO17	S23Q17 SMOK MOST WHICH CIG HARD G/UP-W4	66.2%
H4TO18	S23Q18 SMOK MOST NUM CIGS PER DAY-W4	65.4%
H4TO19	S23Q19 SMOK MOST MORE FREQ IN MORN-W4	65.6%
H4TO20	S23Q20 SMOK MOST SMOKE WHEN ILL-W4	65.4%
H4TO21	S23Q21 AGE 1ST TIME HAD SMOKE EXPER-W4	65.7%
H4TO22	S23Q22 STILL HAVE SMOKE EXPER-W4	81.3%
H4TO24	S23Q24 NUM DAYS HAD CIGAR LST 30 DAYS-W4	83.7%
H4TO26	S23Q26 PAST 30 DAYS CHEW TOBCCO/SNUFF-W4	89.6%
H4TO27	S23Q27 EVER TRIED TO QUIT SMOKING-W4	71.2%
H4TO28	S23Q28 EVER PERIOD WANT QUIT SMOKE-W4	93.9%
H4TO29	S23Q29 ABLE QUIT SMOKING FOR 1 MTH-W4	77.4%
H4TO30	S23Q30 NUM TIMES UNABLE QUIT SMOKE-W4	93.3%
H4TO31	S23Q31 HAD CIGS/CHW TOBACC PST 24 HRS-W4	71.0%
H4TO32H	S23Q32H LAST SMOKE PST 24 HRS-HOUR-W4	77.9%
H4TO32M	S23Q32M LAST SMOKE PST 24 HRS-MINUTES-W4	77.9%
H4TO32T	S23Q32T LAST SMOKE PAST 24 HRS-AM/PM-W4	77.9%
H4TO40	S23Q40 NUM USUAL DRINKS PST 30 DAYS-W4	42.3%
H4TO41	S23Q41 HAD ALCOHOL PST 24 HRS-W4	40.9%
H4TO42H	S23Q42H LAST ALCOHOL DRINK-HOUR-W4	79.0%
H4TO42M	S23Q42M LAST ALCOHOL DRINK-MINUTES-W4	79.0%
H4TO42T	S23Q42T LAST ALCOHOL DRINK-AM/PM-W4	79.0%
H4TO44	S23Q44 TIME DRANK MST NUM DAYS DRANK-W4	54.2%
H4TO45	S23Q45 DRANK MST NUM DRINKS EACH TIME-W4	54.3%
H4TO46	S23Q46 DRINK INTERFR W/ WORK/SCHOOL-W4	58.0%
H4TO47	S23Q47 DRINKING PUT YOURSELF AT RISK-W4	58.0%
H4TO48	S23Q48 DRINKING CAUSE LEGAL PROBLEMS-W4	58.0%
H4TO49	S23Q49 DRINK CAUSE PROBLEMS W/FAMILY-W4	57.9%
H4TO50	S23Q50 KEPT DRINK WHEN PROB W/FAMILY-W4	88.8%
H4TO51	S23Q51 NEED DRINK MORE TO GET EFFECT-W4	57.9%
H4TO52	S23Q52 SPENT LOT TIME DRINKING-W4	58.0%
H4TO53	S23Q53 OFTEN DRINK MORE THAN INTENDED-W4	58.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4TO54	S23Q54 EVER TRIED TO QUIT DRINKING-W4	58.0%
H4TO55	S23Q55 EVER TIME WANT QUIT DRINKING-W4	82.6%
H4TO56	S23Q56 ABLE CUT DOWN/QUIT FOR 1 MTH-W4	75.4%
H4TO57	S23Q57 NUM TIMES UNABLE TO QUIT 1 MTH-W4	98.3%
H4TO58	S23Q58 EXPER WITHDRWL SYMPT NOT DRINK-W4	58.0%
H4TO59	S23Q59 KEPT DRINK CAUSD HEALTH PROB-W4	58.0%
H4TO60	S23Q60 STOP ACTVTIES INTERFR W/DRINK-W4	58.0%
H4TO61	S23Q61 3+ EXPER HAPPEN 12 MTH PERIOD-W4	86.0%
H4TO62	S23Q62 AGE WHEN 3+ DRINK EXPER HAPPEN-W4	90.5%
H4TO64A	S23Q64A TOOK NOT PRESCRBD-SEDATIVES-W4	82.9%
H4TO64B	S23Q64B TOOK NOT PRESCRBD-TRANQS-W4	82.8%
H4TO64C	S23Q64C TOOK NOT PRESCRBD-STIMULNTS-W4	82.8%
H4TO64D	S23Q64D TOOK NOT PRESCRBD-PAIN KILLRS-W4	82.8%
H4TO66	S23Q66 EVER INJECTED ILLLEGAL DRUGS-W4	97.7%
H4TO67	S23Q67 NUM TIMES INJCT DRG PST 30 DYS-W4	99.3%
H4TO68	S23Q68 AGE WHEN 1ST USED MARIJUANA-W4	46.0%
H4TO69	S23Q69 USED MARIJUANA 5+ TIMES-W4	45.7%
H4TO70	S23Q70 NUM DAYS USED MARIJUANA PST YR-W4	56.8%
H4TO71	S23Q71 NUM DAYS USE MARIJ PST 30 DYS-W4	78.5%
H4TO72	S23Q72 USED MARIJUANA PST 24 HOURS-W4	84.3%
H4TO73H	S23Q73H TIME LAST USED MARIJUANA-HOUR-W4	92.0%
H4TO73M	S23Q73H TIME LST USE MARIJUANA-MINTE-W4	92.0%
H4TO73T	S23Q73T TIME LST USE MARIJUANA-AM/PM-W4	92.0%
H4TO74	S23Q74 TIME USE MARIJ MORE THAN NOW-W4	56.7%
H4TO75	S23Q75 TIME USE MARIJ MOST HOW MUCH-W4	68.5%
H4TO76	S23Q76 MARIJUANA INTERFR W/ WORK/SCHL-W4	72.0%
H4TO77	S23Q77 MARIJUANA PUT YOURSELF AT RISK-W4	72.1%
H4TO78	S23Q78 MARIJUANA CAUSE LEGAL PROB-W4	72.1%
H4TO79	S23Q79 MARIJUANA CAUSE PROB W/ FAMILY-W4	72.0%
H4TO80	S23Q80 KEPT USE MARIJ WHEN CAUSE PROB-W4	95.4%
H4TO81	S23Q81 USE MORE MARIJUANA GET EFFECT-W4	72.1%
H4TO82	S23Q82 SPENT LOT TIME USE MARIJUANA-W4	72.1%
H4TO83	S23Q83 OFTN USE MORE MARIJUANA INTEND-W4	72.1%
H4TO84	S23Q84 EVER TRIED QUIT MARIJUANA-W4	72.0%
H4TO85	S23Q85 EVER TIME WANT QUIT MARIJ-W4	92.0%
H4TO86	S23Q86 ABLE CUT DOWN/QUIT 1 MTH MARIJ-W4	80.0%
H4TO87	S23Q87 NUM TIMES UNABLE TO QUIT MARIJ-W4	99.1%
H4TO88	S23Q88 EXPER WITHDRWL SYMPT NOT MARIJ-W4	72.0%
H4TO89	S23Q89 KEPT MARIJU CAUSD HEALTH PROB-W4	72.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4TO90	S23Q90 STOP ACTVTIES INTERFER W/MARIJ-W4	72.0%
H4TO91	S23Q91 3+ EXPER HAPPN 12 MTH MARIJ-W4	91.8%
H4TO92	S23Q92 AGE WHEN 3+ EXPER 12 MTH MARIJ-W4	94.4%
H4TO93	S23Q93 OTHR ILLEGAL DRUG USE MST OFTN-W4	96.1%
H4TO94	S23Q94 DRUG USED MOST FREQUENTLY-W4	79.2%
H4TO95	S23Q95 OTHR DRUG USED MOST OFTEN-W4	95.9%
H4TO96	S23Q96 AGE WHEN USED FAVORITE DRUG-W4	68.6%
H4TO97	S23Q97 USE FAV DRUG MORE THAN 5 TIMES-W4	68.0%
H4TO98	S23Q98 NUM DYS FAV DRUG PST 12 MTHS-W4	78.9%
H4TO99	S23Q99 NUM DYS USE FAV DRG PST 30 DYS-W4	89.9%
H4TO100	S23Q100 USED FAV DRUG PST 24 HRS-W4	93.7%
H4TO101H	S23Q101H TIME LAST USED FAV DRUG-HOUR-W4	98.1%
H4TO101M	S23Q101M TIME LAST USED FAV DRUG-MIN-W4	98.1%
H4TO101T	S23Q101T TIME LAST USD FAV DRUG-AM/PM-W4	98.1%
H4TO102	S23Q102 TIME USE FAV DRUG MOR THN NOW-W4	78.9%
H4TO103	S23Q103 TIME USE FAV DRG MST HOW OFTN-W4	85.3%
H4TO104	S23Q104 FAV DRUG INTERFER WORK/SCHL-W4	89.2%
H4TO105	S23Q105 FAV DRUG PUT YOURSELF AT RISK-W4	89.2%
H4TO106	S23Q106 FAV DRUG CAUSE LEGAL PROB-W4	89.2%
H4TO107	S23Q107 FAV DRUG CAUSE PROB W/ FAMILY-W4	89.3%
H4TO108	S23Q108 KEPT FAV DRUG WHEN PROB W/FAM-W4	95.4%
H4TO109	S23Q109 NEED MORE FAV DRUG GET EFFECT-W4	89.2%
H4TO110	S23Q110 SPENT LOT TIME USING FAV DRUG-W4	89.2%
H4TO111	S23Q111 OFTN USE MORE FAV DRUG INTEND-W4	89.2%
H4TO112	S23Q112 EVER TRIED QUIT FAV DRUG-W4	89.2%
H4TO113	S23Q113 EVER TIME WANT QUIT FAV DRUG-W4	98.4%
H4TO114	S23Q114 ABLE TO QUIT 1 MTH FAV DRUG-W4	90.8%
H4TO115	S23Q115 NUM TIME UNABLE QUIT FAV DRUG-W4	98.9%
H4TO116	S23Q116 EXPER WITHDRWL SYMPT NO DRUG-W4	89.2%
H4TO117	S23Q117 KEPT USE DRUG CAUSE HLTH PROB-W4	89.2%
H4TO118	S23Q118 STOP ACTVTIES INTERFER W/DRUG-W4	89.2%
H4TO119	S23Q119 3+ EXPER HAPPEN 12 MTH DRUG-W4	93.4%
H4TO120	S23Q120 AGE WHEN 3+ EXPER 12 MTH DRUG-W4	95.0%
H4MA2	S24Q2 AGE 1ST TX FELT HURT/UNLOVED-W4	57.5%
H4MA4	S24Q4 AGE 1ST TX HIT/KICK/THROWN-W4	84.1%
H4MA6	S24Q6 AGE 1ST TX TOUCH SEXUAL WAY-W4	95.1%
H4DA10	S25Q10 GEN MORE/LESS ACTIVE LAST WEEK-W4	79.2%
H4DA12H	S25Q12H HOUR LAST VIGOROUS PHYS ACT-W4	60.3%
H4DA12M	S25Q12M MINUTE LAST VIGOROUS PHYS ACT-W4	60.3%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4DA12T	S25Q12T AM/PM LAST VIGOROUS PHYS ACT-W4	60.2%
H4DA20	S25Q20 HAVE ACCESS TO A COMPUTER-W4	83.6%
H4IR6	S28Q6 WHO WAS PRESENT AT INTERVIEW-W4	84.3%
H4IR8A	S28Q8A OTHR LOCATION BIO SPEC COLLECTD-W4	97.5%
H4IR9A	S28Q9A OTHER LOCATION OF INTERVIEW-W4	97.4%
H4IR12	S28Q12 BOREDOM NEG EFFECT ON INVIEW-W4	94.0%
3.6% (33 of 922 variables)		have 100% missing values
H4WP19	S2Q19 YOUR AGE MOM FIGURE REL JAIL-W4	100.0%
H4HR7F	S8Q7F HH MEMBER 6-APPROXIMATE AGE-W4	100.0%
H4HR7G	S8Q7G HH MEMBER 7-APPROXIMATE AGE-W4	100.0%
H4HR7H	S8Q7H HH MEMBER 8-APPROXIMATE AGE-W4	100.0%
H4HR7I	S8Q7I HH MEMBER 9-APPROXIMATE AGE-W4	100.0%
H4HR7J	S8Q7J HH MEMBER 10-APPROXIMATE AGE-W4	100.0%
H4HR7K	S8Q7K HH MEMBER 11-APPROXIMATE AGE-W4	100.0%
H4HR7L	S8Q7L HH MEMBER 12-APPROXIMATE AGE-W4	100.0%
H4HR7M	S8Q7M HH MEMBER 13-APPROXIMATE AGE-W4	100.0%
H4HR9M	S8Q9M HH MEMBER 13-BEST/FIT RELATION-W4	100.0%
H4HR7N	S8Q7N HH MEMBER 14-APPROXIMATE AGE-W4	100.0%
H4HR9N	S8Q9N HH MEMBER 14-BEST/FIT RELATION-W4	100.0%
H4HR7O	S8Q7O HH MEMBER 15-APPROXIMATE AGE-W4	100.0%
H4HR9O	S8Q9O HH MEMBER 15-BEST/FIT RELATION-W4	100.0%
H4HR5P	S8Q5P HH MEMBER 16-GENDER-W4	100.0%
H4HR6P	S8Q6P HH MEMBER 16-AGE-W4	100.0%
H4HR7P	S8Q7P HH MEMBER 16-APPROXIMATE AGE-W4	100.0%
H4HR8P	S8Q8P HH MEMBER 16-RELATION TO RESP-W4	100.0%
H4HR9P	S8Q9P HH MEMBER 16-BEST/FIT RELATION-W4	100.0%
H4HR11YK	S8Q11YK YEAR MOVED STATE LISTED 11-W4	100.0%
H4HR11YL	S8Q11YL YEAR MOVED STATE LISTED 12-W4	100.0%
H4HR11YM	S8Q11YM YEAR MOVED STATE LISTED 13-W4	100.0%
H4HR11YN	S8Q11YN YEAR MOVED STATE LISTED 14-W4	100.0%
H4HR11YO	S8Q11YO YEAR MOVED STATE LISTED 15-W4	100.0%
H4ED3F	S9Q3 6TH MOST RECENT DEGREE/CERTIF-W4	100.0%
H4ED3G	S9Q3 7TH MOST RECENT DEGREE/CERTIF-W4	100.0%
H4ED3H	S9Q3 8TH MOST RECENT DEGREE/CERTIF-W4	100.0%
H4ED4F	S9Q4 YR RECVD 6TH MOST RECENT DEGREE-W4	100.0%
H4ED4G	S9Q4 YR RECVD 7TH MOST RECENT DEGREE-W4	100.0%
H4ED4H	S9Q4 YR RECVD 8TH MOST RECENT DEGREE-W4	100.0%
H4ED5F	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	100.0%
H4ED5G	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	100.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Wave 4, Public Use Data

Variable Name and Label (Total Cases = 5114)		Percent of Cases with Missing Values
H4ED5H	S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4	100.0%

ICPSR 21600

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008

Wave 4, Public Use Data

AID	RESPONDENT IDENTIFIER
-----	-----------------------

Location: 1-8 (width: 8; decimal: 0)
Variable Type: character
Based upon 5114 valid cases out of 5114 total cases.

IMONTH4	MONTH OF INTERVIEW-W4
---------	-----------------------

Location: 9-16 (width: 8; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	191	3.7 %
2	February	644	12.6 %
3	March	784	15.3 %
4	April	796	15.6 %
5	May	705	13.8 %
6	June	509	10.0 %
7	July	391	7.6 %
8	August	342	6.7 %
9	September	272	5.3 %
10	October	209	4.1 %
11	November	151	3.0 %
12	December	120	2.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 5.22
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.75

IDAY4	DAY OF INTERVIEW-W4
-------	---------------------

Location: 17-24 (width: 8; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	177	3.5 %
2	176	3.4 %

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	169	3.3 %
4	161	3.1 %
5	190	3.7 %
6	187	3.7 %
7	148	2.9 %
8	183	3.6 %
9	182	3.6 %
10	168	3.3 %
11	164	3.2 %
12	173	3.4 %
13	178	3.5 %
14	157	3.1 %
15	171	3.3 %
16	159	3.1 %
17	145	2.8 %
18	139	2.7 %
19	170	3.3 %
20	165	3.2 %
21	192	3.8 %
22	149	2.9 %
23	177	3.5 %
24	141	2.8 %
25	157	3.1 %
26	161	3.1 %
27	158	3.1 %
28	193	3.8 %
29	193	3.8 %
30	138	2.7 %
31	93	1.8 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 15.59
- Median: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.89

IYEAR4

YEAR OF INTERVIEW-W4

Location: 25-32 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2007	46	0.9 %
2008	5021	98.2 %
2009	47	0.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2008.00
- Median: 2008.00
- Mode: 2008.00
- Minimum: 2007.00
- Maximum: 2009.00
- Standard Deviation: 0.13

MACNO4	INTERVIEWER MACHINE NUMBER-W4
--------	-------------------------------

Location: 33-40 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 100290.69
- Minimum: 100101.00
- Maximum: 100496.00
- Standard Deviation: 109.56

INTID4	INTERVIEWER ID NUMBER-W4
--------	--------------------------

Location: 41-48 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 290.69
- Minimum: 101.00
- Maximum: 496.00
- Standard Deviation: 109.56

BIO_SEX4	BIOLOGICAL SEX-W4
----------	-------------------

Location: 49-56 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2353	46.0 %
2	Female	2761	54.0 %

Based upon 5114 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

VERSION4 **QUESTIONNAIRE VERSION-W4**

Location: 57-64 (width: 8; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
V2.0	8	0.2 %
V2.1	10	0.2 %
V2.2	8	0.2 %
V2.3	2	0.0 %
V2.4	8	0.2 %
V2.5	6	0.1 %
V2.6	4	0.1 %
V5.0	2	0.0 %
V5.1	609	11.9 %
V5.2	1237	24.2 %
V5.3	181	3.5 %
V5.4	2287	44.7 %
V5.5	522	10.2 %
V5.6	190	3.7 %
V5.7	40	0.8 %

Based upon 5114 valid cases out of 5114 total cases.

BREAK_Q **BREAK OFF INTERVIEW**

Location: 65-87 (width: 23; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
H4TO28	1	0.0 %
NO	5093	99.6 %
YES	20	0.4 %

Based upon 5114 valid cases out of 5114 total cases.

PRYEAR4 **LAST INTERVIEW YEAR-W4**

Location: 88-95 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	324	6.3 %
1996	582	11.4 %
2001	3129	61.2 %
2002	1079	21.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2000.26
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1995.00
- Maximum: 2002.00
- Standard Deviation: 2.19

PRETEST4

PRETEST INTERVIEW-W4

Location: 96-103 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not a pretest interview	5068	99.1 %
1	Pretest interview	46	0.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

PRISON4

PRISON INTERVIEW-W4

Location: 104-111 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not a prison interview	5084	99.4 %
1	Prison interview	30	0.6 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

H4OD1M

S1Q1 BIRTH MONTH-W4

Location: 112-119 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	400	7.8 %
2	February	386	7.5 %
3	March	428	8.4 %
4	April	418	8.2 %
5	May	422	8.3 %
6	June	402	7.9 %
7	July	463	9.1 %
8	August	442	8.6 %
9	September	461	9.0 %
10	October	446	8.7 %
11	November	425	8.3 %
12	December	421	8.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 6.60
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.41

H4OD1Y

S1Q1 BIRTH YEAR-W4

Location: 120-127 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1974	7	0.1 %
1975	45	0.9 %
1976	307	6.0 %
1977	875	17.1 %
1978	887	17.3 %

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1979	914	17.9 %
1980	884	17.3 %
1981	724	14.2 %
1982	464	9.1 %
1983	7	0.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 1979.00
- Median: 1979.00
- Mode: 1979.00
- Minimum: 1974.00
- Maximum: 1983.00
- Standard Deviation: 1.78

H4OD2A S1Q2A SPEAK/WRITE-ENGLISH-W4

Location: 128-134 (width: 7; decimal: 0)

Variable Type: numeric

Question: Which of the following languages do you speak or write?: English

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	13	0.3 %
1	Selected	5101	99.7 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

H4OD2B S1Q2B SPEAK/WRITE-SPANISH-W4

Location: 135-141 (width: 7; decimal: 0)

Variable Type: numeric

Question: Which of the following languages do you speak or write?: Spanish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4509	88.2 %
1	Selected	605	11.8 %

Based upon 5114 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4OD2C

S1Q2C SPEAK/WRITE-CHINESE-W4

Location: 142-148 (width: 7; decimal: 0)

Variable Type: numeric

Question: Which of the following languages do you speak or write?: Chinese

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5095	99.6 %
1	Selected	19	0.4 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

H4OD2D

S1Q2D SPEAK/WRITE-OTHER EUROPEAN-W4

Location: 149-155 (width: 7; decimal: 0)

Variable Type: numeric

Question: Which of the following languages do you speak or write?: An other European language

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4989	97.6 %
1	Selected	125	2.4 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H4OD2E

S1Q2E SPEAK/WRITE-OTHER ASIAN-W4

- Study 21600 -

Location: 156-162 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Which of the following languages do you speak or write?: An other Asian language

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5047	98.7 %
1	Selected	67	1.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H4OD2F S1Q2F SPEAK/WRITE-OTH-W4

Location: 163-169 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Which of the following languages do you speak or write?: An other language

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5045	98.7 %
1	Selected	69	1.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

H4OD3 S1Q3 LANG USED MOST W/FAMILY-W4

Location: 170-177 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97
 Question: What language do you use most with your family and close relatives?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	595	11.6 %
2	Spanish	153	3.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Chinese	6	0.1 %
4	An other European language	6	0.1 %
5	An other Asian language	19	0.4 %
6	An other language	4	0.1 %
97 (M)	Legitimate skip	4331	84.7 %

Based upon 783 valid cases out of 5114 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.83

H4OD4 S1Q4 BORN A US CITIZEN-W4

Location: 178-185 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: Were you born a US citizen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	177	3.5 %
1	Yes	4937	96.5 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4OD5 S1Q5 HAVE BECOME A US CITIZEN-W4

Location: 186-193 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: Have you become a US citizen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	67	1.3 %
1	Yes	110	2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4937	96.5 %

Based upon 177 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4OD6Y

S1Q6Y YEAR BECAME A US CITIZEN-W4

Location: 194-201 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998

Question: In what year did you become a citizen? [year]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1978	1977-1979	2	0.0 %
1980	-	1	0.0 %
1981	-	3	0.1 %
1982	-	2	0.0 %
1984	-	1	0.0 %
1985	-	2	0.0 %
1986	-	1	0.0 %
1987	-	3	0.1 %
1989	-	2	0.0 %
1991	-	2	0.0 %
1993	-	2	0.0 %
1994	-	3	0.1 %
1995	-	4	0.1 %
1996	-	7	0.1 %
1997	-	5	0.1 %
1998	-	8	0.2 %
1999	-	2	0.0 %
2000	-	7	0.1 %
2001	-	6	0.1 %
2002	-	4	0.1 %
2003	-	5	0.1 %
2004	-	4	0.1 %
2005	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2006	-	4	0.1 %
2007	-	10	0.2 %
2008	-	7	0.1 %
9997 (M)	Legitimate skip	5004	97.8 %
9998 (M)	Don't know	6	0.1 %

Based upon 104 valid cases out of 5114 total cases.

- Mean: 1998.28
- Median: 2000.00
- Mode: 2007.00
- Minimum: 1978.00
- Maximum: 2008.00
- Standard Deviation: 7.94

H4OD7

S1Q7 TRYING TO BECOME A US CITIZEN-W4

Location: 202-209 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: Are you trying to become a US citizen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8	0.2 %
1	Yes	58	1.1 %
7 (M)	Legitimate skip	5047	98.7 %
8 (M)	Don't know	1	0.0 %

Based upon 66 valid cases out of 5114 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4WP1

S2Q1 IS BIO MOM STILL LIVING-W4

Location: 210-217 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8
 Question: Is your biological mother still alive?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	256	5.0 %
1	Yes	4813	94.1 %
8 (M)	Don't know	45	0.9 %

Based upon 5069 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

H4WP2Y

S2Q2Y BIO MOM DEATH-YEAR-W4

Location: 218-225 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9997 , 9998
Question: In what year did your biological mother die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1978	-	2	0.0 %
1979	-	1	0.0 %
1980	-	3	0.1 %
1981	-	3	0.1 %
1982	-	4	0.1 %
1983	-	2	0.0 %
1984	-	4	0.1 %
1985	-	5	0.1 %
1986	-	6	0.1 %
1987	-	2	0.0 %
1988	-	5	0.1 %
1989	-	3	0.1 %
1990	-	5	0.1 %
1991	-	6	0.1 %
1992	-	5	0.1 %
1993	-	5	0.1 %
1994	-	6	0.1 %
1995	-	2	0.0 %
1996	-	8	0.2 %
1997	-	5	0.1 %
1998	-	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	9	0.2 %
2000	-	21	0.4 %
2001	-	17	0.3 %
2002	-	8	0.2 %
2003	-	16	0.3 %
2004	-	20	0.4 %
2005	-	27	0.5 %
2006	-	18	0.4 %
2007	-	12	0.2 %
2008	-	9	0.2 %
9997 (M)	Legitimate skip	4858	95.0 %
9998 (M)	Don't know	6	0.1 %

Based upon 250 valid cases out of 5114 total cases.

- Mean: 1998.51
- Median: 2001.00
- Mode: 2005.00
- Minimum: 1978.00
- Maximum: 2008.00
- Standard Deviation: 7.71

H4WP3

S2Q3 BIO MOM SERVED TIME JAIL/PRISON-W4

Location: 226-233 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: (Has/did) your biological mother ever (spent/spend) time in jail or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4888	95.6 %
1	Yes	177	3.5 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	48	0.9 %

Based upon 5065 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

- Study 21600 -

H4WP4 S2Q4 NO TX BIO MOM IN JAIL/PRISON-W4

Location: 234-241 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How many times (has/did) your biological mother (spent/spend) time in jail or prison?

[NOTES:] Includes soft check if H4WP4 > 20: Please confirm biological mother's time spent in prison.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1 time	97	1.9 %
2	2 times	32	0.6 %
3	3 times	9	0.2 %
4	4 times	5	0.1 %
5	5 times	5	0.1 %
6	6 times	2	0.0 %
7	7 times	1	0.0 %
8	8 times	1	0.0 %
9	9 or more times	5	0.1 %
97 (M)	Legitimate skip	4937	96.5 %
98 (M)	Don't know	20	0.4 %

Based upon 157 valid cases out of 5114 total cases.

- Mean: 1.94
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.81

H4WP5 S2Q5 YOUR AGE BIO MOM SNT JAIL/PRISON-W4

Location: 242-249 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 96 , 97 , 98

Question: How old were you when your biological mother went to jail or prison (the first time)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	5	0.1 %
1	-	9	0.2 %
2	-	2	0.0 %
3	-	2	0.0 %
4	-	2	0.0 %
5	-	9	0.2 %
6	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	5	0.1 %
8	-	8	0.2 %
9	-	10	0.2 %
10	-	6	0.1 %
11	-	5	0.1 %
12	-	7	0.1 %
13	-	7	0.1 %
14	-	5	0.1 %
15	-	7	0.1 %
16	-	3	0.1 %
17	-	5	0.1 %
18	-	6	0.1 %
19	-	3	0.1 %
20	-	4	0.1 %
21	-	5	0.1 %
22	-	9	0.2 %
23	-	3	0.1 %
24	-	4	0.1 %
25	-	7	0.1 %
26	-	7	0.1 %
27	-	2	0.0 %
28	-	3	0.1 %
30	-	2	0.0 %
94 (M)	Not yet born	5	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4937	96.5 %
98 (M)	Don't know	15	0.3 %

Based upon 156 valid cases out of 5114 total cases.

- Mean: 13.79
- Median: 13.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.15

H4WP6

S2Q6 YOUR AGE BIO MOM REL JAIL/PRISON-W4

Location: 250-257 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 95 , 96 , 97 , 98

- Study 21600 -

Question:

How old were you when your biological mother was released from jail or prison (most recently)?
[years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	4	0.1 %
1	-	2	0.0 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	4	0.1 %
9	-	9	0.2 %
10	-	5	0.1 %
11	-	4	0.1 %
12	-	9	0.2 %
13	-	6	0.1 %
14	-	5	0.1 %
15	-	7	0.1 %
16	-	6	0.1 %
17	-	10	0.2 %
18	-	7	0.1 %
19	-	3	0.1 %
20	-	4	0.1 %
21	-	5	0.1 %
22	-	9	0.2 %
23	-	1	0.0 %
24	-	5	0.1 %
25	-	12	0.2 %
26	-	12	0.2 %
27	-	8	0.2 %
28	-	4	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
94 (M)	Not yet born	2	0.0 %
95 (M)	Still in prison	5	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4937	96.5 %
98 (M)	Don't know	13	0.3 %

Based upon 156 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 16.99
- Median: 17.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.83

H4WP7 S2Q7 IS BIO DAD STILL LIVING-W4

Location: 258-265 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8
 Question: Is your biological father still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	582	11.4 %
1	Yes	4330	84.7 %
8 (M)	Don't know	202	3.9 %

Based upon 4912 valid cases out of 5114 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4WP8Y S2Q8Y BIO DAD DEATH-YEAR-W4

Location: 266-273 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9996 , 9997 , 9998
 Question: In what year did you biological father die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	2	0.0 %
1977	-	1	0.0 %
1978	-	4	0.1 %
1979	-	5	0.1 %
1980	-	6	0.1 %
1981	-	3	0.1 %
1982	-	8	0.2 %
1983	-	4	0.1 %
1984	-	6	0.1 %
1985	-	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1986	-	9	0.2 %
1987	-	10	0.2 %
1988	-	8	0.2 %
1989	-	10	0.2 %
1990	-	22	0.4 %
1991	-	16	0.3 %
1992	-	14	0.3 %
1993	-	16	0.3 %
1994	-	20	0.4 %
1995	-	24	0.5 %
1996	-	17	0.3 %
1997	-	22	0.4 %
1998	-	20	0.4 %
1999	-	24	0.5 %
2000	-	24	0.5 %
2001	-	22	0.4 %
2002	-	25	0.5 %
2003	-	36	0.7 %
2004	-	30	0.6 %
2005	-	30	0.6 %
2006	-	42	0.8 %
2007	-	38	0.7 %
2008	-	27	0.5 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4532	88.6 %
9998 (M)	Don't know	27	0.5 %

Based upon 554 valid cases out of 5114 total cases.

- Mean: 1997.86
- Median: 1999.00
- Mode: 2006.00
- Minimum: 1976.00
- Maximum: 2008.00
- Standard Deviation: 7.81

H4WP9

S2Q9 HAS BIO FATHER SERVED TIME-W4

Location: 274-281 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: (Has/did) your biological father ever (spent/spend) time in jail or prison?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4093	80.0 %
1	Yes	727	14.2 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	292	5.7 %

Based upon 4820 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4WP10

S2Q10 NO TX BIO DAD IN JAIL/PRISON-W4

Location: 282-289 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How many times (has/did) your biological father (spent/spend) time in jail or prison?

[NOTES:] Includes soft check if H4WP10 > 20: Please confirm biological father's time spent in prison.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	297	5.8 %
2	-	117	2.3 %
3	-	58	1.1 %
4	-	26	0.5 %
5	-	28	0.5 %
6	-	7	0.1 %
7	-	2	0.0 %
8	-	4	0.1 %
10	-	18	0.4 %
12	-	1	0.0 %
15	-	2	0.0 %
20	-	6	0.1 %
25	25 or more times	5	0.1 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4387	85.8 %
98 (M)	Don't know	153	3.0 %

Based upon 571 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.63
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.50

H4WP11

S2Q11 YOUR AGE BIO DAD SNT JAIL/PRISN-W4

Location: 290-297 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 96 , 97 , 98

Question: How old were you when your biological father went to jail or prison (the first time)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	66	1.3 %
1	-	22	0.4 %
2	-	32	0.6 %
3	-	26	0.5 %
4	-	19	0.4 %
5	-	33	0.6 %
6	-	21	0.4 %
7	-	34	0.7 %
8	-	36	0.7 %
9	-	12	0.2 %
10	-	33	0.6 %
11	-	14	0.3 %
12	-	21	0.4 %
13	-	24	0.5 %
14	-	11	0.2 %
15	-	21	0.4 %
16	-	16	0.3 %
17	-	4	0.1 %
18	-	8	0.2 %
19	-	10	0.2 %
20	-	7	0.1 %
21	-	4	0.1 %
22	-	5	0.1 %
23	-	11	0.2 %
24	-	5	0.1 %
25	-	10	0.2 %
26	-	4	0.1 %
27	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	3	0.1 %
30	-	2	0.0 %
31	-	1	0.0 %
94 (M)	Not yet born	56	1.1 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	4387	85.8 %
98 (M)	Don't know	144	2.8 %

Based upon 522 valid cases out of 5114 total cases.

- Mean: 9.13
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 7.46

H4WP12

S2Q12 YOUR AGE BIO DAD REL JAIL/PRISN-W4

Location: 298-305 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 95 , 96 , 97 , 98

Question: How old were you when your biological father was released from jail or prison (most recently)? [years]

[NOTES:] For this variable, a value of 30 equals 30 years and older.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	47	0.9 %
1	-	9	0.2 %
2	-	12	0.2 %
3	-	6	0.1 %
4	-	9	0.2 %
5	-	17	0.3 %
6	-	9	0.2 %
7	-	16	0.3 %
8	-	16	0.3 %
9	-	18	0.4 %
10	-	28	0.5 %
11	-	14	0.3 %
12	-	21	0.4 %
13	-	21	0.4 %
14	-	21	0.4 %
15	-	29	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	26	0.5 %
17	-	9	0.2 %
18	-	24	0.5 %
19	-	11	0.2 %
20	-	12	0.2 %
21	-	13	0.3 %
22	-	17	0.3 %
23	-	12	0.2 %
24	-	16	0.3 %
25	-	21	0.4 %
26	-	15	0.3 %
27	-	18	0.4 %
28	-	14	0.3 %
29	-	8	0.2 %
30	-	10	0.2 %
94 (M)	Not yet born	31	0.6 %
95 (M)	Still in prison	28	0.5 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	4387	85.8 %
98 (M)	Don't know	144	2.8 %

Based upon 519 valid cases out of 5114 total cases.

- Mean: 14.25
- Median: 14.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.67

H4WP13

S2Q13 RELATIONSHIP TO MOM FIGURE-W4

Location: 306-313 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: We would like to know about the woman you feel raised you. This may be your biological mother, or it may be a step-mother, adoptive mother, grandmother, etc. If you have more than one mother figure, choose the one who is most important to you. What is this person's relationship to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological mother	4671	91.3 %
2	Adoptive mother	67	1.3 %
3	Step-mother who adopted you	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Step-mother	61	1.2 %
5	Foster mother	8	0.2 %
6	Grandmother	203	4.0 %
7	Aunt	43	0.8 %
8	Sister	13	0.3 %
9	Other female relative	6	0.1 %
10	Other female non-relative	9	0.2 %
11	Was not raised by a mother figure	25	0.5 %
98 (M)	Don't know	2	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 1.46

H4WP14

S2Q14 IS MOM FIGURE STILL ALIVE-W4

Location: 314-321 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: Is your (mother figure) still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	90	1.8 %
1	Yes	324	6.3 %
7 (M)	Legitimate skip	4698	91.9 %
8 (M)	Don't know	2	0.0 %

Based upon 414 valid cases out of 5114 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4WP15Y

S2Q15Y MOM FIGURE DEATH-YEAR-W4

Location: 322-329 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 9997 , 9998
 Question: In what year did your (mother figure) die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1989	1988-1990	3	0.1 %
1991	-	2	0.0 %
1993	-	1	0.0 %
1994	-	4	0.1 %
1995	-	3	0.1 %
1996	-	4	0.1 %
1998	-	11	0.2 %
1999	-	5	0.1 %
2000	-	6	0.1 %
2001	-	3	0.1 %
2002	-	5	0.1 %
2003	-	5	0.1 %
2004	-	4	0.1 %
2005	-	5	0.1 %
2006	-	10	0.2 %
2007	-	9	0.2 %
2008	-	8	0.2 %
9997 (M)	Legitimate skip	5024	98.2 %
9998 (M)	Don't know	2	0.0 %

Based upon 88 valid cases out of 5114 total cases.

- Mean: 2001.32
- Median: 2002.00
- Mode: 1998.00
- Minimum: 1989.00
- Maximum: 2008.00
- Standard Deviation: 5.17

H4WP16

S2Q16 MOM FIGURE SRV TME JAIL/PRIS-W4

Location: 330-337 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: (Has/did) your (mother figure) ever (spent/spend) time in jail or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	408	8.0 %
1	Yes	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4698	91.9 %
8 (M)	Don't know	2	0.0 %

Based upon 414 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

H4WP17 S2Q17 NO TX MOM FIGURE IN JAIL/PRS-W4

Location: 338-345 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How many times (has/did) your (mother figure) (spent/spend) time in jail or prison?

[NOTES:] Includes soft check if H4WP17 > 20: Please confirm mother figure's time spent in prison.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1 time	4	0.1 %
2	2 or more times	2	0.0 %
7 (M)	Legitimate skip	5108	99.9 %

Based upon 6 valid cases out of 5114 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

H4WP18 S2Q18 YOUR AGE MOM FIGURE SNT JAIL-W4

Location: 346-353 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 93 , 94 , 97 , 98

Question: How old were you when your (mother figure) went to jail or prison (the first time)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	1	0.0 %
93 (M)	Data unavailable	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
94 (M)	Not yet born	1	0.0 %
97 (M)	Legitimate skip	5108	99.9 %
98 (M)	Don't know	2	0.0 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

H4WP19

S2Q19 YOUR AGE MOM FIGURE REL JAIL-W4

Location: 354-361 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 93 , 94 , 97 , 98

Question: How old were you when your (mother figure) was released from jail or prison (most recently)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
93 (M)	Data unavailable	3	0.1 %
94 (M)	Not yet born	1	0.0 %
97 (M)	Legitimate skip	5108	99.9 %
98 (M)	Don't know	2	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4WP20

S2Q20 MOM FIGURE TRVL TIME DSTANCE-W4

Location: 362-369 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How far do you and your (mother figure) live from one another?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Live together	793	15.5 %
2	Within 1 mile	443	8.7 %
3	1 to 10 miles	1034	20.2 %
4	11 to 50 miles	944	18.5 %
5	51 to 100 miles	275	5.4 %
6	101 to 200 miles	299	5.8 %
7	More than 200 miles	1031	20.2 %
97 (M)	Legitimate skip	294	5.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	1	0.0 %

Based upon 4819 valid cases out of 5114 total cases.

- Mean: 3.93
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.07

H4WP21

S2Q21 MOM FIGURE OFTEN SEE EACH/O-W4

Location: 370-377 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: How often do you and your (mother figure) see each other?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	26	0.5 %
1	Once a year or less	256	5.0 %
2	A few times a year	913	17.9 %
3	Once or twice a month	878	17.2 %
4	Once or twice a week	1209	23.6 %
5	Almost every day	743	14.5 %
7 (M)	Legitimate skip	1087	21.3 %
8 (M)	Don't know	2	0.0 %

Based upon 4025 valid cases out of 5114 total cases.

- Mean: 3.30
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.22

H4WP22

S2Q22 MOM FIGURE FREQ COMMUNICATE-W4

Location: 378-385 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: How often do you and your (mother figure) talk on the telephone, exchange letters, or exchange email?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	52	1.0 %
1	Once a year or less	27	0.5 %
2	A few times a year	90	1.8 %
3	Once or twice a month	401	7.8 %
4	Once or twice a week	1567	30.6 %
5	Almost every day	1890	37.0 %
7 (M)	Legitimate skip	1087	21.3 %

Based upon 4027 valid cases out of 5114 total cases.

- Mean: 4.25
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.93

H4WP23

S2Q23 MOM FIGURE GOOD COMMUNICATION-W4

Location: 386-393 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: You are satisfied with the way your (mother figure) and you communicate with each other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2924	57.2 %
2	Agree	1365	26.7 %
3	Neither agree nor disagree	229	4.5 %
4	Disagree	198	3.9 %
5	Strongly disagree	104	2.0 %
7 (M)	Legitimate skip	294	5.7 %

Based upon 4820 valid cases out of 5114 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

H4WP24

S2Q24 HOW CLOSE TO MOM FIGURE-W4

Location: 394-401 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7

Question: How close do you feel to your (mother figure)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not at all close	44	0.9 %
2	Not very close	106	2.1 %
3	Somewhat close	458	9.0 %
4	Quite close	946	18.5 %
5	Very close	3266	63.9 %
7 (M)	Legitimate skip	294	5.7 %

Based upon 4820 valid cases out of 5114 total cases.

- Mean: 4.51
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.83

H4WP25

S2Q25 NUM TIME MOM FIG GIVE \$ LIV EXP-W4

Location: 402-409 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: How many times has your (mother figure) paid your living expenses or given you \$50 or more to pay living expenses during the past 12 months?

[NOTES:] The pretest questions used the following wording: "Has your (mother figure/father figure) given you any money or bought you something or helped pay living expenses for you that cost more than \$50 during the past 12 months?" with response categories 1=yes, 2=no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never (no)	2851	55.7 %
1	Yes, number of times unknown	923	18.0 %
2	-	393	7.7 %
3	Yes, 1 or 2 times	650	12.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	294	5.7 %
8 (M)	Don't know	2	0.0 %

Based upon 4817 valid cases out of 5114 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.08

H4WP26

S2Q26 NUM TIME GIVE \$ TO MOM FIG -W4

Location: 410-417 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: How many times have you paid your (mother figure's) living expenses or given her more than \$50 to pay living expenses during the past 12 months?

[NOTES:] The pretest questions used the following wording: "Have you given your (mother figure/father figure) any money or paid for something for her that cost more than \$50 during the past 12 months?" with response categories 1=yes, 2=no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never (no)	3284	64.2 %
1	Yes, number of times unknown	745	14.6 %
2	Yes, 1 or 2 times	312	6.1 %
3	Yes, 3 or 4 times	478	9.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	294	5.7 %

Based upon 4819 valid cases out of 5114 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.98

H4WP27

S2Q27 RELATIONSHIP TO DAD FIGURE-W4

Location: 418-425 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96

Question: We would like to know about the man you feel raised you. This may be your biological father, or it may be a step-father, adoptive father, grandfather, etc. If you have more than one father figure, choose the one who is most important to you. What is this person's relationship to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological father	3774	73.8 %
2	Adoptive father	98	1.9 %
3	Step-father who adopted you	63	1.2 %
4	Step-father	465	9.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Foster-father	1	0.0 %
6	Grandfather	172	3.4 %
7	Uncle	59	1.2 %
8	Brother	31	0.6 %
9	Other male relative	22	0.4 %
10	Other male non-relative	37	0.7 %
11	Was not raised by a father figure	390	7.6 %
96 (M)	Refused	2	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 2.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.97

H4WP28

S2Q28 IS DAD FIGURE STILL ALIVE-W4

Location: 426-433 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 7 , 8
Question: Is your (father figure) still alive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	136	2.7 %
1	Yes	802	15.7 %
7 (M)	Legitimate skip	4166	81.5 %
8 (M)	Don't know	10	0.2 %

Based upon 938 valid cases out of 5114 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4WP29Y

S2Q29Y DAD FIGURE DEATH-YEAR-W4

Location: 434-441 (width: 8; decimal: 0)
Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 9997 , 9998

Question: In what year did your (father figure) die?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1984	-	2	0.0 %
1986	-	1	0.0 %
1988	-	4	0.1 %
1990	-	2	0.0 %
1991	-	4	0.1 %
1992	-	7	0.1 %
1993	-	7	0.1 %
1994	-	2	0.0 %
1995	-	6	0.1 %
1996	-	8	0.2 %
1997	-	3	0.1 %
1998	-	5	0.1 %
1999	-	5	0.1 %
2000	-	8	0.2 %
2001	-	7	0.1 %
2002	-	9	0.2 %
2003	-	5	0.1 %
2004	-	10	0.2 %
2005	-	8	0.2 %
2006	-	10	0.2 %
2007	-	14	0.3 %
2008	-	6	0.1 %
9997 (M)	Legitimate skip	4978	97.3 %
9998 (M)	Don't know	3	0.1 %

Based upon 133 valid cases out of 5114 total cases.

- Mean: 1999.80
- Median: 2001.00
- Mode: 2007.00
- Minimum: 1984.00
- Maximum: 2008.00
- Standard Deviation: 6.08

H4WP30

S2Q30 DAD FIGURE SRV TME JAIL/PRIS-W4

Location: 442-449 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: (Has/did) your (father figure) ever (spent/spend) time in jail or prison?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	825	16.1 %
1	Yes	111	2.2 %
7 (M)	Legitimate skip	4166	81.5 %
8 (M)	Don't know	12	0.2 %

Based upon 936 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4WP31

S2Q31 NO TX DAD FIGURE IN JAIL/PRS-W4

Location: 450-457 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How many times (has/did) your (father figure) (spent/spend) time in jail or prison?

[NOTES:] Includes soft check if H4WP31 > 20: Please confirm father figure's time spent in prison.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1 time	45	0.9 %
2	2 times	21	0.4 %
3	3 times	9	0.2 %
4	4 times	7	0.1 %
5	5 times	6	0.1 %
6	6 times	1	0.0 %
10	10 or more times	3	0.1 %
97 (M)	Legitimate skip	5003	97.8 %
98 (M)	Don't know	19	0.4 %

Based upon 92 valid cases out of 5114 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.93

H4WP32

S2Q32 YOUR AGE DAD FIGURE SNT JAIL-W4

- Study 21600 -

Location: 458-465 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 96 , 97 , 98

Question: How old were you when your (father figure) went to jail or prison (the first time)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	5	0.1 %
2	1-3 years	4	0.1 %
4	-	3	0.1 %
5	-	5	0.1 %
6	-	3	0.1 %
7	-	8	0.2 %
8	-	4	0.1 %
9	-	4	0.1 %
10	-	9	0.2 %
11	-	2	0.0 %
12	-	6	0.1 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	5	0.1 %
21	-	2	0.0 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	3	0.1 %
26	-	1	0.0 %
27	-	2	0.0 %
94 (M)	Not yet born	6	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	5003	97.8 %
98 (M)	Don't know	17	0.3 %

Based upon 87 valid cases out of 5114 total cases.

- Mean: 11.83
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 7.19

- Study 21600 -

H4WP33

S2Q33 YOUR AGE DAD FIGURE REL JAIL-W4

Location: 466-473 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 94 , 95 , 96 , 97 , 98

Question: How old were you when your (father figure) was released from jail or prison (most recently)? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 year	4	0.1 %
3	1-5 years	5	0.1 %
6	-	3	0.1 %
7	-	6	0.1 %
8	-	2	0.0 %
9	-	3	0.1 %
10	-	4	0.1 %
11	-	3	0.1 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	5	0.1 %
15	-	2	0.0 %
16	-	3	0.1 %
17	-	4	0.1 %
18	-	6	0.1 %
19	-	2	0.0 %
20	-	5	0.1 %
21	-	5	0.1 %
22	-	2	0.0 %
23	-	4	0.1 %
24	-	3	0.1 %
25	-	4	0.1 %
26	-	3	0.1 %
27	-	2	0.0 %
30	-	2	0.0 %
94 (M)	Not yet born	5	0.1 %
95 (M)	Still in prison	4	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	5003	97.8 %
98 (M)	Don't know	15	0.3 %

Based upon 86 valid cases out of 5114 total cases.

- Mean: 15.21
- Median: 16.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.77

H4WP34 S2Q34 DAD FIGURE TRVL TIME DSTANCE-W4

Location: 474-481 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , 98
 Question: How far do you and your (father figure) live from one another?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Live together	494	9.7 %
2	Within 1 mile	349	6.8 %
3	1 to 10 miles	895	17.5 %
4	11 to 50 miles	896	17.5 %
5	51 to 100 miles	282	5.5 %
6	101 to 200 miles	281	5.5 %
7	More than 200 miles	1021	20.0 %
97 (M)	Legitimate skip	882	17.2 %
98 (M)	Don't know	14	0.3 %

Based upon 4218 valid cases out of 5114 total cases.

- Mean: 4.20
- Median: 4.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.02

H4WP35 S2Q35 DAD FIGURE OFTEN SEE EACH/O-W4

Location: 482-489 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: How often do you and your (father figure) see each other?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	118	2.3 %
1	Once a year or less	327	6.4 %
2	A few times a year	908	17.8 %
3	Once or twice a month	925	18.1 %
4	Once or twice a week	964	18.9 %
5	Almost every day	494	9.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	1376	26.9 %
8 (M)	Don't know	2	0.0 %

Based upon 3736 valid cases out of 5114 total cases.

- Mean: 3.01
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.29

H4WP36

S2Q36 DAD FIGURE FREQ COMMUNICATE-W4

Location: 490-497 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How often do you and your (father figure) talk on the telephone, exchange letters, or exchange email?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	215	4.2 %
1	Once a year or less	93	1.8 %
2	A few times a year	277	5.4 %
3	Once or twice a month	865	16.9 %
4	Once or twice a week	1506	29.4 %
5	Almost every day	782	15.3 %
7 (M)	Legitimate skip	1376	26.9 %

Based upon 3738 valid cases out of 5114 total cases.

- Mean: 3.52
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.29

H4WP37

S2Q37 DAD FIGURE GOOD COMMUNICATION-W4

Location: 498-505 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: You are satisfied with the way your (father figure) and you communicate with each other.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1986	38.8 %
2	Agree	1398	27.3 %
3	Neither agree nor disagree	355	6.9 %
4	Disagree	256	5.0 %
5	Strongly disagree	234	4.6 %
7 (M)	Legitimate skip	882	17.2 %
8 (M)	Don't know	3	0.1 %

Based upon 4229 valid cases out of 5114 total cases.

- Mean: 1.90
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.13

H4WP38

S2Q38 HOW CLOSE TO DAD FIGURE-W4

Location: 506-513 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: How close do you feel to your (father figure)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not at all close	153	3.0 %
2	Not very close	232	4.5 %
3	Somewhat close	682	13.3 %
4	Quite close	1029	20.1 %
5	Very close	2135	41.7 %
7 (M)	Legitimate skip	882	17.2 %
8 (M)	Don't know	1	0.0 %

Based upon 4231 valid cases out of 5114 total cases.

- Mean: 4.13
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.09

H4WP39

S2Q39 NUM TIME DAD FIG GIVE \$ LIV EXP-W4

- Study 21600 -

Location: 514-521 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: How many times has your (father figure) paid your living expenses or given you \$50 or more to pay living expenses during the past 12 months?

[NOTES:] The pretest questions used the following wording: "Has your (mother figure/father figure) given you any money or bought you something or helped pay living expenses for you that cost more than \$50 during the past 12 months?" with response categories 1=yes, 2=no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never (no)	2782	54.4 %
1	Yes, number of times unknown	728	14.2 %
2	Yes, 1 or 2 times	272	5.3 %
3	Yes, 3 or 4 times	446	8.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	882	17.2 %
8 (M)	Don't know	3	0.1 %

Based upon 4228 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

H4WP40 S2Q40 NUM TIME GIVE \$ TO DAD FIG-W4

Location: 522-529 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: How many times have you paid your (father figure's) living expenses or given him more than \$50 to pay living expenses during the past 12 months?

[NOTES:] The pretest questions used the following wording: "Have you given your (mother figure/father figure) any money or paid for something for her that cost more than \$50 during the past 12 months?" with response categories 1=yes, 2=no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never (no)	3542	69.3 %
1	Yes, number of times unknown	371	7.3 %
2	Yes, 1 or 2 times	142	2.8 %
3	Yes, 3 or 4 times	174	3.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	882	17.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	2	0.0 %

Based upon 4229 valid cases out of 5114 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

H4WS1

S3Q1 NO SIBLINGS ALIVE/DEAD-W4

Location: 530-537 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: How many brothers and sisters do you have, both living and deceased? Include biologically related, adoptive, and step-brothers or sisters.

[NOTES:] Includes soft check if H4WS1 > 15: "Please confirm the number of siblings reported in H4WS1."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	242	4.7 %
1	-	1342	26.2 %
2	-	1265	24.7 %
3	-	813	15.9 %
4	-	539	10.5 %
5	-	305	6.0 %
6	-	215	4.2 %
7	-	141	2.8 %
8	-	84	1.6 %
9	-	56	1.1 %
10	-	35	0.7 %
11	-	20	0.4 %
12	-	14	0.3 %
13	-	8	0.2 %
14	-	4	0.1 %
15	-	6	0.1 %
16	-	1	0.0 %
17	-	4	0.1 %
19	-	1	0.0 %
20	-	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	10	0.2 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 2.88
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.37

H4WS2

S3Q2 NO SIBLINGS THAT HAVE DIED-W4

Location: 538-545 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 96 , 97 , 98
Question: How many have died?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 siblings	4441	86.8 %
1	1 sibling	358	7.0 %
2	2 siblings	45	0.9 %
3	3 siblings	9	0.2 %
4	4 or more siblings	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	253	4.9 %
98 (M)	Don't know	5	0.1 %

Based upon 4855 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.35

H4WS4

S3Q4 NUMB OF CLOSE FRIENDS-W4

Location: 546-553 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 95 , 96 , 98
Question: How many close friends do you have? (Close friends include people whom you feel at ease with, can talk to about private matters, and can call on for help.)

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	145	2.8 %
2	1 or 2 friends	1121	21.9 %
3	3 to 5 friends	2319	45.3 %
4	6 to 9 friends	861	16.8 %
5	10 or more friends	620	12.1 %
95 (M)	Not asked on pretest	46	0.9 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %

Based upon 5066 valid cases out of 5114 total cases.

- Mean: 3.14
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

H4WS5

S3Q5 RACE OF CLOSE FRIENDS-W4

Location: 554-561 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: What race are you close friends?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	All your race	2293	44.8 %
2	Almost all your race	808	15.8 %
3	Mostly your race	694	13.6 %
4	About half your race	695	13.6 %
5	Mostly other races	218	4.3 %
6	Almost all other races	98	1.9 %
7	All other races	157	3.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	145	2.8 %
98 (M)	Don't know	4	0.1 %

Based upon 4963 valid cases out of 5114 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 7.00
- Standard Deviation: 1.60

H4GH1

S4Q1 HOW IS GEN PHYSICAL HEALTH-W4

Location: 562-569 (width: 8; decimal: 0)

Variable Type: numeric

Question: In general, how is your health?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	979	19.1 %
2	Very good	1963	38.4 %
3	Good	1683	32.9 %
4	Fair	434	8.5 %
5	Poor	55	1.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

H4GH2

S4Q2 PAST MO,HEALTH PROB/MISSED DAY-W4

Location: 570-577 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: In the past 30 days, how often did a health problem cause you to miss a day of school or work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4158	81.3 %
1	A few times	802	15.7 %
2	About once a week	51	1.0 %
3	Almost every day	20	0.4 %
4	Every day	52	1.0 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	1	0.0 %

Based upon 5083 valid cases out of 5114 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.59

H4GH3M S4Q3M LAST MENSTRUAL PERIOD START M-W4

Location: 578-585 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98 , .
 Question: What is the date your last menstrual period began? [Month]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	282	5.5 %
2	February	399	7.8 %
3	March	404	7.9 %
4	April	346	6.8 %
5	May	278	5.4 %
6	June	218	4.3 %
7	July	194	3.8 %
8	August	131	2.6 %
9	September	133	2.6 %
10	October	99	1.9 %
11	November	116	2.3 %
12	December	104	2.0 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	2353	46.0 %
98 (M)	Don't know	46	0.9 %
. (M)	-	7	0.1 %

Based upon 2704 valid cases out of 5114 total cases.

- Mean: 4.99
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.11

H4GH3D S4Q3D LAST MENSTRUAL PERIOD START D-W4

Location: 586-593 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , .
 Question: What is the date when your last menstrual period began? [Day]

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	173	3.4 %
2	-	91	1.8 %
3	-	89	1.7 %
4	-	70	1.4 %
5	-	122	2.4 %
6	-	61	1.2 %
7	-	75	1.5 %
8	-	54	1.1 %
9	-	56	1.1 %
10	-	125	2.4 %
11	-	72	1.4 %
12	-	85	1.7 %
13	-	53	1.0 %
14	-	75	1.5 %
15	-	192	3.8 %
16	-	56	1.1 %
17	-	70	1.4 %
18	-	74	1.4 %
19	-	68	1.3 %
20	-	167	3.3 %
21	-	81	1.6 %
22	-	62	1.2 %
23	-	72	1.4 %
24	-	66	1.3 %
25	-	119	2.3 %
26	-	61	1.2 %
27	-	81	1.6 %
28	-	91	1.8 %
29	-	50	1.0 %
30	-	64	1.3 %
31	-	26	0.5 %
98	-	148	2.9 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2353	46.0 %
. (M)	-	11	0.2 %

Based upon 2749 valid cases out of 5114 total cases.

- Mean: 19.41
- Median: 15.00
- Mode: 15.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 20.62

H4GH3Y

S4Q3Y LAST MENSTRUAL PERIOD START Y-W4

Location: 594-601 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , .

Question: What is the date when your last menstrual period began? [Year]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	1	0.0 %
1995	-	1	0.0 %
1998	-	1	0.0 %
1999	-	1	0.0 %
2000	-	2	0.0 %
2001	-	3	0.1 %
2002	-	6	0.1 %
2003	-	3	0.1 %
2004	-	6	0.1 %
2005	-	9	0.2 %
2006	-	35	0.7 %
2007	-	321	6.3 %
2008	-	2325	45.5 %
2009	-	7	0.1 %
9997 (M)	Legitimate skip	2353	46.0 %
9998 (M)	Don't know	29	0.6 %
. (M)	-	11	0.2 %

Based upon 2721 valid cases out of 5114 total cases.

- Mean: 2007.79
- Median: 2008.00
- Mode: 2008.00
- Minimum: 1994.00
- Maximum: 2009.00
- Standard Deviation: 0.78

H4GH4A

S4Q4A LAST MENSTRL PERIOD START EST-W4

Location: 602-609 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

- Study 21600 -

Question:

What is your best guess about how long ago your last menstrual period began? [Number of days, weeks, or months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	10	0.2 %
2	-	8	0.2 %
3	-	18	0.4 %
4	-	9	0.2 %
5	-	4	0.1 %
6	-	6	0.1 %
7	-	6	0.1 %
8	-	5	0.1 %
9	-	4	0.1 %
10	-	5	0.1 %
11	-	3	0.1 %
12	-	8	0.2 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	2	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	3	0.1 %
24	-	5	0.1 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
60	-	1	0.0 %
72	-	2	0.0 %
80	-	1	0.0 %
168	-	1	0.0 %
200	-	1	0.0 %
360	-	1	0.0 %
997 (M)	Legitimate skip	4965	97.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
998 (M)	Don't know	23	0.4 %
. (M)	-	1	0.0 %

Based upon 125 valid cases out of 5114 total cases.

- Mean: 18.25
- Median: 8.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 360.00
- Standard Deviation: 40.45

H4GH4B

S4Q4B LAST MENST EST START DAY/WK/MTH-W4

Location: 610-617 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What is your best guess about how long ago your last menstrual period began? [Days, weeks, or months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Days	19	0.4 %
2	Weeks	27	0.5 %
3	Months	80	1.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4965	97.1 %
8 (M)	Don't know	21	0.4 %
. (M)	-	1	0.0 %

Based upon 126 valid cases out of 5114 total cases.

- Mean: 2.48
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.75

H4GH5F

S4Q5F HEIGHT-FEET-W4

Location: 618-625 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: How tall are you in feet?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	66	1.3 %
5	-	4095	80.1 %
6	-	947	18.5 %
98 (M)	Don't know	6	0.1 %

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 5.17
- Median: 5.00
- Mode: 5.00
- Minimum: 4.00
- Maximum: 6.00
- Standard Deviation: 0.41

H4GH5I

S4Q5I HEIGHT-INCHES-W4

Location: 626-633 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: How tall are you in inches?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	423	8.3 %
1	-	380	7.4 %
2	-	489	9.6 %
3	-	439	8.6 %
4	-	495	9.7 %
5	-	388	7.6 %
6	-	482	9.4 %
7	-	458	9.0 %
8	-	366	7.2 %
9	-	381	7.5 %
10	-	391	7.6 %
11	-	412	8.1 %
98 (M)	Don't know	10	0.2 %

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 5.39
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.40

- Study 21600 -

H4GH6 S4Q6 WEIGHT-LBS-W4

Location: 634-641 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 996 , 998
 Question: What is your current weight in pounds?

[NOTES:] Several main study cases self-reported their weight as less than 70 lbs. A subsequent version of the survey added a soft check to this question in order to catch these cases. There are 5 cases where self-reported weight is less than 70 and may be incorrect. Several main study cases self-reported their weight as over 400 lbs, ranging from 401 to 617 lbs. A soft check for cases with weight > 400 lbs: "Please confirm the weight entered" was used for this variable.

<i>Value</i>	<i>Label</i>
996 (M)	Refused
998 (M)	Don't know

Based upon 5035 valid cases out of 5114 total cases.

- Mean: 184.05
- Median: 178.00
- Mode: 180.00
- Minimum: 18.00
- Maximum: 525.00
- Standard Deviation: 49.34

H4GH7 S4Q7 WHAT YOU THINK OF YOUR WEIGHT-W4

Location: 642-649 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: How do you think of yourself in terms of weight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very underweight	42	0.8 %
2	Slightly underweight	386	7.5 %
3	About the right weight	1771	34.6 %
4	Slightly overweight	2203	43.1 %
5	Very overweight	710	13.9 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 3.62
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 5.00
- Standard Deviation: 0.85

H4GH8 S4Q8 NUM TIMES FAST FOOD LAST 7 DAYS-W4

Location: 650-657 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , .

Question: How many times in the past seven days did you eat food from a fast food restaurant, such as McDonald's, Burger King, Wendy's, Arby's, Pizza Hut, Taco Bell, or Kentucky Fried Chicken or a local fast food restaurant? (Enter 99 for 99 or more times.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1210	23.7 %
1	-	1249	24.4 %
2	-	933	18.2 %
3	-	580	11.3 %
4	-	366	7.2 %
5	-	270	5.3 %
6	-	65	1.3 %
7	-	229	4.5 %
8	-	25	0.5 %
9	-	11	0.2 %
10	-	63	1.2 %
11	-	2	0.0 %
12	-	8	0.2 %
13	-	2	0.0 %
14	-	32	0.6 %
15	-	6	0.1 %
16	-	1	0.0 %
18	-	3	0.1 %
20	-	9	0.2 %
21	-	4	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
30	-	4	0.1 %
35	-	2	0.0 %
99	99 or more times	2	0.0 %
996 (M)	Refused	1	0.0 %
998 (M)	Don't know	4	0.1 %
. (M)	-	30	0.6 %

Based upon 5079 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.43

H4GH9

S4Q9 NUM NON-DIET SWEET DRINKS-W4

Location: 658-665 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 998

Question: In the past 7 days, how many regular (non-diet) sweetened drinks did you have? Include regular soda, juice drinks, sweetened tea or coffee, energy drinks, flavored water, or other sweetened drinks. (Enter 99 for 99 or more.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	641	12.5 %
1	-	224	4.4 %
2	-	327	6.4 %
3	-	319	6.2 %
4	-	221	4.3 %
5	-	310	6.1 %
6	-	98	1.9 %
7	-	573	11.2 %
8	-	70	1.4 %
9	-	41	0.8 %
10	-	372	7.3 %
11	-	10	0.2 %
12	-	95	1.9 %
13	-	14	0.3 %
14	-	422	8.3 %
15	-	158	3.1 %
16	-	14	0.3 %
17	-	7	0.1 %
18	-	15	0.3 %
19	-	2	0.0 %
20	-	223	4.4 %
21	-	245	4.8 %
22	-	4	0.1 %
23	-	2	0.0 %
24	-	32	0.6 %
25	-	74	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	-	1	0.0 %
27	-	2	0.0 %
28	-	110	2.2 %
30	-	108	2.1 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	116	2.3 %
36	-	3	0.1 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	43	0.8 %
41	-	1	0.0 %
42	-	34	0.7 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	10	0.2 %
48	-	2	0.0 %
49	-	10	0.2 %
50	-	53	1.0 %
52	-	1	0.0 %
55	-	4	0.1 %
56	-	7	0.1 %
60	-	13	0.3 %
63	-	2	0.0 %
64	-	1	0.0 %
70	-	17	0.3 %
72	-	1	0.0 %
75	-	3	0.1 %
84	-	1	0.0 %
91	-	1	0.0 %
99	99 or more drinks	34	0.7 %
998 (M)	Don't know	12	0.2 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 11.90
- Median: 7.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 99.00
- Standard Deviation: 13.92

H4GH10

S4Q10 NUM DIET DRINKS LAST 7 DAYS-W4

Location: 666-673 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998

Question: In the past 7 days, how many regular (non-diet) sweetened drinks did you have? Include regular soda, juice drinks, sweetened tea or coffee, energy drinks, flavored water, or other sweetened drinks. (Enter 99 for 99 or more.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3032	59.3 %
1	-	159	3.1 %
2	-	193	3.8 %
3	-	151	3.0 %
4	-	108	2.1 %
5	-	186	3.6 %
6	-	62	1.2 %
7	-	298	5.8 %
8	-	30	0.6 %
9	-	13	0.3 %
10	-	192	3.8 %
11	-	4	0.1 %
12	-	45	0.9 %
13	-	5	0.1 %
14	-	153	3.0 %
15	-	62	1.2 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	6	0.1 %
20	-	110	2.2 %
21	-	90	1.8 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	7	0.1 %
25	-	29	0.6 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	33	0.6 %
30	-	51	1.0 %
35	-	23	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	3	0.1 %
37	-	1	0.0 %
40	-	12	0.2 %
42	-	8	0.2 %
45	-	2	0.0 %
48	-	1	0.0 %
49	-	5	0.1 %
50	-	10	0.2 %
60	-	1	0.0 %
70	-	4	0.1 %
77	-	2	0.0 %
82	-	2	0.0 %
84	-	1	0.0 %
95	-	1	0.0 %
99	99 or more drinks	4	0.1 %
996 (M)	Refused	1	0.0 %
998 (M)	Don't know	4	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 4.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.83

H4GH11H

S4Q11H LAST ATE/DRANK HOUR-W4

Location: 674-681 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: At what time did you last eat or drink anything other than water, including sugar-containing candy or gum? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	456	8.9 %
2	-	386	7.5 %
3	-	341	6.7 %
4	-	311	6.1 %
5	-	355	6.9 %
6	-	328	6.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	285	5.6 %
8	-	421	8.2 %
9	-	547	10.7 %
10	-	537	10.5 %
11	-	439	8.6 %
12	-	683	13.4 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	22	0.4 %

Based upon 5089 valid cases out of 5114 total cases.

- Mean: 7.06
- Median: 8.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.64

H4GH11M

S4Q11M LAST ATE/DRANK MINUTE-W4

Location: 682-689 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: At what time did you last eat or drink anything other than water, including sugar-containing candy or gum? [Minute] NOTE: Smallest 5 and largest 5 values are displayed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2815	55.0 %
1	-	7	0.1 %
2	-	5	0.1 %
3	-	26	0.5 %
4	-	3	0.1 %
5	-	24	0.5 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	4	0.1 %
9	-	3	0.1 %
10	-	59	1.2 %
11	-	2	0.0 %
12	-	6	0.1 %
13	-	3	0.1 %
14	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	236	4.6 %
17	-	4	0.1 %
18	-	4	0.1 %
19	-	2	0.0 %
20	-	71	1.4 %
21	-	1	0.0 %
22	-	3	0.1 %
23	-	5	0.1 %
24	-	4	0.1 %
25	-	25	0.5 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1377	26.9 %
31	-	1	0.0 %
33	-	1	0.0 %
35	-	30	0.6 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
40	-	44	0.9 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	223	4.4 %
46	-	2	0.0 %
48	-	2	0.0 %
50	-	52	1.0 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	18	0.4 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	4	0.1 %
59	-	1	0.0 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	22	0.4 %

Based upon 5089 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 12.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 15.98

H4GH11T S4Q11T LAST ATE/DRANK AM/PM-W4

Location: 690-697 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: At what time did you last eat or drink anything other than water, including sugar-containing candy or gum? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	1874	36.6 %
2	PM	3218	62.9 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	20	0.4 %

Based upon 5092 valid cases out of 5114 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

H4GH12 S4Q12 DRINK CAFFEINE LAST 24HRS-W4

Location: 698-705 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: Did you drink a caffeinated beverage (e.g., coffee, tea or soda) in the past 24 hours?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1537	30.1 %
1	Yes	3576	69.9 %
8 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.70
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4GH13H

S4Q13H TIME OF LAST CAFFEINE BEV HR-W4

Location: 706-713 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: At what time did you last drink a caffeinated beverage? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	292	5.7 %
2	-	254	5.0 %
3	-	204	4.0 %
4	-	194	3.8 %
5	-	203	4.0 %
6	-	238	4.7 %
7	-	254	5.0 %
8	-	335	6.6 %
9	-	413	8.1 %
10	-	435	8.5 %
11	-	307	6.0 %
12	-	442	8.6 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1537	30.1 %
98 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 3571 valid cases out of 5114 total cases.

- Mean: 7.24
- Median: 8.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.53

H4GH13M

S4Q13M TIME OF LAST CAFFEINE BEV MIN-W4

Location: 714-721 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: At what time did you last drink a caffeinated beverage? [Minute]

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2200	43.0 %
1	-	9	0.2 %
2	-	3	0.1 %
3	-	18	0.4 %
4	-	1	0.0 %
5	-	11	0.2 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	29	0.6 %
11	-	2	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
15	-	131	2.6 %
16	-	1	0.0 %
17	-	3	0.1 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	47	0.9 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %
24	-	3	0.1 %
25	-	19	0.4 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	833	16.3 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	18	0.4 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	28	0.5 %
41	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	2	0.0 %
45	-	130	2.5 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	30	0.6 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	9	0.2 %
56	-	1	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	1537	30.1 %
98 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 3570 valid cases out of 5114 total cases.

- Mean: 11.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 15.49

H4GH13T

S4Q13T TIME OF LAST CAFFENE BEV AM/PM-W4

Location: 722-729 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: At what time did you last drink a caffeinated beverage? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	1509	29.5 %
2	PM	2063	40.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1537	30.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 3572 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

H4HS1

S5Q1 BEST DESCRIBE CURR/HEALTH INS-W4

Location: 730-737 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: Which of the following best describes your current health insurance situation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You have no health insurance	1084	21.2 %
2	You get insurance through work	2579	50.4 %
3	You get insurance through a union	53	1.0 %
4	You get insurance through school	73	1.4 %
5	You are covered by your husband's or wife's insurance	582	11.4 %
6	You are covered by your parent's insurance	42	0.8 %
7	You are covered because you are active duty military	72	1.4 %
8	You buy private insurance yourself	186	3.6 %
9	You are on Medicaid	383	7.5 %
10	You are covered through the Indian Health Service	15	0.3 %
11	You do not know what your health insurance is	40	0.8 %
98 (M)	Don't know	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 3.11
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.52

H4HS2A

S5Q2A WHY NO HEALTH INS-NO OFFER-W4

Location: 738-745 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Why do you not have health insurance? Please tell me yes or no as I read the list of options: You are not offered health insurance through work or school.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	572	11.2 %
1	Yes	510	10.0 %
8	-	2	0.0 %
7 (M)	Legitimate skip	4030	78.8 %

Based upon 1084 valid cases out of 5114 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.59

H4HS2B

S5Q2B WHY NO HLTH INS-TOO EXPENSIVE-W4

Location: 746-753 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Why do you not have health insurance? Please tell me yes or no as I read the list of options: It is too expensive.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	277	5.4 %
1	Yes	799	15.6 %
7 (M)	Legitimate skip	4030	78.8 %
8 (M)	Don't know	8	0.2 %

Based upon 1076 valid cases out of 5114 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4HS2C

S5Q2C WHY NO HLTH INS-NOT NEED/WANT-W4

Location: 754-761 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Why do you not have health insurance? Please tell me yes or no as I read the list of options: You do not need or want health insurance.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	924	18.1 %
1	Yes	157	3.1 %
7 (M)	Legitimate skip	4030	78.8 %
8 (M)	Don't know	3	0.1 %

Based upon 1081 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4HS2D

S5Q2D WHY NO HLTH INS-DENIED INSUR-W4

Location: 762-769 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 8

Question: Why do you not have health insurance? Please tell me yes or no as I read the list of options: You were denied health insurance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	979	19.1 %
1	Yes	93	1.8 %
5 (M)	Not asked on pretest	10	0.2 %
7 (M)	Legitimate skip	4030	78.8 %
8 (M)	Don't know	2	0.0 %

Based upon 1072 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H4HS3

S5Q3 # MONTHS HAVE HEALTH INSURANCE-W4

Location: 770-777 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: Over the past 12 months, how many months did you have health insurance?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	800	15.6 %
1	-	61	1.2 %
2	-	69	1.3 %
3	-	77	1.5 %
4	-	57	1.1 %
5	-	52	1.0 %
6	-	140	2.7 %
7	-	54	1.1 %
8	-	73	1.4 %
9	-	99	1.9 %
10	-	66	1.3 %
11	-	72	1.4 %
12	-	3483	68.1 %
98 (M)	Don't know	11	0.2 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 9.18
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 4.65

H4HS4

S5Q4 PAST 12/MON NEEDED MED CARE-W4

Location: 778-785 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: Has there been a time in the past 12 months when you thought you should get medical care, but you did not?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3852	75.3 %
1	Yes	1259	24.6 %
8 (M)	Don't know	3	0.1 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.43

H4HS5 S5Q5 PAST12 MON PROB GOT WORSE-W4

Location: 786-793 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: In the past 12 months, did a health problem get worse because you did not get care when you thought you should?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	761	14.9 %
1	Yes	495	9.7 %
7 (M)	Legitimate skip	3855	75.4 %
8 (M)	Don't know	3	0.1 %

Based upon 1256 valid cases out of 5114 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4HS6 S5Q6 LOCATION HEALTH CARE FACILITY-W4

Location: 794-801 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Question: Where do you usually go when you are sick or need health care?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never get sick or need health care	287	5.6 %
2	Hospital-based clinic	698	13.6 %
3	Hospital emergency room	656	12.8 %
4	Community health center or clinic	449	8.8 %
5	Health maintenance organization (HMO)	172	3.4 %
6	Private doctor's office	2518	49.2 %
7	School or college clinic	64	1.3 %
8	Military hospital or clinic	137	2.7 %
9	Clinic at work	21	0.4 %
10	Some other place	111	2.2 %
98 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 4.74
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.01

H4HS7

S5Q7 LAST ROUTINE CHECK-UP-W4

Location: 802-809 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 98
 Question: How long ago did you last have a routine check-up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within the past 3 months	1233	24.1 %
2	4 to 6 months ago	807	15.8 %
3	7 to 9 months ago	468	9.2 %
4	10 to 12 months ago	682	13.3 %
5	Longer than 1 year ago but less than 2 years ago	718	14.0 %
6	2 years ago or longer	1096	21.4 %
7	Never	96	1.9 %
98 (M)	Don't know	14	0.3 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 3.49
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.95

H4HS8

S5Q8 PAST 12 MON DENTAL EXAM-W4

Location: 810-817 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: In the past 12 months have you had a dental examination by a dentist or dental hygienist?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2248	44.0 %
1	Yes	2866	56.0 %

Based upon 5114 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4HS9 S5Q9 PAST12 MON PSYCHO/COUNSELING-W4

Location: 818-825 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: In the past 12 months have you received psychological or emotional counseling?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4587	89.7 %
1	Yes	526	10.3 %
8 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4ID1 S06Q1 LIMIT:MODERATE ACTIVITIES-W4

Location: 826-832 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: The following questions are about activities you might do during a typical day. How much does your health now limit you in these activities: moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, playing golf?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not limited	4645	90.8 %
2	Limited a little	336	6.6 %
3	Limited a lot	132	2.6 %
8 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 1.12

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.39

H4ID2 S06Q2 LIMIT:CLIMB SEV. FLIGHT STAIRS-W4

Location: 833-839 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: How much does your health now limit you in: climbing several flights of stairs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not limited	130	2.5 %
2	Limited a little	204	4.0 %
3	Limited a lot	133	2.6 %
7 (M)	Legitimate skip	4646	90.8 %
8 (M)	Don't know	1	0.0 %

Based upon 467 valid cases out of 5114 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.75

H4ID3 S06Q3 LIMIT CAUSE BY COND>YR/RECENT-W4

Location: 840-846 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: Is your limitation in activities caused by a condition that has lasted more than a year, or by a condition that has developed recently?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Lasted more than a year	275	5.4 %
2	Developed recently	190	3.7 %
7 (M)	Legitimate skip	4646	90.8 %
8 (M)	Don't know	3	0.1 %

Based upon 465 valid cases out of 5114 total cases.

- Mean: 1.41
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

H4ID4 S06Q4 USE BRACE, CANE, WHEELCHAIR-W4

Location: 847-853 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5

Question: Do you use a brace, cane, wheelchair or other device because of a physical condition?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4897	95.8 %
1	Yes	175	3.4 %
5 (M)	Not asked in pretest	42	0.8 %

Based upon 5072 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4ID5A S06Q5A EVER BEEN DX CANCER/LEUKEMIA-W4

Location: 854-860 (width: 7; decimal: 0)

Variable Type: numeric

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: cancer or lymphoma or leukemia? Don't include skin cancer, except melanoma?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5054	98.8 %
1	Yes	60	1.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H4ID5B S06Q5B HIGH CHOLESTEROL/LIPIDS/TRIG-W4

- Study 21600 -

Location: 861-867 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Has a doctor, nurse or other health care provider ever told you that you have or had: high blood cholesterol or triglycerides or lipids?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4696	91.8 %
1	Yes	416	8.1 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

H4ID5C S06Q5C EVER DX W/HIGH BLOOD PRESSUR-W4

Location: 868-874 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Has a doctor, nurse or other health care provider ever told you that you have or had: high blood pressure or hypertension {if female add, when you were not pregnant}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4558	89.1 %
1	Yes	554	10.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4ID5D S06Q5D EVER BEEN DX WITH DIABETES-W4

Location: 875-881 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: high blood sugar or diabetes {if female add, when you were not pregnant}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4963	97.0 %
1	Yes	150	2.9 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4ID5E

S06Q5E EVER BEEN DX HEART DISEASE-W4

Location: 882-888 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: heart disease?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5071	99.2 %
1	Yes	42	0.8 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

H4ID5F

S06Q5F EVER BEEN DX ASTHM/CR BRN/EMPH-W4

Location: 889-895 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: asthma, chronic bronchitis or emphysema?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4324	84.6 %
1	Yes	789	15.4 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4ID5G

S06Q5G EVER BEEN DX MIGRAINES-W4

Location: 896-902 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: migraine headaches?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4319	84.5 %
1	Yes	794	15.5 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4ID5H

S06Q5H EVER BEEN DX WITH DEPRESSION-W4

Location: 903-909 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: depression?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4286	83.8 %
1	Yes	827	16.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4ID5I S06Q5I EVER BEEN DX PTSD-W4

Location: 910-916 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: post-traumatic stress disorder or PTSD?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4952	96.8 %
1	Yes	161	3.1 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4ID5J S06Q5J EVER BEEN DX PANIC/ANXIETY DIS-W4

Location: 917-923 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: anxiety or panic disorder?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4474	87.5 %
1	Yes	639	12.5 %
6 (M)	Refused	1	0.0 %

- Study 21600 -

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4ID5K S06Q5K EVER BEEN DX W/EPILEPSY/SEIZ-W4

Location: 924-930 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: epilepsy or another seizure disorder?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5042	98.6 %
1	Yes	71	1.4 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

H4ID5L S06Q5L EVER BEEN DX ADD/ADHD-W4

Location: 931-937 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: attention problems or ADD or ADHD?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4838	94.6 %
1	Yes	275	5.4 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.05

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

H4ID5N S06Q5N EVER BEEN DX HEPATITIS C-W4

Location: 938-944 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6

Question: Has a doctor, nurse or other health care provider ever told you that you have or had: Hepatitis C?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5059	98.9 %
1	Yes	8	0.2 %
5 (M)	Not asked in pretest	46	0.9 %
6 (M)	Refused	1	0.0 %

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4ID7 S06Q7 SERIOUS INJURY PAST YEAR-W4

Location: 945-951 (width: 7; decimal: 0)

Variable Type: numeric

Question: In the past 12 months, have you suffered any serious injuries? For example, broken bones, cuts or lacerations, burns, torn muscles, tendons or ligaments, or other injuries that interfered with your ability to perform daily tasks.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4440	86.8 %
1	Yes	674	13.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

H4ID8 S06Q8 MVA WITHIN PAST YEAR-W4

Location: 952-958 (width: 7; decimal: 0)

Variable Type: numeric

Question: In the past 12 months, were you involved in a motor vehicle accident?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4576	89.5 %
1	Yes	538	10.5 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4ID9A S06Q9A GUM DIS/LOST TOOTH LAST MONTH-W4

Location: 959-965 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had gum disease (gingivitis; periodontal disease) or tooth loss because of cavities, Gum disease (gingivitis; periodontal disease) or tooth loss because of cavities in the last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4961	97.0 %
1	Yes	153	3.0 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4ID9B S06Q9B ACTIVE INFECTION LAST MONTH-W4

Location: 966-972 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had active infection in the last four weeks?

- Study 21600 -

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4944	96.7 %
1	Yes	170	3.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4ID9C

S06Q9C SUSTAIN INJURY LAST MONTH-W4

Location: 973-979 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Have you had injury in the last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4927	96.3 %
1	Yes	187	3.7 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H4ID9D

S06Q9D ACUTE ILLNESS LAST MONTH-W4

Location: 980-986 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Have you had acute illness in the last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5025	98.3 %
1	Yes	89	1.7 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

H4ID9E S06Q9E SURGERY LAST MONTH-W4

Location: 987-993 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had surgery in the last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4999	97.8 %
1	Yes	115	2.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H4ID9F S06Q9F HAY FEVER SXS LAST MONTH-W4

Location: 994-1000 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had active seasonal allergies (hay fever) in last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4257	83.2 %
1	Yes	857	16.8 %

- Study 21600 -

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4ID9G

S06Q9G NONE OF ABOVE-W4

Location: 1001-1007 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had none of the above in the last four weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1402	27.4 %
1	Yes	3712	72.6 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4ID10A

S06Q10A FLU SXS-PAST 2 WEEKS-W4

Location: 1008-1014 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had cold or flu-like symptoms such as sore throat, runny nose, or cough in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3981	77.8 %
1	Yes	1133	22.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.22

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H4ID10B

S06Q10B FEVER-PAST 2 WEEKS-W4

Location: 1015-1021 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Have you had fever in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4895	95.7 %
1	Yes	219	4.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4ID10C

S06Q10C NIGHT SWEATS-PAST 2 WEEKS-W4

Location: 1022-1028 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: Have you had night sweats in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4912	96.1 %
1	Yes	202	3.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H4ID10D S06Q10D DIARR/NAUSEA/VOMIT PAST 2 WKS-W4

Location: 1029-1035 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had nausea or vomiting or diarrhea in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4678	91.5 %
1	Yes	436	8.5 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H4ID10E S06Q10E BLOODY STOOL-PAST 2 WEEKS-W4

Location: 1036-1042 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you had blood in stool (feces) or in urine in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5069	99.1 %
1	Yes	45	0.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

H4ID10F S06Q10F POLYURIA-PAST 2 WEEKS-W4

Location: 1043-1049 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Question:

Have you had frequent urination in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4919	96.2 %
1	Yes	195	3.8 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H4ID10G

S06Q10G SKIN RASH-PAST 2 WEEKS-W4

Location:

1050-1056 (width: 7; decimal: 0)

Variable Type:

numeric

Question:

Have you had skin rash or abscess in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4974	97.3 %
1	Yes	140	2.7 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4ID10H

S06Q10H NONE OF ABOVE SYMPTOMS-W4

Location:

1057-1063 (width: 7; decimal: 0)

Variable Type:

numeric

Question:

Have you had none of the above in the last two weeks?

[NOTES:] Break off questions that were asked again in cases where at least 24 hours elapsed between the time the questions were first asked and the time of the biomarker collection.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1734	33.9 %
1	Yes	3380	66.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4ID11

S06Q11 ASPIRIN/ASA-CONTAINING PROD-W4

Location: 1064-1070 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: Regarding your current medication use: In the past 24 hours, have you taken aspirin or aspirin-containing medications including cold and allergy medications or headache powders? Do not include acetaminophen for example, Tylenol, or ibuprofen, for example, Advil, Motrin or Nuprin. Some examples of aspirin-containing medications include: Anacin, Aspirin, B.C. Backache Relief Extra Strength, Bayer, Excedrin, Goody's, Pain Relief, Pain Reliever Added Strength, Vanquish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4359	85.2 %
1	Yes	752	14.7 %
8 (M)	Don't know	3	0.1 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4ID12

S06Q12 USING OTHER NSAID(S)-W4

Location: 1071-1077 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: In the past 24 hours, have you taken other anti-inflammatory medications? Do not include acetaminophen, for example, Tylenol or aspirin-containing medications. Some examples of those include: Advil, Aleve, Ibuprofen, Motrin, Naproxen, Nuprin

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4114	80.4 %
1	Yes	997	19.5 %
8 (M)	Don't know	3	0.1 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4ID13 S06Q13 TOTAL BLINDNESS ONE/BOTH EYES-W4

Location: 1078-1084 (width: 7; decimal: 0)
Variable Type: numeric
Question: Do you have total blindness in one or both eyes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	5089	99.5 %
3	Yes, one eye	20	0.4 %
4	Yes, both eyes	5	0.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 0.09

H4ID14 S06Q14 USE GLASSES OR CONTACTS-W4

Location: 1085-1091 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6 , 7
Question: Do you use eyeglasses, contact lenses, both, or neither for vision correction?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Eyeglasses	1129	22.1 %
2	Contact lenses	308	6.0 %
3	Both	956	18.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Neither	2715	53.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	5	0.1 %

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 3.03
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.21

H4ID15

S06Q15 W/CORRECTION HOW IS EYESIGHT-W4

Location: 1092-1098 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: With eyeglasses or contact lenses, how is your eyesight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	1152	22.5 %
2	Good	1042	20.4 %
3	Fair	149	2.9 %
4	Poor	35	0.7 %
5	Very poor	14	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2720	53.2 %
8 (M)	Don't know	1	0.0 %

Based upon 2392 valid cases out of 5114 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.72

H4ID16

S06Q16 EVER WORN HEARING AID-W4

Location: 1099-1105 (width: 7; decimal: 0)

Variable Type: numeric

Question: Have you ever worn a hearing aid?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5087	99.5 %
1	Yes	27	0.5 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H4ID17 S06Q17 BEST DESCRIBES UNAIDED HEARING-W4

Location: 1106-1112 (width: 7; decimal: 0)

Variable Type: numeric

Question: Which statement best describes your hearing without a hearing aid or other assistive devices?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	2914	57.0 %
2	Good	1847	36.1 %
3	A little trouble	290	5.7 %
4	Moderate hearing trouble	49	1.0 %
5	A lot of trouble	11	0.2 %
6	Deaf	3	0.1 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.68

H4ID18 S06Q18 STUTTERING STAMMERING PROBLEM-W4

Location: 1113-1119 (width: 7; decimal: 0)

Variable Type: numeric

Question: Do you have a problem with stuttering or stammering?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4906	95.9 %
1	Yes	208	4.1 %

- Study 21600 -

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4ID19

S06Q19 BEST DESCRIBES STUTT/STAM PROB-W4

Location: 1120-1126 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: How would you describe your stuttering or stammering at this time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mild	180	3.5 %
2	Moderate	24	0.5 %
3	Severe	4	0.1 %
7 (M)	Legitimate skip	4906	95.9 %

Based upon 208 valid cases out of 5114 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.41

H4ID20

S06Q20 EXPER TINNITUS W/I PAST YEAR-W4

Location: 1127-1133 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: In the past 12 months have you been bothered by ringing, roaring, or buzzing in your ears or head (tinnitus) that lasts for 5 minutes or more?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4798	93.8 %
1	Yes	315	6.2 %
8 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.06

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

H4ID21 S06Q21 DURATION OF TINNITUS-W4

Location: 1134-1140 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How long have you been bothered by this ringing, roaring, or buzzing in your ears or head?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	<3 months	84	1.6 %
2	3-11 months	45	0.9 %
3	1-2 years	37	0.7 %
4	3-4 years	39	0.8 %
5	5-9 years	48	0.9 %
6	10-14 years	25	0.5 %
7	15 years or more	33	0.6 %
97 (M)	Legitimate skip	4799	93.8 %
98 (M)	Don't know	4	0.1 %

Based upon 311 valid cases out of 5114 total cases.

- Mean: 3.41
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.06

H4ID22 S06Q22 FREQUENCY OF TINNITUS-W4

Location: 1141-1147 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, how often have you had this ringing, roaring, or buzzing in your ears or head?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Almost always	51	1.0 %
2	At least once a day	58	1.1 %
3	At least once a week	59	1.2 %
4	At least once a month	51	1.0 %
5	Less frequently than once a month	96	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4799	93.8 %

Based upon 315 valid cases out of 5114 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.47

H4ID23

S06Q23 VOICE PROBLEMS W/I PAST YEAR-W4

Location: 1148-1154 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: In the past 12 months, have you had any problem with your voice? By any problem, we mean was there any time when your voice was hoarse, raspy, breathy, weak, or, generally, did not work, perform, or sound as you feel it normally would?

[NOTES:] Pretest allowed only yes/no responses so another category was created for 'yes, but unknown - how long lasted'.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4099	80.2 %
1	Yes, but the problem only lasted 1 or 2 days	717	14.0 %
2	Yes, and the problem lasted 3 or more days	287	5.6 %
3	Yes, but unknown - how long lasted	8	0.2 %
8 (M)	Don't know	3	0.1 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.56

H4ID24

S06Q24 FREQ VOICE PROBLEMS PAST YEAR-W4

Location: 1155-1161 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In the past 12 months, how often has your voice been hoarse, raspy, or breathy?

- Study 21600 -

[NOTES:] These are the response categories as they were displayed in the PRETEST vs the MAIN study.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	24	0.5 %
1	1 or 2 days in the past 12 months	102	2.0 %
2	Once a month or less (3-12 days in the past 12 months)	101	2.0 %
3	2 or 3 days a month	31	0.6 %
4	1 or 2 days a week	8	0.2 %
5	3 to 5 days a week	12	0.2 %
6	Every day, or almost every day	15	0.3 %
97 (M)	Legitimate skip	4819	94.2 %
98 (M)	Don't know	2	0.0 %

Based upon 293 valid cases out of 5114 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.44

H4ID25

S06Q25 DIFFICULTY PROJECT/HEAR LST YR-W4

Location: 1162-1168 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: In the past 12 months, how often have you had difficulty being heard or trouble projecting your voice?

[NOTES:] These are the response categories as they were displayed in the PRETEST vs the MAIN study.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	146	2.9 %
1	1 or 2 days in the past 12 months	59	1.2 %
2	Once a month or less (3-12 days in the past 12 months)	59	1.2 %
3	2 or 3 days a month	9	0.2 %
4	1 or 2 days a week	9	0.2 %
5	3 to 5 days a week	3	0.1 %
6	Every day, or almost every day	9	0.2 %
97 (M)	Legitimate skip	4819	94.2 %
98 (M)	Don't know	1	0.0 %

Based upon 294 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.05
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.42

H4ID26 S06Q26 DOES VOICE PROB AFFECT LIFE-W4

Location: 1169-1175 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How often does a problem with your voice affect your personal, social, or working (professional) life?

~~~~~

[NOTES:] These are the response categories as they were displayed in the PRETEST vs the MAIN study.

| <i>Value</i> | <i>Label</i>                                           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------------------------------|-----------------------------|----------|
| 0            | None                                                   | 210                         | 4.1 %    |
| 1            | 1 or 2 days in the past 12 months                      | 40                          | 0.8 %    |
| 2            | Once a month or less (3-12 days in the past 12 months) | 32                          | 0.6 %    |
| 3            | 2 or 3 days a month                                    | 4                           | 0.1 %    |
| 5            | 3 to 5 days a week                                     | 4                           | 0.1 %    |
| 6            | Every day, or almost every day                         | 4                           | 0.1 %    |
| 97 (M)       | Legitimate skip                                        | 4819                        | 94.2 %   |
| 98 (M)       | Don't know                                             | 1                           | 0.0 %    |

Based upon 294 valid cases out of 5114 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.11

**H4SP1H S7Q1H HR USUALLY WAKE UP WORKDAYS-W4**

Location: 1176-1183 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On the days you go to work, school or similar activities, what time do you usually wake up? [Hour]

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | -            | 40                          | 0.8 %    |
| 2            | -            | 48                          | 0.9 %    |



- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 3            | -            | 95                              | 1.9 %    |
| 4            | -            | 309                             | 6.0 %    |
| 5            | -            | 1007                            | 19.7 %   |
| 6            | -            | 1582                            | 30.9 %   |
| 7            | -            | 1078                            | 21.1 %   |
| 8            | -            | 406                             | 7.9 %    |
| 9            | -            | 261                             | 5.1 %    |
| 10           | -            | 139                             | 2.7 %    |
| 11           | -            | 72                              | 1.4 %    |
| 12           | -            | 64                              | 1.3 %    |
| 96 (M)       | Refused      | 1                               | 0.0 %    |
| 98 (M)       | Don't know   | 12                              | 0.2 %    |

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 6.33
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.75

**H4SP1M**

**S7Q1M MIN USUALLY WAKE UP WORKDAYS-W4**

Location: 1184-1191 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On the days you go to work, school or similar activities, what time do you usually wake up? [Minute]

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | -            | 2776                            | 54.3 %   |
| 1            | -            | 8                               | 0.2 %    |
| 2            | -            | 1                               | 0.0 %    |
| 3            | -            | 33                              | 0.6 %    |
| 5            | -            | 8                               | 0.2 %    |
| 6            | -            | 1                               | 0.0 %    |
| 7            | -            | 2                               | 0.0 %    |
| 9            | -            | 1                               | 0.0 %    |
| 10           | -            | 15                              | 0.3 %    |
| 12           | -            | 1                               | 0.0 %    |
| 15           | -            | 206                             | 4.0 %    |
| 20           | -            | 46                              | 0.9 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 24           | -            | 1                           | 0.0 %    |
| 25           | -            | 10                          | 0.2 %    |
| 30           | -            | 1599                        | 31.3 %   |
| 32           | -            | 1                           | 0.0 %    |
| 35           | -            | 8                           | 0.2 %    |
| 40           | -            | 34                          | 0.7 %    |
| 43           | -            | 1                           | 0.0 %    |
| 44           | -            | 1                           | 0.0 %    |
| 45           | -            | 306                         | 6.0 %    |
| 50           | -            | 30                          | 0.6 %    |
| 54           | -            | 1                           | 0.0 %    |
| 55           | -            | 9                           | 0.2 %    |
| 59           | -            | 1                           | 0.0 %    |
| 96 (M)       | Refused      | 1                           | 0.0 %    |
| 98 (M)       | Don't know   | 13                          | 0.3 %    |

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 13.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 16.23

**H4SP1T**

**S7Q1T AM/PM USUALLY WAKE UP WORKDAYS-W4**

Location: 1192-1199 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: On the days you go to work, school or similar activities, what time do you usually wake up? [am/pm]

[NOTES:] The paired data on sleep/wake times on workdays versus days off varies. Some of the variance could be due to confusion among respondents that 12 midnight is AM and 12 noon is PM. The note "12 MIDNIGHT IS AM. 12 NOON IS PM." was added to the AM/PM screen displays for the main study questionnaire, but was absent in the pretest.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | AM           | 4843                        | 94.7 %   |
| 2            | PM           | 258                         | 5.0 %    |
| 6 (M)        | Refused      | 1                           | 0.0 %    |
| 8 (M)        | Don't know   | 12                          | 0.2 %    |

Based upon 5101 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.22

**H4SP2H**

**S7Q2H HR USUAL BEDTIME WORKDAYS-W4**

Location: 1200-1207 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On those days, what time do you usually go to sleep the night or day before? [Hour]

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1            | -            | 339                             | 6.6 %    |
| 2            | -            | 214                             | 4.2 %    |
| 3            | -            | 112                             | 2.2 %    |
| 4            | -            | 55                              | 1.1 %    |
| 5            | -            | 30                              | 0.6 %    |
| 6            | -            | 23                              | 0.4 %    |
| 7            | -            | 43                              | 0.8 %    |
| 8            | -            | 129                             | 2.5 %    |
| 9            | -            | 540                             | 10.6 %   |
| 10           | -            | 1442                            | 28.2 %   |
| 11           | -            | 1372                            | 26.8 %   |
| 12           | -            | 803                             | 15.7 %   |
| 96 (M)       | Refused      | 1                               | 0.0 %    |
| 98 (M)       | Don't know   | 11                              | 0.2 %    |

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 9.20
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.21

**H4SP2M**

**S7Q2M MIN USUAL BEDTIME WORKDAYS-W4**

Location: 1208-1215 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On those days, what time do you usually go to sleep the night or day before? [Minute]

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | -            | 3664                            | 71.6 %   |
| 1            | -            | 11                              | 0.2 %    |
| 3            | -            | 25                              | 0.5 %    |
| 5            | -            | 2                               | 0.0 %    |
| 9            | -            | 2                               | 0.0 %    |
| 10           | -            | 2                               | 0.0 %    |
| 15           | -            | 20                              | 0.4 %    |
| 20           | -            | 5                               | 0.1 %    |
| 30           | -            | 1333                            | 26.1 %   |
| 33           | -            | 1                               | 0.0 %    |
| 39           | -            | 1                               | 0.0 %    |
| 40           | -            | 2                               | 0.0 %    |
| 45           | -            | 33                              | 0.6 %    |
| 59           | -            | 1                               | 0.0 %    |
| 96 (M)       | Refused      | 1                               | 0.0 %    |
| 98 (M)       | Don't know   | 11                              | 0.2 %    |

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 8.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 13.53

**H4SP2T**

**S7Q2T AM/PM USUAL BEDTIME WORKDAYS-W4**

Location: 1216-1223 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: On those days, what time do you usually go to sleep the night or day before? [am/pm]

[NOTES:] The paired data on sleep/wake times on workdays versus days off varies. Some of the variance could be due to confusion among respondents that 12 midnight is AM and 12 noon is PM. The note "12 MIDNIGHT IS AM. 12 NOON IS PM." was added to the AM/PM screen displays for the main study questionnaire, but was absent in the pretest.

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1            | AM           | 1681                            | 32.9 %   |
| 2            | PM           | 3421                            | 66.9 %   |
| 6 (M)        | Refused      | 1                               | 0.0 %    |
| 8 (M)        | Don't know   | 11                              | 0.2 %    |

## - Study 21600 -

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

### H4SP3H

### S7Q3H HR USUALLY WAKE UP DAYS OFF-W4

Location: 1224-1231 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On the days that you don't have to get up at a certain time, what time do you usually wake up? [Hour]

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1            | -            | 73                              | 1.4 %    |
| 2            | -            | 39                              | 0.8 %    |
| 3            | -            | 30                              | 0.6 %    |
| 4            | -            | 45                              | 0.9 %    |
| 5            | -            | 130                             | 2.5 %    |
| 6            | -            | 425                             | 8.3 %    |
| 7            | -            | 1035                            | 20.2 %   |
| 8            | -            | 1167                            | 22.8 %   |
| 9            | -            | 934                             | 18.3 %   |
| 10           | -            | 674                             | 13.2 %   |
| 11           | -            | 316                             | 6.2 %    |
| 12           | -            | 238                             | 4.7 %    |
| 96 (M)       | Refused      | 1                               | 0.0 %    |
| 98 (M)       | Don't know   | 7                               | 0.1 %    |

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 8.16
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.00

### H4SP3M

### S7Q3M MIN USUALLY WAKE UP DAYS OFF-W4

Location: 1232-1239 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

- Study 21600 -

Question:

On the days that you don't have to get up at a certain time, what time do you usually wake up?  
[Minute]

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | -            | 3777                        | 73.9 %   |
| 1            | -            | 9                           | 0.2 %    |
| 2            | -            | 1                           | 0.0 %    |
| 3            | -            | 28                          | 0.5 %    |
| 10           | -            | 4                           | 0.1 %    |
| 15           | -            | 28                          | 0.5 %    |
| 20           | -            | 10                          | 0.2 %    |
| 30           | -            | 1195                        | 23.4 %   |
| 35           | -            | 1                           | 0.0 %    |
| 39           | -            | 1                           | 0.0 %    |
| 40           | -            | 4                           | 0.1 %    |
| 45           | -            | 44                          | 0.9 %    |
| 48           | -            | 1                           | 0.0 %    |
| 50           | -            | 2                           | 0.0 %    |
| 55           | -            | 1                           | 0.0 %    |
| 96 (M)       | Refused      | 1                           | 0.0 %    |
| 98 (M)       | Don't know   | 7                           | 0.1 %    |

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 7.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 13.25

**H4SP3T**

**S7Q3T AM/PM USUALLY WAKE UP DAYS OFF-W4**

Location: 1240-1247 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: On the days that you don't have to get up at a certain time, what time do you usually wake up?  
[am/pm]

~~~~~  
[NOTES:] The paired data on sleep/wake times on workdays versus days off varies. Some of the variance could be due to confusion among respondents that 12 midnight is AM and 12 noon is PM. The note "12 MIDNIGHT IS AM. 12 NOON IS PM." was added to the AM/PM screen displays for the main study questionnaire, but was absent in the pretest.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	4655	91.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	PM	452	8.8 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	6	0.1 %

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.28

H4SP4H

S7Q4H HR USUAL BEDTIME DAYS OFF-W4

Location: 1248-1255 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On those days, what time do you usually go to sleep the night or day before? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	680	13.3 %
2	-	555	10.9 %
3	-	277	5.4 %
4	-	116	2.3 %
5	-	43	0.8 %
6	-	21	0.4 %
7	-	14	0.3 %
8	-	44	0.9 %
9	-	177	3.5 %
10	-	674	13.2 %
11	-	1194	23.3 %
12	-	1311	25.6 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	7	0.1 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 8.04
- Median: 10.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.36

- Study 21600 -

H4SP4M S7Q4M MIN USUAL BEDTIME DAYS OFF-W4

Location: 1256-1263 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: On those days, what time do you usually go to sleep the night or day before? [Minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4178	81.7 %
1	-	16	0.3 %
2	-	1	0.0 %
3	-	17	0.3 %
5	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
15	-	7	0.1 %
20	-	3	0.1 %
30	-	869	17.0 %
45	-	12	0.2 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	7	0.1 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 5.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 11.44

H4SP4T S7Q4T AM/PM USUAL BEDTIME DAYS OFF-W4

Location: 1264-1271 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: On those days, what time do you usually go to sleep the night or day before? [am/pm]

[NOTES:] The paired data on sleep/wake times on workdays versus days off varies. Some of the variance could be due to confusion among respondents that 12 midnight is AM and 12 noon is PM. The note "12 MIDNIGHT IS AM. 12 NOON IS PM." was added to the AM/PM screen displays for the main study questionnaire, but was absent in the pretest.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	2942	57.5 %
2	PM	2164	42.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	7	0.1 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

H4SP5

S7Q5 HOW OFTEN TROUBLE FALLING ASLEEP-W4

Location: 1272-1279 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 8
 Question: How often did you have trouble falling asleep?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never in the past four weeks	2400	46.9 %
1	Less than once a week	950	18.6 %
2	1 or 2 times a week	911	17.8 %
3	3 or 4 times a week	395	7.7 %
4	5 or more times a week	411	8.0 %
5 (M)	Not asked on pretest	46	0.9 %
8 (M)	Don't know	1	0.0 %

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 1.11
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.30

H4SP6

S7Q6 HOW OFTEN TROUBLE STAYING ASLEEP-W4

Location: 1280-1287 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 8
 Question: How often did you have trouble staying asleep throughout the night? For example, you woke up several times at night or woke up earlier than you planned to?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never in the past four weeks	2237	43.7 %
1	Less than once a week	866	16.9 %
2	1 or 2 times a week	866	16.9 %
3	3 or 4 times a week	500	9.8 %
4	5 or more times a week	598	11.7 %
5 (M)	Not asked on pretest	46	0.9 %
8 (M)	Don't know	1	0.0 %

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 1.28
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.41

H4SP7

S7Q7 SNORE/STOP BREATHING IN SLEEP-W4

Location: 1288-1295 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 8

Question: Based on what you have noticed or what others have told you, are there times when you snore or you stop breathing during your sleep?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2595	50.7 %
1	Yes	2458	48.1 %
5 (M)	Not asked on pretest	46	0.9 %
8 (M)	Don't know	15	0.3 %

Based upon 5053 valid cases out of 5114 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4HR1

S8Q1 WHERE RESPONDENT LIVES-W4

Location: 1296-1302 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96

- Study 21600 -

Question:

Where do you live now? That is, where do you stay most often?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Your parents' home	785	15.4 %
2	Another person's home	298	5.8 %
3	Your own place (apartment, house, trailer, etc.)	3946	77.2 %
4	Group quarters (dormitory, barracks, group home, etc.)	56	1.1 %
5	Homeless - that is, you have no regular place to stay	3	0.1 %
6	skip to Q.3	24	0.5 %
96 (M)	skip to Q.10	2	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 2.66
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.78

H4HR2

S8Q2 KIND GROUP QUARTERS LIVING NOW-W4

Location:

1303-1309 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97

Question:

What kind of group quarters are you living in?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Dormitory at school	9	0.2 %
3	Barracks in the armed services	6	0.1 %
4	Half-way house, social rehabilitation facility	5	0.1 %
5	Prison, penitentiary	24	0.5 %
6	Group home	8	0.2 %
8	Communal home	1	0.0 %
9	Other	3	0.1 %
97 (M)	Legitimate skip	5058	98.9 %

Based upon 56 valid cases out of 5114 total cases.

- Mean: 4.46
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.01

- Study 21600 -

H4HR3 S8Q3 RESP LIVES ALONE OR W/OTHERS-W4

Location: 1310-1316 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Do you live alone or with others?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alone	595	11.6 %
2	With others	4456	87.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	61	1.2 %
8 (M)	Don't know	1	0.0 %

Based upon 5051 valid cases out of 5114 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.32

H4HR4 S8Q4 HOW MANY PEOPLE RESP LIVES WITH-W4

Location: 1317-1323 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: How many people live with you? Don't count yourself. If someone usually lives with you but is away temporarily include him or her.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1344	26.3 %
2	-	1155	22.6 %
3	-	1069	20.9 %
4	-	495	9.7 %
5	-	233	4.6 %
6	-	82	1.6 %
7	-	43	0.8 %
8	-	10	0.2 %
9	-	12	0.2 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	3	0.1 %
15	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	658	12.9 %
98 (M)	Don't know	1	0.0 %

Based upon 4450 valid cases out of 5114 total cases.

- Mean: 2.49
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.46

H4HR5A

S8Q5A HH MEMBER 1-GENDER-W4

Location: 1324-1330 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: I'd like to record the initials of all persons living in your household. Not counting yourself, please list the initials of all persons living in your household. Based on the answer to Q.4, create a table with Q.4 rows for questions Q.5 to Q.9. Ask Q.5 to Q.9 for all persons listed. {The initials of household members comprise table 1 and they are listed from top to bottom.} {Since this information is not to be saved, it has not been given a variable name.} {Questions 5-9 comprise table 2. The responses are listed from left to right in the table.} Ask Q.5 to Q.9 for each household member. Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2341	45.8 %
2	Female	2109	41.2 %
7 (M)	Legitimate skip	658	12.9 %
. (M)	-	6	0.1 %

Based upon 4450 valid cases out of 5114 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6A

S8Q6A HH MEMBER 1-AGE-W4

- Study 21600 -

Location: 1331-1338 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 996 , 997 , 998 , .
Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	12	0.2 %
1	-	32	0.6 %
2	-	31	0.6 %
3	-	28	0.5 %
4	-	29	0.6 %
5	-	44	0.9 %
6	-	39	0.8 %
7	-	38	0.7 %
8	-	47	0.9 %
9	-	35	0.7 %
10	-	53	1.0 %
11	-	31	0.6 %
12	-	25	0.5 %
13	-	10	0.2 %
14	-	12	0.2 %
15	-	7	0.1 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	5	0.1 %
19	-	14	0.3 %
20	-	17	0.3 %
21	-	33	0.6 %
22	-	59	1.2 %
23	-	81	1.6 %
24	-	140	2.7 %
25	-	198	3.9 %
26	-	283	5.5 %
27	-	289	5.7 %
28	-	319	6.2 %
29	-	341	6.7 %
30	-	338	6.6 %
31	-	271	5.3 %
32	-	188	3.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	-	118	2.3 %
34	-	126	2.5 %
35	-	72	1.4 %
36	-	71	1.4 %
37	-	42	0.8 %
38	-	42	0.8 %
39	-	25	0.5 %
40	-	34	0.7 %
41	-	14	0.3 %
42	-	24	0.5 %
43	-	18	0.4 %
44	-	10	0.2 %
45	-	23	0.4 %
46	-	20	0.4 %
47	-	28	0.5 %
48	-	21	0.4 %
49	-	32	0.6 %
50	-	59	1.2 %
51	-	31	0.6 %
52	-	44	0.9 %
53	-	36	0.7 %
54	-	42	0.8 %
55	-	47	0.9 %
56	-	53	1.0 %
57	-	39	0.8 %
58	-	36	0.7 %
59	-	32	0.6 %
60	-	38	0.7 %
61	-	23	0.4 %
62	-	36	0.7 %
63	-	19	0.4 %
64	-	17	0.3 %
65	-	14	0.3 %
66	-	13	0.3 %
67	-	14	0.3 %
68	-	4	0.1 %
69	-	4	0.1 %
70	-	6	0.1 %
71	-	3	0.1 %
72	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
73	-	5	0.1 %
74	-	7	0.1 %
75	-	3	0.1 %
77	-	1	0.0 %
78	-	3	0.1 %
79	-	4	0.1 %
80	-	2	0.0 %
81	-	1	0.0 %
82	-	3	0.1 %
84	-	2	0.0 %
85	-	2	0.0 %
87	-	2	0.0 %
88	-	1	0.0 %
89	-	2	0.0 %
90	-	1	0.0 %
93	-	1	0.0 %
99	-	1	0.0 %
111	-	1	0.0 %
996 (M)	Refused	2	0.0 %
997 (M)	Legitimate skip	658	12.9 %
998 (M)	Don't know	18	0.4 %
. (M)	-	6	0.1 %

Based upon 4430 valid cases out of 5114 total cases.

- Mean: 31.74
- Median: 29.00
- Mode: 29.00
- Minimum: 0.00
- Maximum: 111.00
- Standard Deviation: 14.45

H4HR7A

S8Q7A HH MEMBER 1-APPROXIMATE AGE-W4

Location: 1339-1346 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	1	0.0 %
36	-	1	0.0 %
40	-	3	0.1 %
45	-	2	0.0 %
46	-	1	0.0 %
50	-	3	0.1 %
55	-	1	0.0 %
60	-	1	0.0 %
997 (M)	Legitimate skip	5090	99.5 %
998 (M)	Don't know	5	0.1 %
. (M)	-	6	0.1 %

Based upon 13 valid cases out of 5114 total cases.

- Mean: 45.15
- Median: 45.00
- Minimum: 30.00
- Maximum: 60.00
- Standard Deviation: 8.07

H4HR8A

S8Q8A HH MEMBER 1-RELATION TO RESP-W4

Location: 1347-1353 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 96 , 97 , 98 , .
Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	1904	37.2 %
2	Partner/boyfriend/girlfriend	786	15.4 %
3	Son/daughter	464	9.1 %
4	Brother/sister	146	2.9 %
6	Sister's husband/brother's wife	5	0.1 %
8	Father/mother	668	13.1 %
10	Mother's husband/father's wife	5	0.1 %
11	Mother's male partner/father's female partner	5	0.1 %
12	Father-in-law/mother-in-law	18	0.4 %
13	Grandfather/grandmother	43	0.8 %
15	Uncle/aunt	25	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	Cousin	20	0.4 %
17	Nephew/niece	8	0.2 %
18	Other relative	16	0.3 %
19	Non-relative	335	6.6 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	658	12.9 %
98 (M)	Don't know	1	0.0 %
. (M)	-	6	0.1 %

Based upon 4448 valid cases out of 5114 total cases.

- Mean: 4.31
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 5.23

H4HR9A

S8Q9A HH MEMBER 1-BEST/FIT RELATION-W4

Location: 1354-1360 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	452	8.8 %
2	Adopted son/daughter	1	0.0 %
3	Step son/daughter	11	0.2 %
10	Full brother/sister	117	2.3 %
11	Twin brother/sister	6	0.1 %
12	Half brother/sister	18	0.4 %
13	Step brother/sister	3	0.1 %
14	Adoptive brother/sister	2	0.0 %
20	Biological father/mother	651	12.7 %
21	Adoptive father/mother	8	0.2 %
22	Step father/mother who has adopted you	1	0.0 %
23	Step father/mother	8	0.2 %
97 (M)	Legitimate skip	3830	74.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	6	0.1 %

Based upon 1278 valid cases out of 5114 total cases.

- Mean: 12.05
- Median: 20.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 8.83

H4HR5B

S8Q5B HH MEMBER 2-GENDER-W4

Location: 1361-1367 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1552	30.3 %
2	Female	1553	30.4 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2002	39.1 %
. (M)	-	6	0.1 %

Based upon 3105 valid cases out of 5114 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6B

S8Q6B HH MEMBER 2-AGE-W4

Location: 1368-1375 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 996 , 997 , 998 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who

- Study 21600 -

answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	102	2.0 %
1	-	197	3.9 %
2	-	236	4.6 %
3	-	167	3.3 %
4	-	190	3.7 %
5	-	161	3.1 %
6	-	147	2.9 %
7	-	166	3.2 %
8	-	146	2.9 %
9	-	139	2.7 %
10	-	97	1.9 %
11	-	76	1.5 %
12	-	71	1.4 %
13	-	44	0.9 %
14	-	25	0.5 %
15	-	16	0.3 %
16	-	18	0.4 %
17	-	28	0.5 %
18	-	20	0.4 %
19	-	21	0.4 %
20	-	8	0.2 %
21	-	21	0.4 %
22	-	27	0.5 %
23	-	24	0.5 %
24	-	46	0.9 %
25	-	40	0.8 %
26	-	41	0.8 %
27	-	49	1.0 %
28	-	40	0.8 %
29	-	33	0.6 %
30	-	24	0.5 %
31	-	24	0.5 %
32	-	22	0.4 %
33	-	16	0.3 %
34	-	10	0.2 %
35	-	12	0.2 %
36	-	12	0.2 %
37	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	9	0.2 %
39	-	2	0.0 %
40	-	18	0.4 %
41	-	9	0.2 %
42	-	6	0.1 %
43	-	9	0.2 %
44	-	7	0.1 %
45	-	8	0.2 %
46	-	17	0.3 %
47	-	18	0.4 %
48	-	18	0.4 %
49	-	15	0.3 %
50	-	31	0.6 %
51	-	17	0.3 %
52	-	35	0.7 %
53	-	32	0.6 %
54	-	30	0.6 %
55	-	35	0.7 %
56	-	34	0.7 %
57	-	26	0.5 %
58	-	30	0.6 %
59	-	20	0.4 %
60	-	25	0.5 %
61	-	16	0.3 %
62	-	14	0.3 %
63	-	5	0.1 %
64	-	8	0.2 %
65	-	13	0.3 %
66	-	5	0.1 %
67	-	5	0.1 %
68	-	10	0.2 %
69	-	2	0.0 %
70	-	5	0.1 %
71	-	5	0.1 %
72	-	6	0.1 %
73	-	3	0.1 %
75	-	2	0.0 %
76	-	2	0.0 %
77	-	3	0.1 %
78	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	2	0.0 %
80	-	1	0.0 %
82	-	2	0.0 %
85	-	1	0.0 %
93	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	2002	39.1 %
998 (M)	Don't know	15	0.3 %
. (M)	-	6	0.1 %

Based upon 3088 valid cases out of 5114 total cases.

- Mean: 18.17
- Median: 9.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 19.73

H4HR7B

S8Q7B HH MEMBER 2-APPROXIMATE AGE-W4

Location: 1376-1383 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	1	0.0 %
32	-	1	0.0 %
55	-	6	0.1 %
56	-	3	0.1 %
57	-	1	0.0 %
997 (M)	Legitimate skip	5093	99.6 %
998 (M)	Don't know	3	0.1 %
. (M)	-	6	0.1 %

Based upon 12 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 51.25
- Median: 55.00
- Mode: 55.00
- Minimum: 28.00
- Maximum: 57.00
- Standard Deviation: 9.98

H4HR8B

S8Q8B HH MEMBER 2-RELATION TO RESP-W4

Location: 1384-1390 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	56	1.1 %
2	Partner/boyfriend/girlfriend	76	1.5 %
3	Son/daughter	1904	37.2 %
4	Brother/sister	156	3.1 %
5	Brother's male partner/sister's female partner	1	0.0 %
6	Sister's husband/brother's wife	16	0.3 %
7	Sister's male partner/brother's female partner	9	0.2 %
8	Father/mother	404	7.9 %
9	Father's male partner/mother's female partner	2	0.0 %
10	Mother's husband/father's wife	25	0.5 %
11	Mother's male partner/father's female partner	13	0.3 %
12	Father-in-law/mother-in-law	24	0.5 %
13	Grandfather/grandmother	23	0.4 %
14	Great-grandfather/great-grandmother	1	0.0 %
15	Uncle/aunt	26	0.5 %
16	Cousin	30	0.6 %
17	Nephew/niece	23	0.4 %
18	Other relative	35	0.7 %
19	Non-relative	281	5.5 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2002	39.1 %
. (M)	-	6	0.1 %

Based upon 3105 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 5.86
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 5.24

H4HR9B

S8Q9B HH MEMBER 2-BEST/FIT RELATION-W4

Location: 1391-1397 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	1719	33.6 %
2	Adopted son/daughter	22	0.4 %
3	Step son/daughter	163	3.2 %
10	Full brother/sister	122	2.4 %
11	Twin brother/sister	5	0.1 %
12	Half brother/sister	23	0.4 %
13	Step brother/sister	3	0.1 %
14	Adoptive brother/sister	2	0.0 %
15	Foster brother/sister	1	0.0 %
20	Biological father/mother	380	7.4 %
21	Adoptive father/mother	5	0.1 %
22	Step father/mother who has adopted you	3	0.1 %
23	Step father/mother	16	0.3 %
97 (M)	Legitimate skip	2644	51.7 %
. (M)	-	6	0.1 %

Based upon 2464 valid cases out of 5114 total cases.

- Mean: 4.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 7.15

H4HR5C

S8Q5C HH MEMBER 3-GENDER-W4

- Study 21600 -

Location: 1398-1404 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	969	18.9 %
2	Female	981	19.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3157	61.7 %
. (M)	-	6	0.1 %

Based upon 1950 valid cases out of 5114 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6C S8Q6C HH MEMBER 3-AGE-W4

Location: 1405-1412 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 996 , 997 , 998 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	113	2.2 %
1	-	188	3.7 %
2	-	150	2.9 %
3	-	133	2.6 %
4	-	111	2.2 %
5	-	130	2.5 %
6	-	121	2.4 %
7	-	98	1.9 %
8	-	99	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	74	1.4 %
10	-	73	1.4 %
11	-	38	0.7 %
12	-	31	0.6 %
13	-	25	0.5 %
14	-	20	0.4 %
15	-	16	0.3 %
16	-	12	0.2 %
17	-	18	0.4 %
18	-	12	0.2 %
19	-	11	0.2 %
20	-	18	0.4 %
21	-	13	0.3 %
22	-	23	0.4 %
23	-	18	0.4 %
24	-	33	0.6 %
25	-	30	0.6 %
26	-	19	0.4 %
27	-	23	0.4 %
28	-	24	0.5 %
29	-	26	0.5 %
30	-	25	0.5 %
31	-	13	0.3 %
32	-	13	0.3 %
33	-	12	0.2 %
34	-	10	0.2 %
35	-	13	0.3 %
36	-	5	0.1 %
37	-	5	0.1 %
38	-	6	0.1 %
39	-	5	0.1 %
40	-	5	0.1 %
41	-	3	0.1 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	4	0.1 %
46	-	2	0.0 %
47	-	5	0.1 %
48	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	9	0.2 %
50	-	9	0.2 %
51	-	3	0.1 %
52	-	2	0.0 %
53	-	3	0.1 %
54	-	7	0.1 %
55	-	9	0.2 %
56	-	8	0.2 %
57	-	5	0.1 %
58	-	4	0.1 %
59	-	4	0.1 %
60	-	5	0.1 %
61	-	6	0.1 %
62	-	3	0.1 %
64	-	3	0.1 %
65	-	4	0.1 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
73	-	3	0.1 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
79	-	1	0.0 %
80	-	3	0.1 %
81	-	1	0.0 %
82	-	1	0.0 %
84	-	1	0.0 %
85	-	2	0.0 %
94	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	3157	61.7 %
998 (M)	Don't know	9	0.2 %
. (M)	-	6	0.1 %

Based upon 1941 valid cases out of 5114 total cases.

- Mean: 12.87
- Median: 7.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 15.53

H4HR7C

S8Q7C HH MEMBER 3-APPROXIMATE AGE-W4

Location: 1413-1420 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , 998 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
87	-	1	0.0 %
997 (M)	Legitimate skip	5099	99.7 %
998 (M)	Don't know	1	0.0 %
. (M)	-	6	0.1 %

Based upon 8 valid cases out of 5114 total cases.

- Mean: 51.00
- Median: 51.00
- Minimum: 14.00
- Maximum: 87.00
- Standard Deviation: 19.87

H4HR8C

S8Q8C HH MEMBER 3-RELATION TO RESP-W4

Location: 1421-1427 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	50	1.0 %
2	Partner/boyfriend/girlfriend	46	0.9 %
3	Son/daughter	1283	25.1 %
4	Brother/sister	197	3.9 %
5	Brother's male partner/sister's female partner	4	0.1 %
6	Sister's husband/brother's wife	6	0.1 %
7	Sister's male partner/brother's female partner	4	0.1 %
8	Father/mother	64	1.3 %
10	Mother's husband/father's wife	4	0.1 %
11	Mother's male partner/father's female partner	6	0.1 %
12	Father-in-law/mother-in-law	20	0.4 %
13	Grandfather/grandmother	14	0.3 %
15	Uncle/aunt	11	0.2 %
16	Cousin	13	0.3 %
17	Nephew/niece	63	1.2 %
18	Other relative	25	0.5 %
19	Non-relative	140	2.7 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3157	61.7 %
. (M)	-	6	0.1 %

Based upon 1950 valid cases out of 5114 total cases.

- Mean: 5.36
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 5.19

H4HR9C

S8Q9C HH MEMBER 3-BEST/FIT RELATION-W4

Location: 1428-1434 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	1169	22.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Adopted son/daughter	8	0.2 %
3	Step son/daughter	104	2.0 %
5	Foster son/daughter	2	0.0 %
10	Full brother/sister	162	3.2 %
11	Twin brother/sister	1	0.0 %
12	Half brother/sister	26	0.5 %
13	Step brother/sister	4	0.1 %
14	Adoptive brother/sister	3	0.1 %
20	Biological father/mother	59	1.2 %
21	Adoptive father/mother	1	0.0 %
23	Step father/mother	4	0.1 %
97 (M)	Legitimate skip	3564	69.7 %
98 (M)	Don't know	1	0.0 %
. (M)	-	6	0.1 %

Based upon 1543 valid cases out of 5114 total cases.

- Mean: 3.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 4.73

H4HR5D

S8Q5D HH MEMBER 4-GENDER-W4

Location: 1435-1441 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	431	8.4 %
2	Female	450	8.8 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4226	82.6 %
. (M)	-	6	0.1 %

Based upon 881 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6D

S8Q6D HH MEMBER 4-AGE-W4

Location: 1442-1449 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 996 , 997 , 998 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	61	1.2 %
1	-	82	1.6 %
2	-	68	1.3 %
3	-	55	1.1 %
4	-	56	1.1 %
5	-	57	1.1 %
6	-	50	1.0 %
7	-	43	0.8 %
8	-	41	0.8 %
9	-	31	0.6 %
10	-	30	0.6 %
11	-	14	0.3 %
12	-	13	0.3 %
13	-	5	0.1 %
14	-	10	0.2 %
15	-	8	0.2 %
16	-	8	0.2 %
17	-	5	0.1 %
18	-	9	0.2 %
19	-	8	0.2 %
20	-	11	0.2 %
21	-	8	0.2 %
22	-	9	0.2 %
23	-	5	0.1 %
24	-	12	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	11	0.2 %
26	-	9	0.2 %
27	-	9	0.2 %
28	-	5	0.1 %
29	-	9	0.2 %
30	-	9	0.2 %
31	-	13	0.3 %
32	-	4	0.1 %
33	-	7	0.1 %
34	-	6	0.1 %
35	-	4	0.1 %
36	-	6	0.1 %
37	-	3	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.1 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	6	0.1 %
46	-	3	0.1 %
47	-	3	0.1 %
48	-	4	0.1 %
49	-	5	0.1 %
50	-	5	0.1 %
51	-	3	0.1 %
52	-	7	0.1 %
53	-	3	0.1 %
54	-	2	0.0 %
55	-	4	0.1 %
56	-	3	0.1 %
57	-	2	0.0 %
59	-	3	0.1 %
60	-	1	0.0 %
61	-	3	0.1 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	3	0.1 %
67	-	2	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %
80	-	1	0.0 %
83	-	1	0.0 %
90	-	1	0.0 %
99	-	1	0.0 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	4226	82.6 %
998 (M)	Don't know	4	0.1 %
. (M)	-	6	0.1 %

Based upon 877 valid cases out of 5114 total cases.

- Mean: 13.65
- Median: 7.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.53

H4HR7D

S8Q7D HH MEMBER 4-APPROXIMATE AGE-W4

Location: 1450-1457 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	-	1	0.0 %
42	-	1	0.0 %
997 (M)	Legitimate skip	5104	99.8 %
998 (M)	Don't know	2	0.0 %
. (M)	-	6	0.1 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 37.00
- Median: 37.00
- Minimum: 32.00

- Study 21600 -

- Maximum: 42.00
- Standard Deviation: 7.07

H4HR8D S8Q8D HH MEMBER 4-RELATION TO RESP-W4

Location: 1458-1464 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	23	0.4 %
2	Partner/boyfriend/girlfriend	22	0.4 %
3	Son/daughter	519	10.1 %
4	Brother/sister	78	1.5 %
5	Brother's male partner/sister's female partner	2	0.0 %
6	Sister's husband/brother's wife	6	0.1 %
7	Sister's male partner/brother's female partner	7	0.1 %
8	Father/mother	38	0.7 %
10	Mother's husband/father's wife	2	0.0 %
12	Father-in-law/mother-in-law	13	0.3 %
13	Grandfather/grandmother	6	0.1 %
15	Uncle/aunt	7	0.1 %
16	Cousin	16	0.3 %
17	Nephew/niece	62	1.2 %
18	Other relative	21	0.4 %
19	Non-relative	59	1.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4226	82.6 %
. (M)	-	6	0.1 %

Based upon 881 valid cases out of 5114 total cases.

- Mean: 6.25
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 5.79

H4HR9D S8Q9D HH MEMBER 4-BEST/FIT RELATION-W4

- Study 21600 -

Location: 1465-1471 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	476	9.3 %
2	Adopted son/daughter	2	0.0 %
3	Step son/daughter	38	0.7 %
4	Step son/daughter have adopted	1	0.0 %
5	Foster son/daughter	2	0.0 %
10	Full brother/sister	64	1.3 %
12	Half brother/sister	11	0.2 %
13	Step brother/sister	2	0.0 %
14	Adoptive brother/sister	1	0.0 %
20	Biological father/mother	36	0.7 %
22	Step father/mother who has adopted you	1	0.0 %
23	Step father/mother	1	0.0 %
97 (M)	Legitimate skip	4473	87.5 %
. (M)	-	6	0.1 %

Based upon 635 valid cases out of 5114 total cases.

- Mean: 3.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 5.22

H4HR5E

S8Q5E HH MEMBER 5-GENDER-W4

Location: 1472-1478 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	194	3.8 %
2	Female	193	3.8 %
7 (M)	Legitimate skip	4721	92.3 %
. (M)	-	6	0.1 %

Based upon 387 valid cases out of 5114 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6E

S8Q6E HH MEMBER 5-AGE-W4

Location: 1479-1486 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , 998 , .

Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	22	0.4 %
1	-	41	0.8 %
2	-	29	0.6 %
3	-	27	0.5 %
4	-	30	0.6 %
5	-	27	0.5 %
6	-	18	0.4 %
7	-	26	0.5 %
8	-	12	0.2 %
9	-	10	0.2 %
10	-	10	0.2 %
11	-	10	0.2 %
12	-	9	0.2 %
13	-	3	0.1 %
14	-	5	0.1 %
15	-	2	0.0 %
16	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	6	0.1 %
18	-	4	0.1 %
19	-	3	0.1 %
20	-	2	0.0 %
21	-	5	0.1 %
22	-	3	0.1 %
23	-	2	0.0 %
24	-	4	0.1 %
25	-	6	0.1 %
26	-	3	0.1 %
28	-	6	0.1 %
29	-	2	0.0 %
30	-	5	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	3	0.1 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	3	0.1 %
40	-	1	0.0 %
41	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	3	0.1 %
50	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
62	-	2	0.0 %
63	-	2	0.0 %
66	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	-	2	0.0 %
68	-	2	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
86	-	1	0.0 %
93	-	1	0.0 %
997 (M)	Legitimate skip	4721	92.3 %
998 (M)	Don't know	1	0.0 %
. (M)	-	6	0.1 %

Based upon 386 valid cases out of 5114 total cases.

- Mean: 13.59
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 93.00
- Standard Deviation: 17.34

H4HR7E

S8Q7E HH MEMBER 5-APPROXIMATE AGE-W4

Location: 1487-1494 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	1	0.0 %
997 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 29.00
- Median: 29.00
- Mode: 29.00
- Minimum: 29.00
- Maximum: 29.00
- Standard Deviation: 0.00

- Study 21600 -

H4HR8E S8Q8E HH MEMBER 5-RELATION TO RESP-W4

Location: 1495-1501 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	5	0.1 %
2	Partner/boyfriend/girlfriend	4	0.1 %
3	Son/daughter	200	3.9 %
4	Brother/sister	38	0.7 %
6	Sister's husband/brother's wife	6	0.1 %
7	Sister's male partner/brother's female partner	3	0.1 %
8	Father/mother	11	0.2 %
10	Mother's husband/father's wife	1	0.0 %
12	Father-in-law/mother-in-law	11	0.2 %
13	Grandfather/grandmother	3	0.1 %
14	-	1	0.0 %
15	Uncle/aunt	2	0.0 %
16	Cousin	11	0.2 %
17	Nephew/niece	52	1.0 %
18	Other relative	18	0.4 %
19	Non-relative	21	0.4 %
97 (M)	Legitimate skip	4721	92.3 %
. (M)	-	6	0.1 %

Based upon 387 valid cases out of 5114 total cases.

- Mean: 7.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 6.35

H4HR9E S8Q9E HH MEMBER 5-BEST/FIT RELATION-W4

Location: 1502-1508 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .

- Study 21600 -

Question:

Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	184	3.6 %
2	Adopted son/daughter	2	0.0 %
3	Step son/daughter	11	0.2 %
4	Step son/daughter have adopted	1	0.0 %
5	Foster son/daughter	2	0.0 %
10	Full brother/sister	35	0.7 %
12	Half brother/sister	1	0.0 %
13	Step brother/sister	1	0.0 %
14	Adoptive brother/sister	1	0.0 %
20	Biological father/mother	11	0.2 %
97 (M)	Legitimate skip	4859	95.0 %
. (M)	-	6	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 3.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.88

H4HR5F

S8Q5F HH MEMBER 6-GENDER-W4

Location: 1509-1515 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	72	1.4 %
2	Female	82	1.6 %
7 (M)	Legitimate skip	4954	96.9 %
. (M)	-	6	0.1 %

Based upon 154 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.53
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6F

S8Q6F HH MEMBER 6-AGE-W4

Location: 1516-1523 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	10	0.2 %
1	-	14	0.3 %
2	-	11	0.2 %
3	-	16	0.3 %
4	-	8	0.2 %
5	-	11	0.2 %
6	-	4	0.1 %
7	-	6	0.1 %
8	-	9	0.2 %
9	-	6	0.1 %
10	-	5	0.1 %
11	-	5	0.1 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %
24	-	2	0.0 %
25	-	2	0.0 %
27	-	2	0.0 %
28	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	2	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
38	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	2	0.0 %
60	-	1	0.0 %
74	-	1	0.0 %
92	-	1	0.0 %
997 (M)	Legitimate skip	4954	96.9 %
. (M)	-	6	0.1 %

Based upon 154 valid cases out of 5114 total cases.

- Mean: 14.05
- Median: 7.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 92.00
- Standard Deviation: 17.26

H4HR7F

S8Q7F HH MEMBER 6-APPROXIMATE AGE-W4

Location: 1524-1531 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8F

S8Q8F HH MEMBER 6-RELATION TO RESP-W4

Location: 1532-1538 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	4	0.1 %
2	Partner/boyfriend/girlfriend	2	0.0 %
3	Son/daughter	62	1.2 %
4	Brother/sister	11	0.2 %
6	Sister's husband/brother's wife	1	0.0 %
7	Sister's male partner/brother's female partner	3	0.1 %
8	Father/mother	2	0.0 %
12	Father-in-law/mother-in-law	2	0.0 %
13	Grandfather/grandmother	1	0.0 %
15	Uncle/aunt	7	0.1 %
16	Cousin	4	0.1 %
17	Nephew/niece	35	0.7 %
18	Other relative	9	0.2 %
19	Non-relative	11	0.2 %
97 (M)	Legitimate skip	4954	96.9 %
. (M)	-	6	0.1 %

Based upon 154 valid cases out of 5114 total cases.

- Mean: 9.44
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 6.96

H4HR9F

S8Q9F HH MEMBER 6-BEST/FIT RELATION-W4

Location: 1539-1545 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	59	1.2 %
2	Adopted son/daughter	1	0.0 %
3	Step son/daughter	1	0.0 %
5	Foster son/daughter	1	0.0 %
10	Full brother/sister	10	0.2 %
12	Half brother/sister	1	0.0 %
20	Biological father/mother	1	0.0 %
21	Adoptive father/mother	1	0.0 %
97 (M)	Legitimate skip	5033	98.4 %
. (M)	-	6	0.1 %

Based upon 75 valid cases out of 5114 total cases.

- Mean: 2.96
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 4.39

H4HR5G S8Q5G HH MEMBER 7-GENDER-W4

Location: 1546-1552 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	41	0.8 %
2	Female	31	0.6 %
7 (M)	Legitimate skip	5036	98.5 %
. (M)	-	6	0.1 %

Based upon 72 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6G

S8Q6G HH MEMBER 7-AGE-W4

Location: 1553-1560 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3	0.1 %
1	-	4	0.1 %
2	-	7	0.1 %
3	-	6	0.1 %
4	-	5	0.1 %
5	-	4	0.1 %
6	-	3	0.1 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	1	0.0 %
13	-	3	0.1 %
16	-	2	0.0 %
20	-	2	0.0 %
27	-	3	0.1 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
997 (M)	Legitimate skip	5036	98.5 %
. (M)	-	6	0.1 %

Based upon 72 valid cases out of 5114 total cases.

- Mean: 17.83
- Median: 9.50
- Mode: 2.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 18.22

H4HR7G

S8Q7G HH MEMBER 7-APPROXIMATE AGE-W4

Location: 1561-1568 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 997 , .
Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8G

S8Q8G HH MEMBER 7-RELATION TO RESP-W4

Location: 1569-1575 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 97 , .

- Study 21600 -

Question:

What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	1	0.0 %
2	Partner/boyfriend/girlfriend	2	0.0 %
3	Son/daughter	24	0.5 %
4	Brother/sister	7	0.1 %
6	Sister's husband/brother's wife	1	0.0 %
8	Father/mother	3	0.1 %
12	Father-in-law/mother-in-law	1	0.0 %
13	Grandfather/grandmother	1	0.0 %
15	Uncle/aunt	5	0.1 %
16	Cousin	5	0.1 %
17	Nephew/niece	10	0.2 %
18	Other relative	3	0.1 %
19	Non-relative	9	0.2 %
97 (M)	Legitimate skip	5036	98.5 %
. (M)	-	6	0.1 %

Based upon 72 valid cases out of 5114 total cases.

- Mean: 9.86
- Median: 8.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 6.91

H4HR9G

S8Q9G HH MEMBER 7-BEST/FIT RELATION-W4

Location: 1576-1582 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question:

Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	24	0.5 %
10	Full brother/sister	5	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Half brother/sister	1	0.0 %
14	Adoptive brother/sister	1	0.0 %
20	Biological father/mother	3	0.1 %
97 (M)	Legitimate skip	5074	99.2 %
. (M)	-	6	0.1 %

Based upon 34 valid cases out of 5114 total cases.

- Mean: 4.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 6.30

H4HR5H S8Q5H HH MEMBER 8-GENDER-W4

Location: 1583-1589 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	13	0.3 %
2	Female	16	0.3 %
7 (M)	Legitimate skip	5079	99.3 %
. (M)	-	6	0.1 %

Based upon 29 valid cases out of 5114 total cases.

- Mean: 1.55
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.51

H4HR6H S8Q6H HH MEMBER 8-AGE-W4

Location: 1590-1597 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

997 , .

Question:

How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	1	0.0 %
2	-	1	0.0 %
4	-	3	0.1 %
5	-	2	0.0 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
21	-	2	0.0 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
79	-	1	0.0 %
997 (M)	Legitimate skip	5079	99.3 %
. (M)	-	6	0.1 %

Based upon 29 valid cases out of 5114 total cases.

- Mean: 20.00
- Median: 21.00
- Minimum: 0.00
- Maximum: 79.00
- Standard Deviation: 18.52

H4HR7H

S8Q7H HH MEMBER 8-APPROXIMATE AGE-W4

Location:

1598-1605 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

997 , .

- Study 21600 -

Question:

About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8H

S8Q8H HH MEMBER 8-RELATION TO RESP-W4

Location: 1606-1612 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Partner/boyfriend/girlfriend	1	0.0 %
3	Son/daughter	5	0.1 %
4	Brother/sister	4	0.1 %
6	Sister's husband/brother's wife	1	0.0 %
8	Father/mother	2	0.0 %
13	Grandfather/grandmother	1	0.0 %
15	Uncle/aunt	1	0.0 %
17	Nephew/niece	6	0.1 %
18	Other relative	2	0.0 %
19	Non-relative	6	0.1 %
97 (M)	Legitimate skip	5079	99.3 %
. (M)	-	6	0.1 %

Based upon 29 valid cases out of 5114 total cases.

- Mean: 11.55
- Median: 15.00
- Minimum: 2.00
- Maximum: 19.00
- Standard Deviation: 6.94

H4HR9H

S8Q9H HH MEMBER 8-BEST/FIT RELATION-W4

Location: 1613-1619 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	4	0.1 %
3	Step son/daughter	1	0.0 %
10	Full brother/sister	4	0.1 %
20	Biological father/mother	2	0.0 %
97 (M)	Legitimate skip	5097	99.7 %
. (M)	-	6	0.1 %

Based upon 11 valid cases out of 5114 total cases.

- Mean: 7.91
- Median: 10.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 7.25

H4HR5I

S8Q5I HH MEMBER 9-GENDER-W4

Location: 1620-1626 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	9	0.2 %
2	Female	10	0.2 %
7 (M)	Legitimate skip	5089	99.5 %
. (M)	-	6	0.1 %

Based upon 19 valid cases out of 5114 total cases.

- Mean: 1.53
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.51

H4HR6I S8Q6I HH MEMBER 9-AGE-W4

Location: 1627-1634 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
26	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
59	-	1	0.0 %
63	-	1	0.0 %
997 (M)	Legitimate skip	5089	99.5 %
. (M)	-	6	0.1 %

Based upon 19 valid cases out of 5114 total cases.

- Mean: 20.37
- Median: 19.00
- Minimum: 0.00
- Maximum: 63.00
- Standard Deviation: 19.54

H4HR7I S8Q7I HH MEMBER 9-APPROXIMATE AGE-W4

Location: 1635-1642 (width: 8; decimal: 0)
 Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8I S8Q8I HH MEMBER 9-RELATION TO RESP-W4

Location: 1643-1649 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Husband/wife	1	0.0 %
3	Son/daughter	4	0.1 %
4	Brother/sister	1	0.0 %
5	Brother's male partner/sister's female partner	1	0.0 %
7	Sister's male partner/brother's female partner	1	0.0 %
8	Father/mother	2	0.0 %
12	Father-in-law/mother-in-law	1	0.0 %
17	Nephew/niece	2	0.0 %
18	Other relative	2	0.0 %
19	Non-relative	4	0.1 %
97 (M)	Legitimate skip	5089	99.5 %
. (M)	-	6	0.1 %

Based upon 19 valid cases out of 5114 total cases.

- Mean: 10.68
- Median: 8.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 7.07

H4HR9I S8Q9I HH MEMBER 9-BEST/FIT RELATION-W4

- Study 21600 -

Location: 1650-1656 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	4	0.1 %
10	Full brother/sister	1	0.0 %
20	Biological father/mother	2	0.0 %
97 (M)	Legitimate skip	5101	99.7 %
. (M)	-	6	0.1 %

Based upon 7 valid cases out of 5114 total cases.

- Mean: 7.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 9.01

H4HR5J S8Q5J HH MEMBER 10-GENDER-W4

Location: 1657-1663 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2	0.0 %
2	Female	5	0.1 %
7 (M)	Legitimate skip	5101	99.7 %
. (M)	-	6	0.1 %

Based upon 7 valid cases out of 5114 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.49

H4HR6J S8Q6J HH MEMBER 10-AGE-W4

Location: 1664-1671 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	1	0.0 %
2	-	1	0.0 %
4	-	1	0.0 %
14	-	1	0.0 %
17	-	1	0.0 %
21	-	1	0.0 %
997 (M)	Legitimate skip	5101	99.7 %
. (M)	-	6	0.1 %

Based upon 7 valid cases out of 5114 total cases.

- Mean: 8.43
- Median: 4.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 8.66

H4HR7J S8Q7J HH MEMBER 10-APPROXIMATE AGE-W4

Location: 1672-1679 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

- Study 21600 -

Based upon 0 valid cases out of 5114 total cases.

H4HR8J S8Q8J HH MEMBER 10-RELATION TO RESP-W4

Location: 1680-1686 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Partner/boyfriend/girlfriend	1	0.0 %
3	Son/daughter	2	0.0 %
17	Nephew/niece	3	0.1 %
19	Non-relative	1	0.0 %
97 (M)	Legitimate skip	5101	99.7 %
. (M)	-	6	0.1 %

Based upon 7 valid cases out of 5114 total cases.

- Mean: 11.14
- Median: 17.00
- Mode: 17.00
- Minimum: 2.00
- Maximum: 19.00
- Standard Deviation: 7.97

H4HR9J S8Q9J HH MEMBER 10-BEST/FIT RELATION-W4

Location: 1687-1693 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	2	0.0 %
97 (M)	Legitimate skip	5106	99.8 %
. (M)	-	6	0.1 %

Based upon 2 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

H4HR5K S8Q5K HH MEMBER 11-GENDER-W4

Location: 1694-1700 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .
 Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	3	0.1 %
2	Female	2	0.0 %
7 (M)	Legitimate skip	5103	99.8 %
. (M)	-	6	0.1 %

Based upon 5 valid cases out of 5114 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.55

H4HR6K S8Q5K HH MEMBER 11-AGE-W4

Location: 1701-1708 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2	0.0 %
14	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	1	0.0 %
45	-	1	0.0 %
997 (M)	Legitimate skip	5103	99.8 %
. (M)	-	6	0.1 %

Based upon 5 valid cases out of 5114 total cases.

- Mean: 16.40
- Median: 14.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 45.00
- Standard Deviation: 18.16

H4HR7K

S8Q7K HH MEMBER 11-APPROXIMATE AGE-W4

Location: 1709-1716 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8K

S8Q8K HH MEMBER 11-RELATION TO RESP-W4

Location: 1717-1723 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daughter	1	0.0 %
4	Brother/sister	1	0.0 %
17	Nephew/niece	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	Other relative	1	0.0 %
97 (M)	Legitimate skip	5103	99.8 %
. (M)	-	6	0.1 %

Based upon 5 valid cases out of 5114 total cases.

- Mean: 11.80
- Median: 17.00
- Mode: 17.00
- Minimum: 3.00
- Maximum: 18.00
- Standard Deviation: 7.60

H4HR9K

S8Q9K HH MEMBER 11-BEST/FIT RELATION-W4

Location: 1724-1730 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biological son/daughter	1	0.0 %
10	Full brother/sister	1	0.0 %
97 (M)	Legitimate skip	5106	99.8 %
. (M)	-	6	0.1 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 5.50
- Median: 5.50
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 6.36

H4HR5L

S8Q5L HH MEMBER 12-GENDER-W4

Location: 1731-1737 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who

- Study 21600 -

answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1	0.0 %
2	Female	3	0.1 %
7 (M)	Legitimate skip	5104	99.8 %
. (M)	-	6	0.1 %

Based upon 4 valid cases out of 5114 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4HR6L

S8Q6L HH MEMBER 12-AGE-W4

Location: 1738-1745 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
18	-	1	0.0 %
39	-	1	0.0 %
63	-	1	0.0 %
997 (M)	Legitimate skip	5104	99.8 %
. (M)	-	6	0.1 %

Based upon 4 valid cases out of 5114 total cases.

- Mean: 30.00
- Median: 28.50
- Minimum: 0.00
- Maximum: 63.00
- Standard Deviation: 27.17

H4HR7L

S8Q7L HH MEMBER 12-APPROXIMATE AGE-W4

- Study 21600 -

Location: 1746-1753 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8L S8Q8L HH MEMBER 12-RELATION TO RESP-W4

Location: 1754-1760 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Brother/sister	1	0.0 %
8	Father/mother	1	0.0 %
17	Nephew/niece	1	0.0 %
18	Other relative	1	0.0 %
97 (M)	Legitimate skip	5104	99.8 %
. (M)	-	6	0.1 %

Based upon 4 valid cases out of 5114 total cases.

- Mean: 11.75
- Median: 12.50
- Minimum: 4.00
- Maximum: 18.00
- Standard Deviation: 6.85

H4HR9L S8Q9L HH MEMBER 12-BEST/FIT RELATION-W4

Location: 1761-1767 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .

- Study 21600 -

Question:

Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	Full brother/sister	1	0.0 %
20	Biological father/mother	1	0.0 %
97 (M)	Legitimate skip	5106	99.8 %
. (M)	-	6	0.1 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 15.00
- Median: 15.00
- Minimum: 10.00
- Maximum: 20.00
- Standard Deviation: 7.07

H4HR5M

S8Q5M HH MEMBER 13-GENDER-W4

Location:

1768-1774 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , .

Question:

Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1	0.0 %
7 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

H4HR6M

S8Q6M HH MEMBER 13-AGE-W4

Location:

1775-1782 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.0 %
997 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 17.00
- Median: 17.00
- Mode: 17.00
- Minimum: 17.00
- Maximum: 17.00
- Standard Deviation: 0.00

H4HR7M S8Q7M HH MEMBER 13-APPROXIMATE AGE-W4

Location: 1783-1790 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8M S8Q8M HH MEMBER 13-RELATION TO RESP-W4

Location: 1791-1797 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	Other relative	1	0.0 %
97 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

H4HR9M

S8Q9M HH MEMBER 13-BEST/FIT RELATION-W4

Location: 1798-1804 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR5N

S8Q5N HH MEMBER 14-GENDER-W4

Location: 1805-1811 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Female	1	0.0 %
7 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

H4HR6N S8Q6N HH MEMBER 14-AGE-W4

Location: 1812-1819 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
84	-	1	0.0 %
997 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 84.00
- Median: 84.00
- Mode: 84.00
- Minimum: 84.00
- Maximum: 84.00
- Standard Deviation: 0.00

H4HR7N S8Q7N HH MEMBER 14-APPROXIMATE AGE-W4

Location: 1820-1827 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

- Study 21600 -

Based upon 0 valid cases out of 5114 total cases.

H4HR8N S8Q8N HH MEMBER 14-RELATION TO RESP-W4

Location: 1828-1834 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	Other relative	1	0.0 %
97 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

H4HR9N S8Q9N HH MEMBER 14-BEST/FIT RELATION-W4

Location: 1835-1841 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR5O S8Q5O HH MEMBER 15-GENDER-W4

Location: 1842-1848 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .

- Study 21600 -

Question:

Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1	0.0 %
7 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

H4HR6O

S8Q6O HH MEMBER 15-AGE-W4

Location: 1849-1856 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	1	0.0 %
997 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 22.00
- Median: 22.00
- Mode: 22.00
- Minimum: 22.00
- Maximum: 22.00
- Standard Deviation: 0.00

H4HR7O

S8Q7O HH MEMBER 15-APPROXIMATE AGE-W4

Location: 1857-1864 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 997 , .
 Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

Value	Label	Unweighted Frequency	%
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR80 S8Q80 HH MEMBER 15-RELATION TO RESP-W4

Location: 1865-1871 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

Value	Label	Unweighted Frequency	%
18	Other relative	1	0.0 %
97 (M)	Legitimate skip	5107	99.9 %
. (M)	-	6	0.1 %

Based upon 1 valid cases out of 5114 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

H4HR90 S8Q90 HH MEMBER 15-BEST/FIT RELATION-W4

Location: 1872-1878 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR5P S8Q5P HH MEMBER 16-GENDER-W4

Location: 1879-1885 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Is {INITIALS} male or female?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR6P S8Q6P HH MEMBER 16-AGE-W4

Location: 1886-1893 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: How old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR7P S8Q7P HH MEMBER 16-APPROXIMATE AGE-W4

Location: 1894-1901 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: About how old is {INITIALS}? {Allow 0-120}

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who

- Study 21600 -

answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR8P S8Q8P HH MEMBER 16-RELATION TO RESP-W4

Location: 1902-1908 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: What is {INITIAL'S} relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR9P S8Q9P HH MEMBER 16-BEST/FIT RELATION-W4

Location: 1909-1915 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , .
 Question: Which description best fits {INITIAL}'s relationship to you?

[NOTES:] There are 6 cases (including 5 cases who answered "refused" (96) and 1 case who answered "don't know" (98) to H4HR4), for which no tables can be generated for the household roster. Therefore, they are coded as "." (missing) in H4HR5A - H4HR9P.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5108	99.9 %
. (M)	-	6	0.1 %

Based upon 0 valid cases out of 5114 total cases.

H4HR10 S8Q10 ALWAYS LIVE IN STATE SINCE YOLI-W4

Location: 1916-1922 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8
 Question: Have you continuously lived in {CURRENT STATE} since {LAST INTERVIEW: 1995/1996/2001/2002}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1605	31.4 %
1	Yes	3504	68.5 %
8 (M)	Don't know	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4HR11YA

S8Q11YA YEAR MOVED STATE LISTED 1-W4

Location: 1923-1930 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question: Please tell me all of the states you have lived in. If you lived in the same state during two or more separate periods of time, list that state once for each period of time you lived there. If you have lived outside the US and its territories, select 'not in the US.' In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1975	-	1	0.0 %
1976	-	9	0.2 %
1977	-	64	1.3 %
1978	-	79	1.5 %
1979	-	80	1.6 %
1980	-	71	1.4 %
1981	-	49	1.0 %
1982	-	50	1.0 %
1983	-	5	0.1 %
1984	-	4	0.1 %
1985	-	7	0.1 %
1986	-	8	0.2 %
1987	-	8	0.2 %
1988	-	3	0.1 %
1989	-	10	0.2 %
1990	-	11	0.2 %
1991	-	4	0.1 %
1992	-	12	0.2 %
1993	-	12	0.2 %
1994	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	8	0.2 %
1996	-	21	0.4 %
1997	-	20	0.4 %
1998	-	28	0.5 %
1999	-	28	0.5 %
2000	-	50	1.0 %
2001	-	52	1.0 %
2002	-	73	1.4 %
2003	-	100	2.0 %
2004	-	124	2.4 %
2005	-	155	3.0 %
2006	-	134	2.6 %
2007	-	160	3.1 %
2008	-	58	1.1 %
9996 (M)	Refused	15	0.3 %
9997 (M)	Legitimate skip	3504	68.5 %
9998 (M)	Don't know	90	1.8 %
. (M)	-	1	0.0 %

Based upon 1504 valid cases out of 5114 total cases.

- Mean: 1996.36
- Median: 2002.00
- Mode: 2007.00
- Minimum: 1975.00
- Maximum: 2008.00
- Standard Deviation: 11.29

H4HR11YB

S8Q11YB YEAR MOVED STATE LISTED 2-W4

Location: 1931-1938 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9996 , 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1975	-	2	0.0 %
1976	-	4	0.1 %
1977	-	26	0.5 %
1978	-	33	0.6 %
1979	-	20	0.4 %
1980	-	29	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	31	0.6 %
1982	-	20	0.4 %
1983	-	4	0.1 %
1984	-	7	0.1 %
1985	-	5	0.1 %
1986	-	5	0.1 %
1987	-	4	0.1 %
1988	-	4	0.1 %
1989	-	8	0.2 %
1990	-	5	0.1 %
1991	-	1	0.0 %
1992	-	4	0.1 %
1993	-	7	0.1 %
1994	-	6	0.1 %
1995	-	7	0.1 %
1996	-	29	0.6 %
1997	-	34	0.7 %
1998	-	37	0.7 %
1999	-	50	1.0 %
2000	-	73	1.4 %
2001	-	110	2.2 %
2002	-	123	2.4 %
2003	-	154	3.0 %
2004	-	174	3.4 %
2005	-	153	3.0 %
2006	-	136	2.7 %
2007	-	134	2.6 %
2008	-	87	1.7 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	3571	69.8 %
9998 (M)	Don't know	15	0.3 %
. (M)	-	1	0.0 %

Based upon 1526 valid cases out of 5114 total cases.

- Mean: 2000.16
- Median: 2003.00
- Mode: 2004.00
- Minimum: 1975.00
- Maximum: 2008.00
- Standard Deviation: 8.37

- Study 21600 -

H4HR11YC

S8Q11YC YEAR MOVED STATE LISTED 3-W4

Location: 1939-1946 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	3	0.1 %
1977	-	11	0.2 %
1978	-	12	0.2 %
1979	-	26	0.5 %
1980	-	13	0.3 %
1981	-	14	0.3 %
1982	-	13	0.3 %
1983	-	1	0.0 %
1984	-	1	0.0 %
1985	-	1	0.0 %
1986	-	1	0.0 %
1987	-	1	0.0 %
1988	-	2	0.0 %
1989	-	2	0.0 %
1990	-	4	0.1 %
1991	-	1	0.0 %
1992	-	3	0.1 %
1993	-	2	0.0 %
1994	-	6	0.1 %
1995	-	17	0.3 %
1996	-	10	0.2 %
1997	-	26	0.5 %
1998	-	35	0.7 %
1999	-	40	0.8 %
2000	-	52	1.0 %
2001	-	75	1.5 %
2002	-	113	2.2 %
2003	-	84	1.6 %
2004	-	74	1.4 %
2005	-	67	1.3 %
2006	-	53	1.0 %
2007	-	36	0.7 %
2008	-	10	0.2 %
9997 (M)	Legitimate skip	4296	84.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9998 (M)	Don't know	8	0.2 %
. (M)	-	1	0.0 %

Based upon 809 valid cases out of 5114 total cases.

- Mean: 1999.24
- Median: 2002.00
- Mode: 2002.00
- Minimum: 1976.00
- Maximum: 2008.00
- Standard Deviation: 7.94

H4HR11YD

S8Q11YD YEAR MOVED STATE LISTED 4-W4

Location: 1947-1954 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , .

Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1976	-	2	0.0 %
1977	-	5	0.1 %
1978	-	8	0.2 %
1979	-	9	0.2 %
1980	-	5	0.1 %
1981	-	10	0.2 %
1983	-	3	0.1 %
1988	-	4	0.1 %
1991	-	2	0.0 %
1992	-	2	0.0 %
1993	-	1	0.0 %
1994	-	3	0.1 %
1995	-	3	0.1 %
1996	-	13	0.3 %
1997	-	9	0.2 %
1998	-	22	0.4 %
1999	-	29	0.6 %
2000	-	27	0.5 %
2001	-	50	1.0 %
2002	-	46	0.9 %
2003	-	39	0.8 %
2004	-	37	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2005	-	27	0.5 %
2006	-	22	0.4 %
2007	-	7	0.1 %
2008	-	1	0.0 %
9997 (M)	Legitimate skip	4722	92.3 %
9998 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 386 valid cases out of 5114 total cases.

- Mean: 1998.93
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1976.00
- Maximum: 2008.00
- Standard Deviation: 7.60

H4HR11YE

S8Q11YE YEAR MOVED STATE LISTED 5-W4

Location: 1955-1962 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997 , 9998 , .

Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1977	-	3	0.1 %
1978	-	2	0.0 %
1979	-	4	0.1 %
1980	-	4	0.1 %
1981	-	1	0.0 %
1982	-	4	0.1 %
1994	-	2	0.0 %
1995	-	4	0.1 %
1996	-	13	0.3 %
1997	-	11	0.2 %
1998	-	12	0.2 %
1999	-	15	0.3 %
2000	-	13	0.3 %
2001	-	36	0.7 %
2002	-	19	0.4 %
2003	-	21	0.4 %
2004	-	21	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2005	-	8	0.2 %
2006	-	6	0.1 %
2007	-	2	0.0 %
9997 (M)	Legitimate skip	4909	96.0 %
9998 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 201 valid cases out of 5114 total cases.

- Mean: 1998.94
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1977.00
- Maximum: 2007.00
- Standard Deviation: 6.72

H4HR11YF

S8Q11YF YEAR MOVED STATE LISTED 6-W4

Location: 1963-1970 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9994 , 9997 , 9998 , .
Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1977	-	5	0.1 %
1979	-	2	0.0 %
1980	-	2	0.0 %
1981	-	1	0.0 %
1994	-	5	0.1 %
1996	-	5	0.1 %
1997	-	7	0.1 %
1998	-	11	0.2 %
1999	-	6	0.1 %
2000	-	8	0.2 %
2001	-	14	0.3 %
2002	-	13	0.3 %
2003	-	16	0.3 %
2004	-	6	0.1 %
2005	-	4	0.1 %
2006	-	3	0.1 %
9994 (M)	Data unavailable	2	0.0 %
9997 (M)	Legitimate skip	5002	97.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 108 valid cases out of 5114 total cases.

- Mean: 1998.47
- Median: 2001.00
- Mode: 2003.00
- Minimum: 1977.00
- Maximum: 2006.00
- Standard Deviation: 7.05

H4HR11YG

S8Q11YG YEAR MOVED STATE LISTED 7-W4

Location: 1971-1978 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1978	-	2	0.0 %
1981	1980-1982	2	0.0 %
1995	-	7	0.1 %
1996	-	3	0.1 %
1997	-	3	0.1 %
1998	-	1	0.0 %
1999	-	2	0.0 %
2000	-	3	0.1 %
2001	-	8	0.2 %
2002	-	6	0.1 %
2003	-	8	0.2 %
2004	-	3	0.1 %
2005	-	6	0.1 %
9994 (M)	Data unavailable	2	0.0 %
9997 (M)	Legitimate skip	5056	98.9 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 54 valid cases out of 5114 total cases.

- Mean: 1998.96
- Median: 2001.00
- Minimum: 1978.00

- Study 21600 -

- Maximum: 2005.00
- Standard Deviation: 6.43

H4HR11YH

S8Q11YH YEAR MOVED STATE LISTED 8-W4

Location: 1979-1986 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1981	-	1	0.0 %
1988	-	1	0.0 %
1996	-	1	0.0 %
1997	-	2	0.0 %
1998	-	1	0.0 %
2000	-	4	0.1 %
2001	-	3	0.1 %
2002	-	5	0.1 %
2003	-	3	0.1 %
2004	-	3	0.1 %
9994 (M)	Data unavailable	8	0.2 %
9997 (M)	Legitimate skip	5080	99.3 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 24 valid cases out of 5114 total cases.

- Mean: 1999.62
- Median: 2001.00
- Mode: 2002.00
- Minimum: 1981.00
- Maximum: 2004.00
- Standard Deviation: 5.27

H4HR11YI

S8Q11YI YEAR MOVED STATE LISTED 9-W4

Location: 1987-1994 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1996	-	2	0.0 %
1998	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1999	-	1	0.0 %
2000	-	2	0.0 %
2001	-	3	0.1 %
2002	-	2	0.0 %
2003	-	3	0.1 %
9994 (M)	Data unavailable	5	0.1 %
9997 (M)	Legitimate skip	5093	99.6 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 14 valid cases out of 5114 total cases.

- Mean: 2000.36
- Median: 2001.00
- Minimum: 1996.00
- Maximum: 2003.00
- Standard Deviation: 2.37

H4HR11YJ

S8Q11YJ YEAR MOVED STATE LISTED 10-W4

Location: 1995-2002 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9994 , 9997 , 9998 , .
Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	-	2	0.0 %
2001	-	3	0.1 %
9994 (M)	Data unavailable	4	0.1 %
9997 (M)	Legitimate skip	5103	99.8 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5 valid cases out of 5114 total cases.

- Mean: 1999.80
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1998.00
- Maximum: 2001.00
- Standard Deviation: 1.64

H4HR11YK

S8Q11YK YEAR MOVED STATE LISTED 11-W4

- Study 21600 -

Location: 2003-2010 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9994 (M)	Data unavailable	5	0.1 %
9997 (M)	Legitimate skip	5108	99.9 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4HR11YL S8Q11YL YEAR MOVED STATE LISTED 12-W4

Location: 2011-2018 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , 9998 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9994 (M)	Data unavailable	3	0.1 %
9997 (M)	Legitimate skip	5109	99.9 %
9998 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4HR11YM S8Q11YM YEAR MOVED STATE LISTED 13-W4

Location: 2019-2026 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9994 (M)	Data unavailable	2	0.0 %
9997 (M)	Legitimate skip	5111	99.9 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4HR11YN S8Q11YN YEAR MOVED STATE LISTED 14-W4

Location: 2027-2034 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , .
 Question: In what year did you move to {STATE}?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9994 (M)	Data unavailable	1	0.0 %
9997 (M)	Legitimate skip	5112	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4HR11YO S8Q11YO YEAR MOVED STATE LISTED 15-W4

Location: 2035-2042 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9994 , 9997 , .
 Question: In what year did you move to {STATE}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9994 (M)	Data unavailable	1	0.0 %
9997 (M)	Legitimate skip	5112	100.0 %
. (M)	-	1	0.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED1 S9Q1 HIGH SCHOOL GRADUATION STATUS-W4

Location: 2043-2050 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8
 Question: What is your high school graduation status?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Finished high school with diploma	4352	85.1 %
2	Earned a high school equivalency degree (GED)	418	8.2 %
3	Earned a certificate of attendance or completion	17	0.3 %
4	Did not receive a diploma, GED, or other certificate	326	6.4 %
8 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 1.28
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.77

H4ED2 S9Q2 HIGHEST EDU LVL ACHIEVED TO DATE-W4

- Study 21600 -

Location: 2051-2058 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 98
 Question: What is the highest level of education that you have achieved to date?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8th grade or less	16	0.3 %
2	Some high school	383	7.5 %
3	High school graduate	835	16.3 %
4	Some vocational/technical training (after high school)	182	3.6 %
5	Completed vocational/technical training (after high school)	327	6.4 %
6	Some college	1702	33.3 %
7	Completed college (bachelor's degree)	1012	19.8 %
8	Some graduate school	199	3.9 %
9	Completed a master's degree	256	5.0 %
10	Some graduate training beyond a master's degree	59	1.2 %
11	Completed a doctoral degree	31	0.6 %
12	Some post baccalaureate professional education	39	0.8 %
13	Completed post baccalaureate professional education	72	1.4 %
98 (M)	Don't know	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 5.71
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 2.23

H4ED3A

S9Q3 MOST RECENT DEGREE/CERTIF-W4

Location: 2059-2066 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , 98
 Question: Please list all degrees or certificates you have received from a college, university, or vocational/technical school. Do not include certificates you received from programs that lasted less than one year. List your most recent degree or certificate first. What is the most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	I have not received a degree or certificate	1166	22.8 %
2	Certificate/degree from a 1-, 2-, or 3-year voc/tech program	471	9.2 %
3	Associate's degree	470	9.2 %
4	Bachelor's degree	1187	23.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Certificate from a 1- or 2-year post bacc. academic program	34	0.7 %
6	Master's degree	280	5.5 %
7	PhD degree or equivalent (EDD, DrPH, etc.)	14	0.3 %
8	Professional doctorate (MD, JD, LLB, DDS, etc.)	75	1.5 %
97 (M)	Legitimate skip	1416	27.7 %
98 (M)	Don't know	1	0.0 %

Based upon 3697 valid cases out of 5114 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.73

H4ED3B

S9Q3 2ND MOST RECENT DEGREE/CERTIF-W4

Location: 2067-2074 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is the second most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Certificate/degree from a 1-, 2-, or 3-year voc/tech program	161	3.1 %
3	Associate's degree	142	2.8 %
4	Bachelor's degree	327	6.4 %
5	Certificate from a 1- or 2-year post bacc. academic program	24	0.5 %
6	Master's degree	46	0.9 %
7	PhD degree or equivalent (EDD, DrPH, etc.)	3	0.1 %
8	Professional doctorate (MD, JD, LLB, DDS, etc.)	8	0.2 %
97 (M)	Legitimate skip	4403	86.1 %

Based upon 711 valid cases out of 5114 total cases.

- Mean: 3.57
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 8.00
- Standard Deviation: 1.20

H4ED3C

S9Q3 3RD MOST RECENT DEGREE/CERTIF-W4

- Study 21600 -

Location: 2075-2082 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , 98
 Question: What is the third most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Certificate/degree from a 1-, 2-, or 3-year voc/tech program	38	0.7 %
3	Associate's degree	24	0.5 %
4	Bachelor's degree	25	0.5 %
5	Certificate from a 1- or 2-year post bacc. academic program	7	0.1 %
6	Master's degree	6	0.1 %
7	PhD degree or equivalent (EDD, DrPH, etc.)	1	0.0 %
8	Professional doctorate (MD, JD, LLB, DDS, etc.)	1	0.0 %
97 (M)	Legitimate skip	5011	98.0 %
98 (M)	Don't know	1	0.0 %

Based upon 102 valid cases out of 5114 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 8.00
- Standard Deviation: 1.33

H4ED3D S9Q3 4TH MOST RECENT DEGREE/CERTIF-W4

Location: 2083-2090 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: What is the fourth most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Certificate/degree from a 1-, 2-, or 3-year voc/tech program	9	0.2 %
4	Bachelor's degree	1	0.0 %
5	Certificate from a 1- or 2-year post bacc. academic program	1	0.0 %
6	Master's degree	1	0.0 %
7 (M)	Legitimate skip	5102	99.8 %

Based upon 12 valid cases out of 5114 total cases.

- Mean: 2.75
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 6.00

- Study 21600 -

- Standard Deviation: 1.42

H4ED3E S9Q3 5TH MOST RECENT DEGREE/CERTIF-W4

Location: 2091-2098 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: What is the fifth most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Certificate/degree from a 1-, 2-, or 3-year voc/tech program	1	0.0 %
3	Associate's degree	1	0.0 %
7 (M)	Legitimate skip	5112	100.0 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.71

H4ED3F S9Q3 6TH MOST RECENT DEGREE/CERTIF-W4

Location: 2099-2106 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: What is the sixth most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED3G S9Q3 7TH MOST RECENT DEGREE/CERTIF-W4

Location: 2107-2114 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: What is the seventh most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED3H S9Q3 8TH MOST RECENT DEGREE/CERTIF-W4

- Study 21600 -

Location: 2115-2122 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: What is the eighth most recent degree you have received?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED4A S9Q4 YR RECVD MOST RECENT DEGREE-W4

Location: 2123-2130 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997 , 9998
 Question: In what year did you receive your most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	1	0.0 %
1995	-	2	0.0 %
1996	-	12	0.2 %
1997	-	35	0.7 %
1998	-	69	1.3 %
1999	-	135	2.6 %
2000	-	227	4.4 %
2001	-	296	5.8 %
2002	-	304	5.9 %
2003	-	327	6.4 %
2004	-	337	6.6 %
2005	-	260	5.1 %
2006	-	207	4.0 %
2007	-	214	4.2 %
2008	-	103	2.0 %
9997 (M)	Legitimate skip	2583	50.5 %
9998 (M)	Don't know	2	0.0 %

Based upon 2529 valid cases out of 5114 total cases.

- Mean: 2003.03
- Median: 2003.00
- Mode: 2004.00
- Minimum: 1994.00
- Maximum: 2008.00
- Standard Deviation: 2.72

- Study 21600 -

H4ED4B S9Q4 YR RECVD 2ND MOST RECENT DEGREE-W4

Location: 2131-2138 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997 , 9998
 Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	1	0.0 %
1996	-	4	0.1 %
1997	-	12	0.2 %
1998	-	23	0.4 %
1999	-	67	1.3 %
2000	-	77	1.5 %
2001	-	99	1.9 %
2002	-	91	1.8 %
2003	-	94	1.8 %
2004	-	80	1.6 %
2005	-	44	0.9 %
2006	-	40	0.8 %
2007	-	59	1.2 %
2008	-	19	0.4 %
9997 (M)	Legitimate skip	4403	86.1 %
9998 (M)	Don't know	1	0.0 %

Based upon 710 valid cases out of 5114 total cases.

- Mean: 2002.45
- Median: 2002.00
- Mode: 2001.00
- Minimum: 1995.00
- Maximum: 2008.00
- Standard Deviation: 2.74

H4ED4C S9Q4 YR RECVD 3RD MOST RECENT DEGREE-W4

Location: 2139-2146 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997
 Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1997	1996-1997	6	0.1 %
1998	-	4	0.1 %
1999	-	11	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2000	-	12	0.2 %
2001	-	18	0.4 %
2002	-	11	0.2 %
2003	-	10	0.2 %
2004	-	5	0.1 %
2005	-	8	0.2 %
2006	-	5	0.1 %
2007	-	8	0.2 %
2008	-	4	0.1 %
9997 (M)	Legitimate skip	5012	98.0 %

Based upon 102 valid cases out of 5114 total cases.

- Mean: 2002.07
- Median: 2001.50
- Mode: 2001.00
- Minimum: 1997.00
- Maximum: 2008.00
- Standard Deviation: 2.99

H4ED4D

S9Q4 YR RECVD 4TH MOST RECENT DEGREE-W4

Location: 2147-2154 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9997

Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	1997-1999	3	0.1 %
2001	2000-2002	2	0.0 %
2004	2003-2005	3	0.1 %
2007	2006-2008	4	0.1 %
9997 (M)	Legitimate skip	5102	99.8 %

Based upon 12 valid cases out of 5114 total cases.

- Mean: 2003.00
- Median: 2004.00
- Mode: 2007.00
- Minimum: 1998.00
- Maximum: 2007.00
- Standard Deviation: 3.69

H4ED4E

S9Q4 YR RECVD 5TH MOST RECENT DEGREE-W4

- Study 21600 -

Location: 2155-2162 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997
 Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2003	-	2	0.0 %
9997 (M)	Legitimate skip	5112	100.0 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 2003.00
- Median: 2003.00
- Mode: 2003.00
- Minimum: 2003.00
- Maximum: 2003.00
- Standard Deviation: 0.00

H4ED4F S9Q4 YR RECVD 6TH MOST RECENT DEGREE-W4

Location: 2163-2170 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997
 Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED4G S9Q4 YR RECVD 7TH MOST RECENT DEGREE-W4

Location: 2171-2178 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997
 Question: In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED4H S9Q4 YR RECVD 8TH MOST RECENT DEGREE-W4

Location: 2179-2186 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9997

- Study 21600 -

Question:

In what year did you receive your next most recent degree/certificate?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED5A

S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location:

2187-2194 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1820	35.6 %
1	Yes	711	13.9 %
7 (M)	Legitimate skip	2583	50.5 %

Based upon 2531 valid cases out of 5114 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4ED5B

S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location:

2195-2202 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	608	11.9 %
1	Yes	103	2.0 %
7 (M)	Legitimate skip	4403	86.1 %

Based upon 711 valid cases out of 5114 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4ED5C

S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location: 2203-2210 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	90	1.8 %
1	Yes	12	0.2 %
7 (M)	Legitimate skip	5012	98.0 %

Based upon 102 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4ED5D

S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location: 2211-2218 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10	0.2 %
1	Yes	2	0.0 %
7 (M)	Legitimate skip	5102	99.8 %

Based upon 12 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

H4ED5E S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location: 2219-2226 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2	0.0 %
7 (M)	Legitimate skip	5112	100.0 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H4ED5F S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location: 2227-2234 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED5G S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

Location: 2235-2242 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED5H S9Q5 RECEIVED ANY OTHER DEGREES/CERT-W4

- Study 21600 -

Location: 2243-2250 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: Have you received any other degrees or certificates from a college, university, or vocational/technical school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	5114	100.0 %

Based upon 0 valid cases out of 5114 total cases.

H4ED6 S9Q6 CURR/ATTENDING COL/UNIV/VOC SCHL-W4

Location: 2251-2258 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Are you currently attending a college, university, or vocational/technical school where you take courses for academic credit? If you are enrolled but on school break or vacation, count this as attending.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4295	84.0 %
1	Yes	817	16.0 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4ED7 S9Q7 RELATIVE PROV FINAN ASST LAST YR-W4

Location: 2259-2266 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 6 , 8
 Question: In the past 12 months, have any relatives, including your parents or in-laws, helped you out by paying some of your educational expenses, such as tuition and books?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4749	92.9 %
1	Yes	323	6.3 %
5 (M)	Not asked on pretest	39	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5072 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

H4ED8

S9Q8 ACHIEVED DESIRED EDUCATION LEVEL-W4

Location: 2267-2274 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Which of the following best describes your desired level of education? Please listen to all options before responding.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	I have achieved my desired level of education	1211	23.7 %
2	Have not achieved desired level of education but think will	3421	66.9 %
3	Have not achieved desired level of ed. and do not think will	467	9.1 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	13	0.3 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

H4ED9

S9Q9 HIGHEST EDUC LEVEL EVER EXPECTED-W4

Location: 2275-2282 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: What is the highest level of education you ever expect to complete?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Finish high school or earn GED or certificate	301	5.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Voc/tech school after high school-less than 2 years	179	3.5 %
3	Voc/tech school after high school-2 or more years	189	3.7 %
4	College program-less than 2 years	286	5.6 %
5	Associate's degree	450	8.8 %
6	Bachelor's degree	992	19.4 %
7	Master's degree or equivalent	1063	20.8 %
8	PhD or equivalent (EDD, DrPH, etc.)	261	5.1 %
9	Professional doctorate-MD, JD, LLB, DDS, or equivalent	153	3.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	1211	23.7 %
98 (M)	Don't know	26	0.5 %

Based upon 3874 valid cases out of 5114 total cases.

- Mean: 5.54
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.06

H4MI1 S10Q1 EVER BEEN IN MILITARY-W4

Location: 2283-2290 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: Have you ever been in the military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4763	93.1 %
1	Yes	351	6.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4MI2 S10Q2 SERVICE IN/OUTSIDE THE US-W4

Location: 2291-2298 (width: 8; decimal: 0)
 Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 7

Question: Was your military service in the US, outside the US, or both?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Service in the US	167	3.3 %
2	Service outside the US	10	0.2 %
3	Both	174	3.4 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.99

H4MI3 S10Q3 CURRENTLY SERVING IN MILITARY-W4

Location: 2299-2306 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you currently serving in the military?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	250	4.9 %
1	Yes	101	2.0 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4MI4A S10Q4A SERVED BEFORE ARMY-W4

Location: 2307-2313 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In which branches of the military have you served? You may give more than one answer.: Army

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	187	3.7 %
1	Selected	164	3.2 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4MI4B

S10Q4B SERVED BEFORE AIR FORCE-W4

Location: 2314-2320 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In which branches of the military have you served? You may give more than one answer.: Air Force

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	293	5.7 %
1	Selected	58	1.1 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4MI4C

S10Q4C SERVED BEFORE MARINES-W4

Location: 2321-2327 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In which branches of the military have you served? You may give more than one answer.: Marine Corps

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	301	5.9 %
1	Selected	50	1.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4MI4D S10Q4D SERVED BEFORE NAVY-W4

Location: 2328-2334 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In which branches of the military have you served? You may give more than one answer.: Navy

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	273	5.3 %
1	Selected	78	1.5 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H4MI4E S10Q4E SERVED BEFORE COAST GUARD-W4

Location: 2335-2341 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In which branches of the military have you served? You may give more than one answer.: Coast Guard

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	344	6.7 %
1	Selected	7	0.1 %
7 (M)	Legitimate skip	4763	93.1 %

- Study 21600 -

Based upon 351 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4MI5

S10Q5 CURRENT BRANCH OF ARMED FORCES-W4

Location: 2342-2349 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: In which branch are you currently serving?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Army	5	0.1 %
7 (M)	Legitimate skip	5109	99.9 %

Based upon 5 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

H4MI6A

S10Q6A COMPONENT SERVED ACTIVE DUTY-W4

Location: 2350-2356 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , 8
 Question: In which components of the military have you served? You may give more than one answer.: Active duty

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	53	1.0 %
1	Selected	297	5.8 %
7 (M)	Legitimate skip	4763	93.1 %
8 (M)	Don't know	1	0.0 %

Based upon 350 valid cases out of 5114 total cases.

- Mean: 0.85
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4MI6B

S10Q6B COMPONENT SERVED RESERVES-W4

Location: 2357-2363 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: In which components of the military have you served? You may give more than one answer.: Reserves

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	299	5.8 %
1	Selected	51	1.0 %
7 (M)	Legitimate skip	4763	93.1 %
8 (M)	Don't know	1	0.0 %

Based upon 350 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

H4MI6C

S10Q6C COMPONENT SERVED NATL GUARD-W4

Location: 2364-2370 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: In which components of the military have you served? You may give more than one answer.: National Guard

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	298	5.8 %
1	Selected	52	1.0 %
7 (M)	Legitimate skip	4763	93.1 %
8 (M)	Don't know	1	0.0 %

Based upon 350 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.36

H4MI7 S10Q7 COMPONENT CURRENTLY SERVING-W4

Location: 2371-2378 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7
 Question: In which component are you currently serving?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Active Duty	10	0.2 %
2	Reserves	8	0.2 %
3	National Guard	6	0.1 %
7 (M)	Legitimate skip	5090	99.5 %

Based upon 24 valid cases out of 5114 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

H4MI8Y S10Q8Y YEAR START ACT/MILITARY DUTY-W4

Location: 2379-2386 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9996 , 9997
 Question: In what year did your first military service begin? [Year]

[NOTES:] Includes soft check if year < 1994: "Please confirm the year in which most recent military service began."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1994	-	6	0.1 %
1995	-	24	0.5 %
1996	-	45	0.9 %
1997	-	45	0.9 %
1998	-	44	0.9 %
1999	-	40	0.8 %
2000	-	39	0.8 %
2001	-	28	0.5 %
2002	-	26	0.5 %
2003	-	23	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2004	-	15	0.3 %
2005	-	11	0.2 %
2006	-	2	0.0 %
2007	-	1	0.0 %
2008	-	1	0.0 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4763	93.1 %

Based upon 350 valid cases out of 5114 total cases.

- Mean: 1999.12
- Median: 1999.00
- Minimum: 1994.00
- Maximum: 2008.00
- Standard Deviation: 2.89

H4MI9Y

S10Q9Y YEAR DISCHARGED ACT/MILITARY-W4

Location: 2387-2394 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998

Question: In what year did your most recent military service end? [Year]

[NOTES:] Includes soft check if year < 1994: "Please confirm the year in which most recent military service ended."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1995	-	8	0.2 %
1997	-	4	0.1 %
1998	-	12	0.2 %
1999	-	22	0.4 %
2000	-	28	0.5 %
2001	-	24	0.5 %
2002	-	23	0.4 %
2003	-	28	0.5 %
2004	-	26	0.5 %
2005	-	24	0.5 %
2006	-	22	0.4 %
2007	-	22	0.4 %
2008	-	5	0.1 %
9996 (M)	Refused	1	0.0 %
9997 (M)	Legitimate skip	4864	95.1 %
9998 (M)	Don't know	1	0.0 %

- Study 21600 -

Based upon 248 valid cases out of 5114 total cases.

- Mean: 2002.44
- Median: 2003.00
- Minimum: 1995.00
- Maximum: 2008.00
- Standard Deviation: 3.12

H4MI10

S10Q10 HIGHEST MILITARY RANK ACHIEVED-W4

Location: 2395-2402 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 94 , 97 , 98
 Question: What is the highest military rank you have achieved?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	E-1	22	0.4 %
2	E-2	15	0.3 %
3	E-3	49	1.0 %
4	E-4	122	2.4 %
5	E-5	85	1.7 %
6	E-6	26	0.5 %
7	E-7	2	0.0 %
11	O-1	5	0.1 %
13	O-2	5	0.1 %
15	O-3	14	0.3 %
16	O-3E	1	0.0 %
94 (M)	Data unavailable	2	0.0 %
97 (M)	Legitimate skip	4763	93.1 %
98 (M)	Don't know	3	0.1 %

Based upon 346 valid cases out of 5114 total cases.

- Mean: 4.71
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 2.86

H4MI11Y

S10Q11Y TOTAL ACTIVE DUTY TIME YEARS-W4

Location: 2403-2410 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97

- Study 21600 -

Question:

What is the total amount of time you (have) served on active duty? [Years]

[NOTES:] Includes soft check if years > 18 or if years + months total to > 18: "Please confirm the total amount of time served on active duty."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	34	0.7 %
1	-	24	0.5 %
2	-	34	0.7 %
3	-	30	0.6 %
4	-	80	1.6 %
5	-	21	0.4 %
6	-	21	0.4 %
7	-	12	0.2 %
8	-	16	0.3 %
9	-	7	0.1 %
10	-	9	0.2 %
11	-	5	0.1 %
12	-	2	0.0 %
13	-	2	0.0 %
97 (M)	Legitimate skip	4817	94.2 %

Based upon 297 valid cases out of 5114 total cases.

- Mean: 4.05
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 2.86

H4MI11M

S10Q11M TOTAL ACTIVE DUTY TIME MONTHS-W4

Location:

2411-2418 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97

Question:

What is the total amount of time you (have) served on active duty? [Months]

[NOTES:] Includes soft check if years > 18 or if years + months total to > 18: "Please confirm the total amount of time served on active duty."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	127	2.5 %
1	-	11	0.2 %
2	-	23	0.4 %
3	-	18	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	16	0.3 %
5	-	11	0.2 %
6	-	36	0.7 %
7	-	7	0.1 %
8	-	10	0.2 %
9	-	14	0.3 %
10	-	15	0.3 %
11	-	9	0.2 %
97 (M)	Legitimate skip	4817	94.2 %

Based upon 297 valid cases out of 5114 total cases.

- Mean: 3.20
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.56

H4MI12Y

S10Q12Y TOTAL COMBAT TIME YEARS-W4

Location: 2419-2426 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is the total amount of time you (have) served in a combat zone? [Years]

[NOTES:] Includes soft check if years > 18 or if C_TOTTIM > 216: "Please confirm the total amount of time served in a combat zone."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	220	4.3 %
1	-	55	1.1 %
2	-	16	0.3 %
3	-	3	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
97 (M)	Legitimate skip	4817	94.2 %

Based upon 297 valid cases out of 5114 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.83

H4MI12M

S10Q12M TOTAL COMBAT TIME MONTHS-W4

Location: 2427-2434 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: What is the total amount of time you (have) served in a combat zone? [Months]

[NOTES:] Includes soft check if years > 18 or if C_TOTTIM > 216: "Please confirm the total amount of time served in a combat zone."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	210	4.1 %
1	-	10	0.2 %
2	-	5	0.1 %
3	-	12	0.2 %
4	-	11	0.2 %
5	-	3	0.1 %
6	-	26	0.5 %
7	-	3	0.1 %
8	-	3	0.1 %
9	-	5	0.1 %
10	-	7	0.1 %
11	-	2	0.0 %
97 (M)	Legitimate skip	4817	94.2 %

Based upon 297 valid cases out of 5114 total cases.

- Mean: 1.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.80

H4MI13

S10Q13 NUMBER OF COMBAT ENGAGEMENTS-W4

Location: 2435-2442 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 995 , 996 , 997 , 998

Question: During your combat deployment, how many times did you engage the enemy in a firefight?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	74	1.4 %
1	-	9	0.2 %
2	-	7	0.1 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	2	0.0 %
6	-	3	0.1 %
7	-	3	0.1 %
8	-	1	0.0 %
10	-	2	0.0 %
15	-	1	0.0 %
20	-	3	0.1 %
25	-	2	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	2	0.0 %
100	-	5	0.1 %
200	-	1	0.0 %
300	-	1	0.0 %
500	-	1	0.0 %
995 (M)	Not asked on pretest	2	0.0 %
996 (M)	Refused	2	0.0 %
997 (M)	Legitimate skip	4982	97.4 %
998 (M)	Don't know	2	0.0 %

Based upon 126 valid cases out of 5114 total cases.

- Mean: 15.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 57.44

H4MI14

S10Q14 KILLED SOMEONE DURING COMBAT-W4

Location: 2443-2450 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: During your combat deployment, did you ever kill or think you killed someone?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	84	1.6 %
1	Yes	45	0.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4982	97.4 %
8 (M)	Don't know	2	0.0 %

Based upon 129 valid cases out of 5114 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4MI15

S10Q15 WOUNDED/INJURED DURING COMBAT-W4

Location: 2451-2458 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During your combat deployment, were you wounded or injured?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	114	2.2 %
1	Yes	18	0.4 %
7 (M)	Legitimate skip	4982	97.4 %

Based upon 132 valid cases out of 5114 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

H4MI16A

S10Q16A SAW DEAD/WOUNDED ALLY-W4

Location: 2459-2465 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During your combat deployment, did you see anyone wounded, killed, or dead? Select all that apply.:
Yes, coalition or ally

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	68	1.3 %
1	Selected	64	1.3 %
7 (M)	Legitimate skip	4982	97.4 %

Based upon 132 valid cases out of 5114 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4MI16B

S10Q16B SAW DEAD/WOUNDED ENEMY-W4

Location: 2466-2472 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During your combat deployment, did you see anyone wounded, killed, or dead? Select all that apply.:
Yes, enemy

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	85	1.7 %
1	Selected	47	0.9 %
7 (M)	Legitimate skip	4982	97.4 %

Based upon 132 valid cases out of 5114 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4MI16C

S10Q16C SAW DEAD/WOUNDED CIVILIAN-W4

Location: 2473-2479 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During your combat deployment, did you see anyone wounded, killed, or dead? Select all that apply.:
Yes, civilian

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	89	1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Selected	43	0.8 %
7 (M)	Legitimate skip	4982	97.4 %

Based upon 132 valid cases out of 5114 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4MI16D

S10Q16D SAW DEAD/WOUNDED NO-W4

Location: 2480-2486 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During your combat deployment, did you see anyone wounded, killed, or dead? Select all that apply.:
No

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	86	1.7 %
1	Selected	46	0.9 %
7 (M)	Legitimate skip	4982	97.4 %

Based upon 132 valid cases out of 5114 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4MI17

S10Q17 WILL GIVE SOCIAL SECURITY NUM-W4

Location: 2487-2494 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7

Question: We would like to obtain information from your military service record, including information on your military education, dates and geographic locations of service, and participation in military battles and engagements. This information will help us learn more about pathways into the military and the effects of military service on family formation and health. We will not request your medical records. In order to obtain your service record we will need your Social Security number. Would you provide your Social Security number so we can request your military service record? (Your Social Security number

- Study 21600 -

will be treated as confidential and used only for the purpose of obtaining your military service record.)
Would you provide your social security number?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	129	2.5 %
1	Yes	219	4.3 %
5 (M)	Not asked on pretest	3	0.1 %
7 (M)	Legitimate skip	4763	93.1 %

Based upon 348 valid cases out of 5114 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4LM1

S11Q1 WORK FOR PAY > 35HR/WK NOT STUD-W4

Location: 2495-2502 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Have you ever worked full time at least 35 hours a week at a paying job while you were not primarily a student? Do not include summer work.

~~~~~  
[NOTES:] For respondents that have been in the military, when asked about work experience they are told to exclude military service as a job.

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 267                             | 5.2 %    |
| 1            | Yes          | 4846                            | 94.8 %   |
| 6 (M)        | Refused      | 1                               | 0.0 %    |

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H4LM2**

**S11Q2 EVER WORK 9 WEEKS/MORE/10 HRS-W4**

Location: 2503-2510 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7



- Study 21600 -

Question:

Have you ever worked for 9 weeks or more at a paying job that was at least 10 hours a week? Do not include military service.

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 95                          | 1.9 %    |
| 1            | Yes             | 172                         | 3.4 %    |
| 6 (M)        | Refused         | 1                           | 0.0 %    |
| 7 (M)        | Legitimate skip | 4846                        | 94.8 %   |

Based upon 267 valid cases out of 5114 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**H4LM3**

**S11Q3 TOT NO JOBS BETWEEN 2001/LST YR-W4**

Location:

2511-2518 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 97 , 98

Question:

Thinking back over the period from 2001 to the previous year how many total jobs have you had? Include only paying jobs that lasted 9 weeks or more and were at least 10 hours a week.

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | -            | 54                          | 1.1 %    |
| 1            | -            | 889                         | 17.4 %   |
| 2            | -            | 1138                        | 22.3 %   |
| 3            | -            | 1090                        | 21.3 %   |
| 4            | -            | 685                         | 13.4 %   |
| 5            | -            | 481                         | 9.4 %    |
| 6            | -            | 255                         | 5.0 %    |
| 7            | -            | 138                         | 2.7 %    |
| 8            | -            | 75                          | 1.5 %    |
| 9            | -            | 40                          | 0.8 %    |
| 10           | -            | 93                          | 1.8 %    |
| 11           | -            | 8                           | 0.2 %    |
| 12           | -            | 18                          | 0.4 %    |
| 13           | -            | 2                           | 0.0 %    |
| 15           | -            | 14                          | 0.3 %    |
| 16           | -            | 2                           | 0.0 %    |
| 18           | -            | 2                           | 0.0 %    |
| 20           | -            | 16                          | 0.3 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 22           | -               | 2                               | 0.0 %    |
| 23           | -               | 1                               | 0.0 %    |
| 25           | -               | 2                               | 0.0 %    |
| 30           | -               | 3                               | 0.1 %    |
| 50           | 50 or more jobs | 3                               | 0.1 %    |
| 96 (M)       | Refused         | 3                               | 0.1 %    |
| 97 (M)       | Legitimate skip | 96                              | 1.9 %    |
| 98 (M)       | Don't know      | 4                               | 0.1 %    |

Based upon 5011 valid cases out of 5114 total cases.

- Mean: 3.44
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.81

**H4LM4**

**S11Q4 NO TX FIRED BETWEEN 2001/LST YR-W4**

Location: 2519-2526 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: Thinking back over the period from 2001 to the previous year, how many times have you been fired, let go or laid off from a job?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | -            | 3430                            | 67.1 %   |
| 1            | -            | 1019                            | 19.9 %   |
| 2            | -            | 307                             | 6.0 %    |
| 3            | -            | 98                              | 1.9 %    |
| 4            | -            | 38                              | 0.7 %    |
| 5            | -            | 26                              | 0.5 %    |
| 6            | -            | 20                              | 0.4 %    |
| 7            | -            | 7                               | 0.1 %    |
| 8            | -            | 4                               | 0.1 %    |
| 9            | -            | 2                               | 0.0 %    |
| 10           | -            | 4                               | 0.1 %    |
| 11           | -            | 1                               | 0.0 %    |
| 12           | -            | 1                               | 0.0 %    |
| 15           | -            | 3                               | 0.1 %    |
| 20           | -            | 1                               | 0.0 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>     | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|------------------|---------------------------------|----------|
| 29           | -                | 1                               | 0.0 %    |
| 50           | 50 or more times | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip  | 150                             | 2.9 %    |
| 98 (M)       | Don't know       | 1                               | 0.0 %    |

Based upon 4963 valid cases out of 5114 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 1.39

**H4LM5**

**S11Q5 AGE STRT 1ST PAID FULL TIME JOB-W4**

Location: 2527-2534 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you when you first began working full time (at least 35 hours a week) at a paying job while you were not primarily a student?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 8            | -            | 3                               | 0.1 %    |
| 10           | -            | 3                               | 0.1 %    |
| 11           | -            | 3                               | 0.1 %    |
| 12           | -            | 2                               | 0.0 %    |
| 13           | -            | 4                               | 0.1 %    |
| 14           | -            | 23                              | 0.4 %    |
| 15           | -            | 54                              | 1.1 %    |
| 16           | -            | 207                             | 4.0 %    |
| 17           | -            | 407                             | 8.0 %    |
| 18           | -            | 1290                            | 25.2 %   |
| 19           | -            | 572                             | 11.2 %   |
| 20           | -            | 378                             | 7.4 %    |
| 21           | -            | 457                             | 8.9 %    |
| 22           | -            | 569                             | 11.1 %   |
| 23           | -            | 369                             | 7.2 %    |
| 24           | -            | 218                             | 4.3 %    |
| 25           | -            | 136                             | 2.7 %    |
| 26           | -            | 70                              | 1.4 %    |
| 27           | -            | 36                              | 0.7 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 28           | -               | 23                              | 0.4 %    |
| 29           | -               | 4                               | 0.1 %    |
| 30           | -               | 6                               | 0.1 %    |
| 31           | -               | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip | 268                             | 5.2 %    |
| 98 (M)       | Don't know      | 11                              | 0.2 %    |

Based upon 4835 valid cases out of 5114 total cases.

- Mean: 19.89
- Median: 19.00
- Mode: 18.00
- Minimum: 8.00
- Maximum: 31.00
- Standard Deviation: 2.72

**H4LM6**

**S11Q6 STILL WORK FIRST PAY JOB EVER-W4**

Location: 2535-2542 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Are you still at your first full-time job at least 10 hours per week?

[NOTES:] Active duty military defined as Section 10 Q3=currently in military and (Section 10 Q6=only active duty or Section 10 Q7=active duty).

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 0            | No              | 4044                            | 79.1 %   |
| 1            | Yes             | 735                             | 14.4 %   |
| 7 (M)        | Legitimate skip | 335                             | 6.6 %    |

Based upon 4779 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**H4LM7**

**S11Q7 ANOTHER JOB SINCE 1ST > 10H/WK-W4**

Location: 2543-2550 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

- Study 21600 -

Question:

Since you left your first full-time job, have you had another paying job that was at least 10 hours per week? Do not include military service.

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 206                         | 4.0 %    |
| 1            | Yes             | 3905                        | 76.4 %   |
| 7 (M)        | Legitimate skip | 1003                        | 19.6 %   |

Based upon 4111 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**H4LM8**

**S11Q8 TYPE WORK 1ST FULL TIME JOB-W4**

Location:

2551-2557 (width: 7; decimal: 0)

Variable Type:

character

Question:

Next I'd like to record a description of your first full-time job. When you see the list of categories, please tell me

[NOTE]: See SOC codes in Wave IV Data Documentation file.

Based upon 5114 valid cases out of 5114 total cases.

**H4LM9M**

**S11Q9M MTHS WRKD 1ST F/T JOB-W4**

Location:

2558-2565 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

97 , 98

Question:

How long did you work at your first full time job? [months]

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | -            | 962                         | 18.8 %   |
| 1            | -            | 1070                        | 20.9 %   |
| 2            | -            | 721                         | 14.1 %   |
| 3            | -            | 436                         | 8.5 %    |
| 4            | -            | 253                         | 4.9 %    |
| 5            | -            | 164                         | 3.2 %    |
| 6            | -            | 93                          | 1.8 %    |
| 7            | -            | 78                          | 1.5 %    |
| 8            | -            | 53                          | 1.0 %    |
| 9            | -            | 18                          | 0.4 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 10           | -               | 29                              | 0.6 %    |
| 11           | -               | 5                               | 0.1 %    |
| 12           | -               | 4                               | 0.1 %    |
| 13           | -               | 3                               | 0.1 %    |
| 15           | -               | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip | 1209                            | 23.6 %   |
| 98 (M)       | Don't know      | 15                              | 0.3 %    |

Based upon 3890 valid cases out of 5114 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.11

**H4LM9Y**

**S11Q9Y YRS WRKD 1ST F/T JOB-W4**

Location: 2566-2573 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How long did you work at your first full time job? [years]

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 0            | -               | 1695                            | 33.1 %   |
| 1            | -               | 83                              | 1.6 %    |
| 2            | -               | 182                             | 3.6 %    |
| 3            | -               | 284                             | 5.6 %    |
| 4            | -               | 178                             | 3.5 %    |
| 5            | -               | 113                             | 2.2 %    |
| 6            | -               | 792                             | 15.5 %   |
| 7            | -               | 90                              | 1.8 %    |
| 8            | -               | 156                             | 3.1 %    |
| 9            | -               | 166                             | 3.2 %    |
| 10           | -               | 83                              | 1.6 %    |
| 11           | -               | 49                              | 1.0 %    |
| 1987         | -               | 3                               | 0.1 %    |
| 97 (M)       | Legitimate skip | 1207                            | 23.6 %   |
| 98 (M)       | Don't know      | 33                              | 0.6 %    |

Based upon 3874 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 4.65
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1987.00
- Standard Deviation: 55.29

**H4LM10**

**S11Q10 GOAL DESCRIPTION 1ST F/T JOB-W4**

Location: 2574-2581 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Which of the following best describes your first full time job?

| <i>Value</i> | <i>Label</i>                                                | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------------------------------------------------|-----------------------------|----------|
| 1            | It was part of my long-term career/work goals at that time  | 633                         | 12.4 %   |
| 2            | It was prep for my long-term career/work goals at that time | 622                         | 12.2 %   |
| 3            | Not related to my long-term career/work goals at that time  | 1526                        | 29.8 %   |
| 4            | I did not have long-term career or work goals at that time  | 1124                        | 22.0 %   |
| 7 (M)        | Legitimate skip                                             | 1209                        | 23.6 %   |

Based upon 3905 valid cases out of 5114 total cases.

- Mean: 2.80
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.03

**H4LM11**

**S11Q11 CURRENTLY WORK/10 HRS WEEK-W4**

Location: 2582-2589 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , .

Question: Are you currently working for pay at least 10 hours a week?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 914                         | 17.9 %   |
| 1            | Yes             | 3361                        | 65.7 %   |
| 6 (M)        | Refused         | 1                           | 0.0 %    |
| 7 (M)        | Legitimate skip | 836                         | 16.3 %   |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 4275 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

**H4LM12**

**S11Q12 # JOBS CURRENTLY WORK/10HRS/WK-W4**

Location: 2590-2597 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98 , .

Question: On how many jobs are you currently working for pay at least 10 hours a week?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 1            | -               | 3771                            | 73.7 %   |
| 2            | -               | 302                             | 5.9 %    |
| 3            | -               | 14                              | 0.3 %    |
| 4            | -               | 2                               | 0.0 %    |
| 6            | -               | 1                               | 0.0 %    |
| 7            | -               | 1                               | 0.0 %    |
| 12           | -               | 2                               | 0.0 %    |
| 97 (M)       | Legitimate skip | 1016                            | 19.9 %   |
| 98 (M)       | Don't know      | 3                               | 0.1 %    |
| . (M)        | -               | 2                               | 0.0 %    |

Based upon 4093 valid cases out of 5114 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.40

**H4LM13**

**S11Q13 TOTAL HR/WK CURRENTLY WORKING-W4**

Location: 2598-2605 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 997 , .

Question: How many total hours a week do you usually spend at these jobs?

[NOTE]: H4LM13 had a soft check that asked the respondent to confirm the number of hours reported if over



- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 10           | -            | 2                               | 0.0 %    |
| 12           | -            | 3                               | 0.1 %    |
| 14           | -            | 1                               | 0.0 %    |
| 15           | -            | 1                               | 0.0 %    |
| 16           | -            | 1                               | 0.0 %    |
| 20           | -            | 3                               | 0.1 %    |
| 21           | -            | 1                               | 0.0 %    |
| 24           | -            | 2                               | 0.0 %    |
| 25           | -            | 1                               | 0.0 %    |
| 30           | -            | 11                              | 0.2 %    |
| 31           | -            | 1                               | 0.0 %    |
| 32           | -            | 3                               | 0.1 %    |
| 34           | -            | 1                               | 0.0 %    |
| 35           | -            | 9                               | 0.2 %    |
| 36           | -            | 2                               | 0.0 %    |
| 40           | -            | 35                              | 0.7 %    |
| 41           | -            | 1                               | 0.0 %    |
| 42           | -            | 1                               | 0.0 %    |
| 44           | -            | 2                               | 0.0 %    |
| 45           | -            | 19                              | 0.4 %    |
| 46           | -            | 2                               | 0.0 %    |
| 47           | -            | 1                               | 0.0 %    |
| 48           | -            | 7                               | 0.1 %    |
| 50           | -            | 43                              | 0.8 %    |
| 51           | -            | 1                               | 0.0 %    |
| 52           | -            | 9                               | 0.2 %    |
| 53           | -            | 2                               | 0.0 %    |
| 54           | -            | 2                               | 0.0 %    |
| 55           | -            | 24                              | 0.5 %    |
| 56           | -            | 9                               | 0.2 %    |
| 57           | -            | 3                               | 0.1 %    |
| 58           | -            | 2                               | 0.0 %    |
| 60           | -            | 57                              | 1.1 %    |
| 63           | -            | 1                               | 0.0 %    |
| 64           | -            | 1                               | 0.0 %    |
| 65           | -            | 12                              | 0.2 %    |
| 66           | -            | 1                               | 0.0 %    |
| 67           | -            | 2                               | 0.0 %    |
| 68           | -            | 2                               | 0.0 %    |
| 69           | -            | 1                               | 0.0 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 70           | -               | 21                          | 0.4 %    |
| 72           | -               | 1                           | 0.0 %    |
| 75           | -               | 8                           | 0.2 %    |
| 80           | -               | 11                          | 0.2 %    |
| 84           | -               | 1                           | 0.0 %    |
| 96           | -               | 1                           | 0.0 %    |
| 997 (M)      | Legitimate skip | 4787                        | 93.6 %   |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 325 valid cases out of 5114 total cases.

- Mean: 52.19
- Median: 52.00
- Mode: 60.00
- Minimum: 10.00
- Maximum: 96.00
- Standard Deviation: 14.36

**H4LM14**

**S11Q14 DESCR CURRENT WORK STATUS-W4**

Location: 2606-2613 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , .

Question: Which one of the following categories best describes what you're doing now?

| <i>Value</i> | <i>Label</i>                          | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------------|-----------------------------|----------|
| 1            | Only temporarily laid off             | 61                          | 1.2 %    |
| 2            | On sick leave or temporarily disabled | 33                          | 0.6 %    |
| 3            | On maternity/paternity leave          | 23                          | 0.4 %    |
| 4            | Permanently disabled                  | 53                          | 1.0 %    |
| 5            | Unemployed and looking for work       | 232                         | 4.5 %    |
| 6            | Unemployed and not looking for work   | 28                          | 0.5 %    |
| 7            | Student                               | 161                         | 3.1 %    |
| 8            | Keeping house                         | 252                         | 4.9 %    |
| 9            | Retired                               | 1                           | 0.0 %    |
| 10           | Other                                 | 69                          | 1.3 %    |
| 96 (M)       | Refused                               | 2                           | 0.0 %    |
| 97 (M)       | Legitimate skip                       | 4197                        | 82.1 %   |
| . (M)        | -                                     | 2                           | 0.0 %    |

Based upon 913 valid cases out of 5114 total cases.

- Mean: 6.11

- Study 21600 -

- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.34

**H4LM15Y**

**S11Q15Y YEAR PAY JOB STARTED-W4**

Location: 2614-2621 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9997 , 9998 , .

Question: In what year did you begin your (current/most recent) primary job? [year]

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 1987         | 1986-1988       | 3                               | 0.1 %    |
| 1991         | -               | 2                               | 0.0 %    |
| 1992         | -               | 2                               | 0.0 %    |
| 1993         | -               | 2                               | 0.0 %    |
| 1994         | -               | 9                               | 0.2 %    |
| 1995         | -               | 20                              | 0.4 %    |
| 1996         | -               | 43                              | 0.8 %    |
| 1997         | -               | 54                              | 1.1 %    |
| 1998         | -               | 80                              | 1.6 %    |
| 1999         | -               | 138                             | 2.7 %    |
| 2000         | -               | 181                             | 3.5 %    |
| 2001         | -               | 290                             | 5.7 %    |
| 2002         | -               | 225                             | 4.4 %    |
| 2003         | -               | 325                             | 6.4 %    |
| 2004         | -               | 432                             | 8.4 %    |
| 2005         | -               | 542                             | 10.6 %   |
| 2006         | -               | 810                             | 15.8 %   |
| 2007         | -               | 1187                            | 23.2 %   |
| 2008         | -               | 657                             | 12.8 %   |
| 9996 (M)     | Refused         | 5                               | 0.1 %    |
| 9997 (M)     | Legitimate skip | 82                              | 1.6 %    |
| 9998 (M)     | Don't know      | 23                              | 0.4 %    |
| . (M)        | -               | 2                               | 0.0 %    |

Based upon 5002 valid cases out of 5114 total cases.

- Mean: 2004.74
- Median: 2006.00
- Mode: 2007.00
- Minimum: 1987.00
- Maximum: 2008.00

- Study 21600 -

- Standard Deviation: 3.00

**H4LM16Y S11Q16Y YEAR PAY JOB ENDED-W4**

Location: 2622-2629 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9996 , 9997 , 9998 , .  
 Question: In what year did you last work at this job? [year]

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 1995         | -               | 2                           | 0.0 %    |
| 1996         | -               | 3                           | 0.1 %    |
| 1997         | -               | 5                           | 0.1 %    |
| 1998         | -               | 8                           | 0.2 %    |
| 1999         | -               | 11                          | 0.2 %    |
| 2000         | -               | 19                          | 0.4 %    |
| 2001         | -               | 26                          | 0.5 %    |
| 2002         | -               | 33                          | 0.6 %    |
| 2003         | -               | 46                          | 0.9 %    |
| 2004         | -               | 39                          | 0.8 %    |
| 2005         | -               | 67                          | 1.3 %    |
| 2006         | -               | 100                         | 2.0 %    |
| 2007         | -               | 258                         | 5.0 %    |
| 2008         | -               | 300                         | 5.9 %    |
| 2009         | -               | 1                           | 0.0 %    |
| 9996 (M)     | Refused         | 6                           | 0.1 %    |
| 9997 (M)     | Legitimate skip | 4178                        | 81.7 %   |
| 9998 (M)     | Don't know      | 10                          | 0.2 %    |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 918 valid cases out of 5114 total cases.

- Mean: 2005.96
- Median: 2007.00
- Mode: 2008.00
- Minimum: 1995.00
- Maximum: 2009.00
- Standard Deviation: 2.55

**H4LM17 S11Q17 REASON LEFT MST RECENT JOB-W4**

Location: 2630-2637 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 97 , 98 , .  
 Question: What is the main reason you left your most recent job?

- Study 21600 -

| <i>Value</i> | <i>Label</i>                     | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|----------------------------------|---------------------------------|----------|
| 1            | Layoff                           | 66                              | 1.3 %    |
| 2            | Plant closed                     | 12                              | 0.2 %    |
| 3            | End of temporary or seasonal job | 34                              | 0.7 %    |
| 4            | Discharged or fired              | 45                              | 0.9 %    |
| 5            | Program ended                    | 13                              | 0.3 %    |
| 6            | Health problems                  | 43                              | 0.8 %    |
| 7            | Pregnancy or family reasons      | 154                             | 3.0 %    |
| 8            | Return to school                 | 103                             | 2.0 %    |
| 9            | Quit to look for another job     | 49                              | 1.0 %    |
| 10           | Quit to take another job         | 15                              | 0.3 %    |
| 11           | Retired                          | 1                               | 0.0 %    |
| 12           | Military service                 | 48                              | 0.9 %    |
| 13           | Incarceration                    | 14                              | 0.3 %    |
| 14           | Other                            | 166                             | 3.2 %    |
| 96 (M)       | Refused                          | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip                  | 4347                            | 85.0 %   |
| 98 (M)       | Don't know                       | 1                               | 0.0 %    |
| . (M)        | -                                | 2                               | 0.0 %    |

Based upon 763 valid cases out of 5114 total cases.

- Mean: 8.23
- Median: 8.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 4.11

**H4LM18**

**S11Q18 TYPE OF WORK RECENT JOB-W4**

Location: 2638-2644 (width: 7; decimal: 0)

Variable Type: character

Question:

Now I'd like to record a description of your (current/most recent) job. When you see the list of categories, please

[NOTE]: See SOC codes in Wave IV Data Documentation file.

Based upon 5114 valid cases out of 5114 total cases.

**H4LM19**

**S11Q19 NUMBER HRS/WEEK CURR PAY JOB-W4**

Location: 2645-2652 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

- Study 21600 -

Question:

How many hours a week (do/did) you usually work at this job?

[NOTE]: H4LM19 had a soft check that asked the respondent to confirm the number of hours reported if over

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 10           | -            | 58                              | 1.1 %    |
| 11           | -            | 3                               | 0.1 %    |
| 12           | -            | 19                              | 0.4 %    |
| 13           | -            | 2                               | 0.0 %    |
| 14           | -            | 5                               | 0.1 %    |
| 15           | -            | 39                              | 0.8 %    |
| 16           | -            | 20                              | 0.4 %    |
| 17           | -            | 3                               | 0.1 %    |
| 18           | -            | 13                              | 0.3 %    |
| 19           | -            | 1                               | 0.0 %    |
| 20           | -            | 149                             | 2.9 %    |
| 21           | -            | 5                               | 0.1 %    |
| 22           | -            | 10                              | 0.2 %    |
| 23           | -            | 3                               | 0.1 %    |
| 24           | -            | 28                              | 0.5 %    |
| 25           | -            | 95                              | 1.9 %    |
| 26           | -            | 6                               | 0.1 %    |
| 27           | -            | 7                               | 0.1 %    |
| 28           | -            | 15                              | 0.3 %    |
| 29           | -            | 5                               | 0.1 %    |
| 30           | -            | 203                             | 4.0 %    |
| 31           | -            | 1                               | 0.0 %    |
| 32           | -            | 74                              | 1.4 %    |
| 33           | -            | 6                               | 0.1 %    |
| 34           | -            | 8                               | 0.2 %    |
| 35           | -            | 233                             | 4.6 %    |
| 36           | -            | 84                              | 1.6 %    |
| 37           | -            | 47                              | 0.9 %    |
| 38           | -            | 70                              | 1.4 %    |
| 39           | -            | 9                               | 0.2 %    |
| 40           | -            | 2124                            | 41.5 %   |
| 41           | -            | 10                              | 0.2 %    |
| 42           | -            | 69                              | 1.3 %    |
| 43           | -            | 36                              | 0.7 %    |
| 44           | -            | 29                              | 0.6 %    |
| 45           | -            | 394                             | 7.7 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 46           | -            | 24                              | 0.5 %    |
| 47           | -            | 18                              | 0.4 %    |
| 48           | -            | 78                              | 1.5 %    |
| 49           | -            | 5                               | 0.1 %    |
| 50           | -            | 468                             | 9.2 %    |
| 51           | -            | 1                               | 0.0 %    |
| 52           | -            | 11                              | 0.2 %    |
| 53           | -            | 9                               | 0.2 %    |
| 54           | -            | 8                               | 0.2 %    |
| 55           | -            | 126                             | 2.5 %    |
| 56           | -            | 22                              | 0.4 %    |
| 57           | -            | 1                               | 0.0 %    |
| 58           | -            | 4                               | 0.1 %    |
| 60           | -            | 204                             | 4.0 %    |
| 62           | -            | 5                               | 0.1 %    |
| 63           | -            | 1                               | 0.0 %    |
| 64           | -            | 2                               | 0.0 %    |
| 65           | -            | 32                              | 0.6 %    |
| 66           | -            | 2                               | 0.0 %    |
| 68           | -            | 1                               | 0.0 %    |
| 70           | -            | 40                              | 0.8 %    |
| 72           | -            | 7                               | 0.1 %    |
| 74           | -            | 1                               | 0.0 %    |
| 75           | -            | 11                              | 0.2 %    |
| 76           | -            | 1                               | 0.0 %    |
| 80           | -            | 26                              | 0.5 %    |
| 83           | -            | 1                               | 0.0 %    |
| 84           | -            | 11                              | 0.2 %    |
| 85           | -            | 3                               | 0.1 %    |
| 86           | -            | 1                               | 0.0 %    |
| 89           | -            | 1                               | 0.0 %    |
| 90           | -            | 3                               | 0.1 %    |
| 91           | -            | 1                               | 0.0 %    |
| 98           | -            | 1                               | 0.0 %    |
| 100          | -            | 3                               | 0.1 %    |
| 105          | -            | 1                               | 0.0 %    |
| 106          | -            | 1                               | 0.0 %    |
| 108          | -            | 1                               | 0.0 %    |
| 110          | -            | 1                               | 0.0 %    |
| 120          | -            | 3                               | 0.1 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 996 (M)      | Refused         | 3                               | 0.1 %    |
| 997 (M)      | Legitimate skip | 82                              | 1.6 %    |
| 998 (M)      | Don't know      | 4                               | 0.1 %    |
| . (M)        | -               | 2                               | 0.0 %    |

Based upon 5023 valid cases out of 5114 total cases.

- Mean: 41.19
- Median: 40.00
- Mode: 40.00
- Minimum: 10.00
- Maximum: 120.00
- Standard Deviation: 11.41

**H4LM20**

**S11Q20 BEST DESC HRS WORKED CURR JOB-W4**

Location: 2653-2660 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , .

Question: Which one of these categories best describes the hours you (work/worked) at this job?

| <i>Value</i> | <i>Label</i>                | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------------------|---------------------------------|----------|
| 1            | Regular day shift           | 3319                            | 64.9 %   |
| 2            | Regular evening shift       | 364                             | 7.1 %    |
| 3            | Regular night shift         | 296                             | 5.8 %    |
| 4            | Shift rotates               | 446                             | 8.7 %    |
| 5            | Split shift                 | 78                              | 1.5 %    |
| 6            | Irregular schedule or hours | 470                             | 9.2 %    |
| 7            | Other                       | 54                              | 1.1 %    |
| 96 (M)       | Refused                     | 3                               | 0.1 %    |
| 97 (M)       | Legitimate skip             | 82                              | 1.6 %    |
| . (M)        | -                           | 2                               | 0.0 %    |

Based upon 5027 valid cases out of 5114 total cases.

- Mean: 2.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.73

**H4LM21A**

**S11Q21A EMPLOYER PROVIDES-HEALTH INS-W4**



- Study 21600 -

Location: 2661-2668 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: (Does/Did) your employer make the following available to you: health insurance?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 1347                        | 26.3 %   |
| 1            | Yes             | 3670                        | 71.8 %   |
| 6 (M)        | Refused         | 2                           | 0.0 %    |
| 7 (M)        | Legitimate skip | 82                          | 1.6 %    |
| 8 (M)        | Don't know      | 11                          | 0.2 %    |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 5017 valid cases out of 5114 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H4LM21B S11Q21B EMPLOYER PROVIDES-RETIRE BEN-W4**

Location: 2669-2676 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 7 , 8 , .  
 Question: (Does/Did) your employer make the following available to you: retirement benefits (such as 401k, 403b, or a company pension plan)?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 1663                        | 32.5 %   |
| 1            | Yes             | 3331                        | 65.1 %   |
| 6 (M)        | Refused         | 2                           | 0.0 %    |
| 7 (M)        | Legitimate skip | 82                          | 1.6 %    |
| 8 (M)        | Don't know      | 34                          | 0.7 %    |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 4994 valid cases out of 5114 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

- Study 21600 -

**H4LM21C S11Q21C EMPLOYER PROVIDES-PD VAC/SICK-W4**

Location: 2677-2684 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: (Does/Did) your employer make the following available to you: paid vacation or sick leave?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 0            | No              | 1333                        | 26.1 %   |
| 1            | Yes             | 3682                        | 72.0 %   |
| 6 (M)        | Refused         | 2                           | 0.0 %    |
| 7 (M)        | Legitimate skip | 82                          | 1.6 %    |
| 8 (M)        | Don't know      | 13                          | 0.3 %    |
| . (M)        | -               | 2                           | 0.0 %    |

Based upon 5015 valid cases out of 5114 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

**H4LM22 S11Q22 SPEND MST TIME STAND/SEAT WORK-W4**

Location: 2685-2692 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98 , .

Question: In your current primary job, do you spend most of your time

[NOTES:] H4LM22 was asked differently in the pretest and the respondents could select more than one answer. Most respondents gave one answer but some gave multiple answers. These multiple answers are coded as mixed answers.

| <i>Value</i> | <i>Label</i>                                     | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------------------------|-----------------------------|----------|
| 1            | Standing, doing hard physical work               | 553                         | 10.8 %   |
| 2            | Standing, doing moderate physical work           | 927                         | 18.1 %   |
| 3            | Standing, doing light physical work              | 944                         | 18.5 %   |
| 4            | Seated, for example, using a computer or driving | 1667                        | 32.6 %   |
| 5            | Mixed answers                                    | 2                           | 0.0 %    |
| 95 (M)       | Pretest case, logic changed                      | 1                           | 0.0 %    |
| 97 (M)       | Legitimate skip                                  | 1016                        | 19.9 %   |
| 98 (M)       | Don't know                                       | 2                           | 0.0 %    |
| . (M)        | -                                                | 2                           | 0.0 %    |

## - Study 21600 -

Based upon 4093 valid cases out of 5114 total cases.

- Mean: 2.91
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.08

### H4LM23

### S11Q23 DECISION-MAKING FREEDOM WORK-W4

Location: 2693-2700 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: Overall, how often (do/did) you have the freedom to make important decisions about what you (do/did) at work and how you (do/did) it?

| <i>Value</i> | <i>Label</i>                    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|-----------------------------|----------|
| 0            | None or almost none of the time | 439                         | 8.6 %    |
| 1            | Some of the time                | 1251                        | 24.5 %   |
| 2            | Most of the time                | 1738                        | 34.0 %   |
| 3            | All or almost all of the time   | 1596                        | 31.2 %   |
| 6 (M)        | Refused                         | 4                           | 0.1 %    |
| 7 (M)        | Legitimate skip                 | 82                          | 1.6 %    |
| 8 (M)        | Don't know                      | 2                           | 0.0 %    |
| . (M)        | -                               | 2                           | 0.0 %    |

Based upon 5024 valid cases out of 5114 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.95

### H4LM24

### S11Q24 HOW OFTEN REPETITIOUS TASKS-W4

Location: 2701-2708 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: How much of the time (do/did) you do the same things repeatedly, that is over and over?

| <i>Value</i> | <i>Label</i>                    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|-----------------------------|----------|
| 0            | None or almost none of the time | 318                         | 6.2 %    |
| 1            | Some of the time                | 1479                        | 28.9 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i>                  | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-------------------------------|---------------------------------|----------|
| 2            | Most of the time              | 1644                            | 32.1 %   |
| 3            | All or almost all of the time | 1583                            | 31.0 %   |
| 6 (M)        | Refused                       | 4                               | 0.1 %    |
| 7 (M)        | Legitimate skip               | 82                              | 1.6 %    |
| 8 (M)        | Don't know                    | 2                               | 0.0 %    |
| . (M)        | -                             | 2                               | 0.0 %    |

Based upon 5024 valid cases out of 5114 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.92

**H4LM25**

**S11Q25 DX OF SUPERVISORY ROLE-W4**

Location: 2709-2716 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: Thinking about your official job duties, which of the following statements best describes your supervisory responsibilities at your (current/most recent) primary job?

| <i>Value</i> | <i>Label</i>                                               | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|------------------------------------------------------------|---------------------------------|----------|
| 1            | I (supervise/supervised) other employees                   | 1298                            | 25.4 %   |
| 2            | I supervise other employees, some of whom supervise others | 511                             | 10.0 %   |
| 3            | I (do/did) not supervise anyone                            | 3217                            | 62.9 %   |
| 6 (M)        | Refused                                                    | 3                               | 0.1 %    |
| 7 (M)        | Legitimate skip                                            | 82                              | 1.6 %    |
| 8 (M)        | Don't know                                                 | 1                               | 0.0 %    |
| . (M)        | -                                                          | 2                               | 0.0 %    |

Based upon 5026 valid cases out of 5114 total cases.

- Mean: 2.38
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.87

**H4LM26**

**S11Q26 GLOBAL JOB SATISFACTION-W4**

Location: 2717-2724 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How satisfied (are/were) you with this job, as a whole?

| <i>Value</i> | <i>Label</i>                       | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------------------|-----------------------------|----------|
| 1            | Extremely satisfied                | 1188                        | 23.2 %   |
| 2            | Satisfied                          | 2505                        | 49.0 %   |
| 3            | Neither satisfied nor dissatisfied | 884                         | 17.3 %   |
| 4            | Dissatisfied                       | 329                         | 6.4 %    |
| 5            | Extremely dissatisfied             | 118                         | 2.3 %    |
| 96 (M)       | Refused                            | 3                           | 0.1 %    |
| 97 (M)       | Legitimate skip                    | 82                          | 1.6 %    |
| 98 (M)       | Don't know                         | 3                           | 0.1 %    |
| . (M)        | -                                  | 2                           | 0.0 %    |

Based upon 5024 valid cases out of 5114 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

**H4LM27**

**S11Q27 CURR/MST RCNT JOB GOAL DESCR-W4**

Location: 2725-2732 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: Which one of the following best describes your (current/most recent) primary job?

| <i>Value</i> | <i>Label</i>                                            | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------------------------------|-----------------------------|----------|
| 1            | It is part of my long-term career or work goals         | 1943                        | 38.0 %   |
| 2            | It is preparation for my long-term career or work goals | 1331                        | 26.0 %   |
| 3            | It is not related to my long-term career or work goals  | 1368                        | 26.8 %   |
| 4            | I do not have long-term career or work goals            | 380                         | 7.4 %    |
| 6 (M)        | Refused                                                 | 3                           | 0.1 %    |
| 7 (M)        | Legitimate skip                                         | 82                          | 1.6 %    |
| 8 (M)        | Don't know                                              | 5                           | 0.1 %    |
| . (M)        | -                                                       | 2                           | 0.0 %    |

Based upon 5022 valid cases out of 5114 total cases.

- Mean: 2.04
- Median: 2.00

- Study 21600 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.98

**H4LM28 S11Q28 FAMILY RESP INTERFER W/WORK-W4**

Location: 2733-2740 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: Indicate how much you would agree or disagree with this statement: Family responsibilities have interfered with my ability to work.

| <i>Value</i> | <i>Label</i>               | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------------|-----------------------------|----------|
| 1            | Strongly agree             | 301                         | 5.9 %    |
| 2            | Agree                      | 540                         | 10.6 %   |
| 3            | Neither agree nor disagree | 553                         | 10.8 %   |
| 4            | Disagree                   | 1893                        | 37.0 %   |
| 5            | Strongly disagree          | 1818                        | 35.5 %   |
| 96 (M)       | Refused                    | 2                           | 0.0 %    |
| 98 (M)       | Don't know                 | 5                           | 0.1 %    |
| . (M)        | -                          | 2                           | 0.0 %    |

Based upon 5105 valid cases out of 5114 total cases.

- Mean: 3.86
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.18

**H4LM29 S11Q29 OFT CUT HRS/REFUSE OT B/C FAM-W4**

Location: 2741-2748 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: (In the past 12 months/Since you started your current job/In the last year of your most recent job), how often on your primary job (have you had/have you had/did you have) to cut back your hours or turn down overtime because of your family responsibilities?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | Frequently   | 221                         | 4.3 %    |
| 2            | Sometimes    | 626                         | 12.2 %   |
| 3            | Rarely       | 823                         | 16.1 %   |
| 4            | Never        | 3355                        | 65.6 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 6 (M)        | Refused         | 2                               | 0.0 %    |
| 7 (M)        | Legitimate skip | 82                              | 1.6 %    |
| 8 (M)        | Don't know      | 3                               | 0.1 %    |
| . (M)        | -               | 2                               | 0.0 %    |

Based upon 5025 valid cases out of 5114 total cases.

- Mean: 3.46
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.87

**H4LM30**

**S11Q30 FAM TIME OFT DECREASE B/C WORK-W4**

Location: 2749-2756 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: (In the past 12 months/Since you started your current job/In the last year of your most recent job), how often on your primary job (have you spent/have you spent/did you spend) less time with your family than you wanted to because of work responsibilities?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 1            | Frequently      | 718                             | 14.0 %   |
| 2            | Sometimes       | 1446                            | 28.3 %   |
| 3            | Rarely          | 874                             | 17.1 %   |
| 4            | Never           | 1988                            | 38.9 %   |
| 6 (M)        | Refused         | 2                               | 0.0 %    |
| 7 (M)        | Legitimate skip | 82                              | 1.6 %    |
| 8 (M)        | Don't know      | 2                               | 0.0 %    |
| . (M)        | -               | 2                               | 0.0 %    |

Based upon 5026 valid cases out of 5114 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.11

**H4EC1**

**S12Q1 TOTAL HOUSEHOLD INC 06/07/08-W4**

Location: 2757-2763 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: Thinking about your income and the income of everyone who lives in your household and contributes to the household budget, what was the total household income before taxes and deductions in {2006/2007/2008}? Include all sources of income, including non-legal sources. (Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)

| <i>Value</i> | <i>Label</i>           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 1            | Less than \$5,000      | 137                         | 2.7 %    |
| 2            | \$5,000 to \$9,999     | 120                         | 2.3 %    |
| 3            | \$10,000 to 14,999     | 173                         | 3.4 %    |
| 4            | \$15,000 to \$19,999   | 167                         | 3.3 %    |
| 5            | \$20,000 to \$24,999   | 237                         | 4.6 %    |
| 6            | \$25,000 to \$29,999   | 269                         | 5.3 %    |
| 7            | \$30,000 to \$39,999   | 505                         | 9.9 %    |
| 8            | \$40,000 to \$49,999   | 578                         | 11.3 %   |
| 9            | \$50,000 to \$74,999   | 1154                        | 22.6 %   |
| 10           | \$75,000 to \$99,999   | 698                         | 13.6 %   |
| 11           | \$100,000 to \$149,999 | 476                         | 9.3 %    |
| 12           | \$150,000 or more      | 247                         | 4.8 %    |
| 96 (M)       | Refused                | 51                          | 1.0 %    |
| 98 (M)       | Don't know             | 302                         | 5.9 %    |

Based upon 4761 valid cases out of 5114 total cases.

- Mean: 8.00
- Median: 9.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.67

**H4EC2      S12Q2 INCOME PERS EARNINGS 06/07/08-W4**

Location: 2764-2771 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999996 , 9999998

Question: Now think about your personal earnings. In {2006/2007/2008}, how much income did you receive from personal earnings before taxes, that is, wages or salaries, including tips, bonuses, and overtime pay, and income from self-employment? NOTE: Smallest 5 and largest 5 values are displayed.

| <i>Value</i> | <i>Label</i> |
|--------------|--------------|
| 9999996 (M)  | Refused      |
| 9999998 (M)  | Don't know   |

Based upon 4846 valid cases out of 5114 total cases.



- Study 21600 -

- Mean: 35045.99
- Minimum: 0.00
- Maximum: 999995.00
- Standard Deviation: 44694.89

**H4EC3 S12Q3 BEST GUESS INCOME PERS EARNINGS-W4**

Location: 2772-2778 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: What is your best guess of your personal earnings before taxes? (Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)

| <i>Value</i> | <i>Label</i>           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 1            | Less than \$5,000      | 45                          | 0.9 %    |
| 2            | \$5,000 to \$9,999     | 28                          | 0.5 %    |
| 3            | \$10,000 to 14,999     | 20                          | 0.4 %    |
| 4            | \$15,000 to \$19,999   | 11                          | 0.2 %    |
| 5            | \$20,000 to \$24,999   | 5                           | 0.1 %    |
| 6            | \$25,000 to \$29,999   | 11                          | 0.2 %    |
| 7            | \$30,000 to \$39,999   | 11                          | 0.2 %    |
| 8            | \$40,000 to \$49,999   | 6                           | 0.1 %    |
| 9            | \$50,000 to \$74,999   | 4                           | 0.1 %    |
| 10           | \$75,000 to \$99,999   | 1                           | 0.0 %    |
| 11           | \$100,000 to \$149,999 | 1                           | 0.0 %    |
| 96 (M)       | Refused                | 4                           | 0.1 %    |
| 97 (M)       | Legitimate skip        | 4912                        | 96.1 %   |
| 98 (M)       | Don't know             | 55                          | 1.1 %    |

Based upon 143 valid cases out of 5114 total cases.

- Mean: 3.34
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.52

**H4EC4 S12Q4 OWN/MORTGAGE CURRENT RESIDENCE-W4**

Location: 2779-2785 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

- Study 21600 -

Question:

Is your house, apartment, or residence owned or being bought by {YOU AND/OR YOUR SPOUSE/PARTNER}?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | No           | 3018                        | 59.0 %   |
| 1            | Yes          | 2086                        | 40.8 %   |
| 6 (M)        | Refused      | 4                           | 0.1 %    |
| 8 (M)        | Don't know   | 6                           | 0.1 %    |

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**H4EC5**

**S12Q5 CURRENT RESID MORTGAGE BALANCE-W4**

Location:

2786-2793 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9999996 , 9999997 , 9999998

Question:

About how much do {YOU AND/OR YOUR SPOUSE/PARTNER} you owe on the mortgage for your house, apartment, or residence?

| <i>Value</i> | <i>Label</i>    |
|--------------|-----------------|
| 9999996 (M)  | Refused         |
| 9999997 (M)  | Legitimate skip |
| 9999998 (M)  | Don't know      |

Based upon 1941 valid cases out of 5114 total cases.

- Mean: 125885.77
- Minimum: 0.00
- Maximum: 999995.00
- Standard Deviation: 126556.51

**H4EC6**

**S12Q6 FIN GIFT/LOAN TO BUY/IMPRV RES-W4**

Location:

2794-2800 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8

Question:

Have {YOU/YOUR SPOUSE/PARTNER} ever received any financial gifts or loans from your parents, in-laws, or relatives to help you buy, remodel, build or furnish a home or condominium?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | No           | 4110                        | 80.4 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | Yes          | 993                         | 19.4 %   |
| 6 (M)        | Refused      | 4                           | 0.1 %    |
| 8 (M)        | Don't know   | 7                           | 0.1 %    |

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**H4EC7**

**S12Q7 BEST EST TOT COMBINED ASSETS-W4**

Location: 2801-2807 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: What is your best estimate of the total value of your assets and the assets of everyone who lives in your household and contributes to the household budget? Include all assets, such as bank accounts, retirement plans and stocks. Do not include equity in your home. (Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)

| <i>Value</i> | <i>Label</i>           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 1            | Less than \$5,000      | 844                         | 16.5 %   |
| 2            | \$5,000 to \$9,999     | 557                         | 10.9 %   |
| 3            | \$10,000 to \$24,999   | 838                         | 16.4 %   |
| 4            | \$25,000 to \$49,999   | 789                         | 15.4 %   |
| 5            | \$50,000 to \$99,999   | 693                         | 13.6 %   |
| 6            | \$100,000 to \$249,999 | 512                         | 10.0 %   |
| 7            | \$250,000 to \$499,999 | 205                         | 4.0 %    |
| 8            | \$500,000 to \$999,999 | 92                          | 1.8 %    |
| 9            | \$1,000,000 or more    | 52                          | 1.0 %    |
| 96 (M)       | Refused                | 71                          | 1.4 %    |
| 98 (M)       | Don't know             | 461                         | 9.0 %    |

Based upon 4582 valid cases out of 5114 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00

- Study 21600 -

- Standard Deviation: 1.96

**H4EC8 S12Q8 BEST EST TOTAL COLL HSHLD DEBT-W4**

Location: 2808-2814 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: Now, think about your debts besides any mortgage on your home. How much do you and others in your household owe altogether? Include all debts, including all types of loans, credit card debt, medical or legal bills, etc. (Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)

| <i>Value</i> | <i>Label</i>           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 1            | Less than \$1,000      | 607                         | 11.9 %   |
| 2            | \$1,000 to \$4,999     | 696                         | 13.6 %   |
| 3            | \$5,000 to \$9,999     | 711                         | 13.9 %   |
| 4            | \$10,000 to \$24,999   | 1170                        | 22.9 %   |
| 5            | \$25,000 to \$49,999   | 856                         | 16.7 %   |
| 6            | \$50,000 to \$99,999   | 439                         | 8.6 %    |
| 7            | \$100,000 to \$249,999 | 200                         | 3.9 %    |
| 8            | \$250,000 or more      | 51                          | 1.0 %    |
| 96 (M)       | Refused                | 57                          | 1.1 %    |
| 98 (M)       | Don't know             | 327                         | 6.4 %    |

Based upon 4730 valid cases out of 5114 total cases.

- Mean: 3.71
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.71

**H4EC9 S12Q9 NET STATUS IF ASSESTS LIQUEFIED-W4**

Location: 2815-2821 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Suppose you and others in your household were to sell all of your major possessions (including your home), turn all of your investments and other assets into cash, and pay off all of your debts. Would you have something left over, break even, or be in debt?

| <i>Value</i> | <i>Label</i>             | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------|-----------------------------|----------|
| 1            | Have something left over | 2982                        | 58.3 %   |
| 2            | Break even               | 857                         | 16.8 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 3            | Be in debt   | 1062                            | 20.8 %   |
| 6 (M)        | Refused      | 27                              | 0.5 %    |
| 8 (M)        | Don't know   | 186                             | 3.6 %    |

Based upon 4901 valid cases out of 5114 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

**H4EC10**

**S12Q10 PAST 12 MON NO PHONE SERVICE-W4**

Location: 2822-2828 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD} was without phone service because you didn't have enough money?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 4632                            | 90.6 %   |
| 1            | Yes          | 477                             | 9.3 %    |
| 6 (M)        | Refused      | 1                               | 0.0 %    |
| 8 (M)        | Don't know   | 4                               | 0.1 %    |

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H4EC11**

**S12Q11 PAST 12 MON NO MORTG PAYMENT-W4**

Location: 2829-2835 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD} didn't pay the full amount of the rent or mortgage because you didn't have enough money?

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 4615                            | 90.2 %   |
| 1            | Yes          | 489                             | 9.6 %    |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 8                               | 0.2 %    |

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

**H4EC12**

**S12Q12 PAST 12 MON EVICTED FROM HOUSE-W4**

Location: 2836-2842 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD} were evicted from your house or apartment for not paying the rent or mortgage?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 5053                            | 98.8 %   |
| 1            | Yes          | 54                              | 1.1 %    |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 5                               | 0.1 %    |

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

**H4EC13**

**S12Q13 PAST 12 MON NO UTIL PAYMNT-W4**

Location: 2843-2849 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD} didn't pay the full amount of a gas, electricity, or oil bill because you didn't have enough money?

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 4326                            | 84.6 %   |
| 1            | Yes          | 774                             | 15.1 %   |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 12                              | 0.2 %    |

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**H4EC14**

**S12Q14 PAST 12 MON UTIL TURNED OFF-W3**

Location: 2850-2856 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD} had the service turned off by the gas or electric company, or the oil company wouldn't deliver, because payments were not made?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 4829                            | 94.4 %   |
| 1            | Yes          | 279                             | 5.5 %    |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 4                               | 0.1 %    |

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

**H4EC15**

**S12Q15 PAST YR WORRIED FOOD DEPLETED-W4**

Location: 2857-2863 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, was there a time when {YOU/YOUR HOUSEHOLD WERE/WAS} worried whether food would run out before you would get money to buy more?

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 4514                            | 88.3 %   |
| 1            | Yes          | 593                             | 11.6 %   |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 5                               | 0.1 %    |

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**H4EC16                      S12Q16 B AGE 18 HH MEM REC PUB ASSIST-W4**

Location: 2864-2870 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Before you were 18 years old, did anyone in your household ever receive public assistance, welfare payments, or food stamps?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 0            | No              | 618                             | 12.1 %   |
| 1            | Yes             | 272                             | 5.3 %    |
| 6 (M)        | Refused         | 1                               | 0.0 %    |
| 7 (M)        | Legitimate skip | 4208                            | 82.3 %   |
| 8 (M)        | Don't know      | 15                              | 0.3 %    |

Based upon 890 valid cases out of 5114 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**H4EC17                      S12Q17 HOW LONG HH MEM REC PUB ASSIST-W4**

Location: 2871-2877 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: During how much of the time before you were 18 years old did anyone in your household receive this kind of help?



- Study 21600 -

| <i>Value</i> | <i>Label</i>                | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------------------|---------------------------------|----------|
| 1            | Only a very short time      | 105                             | 2.1 %    |
| 2            | Less than half the time     | 41                              | 0.8 %    |
| 3            | About half the time         | 38                              | 0.7 %    |
| 4            | Most of the time            | 41                              | 0.8 %    |
| 5            | Practically all of the time | 37                              | 0.7 %    |
| 97 (M)       | Legitimate skip             | 4842                            | 94.7 %   |
| 98 (M)       | Don't know                  | 10                              | 0.2 %    |

Based upon 262 valid cases out of 5114 total cases.

- Mean: 2.48
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.49

**H4EC18**

**S12Q18 REC WELFARE/PUB ASSIST-W4**

Location: 2878-2884 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Between {1995/2002} and {2006/2007/2008}, did you or others in your household receive any public assistance, welfare payments, or food stamps?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | No           | 3860                            | 75.5 %   |
| 1            | Yes          | 1242                            | 24.3 %   |
| 6 (M)        | Refused      | 2                               | 0.0 %    |
| 8 (M)        | Don't know   | 10                              | 0.2 %    |

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**H4EC19**

**S12Q19 WHERE RESP IS ON LADDER-W4**

Location: 2885-2891 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

- Study 21600 -

Question:

Think of this ladder as representing where people stand in the United States. At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs. At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job. Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States. {allow 1-10}

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | Step 1       | 121                         | 2.4 %    |
| 2            | Step 2       | 239                         | 4.7 %    |
| 3            | Step 3       | 615                         | 12.0 %   |
| 4            | Step 4       | 914                         | 17.9 %   |
| 5            | Step 5       | 1388                        | 27.1 %   |
| 6            | Step 6       | 824                         | 16.1 %   |
| 7            | Step 7       | 640                         | 12.5 %   |
| 8            | Step 8       | 241                         | 4.7 %    |
| 9            | Step 9       | 75                          | 1.5 %    |
| 10           | Step 10      | 47                          | 0.9 %    |
| 96 (M)       | Refused      | 5                           | 0.1 %    |
| 98 (M)       | Don't know   | 5                           | 0.1 %    |

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.74

**H4RE1**

**S13Q1 PRESENT RELIGION-W4**

Location:

2892-2899 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 98

Question:

What is your present religion?

| <i>Value</i> | <i>Label</i>                                        | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------------------------|-----------------------------|----------|
| 1            | Non/atheist/agnostic                                | 962                         | 18.8 %   |
| 2            | Protestant (Such as Assembly of God, Baptist, etc.) | 1675                        | 32.8 %   |
| 3            | Catholic                                            | 925                         | 18.1 %   |
| 4            | Other Christian                                     | 1128                        | 22.1 %   |
| 5            | Jewish                                              | 34                          | 0.7 %    |
| 6            | Buddhist                                            | 24                          | 0.5 %    |
| 7            | Hindu                                               | 4                           | 0.1 %    |
| 8            | Muslim                                              | 14                          | 0.3 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 9            | Other        | 330                             | 6.5 %    |
| 96 (M)       | Refused      | 11                              | 0.2 %    |
| 98 (M)       | Don't know   | 7                               | 0.1 %    |

Based upon 5096 valid cases out of 5114 total cases.

- Mean: 2.95
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.95

|              |                                                 |
|--------------|-------------------------------------------------|
| <b>H4RE2</b> | <b>S13Q2 PRESENT RELIGION OTHR CHRISTIAN-W4</b> |
|--------------|-------------------------------------------------|

Location: 2900-2907 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Is that a Christian religion?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 0            | No              | 126                             | 2.5 %    |
| 1            | Yes             | 201                             | 3.9 %    |
| 6 (M)        | Refused         | 1                               | 0.0 %    |
| 7 (M)        | Legitimate skip | 4784                            | 93.5 %   |
| 8 (M)        | Don't know      | 2                               | 0.0 %    |

Based upon 327 valid cases out of 5114 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

|              |                                                 |
|--------------|-------------------------------------------------|
| <b>H4RE3</b> | <b>S13Q3 FUNDAMENTALIST/LIBERAL/PENTECTL-W4</b> |
|--------------|-------------------------------------------------|

Location: 2908-2915 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Are you fundamentalist, evangelical, mainline, liberal, Pentecostal, or none of these?

- Study 21600 -

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 1            | Fundamentalist  | 78                              | 1.5 %    |
| 2            | Evangelical     | 197                             | 3.9 %    |
| 3            | Mainline        | 110                             | 2.2 %    |
| 4            | Liberal         | 136                             | 2.7 %    |
| 5            | Pentecostal     | 243                             | 4.8 %    |
| 6            | None of these   | 2182                            | 42.7 %   |
| 96 (M)       | Refused         | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip | 2110                            | 41.3 %   |
| 98 (M)       | Don't know      | 57                              | 1.1 %    |

Based upon 2946 valid cases out of 5114 total cases.

- Mean: 5.31
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.37

**H4RE4**

**S13Q4 TRADITIONAL/MODERATE/LIBERAL-W4**

Location: 2916-2923 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Are you traditional, moderate, liberal, or none of these?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------|---------------------------------|----------|
| 1            | Traditional     | 242                             | 4.7 %    |
| 2            | Moderate        | 228                             | 4.5 %    |
| 3            | Liberal         | 234                             | 4.6 %    |
| 4            | None of these   | 206                             | 4.0 %    |
| 7 (M)        | Legitimate skip | 4189                            | 81.9 %   |
| 8 (M)        | Don't know      | 15                              | 0.3 %    |

Based upon 910 valid cases out of 5114 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.11

**H4RE5**

**S13Q5 ORTHODOX/CONSERVATIVE/REFORM-W4**

- Study 21600 -

Location: 2924-2931 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 7  
 Question: Are you Orthodox, Conservative, Reform, or none of these?

| <i>Value</i> | <i>Label</i>    | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 2            | Conservative    | 8                           | 0.2 %    |
| 3            | Reform          | 17                          | 0.3 %    |
| 4            | None of these   | 9                           | 0.2 %    |
| 7 (M)        | Legitimate skip | 5080                        | 99.3 %   |

Based upon 34 valid cases out of 5114 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 0.72

**H4RE6**

**S13Q6 DENOMINATION-W4**

Location: 2932-2939 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 94 , 96 , 97 , 98  
 Question: What is your denomination?

| <i>Value</i> | <i>Label</i>                      | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------|-----------------------------|----------|
| 2            | Anglican                          | 3                           | 0.1 %    |
| 3            | Assembly of God                   | 56                          | 1.1 %    |
| 4            | Baptist                           | 999                         | 19.5 %   |
| 5            | Brethren                          | 6                           | 0.1 %    |
| 6            | Charismatic                       | 8                           | 0.2 %    |
| 7            | Christian                         | 519                         | 10.1 %   |
| 8            | Christian and Missionary Alliance | 7                           | 0.1 %    |
| 9            | Christian Science                 | 2                           | 0.0 %    |
| 10           | Church of Christ                  | 60                          | 1.2 %    |
| 12           | Church of God                     | 56                          | 1.1 %    |
| 13           | Church of the Nazarene            | 9                           | 0.2 %    |
| 14           | Congregational                    | 1                           | 0.0 %    |
| 15           | Disciples of Christ               | 4                           | 0.1 %    |
| 16           | Episcopalian                      | 51                          | 1.0 %    |
| 18           | Evangelical Free Church           | 11                          | 0.2 %    |
| 19           | Four-square Gospel                | 4                           | 0.1 %    |

- Study 21600 -

| <i>Value</i> | <i>Label</i>                                         | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|------------------------------------------------------|---------------------------------|----------|
| 20           | Free Methodist Church                                | 8                               | 0.2 %    |
| 21           | Friends                                              | 1                               | 0.0 %    |
| 22           | Holiness                                             | 29                              | 0.6 %    |
| 23           | Independent                                          | 15                              | 0.3 %    |
| 24           | Jehovah's Witness                                    | 27                              | 0.5 %    |
| 25           | Just Christian                                       | 76                              | 1.5 %    |
| 26           | Just Protestant                                      | 6                               | 0.1 %    |
| 27           | Latter-Day Saints                                    | 30                              | 0.6 %    |
| 28           | Lutheran                                             | 147                             | 2.9 %    |
| 30           | Methodist                                            | 211                             | 4.1 %    |
| 31           | Mormon                                               | 30                              | 0.6 %    |
| 32           | Nondenominational or inter-denominational Protestant | 300                             | 5.9 %    |
| 33           | Pentecostal                                          | 95                              | 1.9 %    |
| 34           | Presbyterian                                         | 95                              | 1.9 %    |
| 36           | Reformed                                             | 2                               | 0.0 %    |
| 38           | Unitarian                                            | 1                               | 0.0 %    |
| 39           | United Church of Christ                              | 11                              | 0.2 %    |
| 41           | Wesleyan Church                                      | 4                               | 0.1 %    |
| 42           | Other                                                | 104                             | 2.0 %    |
| 94 (M)       | Data unavailable                                     | 1                               | 0.0 %    |
| 96 (M)       | Refused                                              | 1                               | 0.0 %    |
| 97 (M)       | Legitimate skip                                      | 2110                            | 41.3 %   |
| 98 (M)       | Don't know                                           | 14                              | 0.3 %    |

Based upon 2988 valid cases out of 5114 total cases.

- Mean: 15.93
- Median: 7.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 42.00
- Standard Deviation: 12.93

**H4RE7**

**S13Q7 HAVE ATTENDED CHURCH/MOSQ/SYNG-W4**

Location: 2940-2947 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: How often have you attended church, synagogue, temple, mosque, or religious services in the past 12 months?

- Study 21600 -

| <i>Value</i> | <i>Label</i>          | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------------|---------------------------------|----------|
| 0            | Never                 | 1509                            | 29.5 %   |
| 1            | A few times           | 1626                            | 31.8 %   |
| 2            | Once a month          | 404                             | 7.9 %    |
| 3            | 2 or 3 times a month  | 649                             | 12.7 %   |
| 4            | Once a week           | 575                             | 11.2 %   |
| 5            | More than once a week | 349                             | 6.8 %    |
| 8 (M)        | Don't know            | 2                               | 0.0 %    |

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 1.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.60

**H4RE8**

**S13Q8 PARTICIPATED CHURCH ACTIVITIES-W4**

Location: 2948-2955 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

Question: Many churches, synagogues, and other places of worship have special activities outside of regular worship services--such as classes, retreats, small groups, or choir. In the past 12 months, how often have you taken part in such activities?

| <i>Value</i> | <i>Label</i>          | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-----------------------|---------------------------------|----------|
| 0            | Never                 | 3579                            | 70.0 %   |
| 1            | A few times           | 879                             | 17.2 %   |
| 2            | Once a month          | 164                             | 3.2 %    |
| 3            | 2 or 3 times a month  | 161                             | 3.1 %    |
| 4            | Once a week           | 186                             | 3.6 %    |
| 5            | More than once a week | 141                             | 2.8 %    |
| 8 (M)        | Don't know            | 4                               | 0.1 %    |

Based upon 5110 valid cases out of 5114 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.22

- Study 21600 -

**H4RE9 S13Q9 HOW IMPORTANT RELIG FAITH-W4**

Location: 2956-2963 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8  
 Question: How important (if at all) is your religious faith to you?

| <i>Value</i> | <i>Label</i>                      | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------|-----------------------------|----------|
| 1            | Not important                     | 764                         | 14.9 %   |
| 2            | Somewhat important                | 1438                        | 28.1 %   |
| 3            | Very important                    | 2255                        | 44.1 %   |
| 4            | More important than anything else | 642                         | 12.6 %   |
| 6 (M)        | Refused                           | 9                           | 0.2 %    |
| 8 (M)        | Don't know                        | 6                           | 0.1 %    |

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 2.54
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.89

**H4RE10 S13Q10 HOW OFTEN PRAY IN PRIVATE-W4**

Location: 2964-2971 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98  
 Question: How often do you pray privately, that is, when you're alone in places other than a church, synagogue, temple, mosque, or religious assembly?

| <i>Value</i> | <i>Label</i>           | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 0            | Never                  | 847                         | 16.6 %   |
| 1            | Less than once a month | 468                         | 9.2 %    |
| 2            | Once a month           | 208                         | 4.1 %    |
| 3            | A few times a month    | 507                         | 9.9 %    |
| 4            | Once a week            | 223                         | 4.4 %    |
| 5            | A few times a week     | 673                         | 13.2 %   |
| 6            | Once a day             | 1111                        | 21.7 %   |
| 7            | More than once a day   | 1064                        | 20.8 %   |
| 96 (M)       | Refused                | 11                          | 0.2 %    |
| 98 (M)       | Don't know             | 2                           | 0.0 %    |

Based upon 5101 valid cases out of 5114 total cases.



- Study 21600 -

- Mean: 4.07
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.57

**H4RE11**

**S13Q11 HOW OFTEN TURN RELIG FOR PROBS-W4**

Location: 2972-2979 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: How often do you turn to your religious or spiritual beliefs for help when you have personal problems, or problems at school or work?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | Never        | 1066                        | 20.8 %   |
| 1            | Seldom       | 660                         | 12.9 %   |
| 2            | Sometimes    | 994                         | 19.4 %   |
| 3            | Often        | 1020                        | 19.9 %   |
| 4            | Very often   | 1359                        | 26.6 %   |
| 6 (M)        | Refused      | 12                          | 0.2 %    |
| 8 (M)        | Don't know   | 3                           | 0.1 %    |

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 2.19
- Median: 2.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.48

**H4MH1**

**S14Q1 INTERRUPTD DURING 90 SEC RECALL-W4**

Location: 2980-2987 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5

Question: Did any of the following happen: interruption during memory task?

| <i>Value</i> | <i>Label</i>         | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 0            | No                   | 4903                        | 95.9 %   |
| 1            | Yes                  | 165                         | 3.2 %    |
| 5 (M)        | Not asked on pretest | 46                          | 0.9 %    |

Based upon 5068 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**C4WD90\_1**

**S14 # WORDS ON LIST RECALLED 90 SEC-W4**

Location: 2988-2994 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 99 , .

Question: How many total words on the Word List did the respondent remember during the 90-second recall period? This is the total in Box 1 on the recall form. Enter 99 if you do not have a Word List Recall Form for this respondent.

[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

| <i>Value</i> | <i>Label</i>                            | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------------|-----------------------------|----------|
| 0            | -                                       | 4                           | 0.1 %    |
| 1            | -                                       | 26                          | 0.5 %    |
| 2            | -                                       | 34                          | 0.7 %    |
| 3            | -                                       | 166                         | 3.2 %    |
| 4            | -                                       | 386                         | 7.5 %    |
| 5            | -                                       | 817                         | 16.0 %   |
| 6            | -                                       | 1052                        | 20.6 %   |
| 7            | -                                       | 1024                        | 20.0 %   |
| 8            | -                                       | 766                         | 15.0 %   |
| 9            | -                                       | 415                         | 8.1 %    |
| 10           | -                                       | 233                         | 4.6 %    |
| 11           | -                                       | 101                         | 2.0 %    |
| 12           | -                                       | 51                          | 1.0 %    |
| 13           | -                                       | 19                          | 0.4 %    |
| 14           | -                                       | 2                           | 0.0 %    |
| 15           | -                                       | 5                           | 0.1 %    |
| 96 (M)       | Refused                                 | 6                           | 0.1 %    |
| 99 (M)       | No Word List Recall Form for respondent | 5                           | 0.1 %    |
| . (M)        | -                                       | 2                           | 0.0 %    |

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 6.66
- Median: 7.00

- Study 21600 -

- Mode: 6.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.00

**C4WD90\_2**

**S14 # WORDS NOT ON LIST NAMED 90 SEC-W4**

Location: 2995-3001 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 99 , .

Question: How many words not on the list did the respondent name? This is the total in Box 2 on the recall form.

[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

| <i>Value</i> | <i>Label</i>                            | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------------|-----------------------------|----------|
| 0            | -                                       | 3288                        | 64.3 %   |
| 1            | -                                       | 1264                        | 24.7 %   |
| 2            | -                                       | 356                         | 7.0 %    |
| 3            | -                                       | 112                         | 2.2 %    |
| 4            | -                                       | 45                          | 0.9 %    |
| 5            | -                                       | 13                          | 0.3 %    |
| 6            | -                                       | 7                           | 0.1 %    |
| 7            | -                                       | 9                           | 0.2 %    |
| 8            | -                                       | 3                           | 0.1 %    |
| 9            | -                                       | 4                           | 0.1 %    |
| 96 (M)       | Refused                                 | 6                           | 0.1 %    |
| 99 (M)       | No Word List Recall Form for respondent | 5                           | 0.1 %    |
| . (M)        | -                                       | 2                           | 0.0 %    |

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.94

**C4WD90\_3**

**S14 # WORDS REPEATED 90 SEC-W4**

Location: 3002-3008 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 99 , .

- Study 21600 -

Question:

How many total words did the respondent repeat? This is the total in Box 3. Count all words that were repeated, whether on the Word List or not.

[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

| <i>Value</i> | <i>Label</i>                            | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------------|-----------------------------|----------|
| 0            | -                                       | 3422                        | 66.9 %   |
| 1            | -                                       | 931                         | 18.2 %   |
| 2            | -                                       | 347                         | 6.8 %    |
| 3            | -                                       | 130                         | 2.5 %    |
| 4            | -                                       | 104                         | 2.0 %    |
| 5            | -                                       | 67                          | 1.3 %    |
| 6            | -                                       | 41                          | 0.8 %    |
| 7            | -                                       | 28                          | 0.5 %    |
| 8            | -                                       | 12                          | 0.2 %    |
| 9            | -                                       | 5                           | 0.1 %    |
| 10           | -                                       | 3                           | 0.1 %    |
| 11           | -                                       | 5                           | 0.1 %    |
| 12           | -                                       | 2                           | 0.0 %    |
| 13           | -                                       | 3                           | 0.1 %    |
| 15           | -                                       | 1                           | 0.0 %    |
| 96 (M)       | Refused                                 | 6                           | 0.1 %    |
| 99 (M)       | No Word List Recall Form for respondent | 5                           | 0.1 %    |
| . (M)        | -                                       | 2                           | 0.0 %    |

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.42

**H4MH2**

**S14Q2 HOW OFTEN FEEL ISOLATED-W4**

Location:

3009-3016 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

8

Question:

How often do you feel isolated from others?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | Never        | 2004                        | 39.2 %   |
| 1            | Rarely       | 1636                        | 32.0 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 2            | Sometimes    | 1201                            | 23.5 %   |
| 3            | Often        | 272                             | 5.3 %    |
| 8 (M)        | Don't know   | 1                               | 0.0 %    |

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.91

**H4MH3**

**S14Q3 LST MNTH UNABLE CONTROL THINGS-W4**

Location: 3017-3024 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the last 30 days, how often have you felt that you were unable to control the important things in your life?

| <i>Value</i> | <i>Label</i> | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0            | Never        | 1553                            | 30.4 %   |
| 1            | Almost never | 1428                            | 27.9 %   |
| 2            | Sometimes    | 1553                            | 30.4 %   |
| 3            | Fairly often | 394                             | 7.7 %    |
| 4            | Very often   | 179                             | 3.5 %    |
| 6 (M)        | Refused      | 3                               | 0.1 %    |
| 8 (M)        | Don't know   | 4                               | 0.1 %    |

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 1.26
- Median: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.08

**H4MH4**

**S14Q4 LST MNTH CONF HANDLE PERS PROB-W4**

Location: 3025-3032 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the last 30 days, how often have you felt confident in your ability to handle your personal problems?

- Study 21600 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | Never        | 133                         | 2.6 %    |
| 1            | Almost never | 164                         | 3.2 %    |
| 2            | Sometimes    | 880                         | 17.2 %   |
| 3            | Fairly often | 1954                        | 38.2 %   |
| 4            | Very often   | 1980                        | 38.7 %   |
| 6 (M)        | Refused      | 2                           | 0.0 %    |
| 8 (M)        | Don't know   | 1                           | 0.0 %    |

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 3.07
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.96

**H4MH5**

**S14Q5 LST MNTH THINGS GOING YOUR WAY-W4**

Location: 3033-3040 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the last 30 days, how often have you felt that things were going your way?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | Never        | 157                         | 3.1 %    |
| 1            | Almost never | 346                         | 6.8 %    |
| 2            | Sometimes    | 1820                        | 35.6 %   |
| 3            | Fairly often | 2081                        | 40.7 %   |
| 4            | Very often   | 704                         | 13.8 %   |
| 6 (M)        | Refused      | 2                           | 0.0 %    |
| 8 (M)        | Don't know   | 4                           | 0.1 %    |

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 2.55
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.92

**H4MH6**

**S14Q6 LST MNTH DIFFICULTIES OVERWHELM-W4**

- Study 21600 -

Location: 3041-3048 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8  
 Question: In the last 30 days, how often have you felt that difficulties were piling up so high that you could not overcome them?

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0            | Never        | 1591                        | 31.1 %   |
| 1            | Almost never | 1664                        | 32.5 %   |
| 2            | Sometimes    | 1346                        | 26.3 %   |
| 3            | Fairly often | 361                         | 7.1 %    |
| 4            | Very often   | 144                         | 2.8 %    |
| 6 (M)        | Refused      | 2                           | 0.0 %    |
| 8 (M)        | Don't know   | 6                           | 0.1 %    |

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.04

**H4MH7**

**S14Q7 COMPARED TO OTH HOW INTELLIGENT-W4**

Location: 3049-3056 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 96 , 98  
 Question: Compared to other people your age, how intelligent are you?

| <i>Value</i> | <i>Label</i>             | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------|-----------------------------|----------|
| 1            | Moderately below average | 27                          | 0.5 %    |
| 2            | Slightly below average   | 161                         | 3.1 %    |
| 3            | About average            | 1821                        | 35.6 %   |
| 4            | Slightly above average   | 1393                        | 27.2 %   |
| 5            | Moderately above average | 1385                        | 27.1 %   |
| 6            | Extremely above average  | 322                         | 6.3 %    |
| 96 (M)       | Refused                  | 1                           | 0.0 %    |
| 98 (M)       | Don't know               | 4                           | 0.1 %    |

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 3.96
- Median: 4.00
- Mode: 3.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.03

**H4MH8 S14Q8 COMPARED TO OTH HOW ATTRACTIVE-W4**

Location: 3057-3064 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 6 , 8  
 Question: How attractive are you?

| <i>Value</i> | <i>Label</i>          | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------|-----------------------------|----------|
| 1            | Very attractive       | 880                         | 17.2 %   |
| 2            | Moderately attractive | 2595                        | 50.7 %   |
| 3            | Slightly attractive   | 1512                        | 29.6 %   |
| 4            | Not at all attractive | 113                         | 2.2 %    |
| 6 (M)        | Refused               | 2                           | 0.0 %    |
| 8 (M)        | Don't know            | 12                          | 0.2 %    |

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

**H4MH9 S14Q9 NUMBER OF KIDS INTEND TO HAVE-W4**

Location: 3065-3072 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Question: Including any children you may already have, how many children, in total, do you intend to have?  
 Respondent should include children he or she intends to adopt or foster.

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 0            | 440                         | 8.6 %    |
| 1            | 600                         | 11.7 %   |
| 2            | 2133                        | 41.7 %   |
| 3            | 1236                        | 24.2 %   |
| 4            | 460                         | 9.0 %    |
| 5            | 109                         | 2.1 %    |
| 6            | 39                          | 0.8 %    |
| 7            | 10                          | 0.2 %    |
| 8            | 80                          | 1.6 %    |



- Study 21600 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 9            | 1                           | 0.0 %    |
| 10           | 6                           | 0.1 %    |

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.40

**H4MH10 S14Q10 INTERRUPTD DURNQ 60 SEC RECALL-W4**

Location: 3073-3080 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6

Question: Did any of the following happen: interruption during memory task?

| <i>Value</i> | <i>Label</i>         | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 0            | No                   | 4950                        | 96.8 %   |
| 1            | Yes                  | 117                         | 2.3 %    |
| 5 (M)        | Not asked on pretest | 46                          | 0.9 %    |
| 6 (M)        | Refused              | 1                           | 0.0 %    |

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

**C4WD60\_1 S14 # WORDS ON LIST RECALLED 60 SEC-W4**

Location: 3081-3087 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , .

Question: How many total words on the Word List did the respondent remember during the 60-second recall period? This is the total in Box 1 on the recall form.

~~~~~  
[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	53	1.0 %
1	-	83	1.6 %
2	-	248	4.8 %
3	-	588	11.5 %
4	-	910	17.8 %
5	-	1067	20.9 %
6	-	914	17.9 %
7	-	616	12.0 %
8	-	326	6.4 %
9	-	153	3.0 %
10	-	68	1.3 %
11	-	42	0.8 %
12	-	14	0.3 %
13	-	4	0.1 %
14	-	3	0.1 %
15	-	8	0.2 %
96 (M)	Refused	11	0.2 %
. (M)	-	6	0.1 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 5.22
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.07

C4WD60_2

S14 # WORDS NOT ON LIST NAMED 60 SEC-W4

Location: 3088-3094 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , .

Question: How many words not on the list did the respondent name? This is the total in Box 2 on the recall form.

[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2909	56.9 %
1	-	1313	25.7 %
2	-	556	10.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	186	3.6 %
4	-	64	1.3 %
5	-	38	0.7 %
6	-	15	0.3 %
7	-	9	0.2 %
8	-	1	0.0 %
9	-	6	0.1 %
96 (M)	Refused	11	0.2 %
. (M)	-	6	0.1 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.10

C4WD60_3

S14 # WORDS REPEATED 60 SEC-W4

Location: 3095-3101 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , .

Question: How many total words did the respondent repeat? This is the total in Box 3. Count all words that were repeated, whether on the Word List or not.

[NOTES:] Scores on the word recall task were recorded by the interviewer in the Field Interviewer's Report (section 28). Missing scores on the word recall task are due to missing Field Interviewer Reports as well as the interviewer not having a Word List Recall Form for the respondent (code 99).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4152	81.2 %
1	-	585	11.4 %
2	-	148	2.9 %
3	-	75	1.5 %
4	-	49	1.0 %
5	-	22	0.4 %
6	-	19	0.4 %
7	-	16	0.3 %
8	-	7	0.1 %
9	-	6	0.1 %
11	-	6	0.1 %
12	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	1	0.0 %
14	-	1	0.0 %
15	-	7	0.1 %
96 (M)	Refused	11	0.2 %
. (M)	-	6	0.1 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.25

H4MH11A S14Q11A NUMBER STRING/2-4-W4

Location: 3102-3109 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6
Question: 2-4 (4-2) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24	0.5 %
1	Yes	5076	99.3 %
6 (M)	Refused	14	0.3 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H4MH11B S14Q11B NUMBER STRING/5-7-W4

Location: 3110-3117 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6 , 7
Question: 5-7 (7-5) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8	0.2 %
1	Yes	15	0.3 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	5076	99.3 %

Based upon 23 valid cases out of 5114 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4MH12A **S14Q12A NUMBER STRING/6-2-9-W4**

Location: 3118-3125 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7
 Question: 6-2-9 (9-2-6) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	522	10.2 %
1	Yes	4569	89.3 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	8	0.2 %

Based upon 5091 valid cases out of 5114 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4MH12B **S14Q12B NUMBER STRING/4-1-5-W4**

Location: 3126-3133 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7
 Question: 4-1-5 (5-1-4) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	105	2.1 %
1	Yes	417	8.2 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	4577	89.5 %

Based upon 522 valid cases out of 5114 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4MH13A **S14Q13A NUMBER STRING/3-2-7-9-W4**

Location: 3134-3141 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: 3-2-7-9 (9-7-2-3) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1013	19.8 %
1	Yes	3971	77.6 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	113	2.2 %
8 (M)	Don't know	2	0.0 %

Based upon 4984 valid cases out of 5114 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4MH13B **S14Q13B NUMBER STRING/4-9-6-8-W4**

Location: 3142-3149 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: 4-9-6-8 (8-6-9-4) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	481	9.4 %
1	Yes	530	10.4 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	4084	79.9 %
8 (M)	Don't know	4	0.1 %

Based upon 1011 valid cases out of 5114 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4MH14A **S14Q14A NUMBER STRING/1-5-2-8-6-W4**

Location: 3150-3157 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: 1-5-2-8-6 (6-8-2-5-1) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2230	43.6 %
1	Yes	2269	44.4 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	598	11.7 %
8 (M)	Don't know	2	0.0 %

Based upon 4499 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4MH14B **S14Q14B NUMBER STRING/6-1-8-4-3-W4**

Location: 3158-3165 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: 6-1-8-4-3 (3-4-8-1-6) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1362	26.6 %
1	Yes	867	17.0 %
6 (M)	Refused	16	0.3 %
7 (M)	Legitimate skip	2867	56.1 %
8 (M)	Don't know	2	0.0 %

Based upon 2229 valid cases out of 5114 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4MH15A

S14Q15A NUMBER STRING/5-3-9-4-1-8-W4

Location: 3166-3173 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: 5-3-9-4-1-8 (8-1-4-9-3-5) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1777	34.7 %
1	Yes	1354	26.5 %
6 (M)	Refused	16	0.3 %
7 (M)	Legitimate skip	1962	38.4 %
8 (M)	Don't know	5	0.1 %

Based upon 3131 valid cases out of 5114 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4MH15B

S14Q15B NUMBER STRING/7-2-4-8-5-6-W4

Location: 3174-3181 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: 7-2-4-8-5-6 (6-5-8-4-2-7) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1122	21.9 %
1	Yes	659	12.9 %
6 (M)	Refused	17	0.3 %
7 (M)	Legitimate skip	3316	64.8 %

Based upon 1781 valid cases out of 5114 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4MH16A

S14Q16A NUMBER STRING/8-1-2-9-3-6-5-W4

Location: 3182-3189 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: 8-1-2-9-3-6-5 (5-6-3-9-2-1-8) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1261	24.7 %
1	Yes	747	14.6 %
6 (M)	Refused	17	0.3 %
7 (M)	Legitimate skip	3084	60.3 %
8 (M)	Don't know	5	0.1 %

Based upon 2008 valid cases out of 5114 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4MH16B

S14Q16B NUMBER STRING/4-7-3-9-1-2-8-W4

Location: 3190-3197 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: 4-7-3-9-1-2-8 (8-2-1-9-3-7-4) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	833	16.3 %
1	Yes	432	8.4 %
6 (M)	Refused	18	0.4 %
7 (M)	Legitimate skip	3831	74.9 %

Based upon 1265 valid cases out of 5114 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4MH17A **S14Q17A NUMBER STRING/9-4-3-7-6-2-5-8-W4**

Location: 3198-3205 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: 9-4-3-7-6-2-5-8 (8-5-2-6-7-3-4-9) Did respondent accurately repeat the set backwards?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	872	17.1 %
1	Yes	306	6.0 %
6 (M)	Refused	18	0.4 %
7 (M)	Legitimate skip	3917	76.6 %
8 (M)	Don't know	1	0.0 %

Based upon 1178 valid cases out of 5114 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4MH17B **S14Q17B NUMBER STRING/7-2-8-1-9-6-5-3-W4**

Location: 3206-3213 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: 7-2-8-1-9-6-5-3 (3-5-6-9-1-8-2-7) Did respondent accurately repeat the set backwards?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	725	14.2 %
1	Yes	148	2.9 %
6 (M)	Refused	18	0.4 %
7 (M)	Legitimate skip	4223	82.6 %

Based upon 873 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

C4NUMSCR	TOTAL SCORE ON NUMBER RECALL TASK-W4
-----------------	---

Location: 3214-3221 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 96

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	11	0.2 %
1	-	105	2.1 %
2	-	485	9.5 %
3	-	1365	26.7 %
4	-	1123	22.0 %
5	-	834	16.3 %
6	-	725	14.2 %
7	-	454	8.9 %
96 (M)	Refused	12	0.2 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 4.19
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.54

H4MH18	S14Q18 PAST 7 DAYS BOTHERED BY THINGS-W4
---------------	---

Location: 3222-3229 (width: 8; decimal: 0)
Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You were bothered by things that usually don't bother you.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2949	57.7 %
1	Sometimes	1750	34.2 %
2	A lot of the time	291	5.7 %
3	Most of the time or all of the time	122	2.4 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

H4MH19

S14Q19 PAST 7 DAYS SHAKE OFF BLUES-W4

Location: 3230-3237 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You could not shake off the blues, even with help from your family and your friends.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	3870	75.7 %
1	Sometimes	952	18.6 %
2	A lot of the time	193	3.8 %
3	Most of the time or all of the time	98	1.9 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.64

H4MH20

S14Q20 PAST 7 DAYS FELT AS GOOD OTHERS-W4

- Study 21600 -

Location: 3238-3245 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt you were just as good as other people.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	247	4.8 %
1	Sometimes	825	16.1 %
2	A lot of the time	1637	32.0 %
3	Most of the time or all of the time	2400	46.9 %
6 (M)	Refused	2	0.0 %
8 (M)	Don't know	3	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 2.21
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.88

H4MH21

S14Q21 PAST 7 DAYS TROUBL CONCENTRTNG-W4

Location: 3246-3253 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You had trouble keeping your mind on what you were doing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1932	37.8 %
1	Sometimes	2386	46.7 %
2	A lot of the time	581	11.4 %
3	Most of the time or all of the time	213	4.2 %
6 (M)	Refused	2	0.0 %

Based upon 5112 valid cases out of 5114 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

- Study 21600 -

H4MH22 S14Q22 PAST 7 DAYS FELT DEPRESSED-W4

Location: 3254-3261 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt depressed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	3616	70.7 %
1	Sometimes	1178	23.0 %
2	A lot of the time	211	4.1 %
3	Most of the time or all of the time	108	2.1 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.67

H4MH23 S14Q23 PAST 7 DAYS FELT TOO TIRED-W4

Location: 3262-3269 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt that you were too tired to do things.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1764	34.5 %
1	Sometimes	2503	48.9 %
2	A lot of the time	615	12.0 %
3	Most of the time or all of the time	231	4.5 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

H4MH24 S14Q24 PAST 7 DAYS FELT HAPPY-W4

Location: 3270-3277 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt happy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	110	2.2 %
1	Sometimes	1053	20.6 %
2	A lot of the time	1899	37.1 %
3	Most of the time or all of the time	2051	40.1 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

H4MH25 S14Q25 PAST 7 DAYS ENJOYED LIFE-W4

Location: 3278-3285 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You enjoyed life.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	79	1.5 %
1	Sometimes	800	15.6 %
2	A lot of the time	1655	32.4 %
3	Most of the time or all of the time	2579	50.4 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 2.32
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

- Study 21600 -

H4MH26 S14Q26 PAST 7 DAYS FELT SAD-W4

Location: 3286-3293 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt sad.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	2637	51.6 %
1	Sometimes	2145	41.9 %
2	A lot of the time	254	5.0 %
3	Most of the time or all of the time	77	1.5 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.66

H4MH27 S14Q27 PAST 7 DAYS FELT DISLIKED-W4

Location: 3294-3301 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Now, think about the past seven days. How often was each of the following things true during the past seven days: You felt that people disliked you, during the past seven days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	3868	75.6 %
1	Sometimes	1053	20.6 %
2	A lot of the time	127	2.5 %
3	Most of the time or all of the time	63	1.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	2	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 3.00
- Standard Deviation: 0.58

H4MH28 S14Q28 FEEL TREATED W/ LESS RESPECT-W4

Location: 3302-3309 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6

Question: In your day-to-day life, how often do you feel you have been treated with less respect or courtesy than other people?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never or rarely	1617	31.6 %
1	Sometimes	2244	43.9 %
2	A lot of the time	1058	20.7 %
3	Most of the time or all of the time	194	3.8 %
6 (M)	Refused	1	0.0 %

Based upon 5113 valid cases out of 5114 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

H4MH29 S14Q29 REASON TREATED LESS RESPECT-W4

Location: 3310-3317 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: What do you think was the main reason for these experiences? Choose only one reason.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Your ancestry or national origin	23	0.4 %
2	Your gender	69	1.3 %
3	Your race	102	2.0 %
4	Your age	82	1.6 %
5	Your religion	9	0.2 %
6	Your height or weight	64	1.3 %
7	Your shade of skin color	16	0.3 %
8	Your sexual orientation	7	0.1 %
9	Your education or income	109	2.1 %
10	A physical disability	32	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	Other	726	14.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3861	75.5 %
98 (M)	Don't know	12	0.2 %
. (M)	-	1	0.0 %

Based upon 1239 valid cases out of 5114 total cases.

- Mean: 8.62
- Median: 11.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.38

H4SE1 S15Q1 THOUGHT ABOUT SUICIDE PST YR-W4

Location: 3318-3325 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: During the past 12 months, have you ever seriously thought about committing suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4754	93.0 %
1	Yes	320	6.3 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	3	0.1 %
. (M)	-	2	0.0 %

Based upon 5074 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

H4SE2 S15Q2 NO TIMES ATTEMPT SUICIDE PST YR-W4

Location: 3326-3333 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

- Study 21600 -

Question:

During the past 12 months, how many times have you actually attempted suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	5010	98.0 %
1	Once	48	0.9 %
2	Twice	11	0.2 %
3	3 or 4 times	4	0.1 %
4	5 or more times	2	0.0 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	2	0.0 %
. (M)	-	2	0.0 %

Based upon 5075 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.18

H4SE3

S15Q3 SUICIDE ATTEMPT CAUSE INJURY-W4

Location:

3334-3341 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , .

Question:

Did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	48	0.9 %
1	Yes	17	0.3 %
7 (M)	Legitimate skip	5047	98.7 %
. (M)	-	2	0.0 %

Based upon 65 valid cases out of 5114 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4SE4

S15Q4 FAMILY/FRNDS ATTEMPT SUICIDE-W4

- Study 21600 -

Location: 3342-3349 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: During the past 12 months, have any of your family or friends tried to kill themselves?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4724	92.4 %
1	Yes	348	6.8 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	4	0.1 %
. (M)	-	2	0.0 %

Based upon 5072 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4SE5 S15Q5 FAMILY/FRND KILLED BY SUICIDE-W4

Location: 3350-3357 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 7 , .
 Question: Have any of them died as a result?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	242	4.7 %
1	Yes	106	2.1 %
7 (M)	Legitimate skip	4764	93.2 %
. (M)	-	2	0.0 %

Based upon 348 valid cases out of 5114 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4SE6 S15Q6 EVER HAVE VAGINAL SEX-W4

- Study 21600 -

Location: 3358-3365 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you ever had vaginal intercourse? (Vaginal intercourse is when a man inserts his penis into a woman's vagina.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	282	5.5 %
1	Yes	4808	94.0 %
6 (M)	Refused	18	0.4 %
8 (M)	Don't know	6	0.1 %

Based upon 5090 valid cases out of 5114 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

H4SE7

S15Q7 AGE FIRST TIME VAGINAL SEX-W4

Location: 3366-3373 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: How old were you the first time you ever had vaginal intercourse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
6	-	3	0.1 %
7	-	6	0.1 %
8	-	10	0.2 %
9	-	7	0.1 %
10	-	12	0.2 %
11	-	27	0.5 %
12	-	162	3.2 %
13	-	311	6.1 %
14	-	462	9.0 %
15	-	719	14.1 %
16	-	846	16.5 %
17	-	648	12.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	598	11.7 %
19	-	278	5.4 %
20	-	190	3.7 %
21	-	179	3.5 %
22	-	96	1.9 %
23	-	56	1.1 %
24	-	46	0.9 %
25	-	40	0.8 %
26	-	20	0.4 %
27	-	14	0.3 %
28	-	11	0.2 %
29	-	4	0.1 %
30	-	2	0.0 %
96 (M)	Refused	26	0.5 %
97 (M)	Legitimate skip	306	6.0 %
98 (M)	Don't know	29	0.6 %

Based upon 4753 valid cases out of 5114 total cases.

- Mean: 16.60
- Median: 16.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.97

H4SE8

S15Q8 NUM PARTNERS VAGINAL SEX-W4

Location: 3374-3381 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9995 , 9996 , 9997 , 9998

Question: With how many partners have you ever had vaginal intercourse, even if only once?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	552	10.8 %
2	-	326	6.4 %
3	-	367	7.2 %
4	-	303	5.9 %
5	-	396	7.7 %
6	-	260	5.1 %
7	-	239	4.7 %
8	-	205	4.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	133	2.6 %
10	-	324	6.3 %
11	-	72	1.4 %
12	-	148	2.9 %
13	-	60	1.2 %
14	-	40	0.8 %
15	-	166	3.2 %
16	-	35	0.7 %
17	-	26	0.5 %
18	-	30	0.6 %
19	-	18	0.4 %
20	-	195	3.8 %
21	-	19	0.4 %
22	-	24	0.5 %
23	-	31	0.6 %
24	-	15	0.3 %
25	-	96	1.9 %
26	-	9	0.2 %
27	-	13	0.3 %
28	-	12	0.2 %
29	-	4	0.1 %
30	-	120	2.3 %
31	-	5	0.1 %
32	-	10	0.2 %
33	-	4	0.1 %
34	-	3	0.1 %
35	-	39	0.8 %
36	-	4	0.1 %
37	-	2	0.0 %
38	-	4	0.1 %
39	-	1	0.0 %
40	-	41	0.8 %
42	-	3	0.1 %
43	-	2	0.0 %
45	-	20	0.4 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	6	0.1 %
49	-	1	0.0 %
50	-	40	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	-	1	0.0 %
53	-	2	0.0 %
55	-	9	0.2 %
56	-	1	0.0 %
57	-	1	0.0 %
60	-	12	0.2 %
62	-	1	0.0 %
63	-	1	0.0 %
65	-	5	0.1 %
68	-	2	0.0 %
70	-	3	0.1 %
75	-	8	0.2 %
76	-	3	0.1 %
78	-	1	0.0 %
79	-	1	0.0 %
80	-	7	0.1 %
81	-	1	0.0 %
83	-	1	0.0 %
85	-	3	0.1 %
87	-	1	0.0 %
88	-	1	0.0 %
90	-	4	0.1 %
97	-	1	0.0 %
99	-	1	0.0 %
100	-	15	0.3 %
105	-	1	0.0 %
120	-	4	0.1 %
140	-	2	0.0 %
150	-	7	0.1 %
160	-	1	0.0 %
180	-	1	0.0 %
200	-	7	0.1 %
210	-	1	0.0 %
220	-	1	0.0 %
250	-	2	0.0 %
300	-	2	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %
9995 (M)	Not asked in pretest	45	0.9 %
9996 (M)	Refused	82	1.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9997 (M)	Legitimate skip	306	6.0 %
9998 (M)	Don't know	137	2.7 %

Based upon 4544 valid cases out of 5114 total cases.

- Mean: 12.40
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 500.00
- Standard Deviation: 21.41

H4SE9 S15Q9 EVER HAD ORAL SEX-W4

Location: 3382-3389 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever had oral sex? That is, has a partner ever put his/her mouth on your sex organs or you put your mouth on his/her sex organs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	354	6.9 %
1	Yes	4691	91.7 %
6 (M)	Refused	58	1.1 %
8 (M)	Don't know	11	0.2 %

Based upon 5045 valid cases out of 5114 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4SE10 S15Q10 AGE 1ST TIME HAD ORAL SEX-W4

Location: 3390-3397 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the very first time you had oral sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	3	0.1 %
4	-	2	0.0 %
5	-	4	0.1 %
6	-	3	0.1 %
7	-	6	0.1 %
8	-	10	0.2 %
9	-	4	0.1 %
10	-	13	0.3 %
11	-	18	0.4 %
12	-	86	1.7 %
13	-	172	3.4 %
14	-	315	6.2 %
15	-	530	10.4 %
16	-	751	14.7 %
17	-	619	12.1 %
18	-	708	13.8 %
19	-	339	6.6 %
20	-	334	6.5 %
21	-	233	4.6 %
22	-	140	2.7 %
23	-	98	1.9 %
24	-	71	1.4 %
25	-	69	1.3 %
26	-	30	0.6 %
27	-	21	0.4 %
28	-	18	0.4 %
29	-	11	0.2 %
30	-	4	0.1 %
96 (M)	Refused	16	0.3 %
97 (M)	Legitimate skip	423	8.3 %
98 (M)	Don't know	58	1.1 %

Based upon 4617 valid cases out of 5114 total cases.

- Mean: 17.44
- Median: 17.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.24

- Study 21600 -

H4SE11 S15Q11 EVER HAD ANAL INTERCOURSE-W4

Location: 3398-3405 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever had anal intercourse? (By anal intercourse, we mean when a man inserts his penis into his partner's anus or butt hole.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2885	56.4 %
1	Yes	2168	42.4 %
6 (M)	Refused	53	1.0 %
8 (M)	Don't know	8	0.2 %

Based upon 5053 valid cases out of 5114 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4SE12 S15Q12 AGE 1ST ANAL INTERCOURSE-W4

Location: 3406-3413 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the very first time you had anal intercourse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	3	0.1 %
2	-	2	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	2	0.0 %
12	-	4	0.1 %
13	-	8	0.2 %
14	-	21	0.4 %
15	-	45	0.9 %
16	-	85	1.7 %
17	-	117	2.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	183	3.6 %
19	-	193	3.8 %
20	-	246	4.8 %
21	-	218	4.3 %
22	-	193	3.8 %
23	-	150	2.9 %
24	-	149	2.9 %
25	-	182	3.6 %
26	-	121	2.4 %
27	-	83	1.6 %
28	-	64	1.3 %
29	-	26	0.5 %
30	-	27	0.5 %
31	-	2	0.0 %
32	-	2	0.0 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	2946	57.6 %
98 (M)	Don't know	26	0.5 %

Based upon 2134 valid cases out of 5114 total cases.

- Mean: 21.42
- Median: 21.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 3.87

H4SE13

S15Q13 NO MALE PARTNER EVER HAD-W4

Location: 3414-3421 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998

Question: Considering all types of sexual activity, with how many male partners have you ever had sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2251	44.0 %
1	-	387	7.6 %
2	-	216	4.2 %
3	-	244	4.8 %
4	-	210	4.1 %
5	-	250	4.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	152	3.0 %
7	-	144	2.8 %
8	-	129	2.5 %
9	-	79	1.5 %
10	-	181	3.5 %
11	-	48	0.9 %
12	-	79	1.5 %
13	-	36	0.7 %
14	-	27	0.5 %
15	-	95	1.9 %
16	-	15	0.3 %
17	-	15	0.3 %
18	-	18	0.4 %
19	-	10	0.2 %
20	-	103	2.0 %
21	-	11	0.2 %
22	-	11	0.2 %
23	-	10	0.2 %
24	-	7	0.1 %
25	-	50	1.0 %
26	-	4	0.1 %
27	-	8	0.2 %
28	-	3	0.1 %
29	-	6	0.1 %
30	-	43	0.8 %
31	-	4	0.1 %
32	-	5	0.1 %
33	-	3	0.1 %
34	-	4	0.1 %
35	-	14	0.3 %
38	-	2	0.0 %
40	-	14	0.3 %
41	-	1	0.0 %
45	-	6	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	15	0.3 %
53	-	1	0.0 %
54	-	2	0.0 %
55	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	-	1	0.0 %
58	-	1	0.0 %
60	-	3	0.1 %
63	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
70	-	4	0.1 %
75	-	1	0.0 %
80	-	4	0.1 %
90	-	2	0.0 %
100	-	7	0.1 %
118	-	1	0.0 %
120	-	2	0.0 %
125	-	1	0.0 %
150	-	3	0.1 %
163	-	1	0.0 %
175	-	2	0.0 %
200	-	3	0.1 %
230	-	1	0.0 %
250	-	1	0.0 %
400	-	1	0.0 %
996 (M)	Refused	92	1.8 %
998 (M)	Don't know	62	1.2 %

Based upon 4960 valid cases out of 5114 total cases.

- Mean: 5.65
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 14.36

H4SE14

S15Q14 BEST EST NO MALE PARTNERS-W4

Location: 3422-3429 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What is your best estimate, is it

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1 to 4 partners	1	0.0 %
2	5 to 10 partners	6	0.1 %
3	11 to 20 partners	10	0.2 %
4	21 to 30 partners	12	0.2 %
5	More than 30 partners	15	0.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	5052	98.8 %
8 (M)	Don't know	9	0.2 %

Based upon 50 valid cases out of 5114 total cases.

- Mean: 3.32
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.63

H4SE15

S15Q15 NO MALE PTNR BFORE 18-W4

Location: 3430-3437 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: Considering all types of sexual activity, with how many male partners did you have sex before you were 18 years old, even if only one time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	840	16.4 %
1	-	688	13.5 %
2	-	445	8.7 %
3	-	225	4.4 %
4	-	139	2.7 %
5	-	112	2.2 %
6	-	52	1.0 %
7	-	29	0.6 %
8	-	31	0.6 %
9	-	20	0.4 %
10	-	57	1.1 %
11	-	3	0.1 %
12	-	12	0.2 %
13	-	8	0.2 %
14	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	17	0.3 %
16	-	5	0.1 %
17	-	2	0.0 %
18	-	7	0.1 %
19	-	1	0.0 %
20	-	24	0.5 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	6	0.1 %
29	-	1	0.0 %
30	-	4	0.1 %
35	-	4	0.1 %
40	-	3	0.1 %
45	-	1	0.0 %
50	-	3	0.1 %
60	-	1	0.0 %
100	-	1	0.0 %
200	-	1	0.0 %
996 (M)	Refused	69	1.3 %
997 (M)	Legitimate skip	2257	44.1 %
998 (M)	Don't know	27	0.5 %
. (M)	-	12	0.2 %

Based upon 2749 valid cases out of 5114 total cases.

- Mean: 2.70
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 6.25

H4SE16

S15Q16 BEST EST NO MALE PTNR BFORE 18-W4

Location: 3438-3445 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What is your best estimate, is it

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	2	0.0 %
1	1 to 4 partners	6	0.1 %
2	5 to 10 partners	10	0.2 %
3	11 to 20 partners	4	0.1 %
4	21 to 30 partners	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	5075	99.2 %
8 (M)	Don't know	2	0.0 %
. (M)	-	12	0.2 %

Based upon 24 valid cases out of 5114 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.06

H4SE17

S15Q17 NO MALE PTNR LST YR -W4

Location: 3446-3453 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: Considering all types of sexual activity, with how many male partners have you had sex in the past 12 months, even if only one time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	204	4.0 %
1	-	1777	34.7 %
2	-	281	5.5 %
3	-	144	2.8 %
4	-	51	1.0 %
5	-	39	0.8 %
6	-	17	0.3 %
7	-	4	0.1 %
8	-	1	0.0 %
9	-	3	0.1 %
10	-	10	0.2 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	4	0.1 %
16	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
50	-	1	0.0 %
75	-	1	0.0 %
96 (M)	Refused	58	1.1 %
97 (M)	Legitimate skip	2492	48.7 %
98 (M)	Don't know	15	0.3 %
. (M)	-	2	0.0 %

Based upon 2547 valid cases out of 5114 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 75.00
- Standard Deviation: 2.49

H4SE18

S15Q18 BEST EST NO MALE PTNR LST YR -W4

Location: 3454-3461 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 7 , 8 , .
Question: What is your best estimate, is it

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	2	0.0 %
1	1 to 4 partners	4	0.1 %
2	5 to 10 partners	1	0.0 %
7 (M)	Legitimate skip	5097	99.7 %
8 (M)	Don't know	8	0.2 %
. (M)	-	2	0.0 %

Based upon 7 valid cases out of 5114 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.69

H4SE19

S15Q19 NO FEMALE PRTNRS EVER HAD-W4

Location: 3462-3469 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998

Question: Considering all types of sexual activity, with how many female partners have you ever had sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2448	47.9 %
1	-	333	6.5 %
2	-	216	4.2 %
3	-	175	3.4 %
4	-	142	2.8 %
5	-	178	3.5 %
6	-	124	2.4 %
7	-	109	2.1 %
8	-	106	2.1 %
9	-	57	1.1 %
10	-	146	2.9 %
11	-	34	0.7 %
12	-	75	1.5 %
13	-	24	0.5 %
14	-	23	0.4 %
15	-	104	2.0 %
16	-	24	0.5 %
17	-	16	0.3 %
18	-	20	0.4 %
19	-	12	0.2 %
20	-	110	2.2 %
21	-	11	0.2 %
22	-	9	0.2 %
23	-	20	0.4 %
24	-	6	0.1 %
25	-	56	1.1 %
26	-	7	0.1 %
27	-	7	0.1 %
28	-	6	0.1 %
29	-	3	0.1 %
30	-	80	1.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	2	0.0 %
32	-	6	0.1 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	34	0.7 %
36	-	6	0.1 %
37	-	3	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	32	0.6 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	15	0.3 %
47	-	1	0.0 %
48	-	5	0.1 %
49	-	1	0.0 %
50	-	44	0.9 %
51	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	6	0.1 %
56	-	1	0.0 %
59	-	1	0.0 %
60	-	12	0.2 %
65	-	4	0.1 %
67	-	2	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
75	-	6	0.1 %
76	-	1	0.0 %
78	-	1	0.0 %
79	-	1	0.0 %
80	-	6	0.1 %
81	-	1	0.0 %
83	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
88	-	1	0.0 %
90	-	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	-	1	0.0 %
99	-	1	0.0 %
100	-	14	0.3 %
105	-	1	0.0 %
120	-	2	0.0 %
125	-	1	0.0 %
130	-	1	0.0 %
140	-	2	0.0 %
150	-	2	0.0 %
160	-	1	0.0 %
175	-	1	0.0 %
200	-	6	0.1 %
210	-	1	0.0 %
220	-	1	0.0 %
250	-	1	0.0 %
253	-	1	0.0 %
300	-	2	0.0 %
350	-	1	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %
996 (M)	Refused	64	1.3 %
998 (M)	Don't know	111	2.2 %

Based upon 4939 valid cases out of 5114 total cases.

- Mean: 7.51
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 20.78

H4SE20

S15Q20 EST NO FEMALE PTNRS EVER HAD-W4

Location: 3470-3477 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 7 , 8
Question: What is your best estimate, is it

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	7	0.1 %
1	1 to 4 partners	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	5 to 10 partners	10	0.2 %
3	11 to 20 partners	25	0.5 %
4	21 to 30 partners	12	0.2 %
5	More than 30 partners	45	0.9 %
7 (M)	Legitimate skip	5003	97.8 %
8 (M)	Don't know	9	0.2 %

Based upon 102 valid cases out of 5114 total cases.

- Mean: 3.64
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.53

H4SE21

S15Q21 NO FEMALE PTNR BEFORE 18-W4

Location: 3478-3485 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Considering all types of sexual activity, with how many female partners did you have sex before you were 18 years old, even if only one time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	897	17.5 %
1	-	474	9.3 %
2	-	344	6.7 %
3	-	237	4.6 %
4	-	132	2.6 %
5	-	132	2.6 %
6	-	56	1.1 %
7	-	29	0.6 %
8	-	32	0.6 %
9	-	20	0.4 %
10	-	70	1.4 %
11	-	2	0.0 %
12	-	20	0.4 %
13	-	5	0.1 %
14	-	7	0.1 %
15	-	26	0.5 %
16	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.0 %
18	-	3	0.1 %
19	-	3	0.1 %
20	-	26	0.5 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	16	0.3 %
26	-	1	0.0 %
28	-	2	0.0 %
30	-	6	0.1 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
40	-	3	0.1 %
45	-	1	0.0 %
50	-	5	0.1 %
60	-	2	0.0 %
65	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.0 %
99	-	1	0.0 %
100	-	1	0.0 %
140	-	1	0.0 %
160	-	1	0.0 %
996	-	45	0.9 %
997	-	2455	48.0 %
998	-	48	0.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 498.38
- Median: 60.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 496.95

H4SE22

S15Q22 EST NO FEMALE PTNR BEFORE 18-W4

Location: 3486-3493 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

- Study 21600 -

Question:

What is your best estimate, is it

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	2	0.0 %
1	1 to 4 partners	10	0.2 %
2	5 to 10 partners	10	0.2 %
3	11 to 20 partners	6	0.1 %
4	21 to 30 partners	5	0.1 %
5	More than 30 partners	4	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	5066	99.1 %
8 (M)	Don't know	10	0.2 %

Based upon 37 valid cases out of 5114 total cases.

- Mean: 2.38
- Median: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.44

H4SE23

S15Q23 NO FEM PTNR LST YR-W4

Location:

3494-3501 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 97 , 98

Question:

Considering all types of sexual activity, with how many female partners have you had sex in the past 12 months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	338	6.6 %
1	-	1398	27.3 %
2	-	289	5.7 %
3	-	177	3.5 %
4	-	81	1.6 %
5	-	70	1.4 %
6	-	28	0.5 %
7	-	11	0.2 %
8	-	14	0.3 %
9	-	3	0.1 %
10	-	17	0.3 %
11	-	1	0.0 %
12	-	3	0.1 %
13	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	2	0.0 %
15	-	4	0.1 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	2	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
96 (M)	Refused	36	0.7 %
97 (M)	Legitimate skip	2604	50.9 %
98 (M)	Don't know	25	0.5 %

Based upon 2449 valid cases out of 5114 total cases.

- Mean: 1.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.49

H4SE24

S15Q24 BEST EST NO FEM PTNR LST YR-W4

Location: 3502-3509 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What is your best estimate, is it:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 partners	1	0.0 %
1	1 to 4 partners	4	0.1 %
2	5 to 10 partners	5	0.1 %
3	11 to 20 partners	5	0.1 %
4	21 to 30 partners	2	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	5089	99.5 %
8 (M)	Don't know	6	0.1 %

Based upon 17 valid cases out of 5114 total cases.

- Mean: 2.18
- Median: 2.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.13

H4SE25

S15Q25 NO SEX PTNR ONLY 1 OCCASSION-W4

Location: 3510-3517 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: Considering all types of sexual activity, with how many partners, male or female, have you had sex on one and only one occasion?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1389	27.2 %
1	-	1169	22.9 %
2	-	576	11.3 %
3	-	388	7.6 %
4	-	232	4.5 %
5	-	223	4.4 %
6	-	98	1.9 %
7	-	71	1.4 %
8	-	62	1.2 %
9	-	28	0.5 %
10	-	133	2.6 %
11	-	11	0.2 %
12	-	32	0.6 %
13	-	9	0.2 %
14	-	12	0.2 %
15	-	69	1.3 %
16	-	10	0.2 %
17	-	7	0.1 %
18	-	9	0.2 %
19	-	5	0.1 %
20	-	58	1.1 %
21	-	3	0.1 %
22	-	2	0.0 %
23	-	5	0.1 %
24	-	6	0.1 %
25	-	34	0.7 %
26	-	5	0.1 %
28	-	2	0.0 %
30	-	32	0.6 %
32	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	-	1	0.0 %
35	-	11	0.2 %
38	-	3	0.1 %
40	-	12	0.2 %
43	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	15	0.3 %
55	-	1	0.0 %
60	-	4	0.1 %
63	-	1	0.0 %
65	-	2	0.0 %
68	-	1	0.0 %
70	-	3	0.1 %
75	-	2	0.0 %
80	-	3	0.1 %
85	-	1	0.0 %
90	-	1	0.0 %
99	-	1	0.0 %
100	-	5	0.1 %
110	-	2	0.0 %
125	-	1	0.0 %
130	-	1	0.0 %
145	-	1	0.0 %
150	-	3	0.1 %
200	-	3	0.1 %
300	-	1	0.0 %
396	-	1	0.0 %
400	-	1	0.0 %
996	-	100	2.0 %
997	-	131	2.6 %
998	-	104	2.0 %
. (M)	-	11	0.2 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 69.63
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 998.00
- Standard Deviation: 246.23

H4SE26A S15Q26A PST 12 MTHS-USE CONDOMS-W4

Location: 3518-3524 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: condoms (rubbers)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	2007	39.2 %
1	Selected	2355	46.1 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4SE26B S15Q26B PST 12 MTHS-USE FMALE CONDOMS-W4

Location: 3525-3531 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: female condom

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4308	84.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Selected	54	1.1 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H4SE26C

S15Q26C PST 12 MOS-ORAL BIRTH CONTROL-W4

Location: 3532-3538 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: birth control pills

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	2723	53.2 %
1	Selected	1639	32.0 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 21600 -

H4SE26D S15Q26D PST 12 MTHS-BRTH CTRL INJECT-W4

Location: 3539-3545 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: shot (Depo-Provera)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4172	81.6 %
1	Selected	190	3.7 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4SE26E S15Q26E PST 12 MTHS-EMERG CNTRCPTN-W4

Location: 3546-3552 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: emergency contraception or 'morning after' pill

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4261	83.3 %
1	Selected	101	2.0 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H4SE26F

S15Q26F PST 12 MTHS-BRTH CTRL IMPLANT-W4

Location: 3553-3559 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: Norplant

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4350	85.1 %
1	Selected	12	0.2 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

H4SE26G

S15Q26G PST 12 MTHS-DIAPHRAGM-W4

Location: 3560-3566 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

6 , 7 , 8 , .

Question:

In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: diaphragm, cap or shield

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4348	85.0 %
1	Selected	14	0.3 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

H4SE26H

S15Q26H PST 12 MTHS-IUD-W4

Location:

3567-3573 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , .

Question:

In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: IUD (intrauterine device), coil, loop

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4179	81.7 %
1	Selected	183	3.6 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4SE26I

S15Q26I PST 12 MTHS-NTRL FAM PLANNING-W4

Location: 3574-3580 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: natural family planning (safe periods by temperature, cervical mucus test)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4301	84.1 %
1	Selected	61	1.2 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

H4SE26J

S15Q26J PST 12 MTHS-WITHDRAWAL METHOD-W4

Location: 3581-3587 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: withdrawal (pulling out)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent

- Study 21600 -

was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	3477	68.0 %
1	Selected	885	17.3 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4SE26K

S15Q26K PST 12 MTHS-RHYTHM METHOD-W4

Location: 3588-3594 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: rhythm or safe period by calendar

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4249	83.1 %
1	Selected	113	2.2 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.16

H4SE26L S15Q26L PST 12 MTHS-VAGINAL SPONGE-W4

Location: 3595-3601 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: vaginal sponge

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4354	85.1 %
1	Selected	8	0.2 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4SE26M S15Q26M PST 12 MTHS-SPERMICIDE CRM-W4

Location: 3602-3608 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: spermicide foam, jelly, creme, suppositories

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4275	83.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Selected	87	1.7 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4SE26N

S15Q26N PST 12 MTHS-RING-W4

Location: 3609-3615 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: ring (NuvaRing)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4201	82.1 %
1	Selected	161	3.1 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

- Study 21600 -

H4SE26O S15Q26O PST 12 MTHS-CONTRACPTVE PTCH-W4

Location: 3616-3622 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: patch (Ortho Evra)

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4276	83.6 %
1	Selected	86	1.7 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4SE26P S15Q26P PST 12 MTHS-CONTRACPTVE FILM-W4

Location: 3623-3629 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: contraceptive film

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4340	84.9 %
1	Selected	22	0.4 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H4SE26Q

S15Q26Q PST 12 MTHS-EMERG IUD INSERT-W4

Location: 3630-3636 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: emergency IUD insertion

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4361	85.3 %
1	Selected	1	0.0 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.02

H4SE26R

S15Q26R PST 12 MTHS-PARTNER VASECTOMY-W4

Location: 3637-3643 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M):

6 , 7 , 8 , .

Question:

In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: vasectomy

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4276	83.6 %
1	Selected	86	1.7 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4SE26S

S15Q26S PST 12 MTHS-TUBAL LIGATION-W4

Location:

3644-3650 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8 , .

Question:

In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: tubal ligation/sterilization

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4192	82.0 %
1	Selected	170	3.3 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

H4SE26T

S15Q26T PST 12 MTHS-OTHR CONTRACEPTVE-W4

Location: 3651-3657 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: some other method

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4339	84.8 %
1	Selected	23	0.4 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H4SE26V

S15Q26V PST 12 MTHS NO METHOD USED-W4

Location: 3658-3664 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you or your partner(s) use any of these methods for birth control or disease prevention? Select all that apply.: no method used

[NOTES:] Due to a programming error it is unknown for which option in Q26 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q26, the respondent

- Study 21600 -

was skipped to the next question. These respondents have all options (26A-26V) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	3602	70.4 %
1	Selected	760	14.9 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	7	0.1 %
. (M)	-	10	0.2 %

Based upon 4362 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

H4SE27

S15Q27 SEX W/ MORE 1 PTNR SAME TIME-W4

Location: 3665-3672 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, did you have sex with more than one partner at around the same time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3666	71.7 %
1	Yes	707	13.8 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	10	0.2 %

Based upon 4373 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4SE28

S15Q28 TX PAID FOR SEX/ WAS PAID SEX-W4

Location: 3673-3680 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, how many times have you paid someone to have sex with you or has someone paid you to have sex with them?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	4287	83.8 %
1	1 to 2 times	60	1.2 %
2	3 to 10 times	20	0.4 %
3	11 to 25 times	3	0.1 %
4	26 or more times	3	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	729	14.3 %
8 (M)	Don't know	1	0.0 %
. (M)	-	10	0.2 %

Based upon 4373 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.22

H4SE29

S15Q29 ROMANTIC ATTRACT TO FEMALES-W4

Location: 3681-3688 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Are you romantically attracted to females?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2567	50.2 %
1	Yes	2529	49.5 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5096 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

- Study 21600 -

H4SE30 S15Q30 ROMANTIC ATTRACT TO MALE-W4

Location: 3689-3696 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Are you romantically attracted to males?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2326	45.5 %
1	Yes	2771	54.2 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	5	0.1 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4SE31 S15Q31 SEXUAL SELF DEFINITION-W4

Location: 3697-3704 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 98
 Question: Please choose the description that best fits how you think about yourself

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	100% heterosexual (straight)	4363	85.3 %
2	Mostly heterosexual, but somewhat attracted to same sex	509	10.0 %
3	Bisexual, that is, attracted to men and women equally	86	1.7 %
4	Mostly homosexual, but somewhat attracted to opposite sex	40	0.8 %
5	100% homosexual (gay)	62	1.2 %
6	Not sexually attracted to either males or females	26	0.5 %
96 (M)	Refused	17	0.3 %
98 (M)	Don't know	11	0.2 %

Based upon 5086 valid cases out of 5114 total cases.

- Mean: 1.23
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00

- Study 21600 -

- Standard Deviation: 0.71

H4SE32 S15Q32 EVER NON-PHYS FORCED SEX-W4

Location: 3705-3712 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been forced, in a non-physical way, to have any type of sexual activity against your will? For example, through verbal pressure, threats of harm, or by being given alcohol or drugs? Do not include any experiences with a parent or adult caregiver.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4452	87.1 %
1	Yes	644	12.6 %
6 (M)	Refused	12	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5096 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4SE33 S15Q33 AGE 1ST NON-PHYS FORCED SEX-W4

Location: 3713-3720 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first or only time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3	0.1 %
1	-	3	0.1 %
2	-	3	0.1 %
3	-	8	0.2 %
4	-	6	0.1 %
5	-	25	0.5 %
6	-	10	0.2 %
7	-	9	0.2 %
8	-	17	0.3 %
9	-	11	0.2 %
10	-	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	11	0.2 %
12	-	27	0.5 %
13	-	31	0.6 %
14	-	31	0.6 %
15	-	54	1.1 %
16	-	50	1.0 %
17	-	59	1.2 %
18	-	51	1.0 %
19	-	37	0.7 %
20	-	34	0.7 %
21	-	26	0.5 %
22	-	22	0.4 %
23	-	19	0.4 %
24	-	20	0.4 %
25	-	16	0.3 %
26	-	16	0.3 %
27	-	9	0.2 %
28	-	4	0.1 %
29	-	7	0.1 %
30	-	1	0.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4470	87.4 %
98 (M)	Don't know	12	0.2 %

Based upon 630 valid cases out of 5114 total cases.

- Mean: 16.17
- Median: 17.00
- Mode: 17.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.03

H4SE34

S15Q34 EVER PHYS FORCED TO HAVE SEX-W4

Location: 3721-3728 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been physically forced to have any type of sexual activity against your will? Do not include any experiences with a parent or adult caregiver.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4656	91.0 %
1	Yes	436	8.5 %
6 (M)	Refused	17	0.3 %
8 (M)	Don't know	5	0.1 %

Based upon 5092 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H4SE35

S15Q35 AGE 1ST TIME PHYS FORCED SEX-W4

Location: 3729-3736 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first or only time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
2	-	3	0.1 %
3	-	5	0.1 %
4	-	5	0.1 %
5	-	21	0.4 %
6	-	11	0.2 %
7	-	7	0.1 %
8	-	13	0.3 %
9	-	11	0.2 %
10	-	13	0.3 %
11	-	8	0.2 %
12	-	14	0.3 %
13	-	25	0.5 %
14	-	19	0.4 %
15	-	37	0.7 %
16	-	35	0.7 %
17	-	36	0.7 %
18	-	34	0.7 %
19	-	32	0.6 %
20	-	21	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	18	0.4 %
22	-	13	0.3 %
23	-	13	0.3 %
24	-	6	0.1 %
25	-	9	0.2 %
26	-	7	0.1 %
27	-	5	0.1 %
28	-	3	0.1 %
29	-	2	0.0 %
30	-	3	0.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4678	91.5 %
98 (M)	Don't know	3	0.1 %

Based upon 431 valid cases out of 5114 total cases.

- Mean: 15.52
- Median: 16.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.00

H4SE36A

S15Q36A EVER DIAGNOSED-CHLAMYDIA-W4

Location: 3737-3743 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: chlamydia

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4418	86.4 %
1	Selected	595	11.6 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4SE36B

S15Q36B EVER DIAGNOSED-GONORRHEA-W4

Location: 3744-3750 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: gonorrhea

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4811	94.1 %
1	Selected	202	3.9 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4SE36C

S15Q36C EVER DIAGNOSED-TRICHOMONIASIS-W4

Location: 3751-3757 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: trichomoniasis

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4839	94.6 %
1	Selected	174	3.4 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4SE36D

S15Q36D EVER DIAGNOSED-SYPHILIS-W4

Location: 3758-3764 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: syphilis

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5003	97.8 %
1	Selected	10	0.2 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4SE36E

S15Q36E EVER DIAGNOSED-GENITAL HERPES-W4

Location: 3765-3771 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: genital herpes

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4861	95.1 %
1	Selected	152	3.0 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4SE36F

S15Q36F EVER DIAGNOSED-GENITAL WARTS-W4

Location: 3772-3778 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: genital warts

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4882	95.5 %
1	Selected	131	2.6 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4SE36G

S15Q36G EVER DIAGNOSED-HEPATITIS B-W4

Location: 3779-3785 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: hepatitis B (HBV)

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5007	97.9 %
1	Selected	6	0.1 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

H4SE36H

S15Q36H EVER DX-HUMAN PAPILLOMA VIRUS-W4

Location: 3786-3792 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: human papilloma virus (HPV)

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4680	91.5 %
1	Selected	333	6.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4SE36I

S15Q36I EVER DX-PELVIC INFLAM DISEASE-W4

Location: 3793-3799 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: pelvic inflammatory disease (PID)

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4952	96.8 %
1	Selected	61	1.2 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H4SE36J

S15Q36J EVER DX-CERVICITIS OR MPC-W4

Location: 3800-3806 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

- Study 21600 -

Question:

Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: cervicitis or mucopurulent cervicitis (MPC)

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5010	98.0 %
1	Selected	3	0.1 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.02

H4SE36K

S15Q36K EVER DX-URETHRITIS (NGU)-W4

Location:

3807-3813 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8

Question:

Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: urethritis

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	5007	97.9 %
1	Selected	6	0.1 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.03

H4SE36L S15Q36L EVER DIAGNOSED-VAGINITIS-W4

Location: 3814-3820 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: vaginitis

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4911	96.0 %
1	Selected	102	2.0 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4SE36N S15Q36N EVER DIAGNOSED-ANY OTHER STD-W4

Location: 3821-3827 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: any other sexually transmitted disease

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4988	97.5 %
1	Selected	25	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

H4SE36O

S15Q36O NEVER HAD STD-W4

Location: 3828-3834 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: have had no sexually transmitted diseases

[NOTES:] Due to a programming error it is unknown for which option in Q36 a respondent answered don't know or refused. Once don't know or refused was entered for any part of Q36, the respondent was skipped to the end of the section. These respondents have all options (36A-36O) coded don't know or refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1299	25.4 %
1	Selected	3714	72.6 %
6 (M)	Refused	54	1.1 %
8 (M)	Don't know	47	0.9 %

Based upon 5013 valid cases out of 5114 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4SE37A

S15Q37A DX LST YR-CHLAMYDIA-W4

Location: 3835-3841 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

- Study 21600 -

Question:

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
chlamydia

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	463	9.1 %
1	Selected	131	2.6 %
7 (M)	Legitimate skip	4519	88.4 %
8 (M)	Don't know	1	0.0 %

Based upon 594 valid cases out of 5114 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4SE37B

S15Q37B DX LST YR-GONORRHEA-W4

Location:

3842-3848 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7

Question:

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
gonorrhea

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	152	3.0 %
1	Selected	49	1.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4912	96.1 %

Based upon 201 valid cases out of 5114 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

- Study 21600 -

H4SE37C S15Q37C DX LST YR-TRICHOMONIASIS-W4

Location: 3849-3855 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: trichomoniasis

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	125	2.4 %
1	Selected	48	0.9 %
7 (M)	Legitimate skip	4940	96.6 %
8 (M)	Don't know	1	0.0 %

Based upon 173 valid cases out of 5114 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4SE37D S15Q37D DX LST YR-SYPHILIS-W4

Location: 3856-3862 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: syphilis

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	9	0.2 %
1	Selected	1	0.0 %
7 (M)	Legitimate skip	5104	99.8 %

Based upon 10 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4SE37E

S15Q37E DX LST YR-GENITAL HERPES-W4

Location: 3863-3869 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
genital herpes

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	68	1.3 %
1	Selected	84	1.6 %
7 (M)	Legitimate skip	4962	97.0 %

Based upon 152 valid cases out of 5114 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4SE37F

S15Q37F DX LST YR-GENITAL WARTS-W4

Location: 3870-3876 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
genital warts

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	86	1.7 %
1	Selected	45	0.9 %
7 (M)	Legitimate skip	4983	97.4 %

Based upon 131 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4SE37G S15Q37G DX LST YR-HEPATITIS B-W4

Location: 3877-3883 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: hepatitis B (HBV)

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	3	0.1 %
1	Selected	3	0.1 %
7 (M)	Legitimate skip	5108	99.9 %

Based upon 6 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.55

H4SE37H S15Q37H DX LST YR-HUM PAPILLOMA VIRUS-W4

Location: 3884-3890 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.: human papilloma virus (HPV)

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	164	3.2 %
1	Selected	166	3.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4781	93.5 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 330 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4SE37I

S15Q37I DX LST YR-PELV INFLAM DISEASE-W4

Location: 3891-3897 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
pelvic inflammatory disease (PID)

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	50	1.0 %
1	Selected	10	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	5053	98.8 %

Based upon 60 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

H4SE37J

S15Q37J DX LST YR-CERVICITIS OR MPC-W4

Location: 3898-3904 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

- Study 21600 -

Question:

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
cervicitis or mucopurulent cervicitis (MPC)

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1	0.0 %
1	Selected	2	0.0 %
7 (M)	Legitimate skip	5111	99.9 %

Based upon 3 valid cases out of 5114 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.58

H4SE37K

S15Q37K DX LST YR-URETHRITIS (NGU)-W4

Location:

3905-3911 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
urethritis

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	3	0.1 %
1	Selected	3	0.1 %
7 (M)	Legitimate skip	5108	99.9 %

Based upon 6 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.55

H4SE37L

S15Q37L DX LST YR-VAGINITIS-W4

Location:

3912-3918 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
vaginitis

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	69	1.3 %
1	Selected	33	0.6 %
7 (M)	Legitimate skip	5012	98.0 %

Based upon 102 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4SE37N

S15Q37N DX LST YR-ANY OTHER STD-W4

Location: 3919-3925 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
any other sexually transmitted disease

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	17	0.3 %
1	Selected	8	0.2 %
7 (M)	Legitimate skip	5089	99.5 %

Based upon 25 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 21600 -

H4SE37O S15Q37O DX LST YR-HAD NO STD-W4

Location: 3926-3932 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had any of the following sexually transmitted diseases? Select all of the diseases you have had.:
have had no sexually transmitted diseases

[NOTES:] The only options displayed to a respondent in Q37 were those STDs selected in Q36 along with H4SE37O (had no STD in past year).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	522	10.2 %
1	Selected	776	15.2 %
7 (M)	Legitimate skip	3815	74.6 %
. (M)	-	1	0.0 %

Based upon 1298 valid cases out of 5114 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TR1 S16AQ1 # PARTNER EVER MARRIED-W4

Location: 3933-3940 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: How many persons have you ever married? Be sure to include your current spouse if you are married now.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2568	50.2 %
1	-	2331	45.6 %
2	-	197	3.9 %
3	-	9	0.2 %
4	-	1	0.0 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	1	0.0 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 0.54

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.58

H4TR2

S16AQ2 # OTHR PARTNER EVR LIVED WITH-W4

Location: 3941-3948 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: [If Q.1=0] ask: How many romantic or sexual partners have you ever lived with for one month or more? By 'lived with' we mean that neither of you kept a separate residence while you were living together. [If Q.1>0] ask: Not counting the {fill Q.1} (partner/partners) you married, how many other romantic or sexual partners have you ever lived with for one month or more? By 'lived with' we mean that neither of you kept a separate residence while you were living together.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2524	49.4 %
1	-	1423	27.8 %
2	-	716	14.0 %
3	-	280	5.5 %
4	-	92	1.8 %
5	-	27	0.5 %
6	-	9	0.2 %
7	-	5	0.1 %
8	-	5	0.1 %
10	-	7	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
96 (M)	Refused	20	0.4 %
98 (M)	Don't know	4	0.1 %

Based upon 5090 valid cases out of 5114 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.20

H4TR3

S16AQ3 # OTHR PARTNER RESULT IN PREG-W4

Location: 3949-3956 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

- Study 21600 -

Question:

[If Q.1 + Q.2=0] ask: With how many persons have you ever had a romantic relationship or sexual encounter that resulted in a pregnancy? [If Q.1>0 and Q.2>0] ask: Not counting the {fill Q.1} (partner/partners) you married or the {fill Q.2} (partner/partners) you lived with, with how many other persons have you ever had a romantic relationship or sexual encounter that resulted in a pregnancy? [If Q.1>0 and Q.2=0] ask: Not counting the {fill Q.1} (partner/partners) you married, with how many other persons have you ever had a romantic relationship or sexual encounter that resulted in a pregnancy? [If Q.1=0 and Q.2>0] ask: Not counting the {fill Q.2} (partner/partners) you lived with, with how many other persons have you ever had a romantic relationship or sexual encounter that resulted in a pregnancy?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4202	82.2 %
1	-	652	12.7 %
2	-	171	3.3 %
3	-	45	0.9 %
4	-	9	0.2 %
5	-	3	0.1 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
15	-	1	0.0 %
96 (M)	Refused	22	0.4 %
98 (M)	Don't know	6	0.1 %

Based upon 5086 valid cases out of 5114 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.64

H4TR4

S16AQ4 # OTHR PARTNER CURRENT DATING-W4

Location: 3957-3964 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question:

[If Q.1 + Q.2 + Q.3=0] ask: With how many persons are you currently having a romantic or sexual relationship? [If Q.1 + Q.2 + Q.3>0] ask: Not counting (those partners/that partner), with how many other persons are you currently having a romantic or sexual relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4148	81.1 %
1	-	829	16.2 %
2	-	74	1.4 %
3	-	21	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	6	0.1 %
5	-	3	0.1 %
6	-	3	0.1 %
7	-	2	0.0 %
11	-	1	0.0 %
96 (M)	Refused	21	0.4 %
98 (M)	Don't know	6	0.1 %

Based upon 5087 valid cases out of 5114 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.55

H4TR5

S16AQ5 # OTHR PRTNR RLTNHP >=6M FR 2001

Location: 3965-3972 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998

Question: [If Q.1 + Q.2 + Q.3 + Q.4=0] ask: With how many people have you had a romantic or sexual relationship that lasted 6 months or more since 2001? [If Q.1 + Q.2 + Q.3 + Q.4>0] ask: Not counting (those partners/that partner), with how many other people have you had a romantic or sexual relationship that lasted 6 months or more since 2001?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3203	62.6 %
1	-	865	16.9 %
2	-	533	10.4 %
3	-	246	4.8 %
4	-	97	1.9 %
5	-	58	1.1 %
6	-	18	0.4 %
7	-	4	0.1 %
8	-	5	0.1 %
9	-	4	0.1 %
10	-	10	0.2 %
11	-	1	0.0 %
12	-	2	0.0 %
15	-	5	0.1 %
19	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	5	0.1 %
24	-	1	0.0 %
25	-	2	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
95	95 or more persons	3	0.1 %
996 (M)	Refused	28	0.5 %
998 (M)	Don't know	21	0.4 %

Based upon 5065 valid cases out of 5114 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 2.89

H4TR6

S16AQ6 # OTHR PRTNR RLTNSHP < 6M FR 2001

Location: 3973-3980 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998

Question: [If Q.1 + Q.2 + Q.3 + Q.4 + Q.5 = 0] ask: With how many people have you had a romantic or sexual relationship that lasted less than 6 months since 2001? [If Q.1 + Q.2 + Q.3 + Q.4 + Q.5 >0] ask: Not counting (those partners/that partner), with how many other people have you had a romantic or sexual relationship that lasted less than 6 months since 2001?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3049	59.6 %
1	-	515	10.1 %
2	-	424	8.3 %
3	-	261	5.1 %
4	-	176	3.4 %
5	-	137	2.7 %
6	-	74	1.4 %
7	-	41	0.8 %
8	-	46	0.9 %
9	-	18	0.4 %
10	-	95	1.9 %
11	-	6	0.1 %
12	-	23	0.4 %
13	-	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	6	0.1 %
15	-	28	0.5 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	3	0.1 %
20	-	25	0.5 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	11	0.2 %
26	-	3	0.1 %
28	-	4	0.1 %
30	-	10	0.2 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	3	0.1 %
45	-	1	0.0 %
50	-	8	0.2 %
60	-	4	0.1 %
65	-	1	0.0 %
75	-	1	0.0 %
90	-	1	0.0 %
95	95 or more persons	7	0.1 %
996 (M)	Refused	40	0.8 %
998 (M)	Don't know	74	1.4 %

Based upon 5000 valid cases out of 5114 total cases.

- Mean: 1.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 6.05

H4TR7

S16AQ7 R CURRENTLY PREGNANT-W4

Location: 3981-3988 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

- Study 21600 -

Question:

Are you pregnant now?

[NOTES:] This question was missed due to pre-loaded information that mistakenly identified the respondents as 'male' during the interview.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2560	50.1 %
1	Yes	189	3.7 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2353	46.0 %
8 (M)	Don't know	2	0.0 %
. (M)	-	7	0.1 %

Based upon 2749 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4TR8

S16AQ8 R PROBABLY PREGNANT-W4

Location:

3989-3996 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , .

Question:

Do you think that you are probably pregnant, or not?

[NOTES:] This question was missed due to pre-loaded information that mistakenly identified the respondents as 'male' during the interview.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Probably pregnant	1	0.0 %
2	Probably not pregnant	1	0.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	5102	99.8 %
. (M)	-	7	0.1 %

Based upon 2 valid cases out of 5114 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

- Study 21600 -

H4TR9 S16AQ9 # TIMES GOT/MADE PREGNANT-W4

Location: 3997-4004 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: Thinking about all the relationships and sexual encounters you have ever had, (how many times have you ever been pregnant/how many times have you ever made a partner pregnant)? Include all pregnancies, whether they resulted in babies born alive, stillbirth, abortion, miscarriage, or ectopic or tubal pregnancy. [If Q.7=1] say: Be sure to include your current pregnancy in your count.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1998	39.1 %
1	-	1020	19.9 %
2	-	981	19.2 %
3	-	571	11.2 %
4	-	301	5.9 %
5	-	116	2.3 %
6	-	47	0.9 %
7	-	26	0.5 %
8	-	8	0.2 %
9	-	11	0.2 %
10	-	3	0.1 %
12	12 or more pregnancies	5	0.1 %
96 (M)	Refused	22	0.4 %
98 (M)	Don't know	5	0.1 %

Based upon 5087 valid cases out of 5114 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.60

H4TR10 S16AQ10 TOTAL # LIVE BIRTHS-W4

Location: 4005-4012 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How many live births resulted from (this pregnancy/these pregnancies)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	486	9.5 %
1	-	1096	21.4 %
2	-	963	18.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	378	7.4 %
4	-	124	2.4 %
5	-	24	0.5 %
6	-	11	0.2 %
7	7 or more live births	6	0.1 %
97 (M)	Legitimate skip	2025	39.6 %
98 (M)	Don't know	1	0.0 %

Based upon 3088 valid cases out of 5114 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.13

H4TR11

S16AQ11 TOTAL # CHILDREN STILL LIVING-W4

Location: 4013-4020 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 97
Question: How many of these children are still living?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	13	0.3 %
1	-	1098	21.5 %
2	-	963	18.8 %
3	-	372	7.3 %
4	-	116	2.3 %
5	-	24	0.5 %
6	-	11	0.2 %
7	7 or more children	5	0.1 %
97 (M)	Legitimate skip	2512	49.1 %

Based upon 2602 valid cases out of 5114 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.97

- Study 21600 -

H4TR12 S16AQ12 EVR TROUBLE GET/MADE PREGNANT-W4

Location: 4021-4028 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: During any of the romantic relationships you have ever had, (have you/has your partner) ever had trouble getting pregnant or trouble avoiding a miscarriage?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4423	86.5 %
1	Yes	650	12.7 %
6 (M)	Refused	15	0.3 %
8 (M)	Don't know	26	0.5 %

Based upon 5073 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

PTNR_ID PARTNER ID -W4

Location: 4029-4036 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3451	67.5 %
2	911	17.8 %
3	372	7.3 %
4	136	2.7 %
5	47	0.9 %
6	27	0.5 %
7	13	0.3 %
8	3	0.1 %
9	2	0.0 %
10	1	0.0 %
12	2	0.0 %
14	2	0.0 %
17	1	0.0 %
. (M)	146	2.9 %

Based upon 4968 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 1.04

H4RD1

S17Q1 R'S AGE ROMANTIC REL. BEGAN-W4

Location: 4037-4044 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How old were you when you first became romantically or sexually involved with {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	5	0.1 %
15	-	5	0.1 %
16	-	18	0.4 %
17	-	20	0.4 %
18	-	34	0.7 %
19	-	35	0.7 %
20	-	33	0.6 %
21	-	37	0.7 %
22	-	49	1.0 %
23	-	62	1.2 %
24	-	76	1.5 %
25	-	113	2.2 %
26	-	106	2.1 %
27	-	98	1.9 %
28	-	79	1.5 %
29	-	61	1.2 %
30	-	45	0.9 %
31	-	13	0.3 %
32	-	1	0.0 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	4062	79.4 %
98 (M)	Don't know	5	0.1 %
. (M)	-	146	2.9 %

Based upon 893 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 24.46
- Median: 25.00
- Mode: 25.00
- Minimum: 8.00
- Maximum: 32.00
- Standard Deviation: 3.83

H4RD2D

S17Q2 TIME DUR INVLD CRNT PTNR, DAYS-W4

Location: 4045-4052 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: What is the total amount of time that you (have been/were) involved in a romantic or sexual relationship with {initials} - days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3251	63.6 %
1	-	149	2.9 %
2	-	156	3.1 %
3	-	111	2.2 %
4	-	61	1.2 %
5	-	104	2.0 %
6	-	48	0.9 %
7	-	63	1.2 %
8	-	34	0.7 %
9	-	30	0.6 %
10	-	93	1.8 %
11	-	20	0.4 %
12	-	72	1.4 %
13	-	19	0.4 %
14	-	49	1.0 %
15	-	95	1.9 %
16	-	19	0.4 %
17	-	19	0.4 %
18	-	4	0.1 %
19	-	15	0.3 %
20	-	70	1.4 %
21	-	20	0.4 %
22	-	25	0.5 %
23	-	27	0.5 %
24	-	18	0.4 %
25	-	32	0.6 %
26	-	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	16	0.3 %
28	-	13	0.3 %
29	-	15	0.3 %
30	-	41	0.8 %
31	-	8	0.2 %
96 (M)	Refused	62	1.2 %
98 (M)	Don't know	202	3.9 %
. (M)	-	146	2.9 %

Based upon 4704 valid cases out of 5114 total cases.

- Mean: 3.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 6.77

H4RD2M

S17Q2 TIME DUR INVLD CRNT PTNR, MNTHS-W4

Location: 4053-4060 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: What is the total amount of time that you (have been/were) involved in a romantic or sexual relationship with {initials} - months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1318	25.8 %
1	-	386	7.5 %
2	-	414	8.1 %
3	-	374	7.3 %
4	-	324	6.3 %
5	-	268	5.2 %
6	-	508	9.9 %
7	-	250	4.9 %
8	-	274	5.4 %
9	-	261	5.1 %
10	-	229	4.5 %
11	-	188	3.7 %
96 (M)	Refused	59	1.2 %
98 (M)	Don't know	115	2.2 %
. (M)	-	146	2.9 %

- Study 21600 -

Based upon 4794 valid cases out of 5114 total cases.

- Mean: 3.89
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.52

H4RD2Y

S17Q2 TIME DUR INVLD CRNT PTNR, YEARS-W4

Location: 4061-4068 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: What is the total amount of time that you (have been/were) involved in a romantic or sexual relationship with {initials} - years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	946	18.5 %
1	-	537	10.5 %
2	-	438	8.6 %
3	-	406	7.9 %
4	-	343	6.7 %
5	-	341	6.7 %
6	-	305	6.0 %
7	-	322	6.3 %
8	-	296	5.8 %
9	-	224	4.4 %
10	-	255	5.0 %
11	-	138	2.7 %
12	-	127	2.5 %
13	-	78	1.5 %
14	-	43	0.8 %
15	-	31	0.6 %
16	-	11	0.2 %
17	-	8	0.2 %
18	-	1	0.0 %
19	-	1	0.0 %
96 (M)	Refused	57	1.1 %
98 (M)	Don't know	60	1.2 %
. (M)	-	146	2.9 %

Based upon 4851 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 4.58
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 3.99

H4RD3 S17Q3 RELATIONSHIP TYPE W/ PARTNER-W4

Location: 4069-4076 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: Which of the following best describes your relationship with {initials} at the (present time/time you broke up)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Engaged	106	2.1 %
2	Dating exclusively	702	13.7 %
3	Dating frequently, but not exclusively	192	3.8 %
4	Dating once in a while	156	3.1 %
5	Only having sex	208	4.1 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	3587	70.1 %
98 (M)	Don't know	11	0.2 %
. (M)	-	146	2.9 %

Based upon 1364 valid cases out of 5114 total cases.

- Mean: 2.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.22

H4RD4 S17Q4 R/P HOME OTHER THAN CO-HAB?-W4

Location: 4077-4084 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: (Do/did) either you or {initials} have a residence other than the one you share?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1038	20.3 %
1	Yes	307	6.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3616	70.7 %
8 (M)	Don't know	3	0.1 %
. (M)	-	146	2.9 %

Based upon 1345 valid cases out of 5114 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H4RD5

S17Q5 FREQ. NIGHT TOGETHER-W4

Location: 4085-4092 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98 , .

Question: In an average week, how often (did/do) you and {initials} spend the entire night together?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	6.4 %
1	-	311	6.1 %
2	-	261	5.1 %
3	-	201	3.9 %
4	-	128	2.5 %
5	-	128	2.5 %
6	-	63	1.2 %
7	-	241	4.7 %
95 (M)	Not asked in pretest	12	0.2 %
96 (M)	Refused	14	0.3 %
97 (M)	Legitimate skip	3273	64.0 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

Based upon 1660 valid cases out of 5114 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.39

- Study 21600 -

H4RD6 S17Q6 CRNT STATUS OF MARRIAGE TO PTNR-W4

Location: 4093-4100 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: What is the current status of your marriage to {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Living together	2010	39.3 %
2	Living apart because of legal separation	141	2.8 %
3	Living apart because of other reason	80	1.6 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	2733	53.4 %
8 (M)	Don't know	2	0.0 %
. (M)	-	146	2.9 %

Based upon 2231 valid cases out of 5114 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.43

H4RD7A S17Q7 R/P ENJOY ORDINARY THINGS TOGTHR-W4

Location: 4101-4108 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: We (enjoy/enjoyed) doing even ordinary, day-to-day things together.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stronlgy agree	2681	52.4 %
2	Agree	1511	29.5 %
3	Neither agree nor disagree	452	8.8 %
4	Disagree	173	3.4 %
5	Strongly disagree	130	2.5 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

Based upon 4947 valid cases out of 5114 total cases.

- Mean: 1.70

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

H4RD7B

S17Q7 R SATSFD HANDLE PROBLMS W/ PTNR-W4

Location: 4109-4116 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: I (am/was) satisfied with the way we handle our problems and disagreements.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stronlgy agree	1670	32.7 %
2	Agree	1743	34.1 %
3	Neither agree nor disagree	711	13.9 %
4	Disagree	587	11.5 %
5	Strongly disagree	233	4.6 %
96 (M)	Refused	11	0.2 %
98 (M)	Don't know	13	0.3 %
. (M)	-	146	2.9 %

Based upon 4944 valid cases out of 5114 total cases.

- Mean: 2.18
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

H4RD7C

S17Q7 R SATSFD HANDLE FINANCES W/PTNR-W4

Location: 4117-4124 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: I (am/was) satisfied with the way we handle family finances.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stronlgy agree	1348	26.4 %
2	Agree	1752	34.3 %
3	Neither agree nor disagree	1105	21.6 %
4	Disagree	500	9.8 %
5	Strongly disagree	215	4.2 %
96 (M)	Refused	20	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98 (M)	Don't know	28	0.5 %
. (M)	-	146	2.9 %

Based upon 4920 valid cases out of 5114 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

H4RD7D

S17Q7 PTNR LISTEN WHEN R NEED TO TALK-W4

Location: 4125-4132 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: My partner (listens/listened) to me when I need someone to talk to.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stronlgy agree	2259	44.2 %
2	Agree	1714	33.5 %
3	Neither agree nor disagree	548	10.7 %
4	Disagree	259	5.1 %
5	Strongly disagree	164	3.2 %
96 (M)	Refused	12	0.2 %
98 (M)	Don't know	12	0.2 %
. (M)	-	146	2.9 %

Based upon 4944 valid cases out of 5114 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.03

H4RD7E

S17Q7 PTNR EXPRESS LOVE AFFECTN TO R-W4

Location: 4133-4140 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: My partner (expresses/expressed) love and affection to me.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2567	50.2 %
2	Agree	1592	31.1 %
3	Neither agree nor disagree	464	9.1 %
4	Disagree	193	3.8 %
5	Strongly disagree	127	2.5 %
96 (M)	Refused	16	0.3 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

Based upon 4943 valid cases out of 5114 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

H4RD7F

S17Q7 R SATSFD SEX LIFE W/ PARTNER-W4

Location: 4141-4148 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 98 , .
 Question: I (am/was) satisfied with our sex life.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2074	40.6 %
2	Agree	1693	33.1 %
3	Neither agree nor disagree	587	11.5 %
4	Disagree	372	7.3 %
5	Strongly disagree	197	3.9 %
96 (M)	Refused	28	0.5 %
98 (M)	Don't know	17	0.3 %
. (M)	-	146	2.9 %

Based upon 4923 valid cases out of 5114 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

- Study 21600 -

H4RD7G S17Q7 R TRUST PARTNER TO BE FAITHFUL-W4

Location: 4149-4156 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 98 , .
 Question: I (trust/trusted) my partner to be faithful to me.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2635	51.5 %
2	Agree	1277	25.0 %
3	Neither agree nor disagree	585	11.4 %
4	Disagree	261	5.1 %
5	Strongly disagree	183	3.6 %
96 (M)	Refused	16	0.3 %
98 (M)	Don't know	11	0.2 %
. (M)	-	146	2.9 %

Based upon 4941 valid cases out of 5114 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.08

H4RD8 S17Q8 EXTENT R'S LOVE FOR CRNT PTNR-W4

Location: 4157-4164 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: How much do you love {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A lot	3365	65.8 %
2	Somewhat	363	7.1 %
3	A little	171	3.3 %
4	Not at all	150	2.9 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	906	17.7 %
8 (M)	Don't know	6	0.1 %
. (M)	-	146	2.9 %

Based upon 4049 valid cases out of 5114 total cases.

- Mean: 1.29

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.71

H4RD9 S17Q9 EXTNT R'S HAPPINESS W/CRNT PTNR-W4

Location: 4165-4172 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: In general, how happy are you in your relationship with {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very happy	2807	54.9 %
2	Fairly happy	979	19.1 %
3	Not too happy	258	5.0 %
6 (M)	Refused	11	0.2 %
7 (M)	Legitimate skip	906	17.7 %
8 (M)	Don't know	7	0.1 %
. (M)	-	146	2.9 %

Based upon 4044 valid cases out of 5114 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.60

H4RD10 S17Q10 EXTNT R COMMITTED TO/CRNT PTNR-W4

Location: 4173-4180 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: How committed are you to your relationship with {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Completely committed	2760	54.0 %
2	Very committed	702	13.7 %
3	Somewhat committed	367	7.2 %
4	Not at all committed	216	4.2 %
6 (M)	Refused	13	0.3 %
7 (M)	Legitimate skip	906	17.7 %
8 (M)	Don't know	4	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	146	2.9 %

Based upon 4045 valid cases out of 5114 total cases.

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.87

H4RD11

S17Q11 CHANCE R AND CRNT PARTNR MARRY-W4

Location: 4181-4188 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8 , .

Question: What is the chance that you and {initials} will marry each other?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No chance	230	4.5 %
1	A little chance	233	4.6 %
2	50-50 chance	370	7.2 %
3	A pretty good chance	411	8.0 %
4	An almost certain chance	610	11.9 %
5 (M)	Not asked in pretest	18	0.4 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	3077	60.2 %
8 (M)	Don't know	11	0.2 %
. (M)	-	146	2.9 %

Based upon 1854 valid cases out of 5114 total cases.

- Mean: 2.51
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.38

H4RD12

S17Q12 LVL R'S CLOSENESS TO/CRNT PTNR-W4

Location: 4189-4196 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

- Study 21600 -

Question:

Select the picture, by entering the number under the picture, which best illustrates how close you feel to {initials}.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Diagram 1	220	4.3 %
2	Diagram 2	198	3.9 %
3	Diagram 3	273	5.3 %
4	Diagram 4	373	7.3 %
5	Diagram 5	547	10.7 %
6	Diagram 6	832	16.3 %
7	Diagram 7	1602	31.3 %
96 (M)	Refused	11	0.2 %
97 (M)	Legitimate skip	906	17.7 %
98 (M)	Don't know	6	0.1 %
. (M)	-	146	2.9 %

Based upon 4045 valid cases out of 5114 total cases.

- Mean: 5.41
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.82

H4RD13

S17Q13 LIKELIHOOD RELATNSHP PERMANENT-W4

Location:

4197-4204 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 97 , 98 , .

Question:

How likely is it that your relationship with {initials} will be permanent?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Almost certain	2365	46.2 %
2	A good chance	798	15.6 %
3	A 50-50 chance	404	7.9 %
4	Some chance, but probably not	248	4.8 %
5	Almost no chance	229	4.5 %
96 (M)	Refused	9	0.2 %
97 (M)	Legitimate skip	906	17.7 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

Based upon 4044 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 1.81
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.18

H4RD14 S17Q14 SEXUAL ACTIVITY W/ PTNR, NUMBER-W4

Location: 4205-4212 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9996 , 9998

Question: On average, how often (did/do) you have sexual relations with {initials}? By 'sexual relations' we mean vaginal intercourse, oral sex, anal sex, or other types of sexual activity. - frequency

[NOTES:] Note that some respondents report extremely high sexual activity frequencies when computed from the combination of these 2 variables, suggesting some respondents may have misunderstood the time unit strategy used in H4RD14T.

<i>Value</i>	<i>Label</i>
9996 (M)	Refused
9998 (M)	Don't know

Based upon 4729 valid cases out of 5114 total cases.

- Mean: 50.30
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 995.00
- Standard Deviation: 160.79

H4RD14T S17Q14 SEXUAL ACTIVITY W/ PRTNR, UNIT-W4

Location: 4213-4220 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: On average, how often (did/do) you have sexual relations with {initials}? By 'sexual relations' we mean vaginal intercourse, oral sex, anal sex, or other types of sexual activity. unit - week/month/year

[NOTES:] Note that some respondents report extremely high sexual activity frequencies when computed from the combination of these 2 variables, suggesting some respondents may have misunderstood the time unit strategy used in H4RD14T.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Week	2850	55.7 %
2	Month	824	16.1 %
3	Year	1032	20.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	152	3.0 %
8 (M)	Don't know	110	2.2 %
. (M)	-	146	2.9 %

Based upon 4706 valid cases out of 5114 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

H4RD15

S17Q15 EXTNT CONTRACEPTIVE USE W/PTNR-W4

Location: 4221-4228 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: On average, how often (do/did) you or {initials} use a contraceptive method of birth control or disease prevention?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of the time	1909	37.3 %
1	Some of the time	529	10.3 %
2	About half of the time	151	3.0 %
3	Most of the time	494	9.7 %
4	All of the time	1789	35.0 %
6 (M)	Refused	74	1.4 %
8 (M)	Don't know	22	0.4 %
. (M)	-	146	2.9 %

Based upon 4872 valid cases out of 5114 total cases.

- Mean: 1.94
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.80

H4RD16

S17Q16 PRTNR HAS CONCURRENT PARTNERS?-W4

Location: 4229-4236 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

- Study 21600 -

Question:

As far as you know, during the time you and {initials} (have had/had) a sexual relationship, (has/did) {initials} ever (had/have) any other sexual partners?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4136	80.9 %
1	Yes	740	14.5 %
6 (M)	Refused	42	0.8 %
8 (M)	Don't know	50	1.0 %
. (M)	-	146	2.9 %

Based upon 4876 valid cases out of 5114 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4RD17

S17Q17 R HAS CONCURRENT PARTNERS?-W4

Location:

4237-4244 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , .

Question:

During the time you and {initials} (have had/had) a sexual relationship (have/did) you ever (had/have) any other sexual partners?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3888	76.0 %
1	Yes	1027	20.1 %
6 (M)	Refused	37	0.7 %
8 (M)	Don't know	16	0.3 %
. (M)	-	146	2.9 %

Based upon 4915 valid cases out of 5114 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4RD18

S17Q18 FREQ. PARTNER VIOLENT TO R-W4

Location:

4245-4252 (width: 8; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 96 , 98 , .

Question: How often (has/did) {initials} (threatened/threaten) you with violence, (pushed/push) or (shoved/shove) you, or (thrown/throw) something at you that could hurt?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3880	75.9 %
1	Has not happened in the past year, but it did before then	294	5.7 %
2	Once in the last year of the relationship	306	6.0 %
3	Twice in the last year of the relationship	186	3.6 %
4	3 to 5 times in the last year of the relationship	148	2.9 %
5	6 to 10 times in the last year of the relationship	48	0.9 %
6	11 to 20 times in the last year of the relationship	25	0.5 %
7	More than 20 times in the last year of the relationship	37	0.7 %
96 (M)	Refused	28	0.5 %
98 (M)	Don't know	16	0.3 %
. (M)	-	146	2.9 %

Based upon 4924 valid cases out of 5114 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.27

H4RD19

S17Q19 FREQ. PARTNER SLAP/HIT/KICK R-W4

Location: 4253-4260 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: How often (has/did) {initials} (slapped/slap), hit or (kicked/kick) you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4289	83.9 %
1	Has not happened in the past year, but it did before then	181	3.5 %
2	Once in the last year of the relationship	217	4.2 %
3	Twice in the last year of the relationship	96	1.9 %
4	3 to 5 times in the last year of the relationship	93	1.8 %
5	6 to 10 times in the last year of the relationship	21	0.4 %
6	11 to 20 times in the last year of the relationship	18	0.4 %
7	More than 20 times in the last year of the relationship	22	0.4 %
96 (M)	Refused	21	0.4 %
98 (M)	Don't know	10	0.2 %
. (M)	-	146	2.9 %

- Study 21600 -

Based upon 4937 valid cases out of 5114 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.02

H4RD20

S17Q20 FREQ. R INJURED BY PARTNER-W4

Location: 4261-4268 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How often (have/did) you (had/have) an injury, such as a sprain, bruise, or cut because of a fight with {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	395	7.7 %
1	Has not happened in the past year, but it did before then	74	1.4 %
2	Once in the last year of the relationship	86	1.7 %
3	Twice in the last year of the relationship	32	0.6 %
4	3 to 5 times in the last year of the relationship	35	0.7 %
5	6 to 10 times in the last year of the relationship	17	0.3 %
6	11 to 20 times in the last year of the relationship	2	0.0 %
7	More than 20 times in the last year of the relationship	12	0.2 %
96 (M)	Refused	17	0.3 %
97 (M)	Legitimate skip	4289	83.9 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

Based upon 653 valid cases out of 5114 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.60

H4RD21

S17Q21 FREQ. PARTNER FORCED SEX ON R-W4

Location: 4269-4276 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

- Study 21600 -

Question:

How often (has/did) {initials} (insisted/insist) on or (made/make) you have sexual relations with (him/her) when you didn't want to?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4622	90.4 %
1	Has not happened in the past year, but it did before then	58	1.1 %
2	Once in the last year of the relationship	88	1.7 %
3	Twice in the last year of the relationship	70	1.4 %
4	3 to 5 times in the last year of the relationship	56	1.1 %
5	6 to 10 times in the last year of the relationship	21	0.4 %
6	11 to 20 times in the last year of the relationship	10	0.2 %
7	More than 20 times in the last year of the relationship	13	0.3 %
96 (M)	Refused	19	0.4 %
98 (M)	Don't know	11	0.2 %
. (M)	-	146	2.9 %

Based upon 4938 valid cases out of 5114 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.82

H4RD22

S17Q22 FREQ. R VIOLENT TO PARTNER-W4

Location: 4277-4284 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: How often (have/did) you threatened {initials} with violence, pushed or shoved (him/her), or thrown something at (him/her) that could hurt?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4270	83.5 %
1	Has not happened in the past year, but it did before then	189	3.7 %
2	Once in the last year of the relationship	252	4.9 %
3	Twice in the last year of the relationship	109	2.1 %
4	3 to 5 times in the last year of the relationship	85	1.7 %
5	6 to 10 times in the last year of the relationship	17	0.3 %
6	11 to 20 times in the last year of the relationship	7	0.1 %
7	More than 20 times in the last year of the relationship	6	0.1 %
96 (M)	Refused	20	0.4 %
98 (M)	Don't know	13	0.3 %
. (M)	-	146	2.9 %

- Study 21600 -

Based upon 4935 valid cases out of 5114 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.90

H4RD23

S17Q23 FREQ. R SLAP/HIT/KICK PARTNER-W4

Location: 4285-4292 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: How often (have/did) you (slapped/slapped), hit, or (kicked/kick) {initials}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4466	87.3 %
1	Has not happened in the past year, but it did before then	142	2.8 %
2	Once in the last year of the relationship	171	3.3 %
3	Twice in the last year of the relationship	71	1.4 %
4	3 to 5 times in the last year of the relationship	62	1.2 %
5	6 to 10 times in the last year of the relationship	11	0.2 %
6	11 to 20 times in the last year of the relationship	4	0.1 %
7	More than 20 times in the last year of the relationship	8	0.2 %
96 (M)	Refused	22	0.4 %
98 (M)	Don't know	11	0.2 %
. (M)	-	146	2.9 %

Based upon 4935 valid cases out of 5114 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.78

H4RD24

S17Q24 FREQ. PARTNER INJURED BY R-W4

Location: 4293-4300 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How often (has/did) {initials} (had/have) an injury, such as a sprain, bruise, or cut because of a fight with you?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	309	6.0 %
1	Has not happened in the past year, but it did before then	62	1.2 %
2	Once in the last year of the relationship	59	1.2 %
3	Twice in the last year of the relationship	29	0.6 %
4	3 to 5 times in the last year of the relationship	6	0.1 %
5	6 to 10 times in the last year of the relationship	6	0.1 %
6	11 to 20 times in the last year of the relationship	1	0.0 %
7	More than 20 times in the last year of the relationship	2	0.0 %
96 (M)	Refused	18	0.4 %
97 (M)	Legitimate skip	4466	87.3 %
98 (M)	Don't know	10	0.2 %
. (M)	-	146	2.9 %

Based upon 474 valid cases out of 5114 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.21

H4RD25

S17Q25 FREQ. R FORCED SEX ON PARTNER-W4

Location: 4301-4308 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: How often (have/did) you (insisted/insist) on or (made/make) {initials} have sexual relations with you when (he/she) didn't want to?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4795	93.8 %
1	Has not happened in the past year, but it did before then	32	0.6 %
2	Once in the last year of the relationship	43	0.8 %
3	Twice in the last year of the relationship	29	0.6 %
4	3 to 5 times in the last year of the relationship	26	0.5 %
5	6 to 10 times in the last year of the relationship	8	0.2 %
6	11 to 20 times in the last year of the relationship	3	0.1 %
7	More than 20 times in the last year of the relationship	4	0.1 %
96 (M)	Refused	19	0.4 %
98 (M)	Don't know	9	0.2 %
. (M)	-	146	2.9 %

- Study 21600 -

Based upon 4940 valid cases out of 5114 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.52

H4KK14

S20BQ14 LANGUAGE SPOKEN CHILD AT HOME-W4

Location: 4309-4316 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: What language do you speak to your child/children when you are together at home?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2450	47.9 %
2	Spanish	46	0.9 %
6	Other language	5	0.1 %
7	A combination of English and another language	78	1.5 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	2526	49.4 %
98 (M)	Don't know	5	0.1 %

Based upon 2579 valid cases out of 5114 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.05

H4KK15A

S20BQ15 R HAPPY IN ROLE AS A PARENT-W4

Location: 4317-4324 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: I am happy in my role as parent.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1925	37.6 %
2	Agree	507	9.9 %
3	Neither agree nor disagree	79	1.5 %
4	Disagree	45	0.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Strongly disagree	23	0.4 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	2526	49.4 %
98 (M)	Don't know	4	0.1 %

Based upon 2579 valid cases out of 5114 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.71

H4KK15B S20BQ15 R FEEL CLOSE TO CHILD(REN)-W4

Location: 4325-4332 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: I feel close to my child(ren).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	2123	41.5 %
2	Agree	363	7.1 %
3	Neither agree nor disagree	46	0.9 %
4	Disagree	30	0.6 %
5	Strongly disagree	20	0.4 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	2526	49.4 %
98 (M)	Don't know	1	0.0 %

Based upon 2582 valid cases out of 5114 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.62

H4KK15C S20BQ15 CHILD(REN) MAJOR STRESS TO R-W4

Location: 4333-4340 (width: 8; decimal: 0)
 Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98

Question: The major source of stress in my life is my child(ren).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	137	2.7 %
2	Agree	208	4.1 %
3	Neither agree nor disagree	522	10.2 %
4	Disagree	803	15.7 %
5	Strongly disagree	911	17.8 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	2526	49.4 %
98 (M)	Don't know	2	0.0 %

Based upon 2581 valid cases out of 5114 total cases.

- Mean: 3.83
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.15

H4KK15D

S20BQ15 PARENT RESPONSBLTY OVRWHELM R-W4

Location: 4341-4348 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: I feel overwhelmed by the responsibility of being a parent.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	99	1.9 %
2	Agree	219	4.3 %
3	Neither agree nor disagree	430	8.4 %
4	Disagree	904	17.7 %
5	Strongly disagree	927	18.1 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	2526	49.4 %
98 (M)	Don't know	3	0.1 %

Based upon 2579 valid cases out of 5114 total cases.

- Mean: 3.91
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00

- Study 21600 -

- Standard Deviation: 1.10

H4DS1 S21Q1 12 MO,OFT DAMAGE PROP/NOT YOUR-W4

Location: 4349-4356 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you deliberately damage property that didn't belong to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4894	95.7 %
1	1 or 2 times	178	3.5 %
2	3 or 4 times	14	0.3 %
3	5 or more times	11	0.2 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	9	0.2 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.25

H4DS2 S21Q2 12 MO,OFT STEAL SOMETHING/>\$50-W4

Location: 4357-4364 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you steal something worth more than \$50?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	5016	98.1 %
1	1 or 2 times	67	1.3 %
2	3 or 4 times	10	0.2 %
3	5 or more times	6	0.1 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	5	0.1 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

H4DS3 S21Q3 12 MO,OFT HOUSE STEAL SOMETHIN-W4

Location: 4365-4372 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you go into a house or building to steal something?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	5066	99.1 %
1	1 or 2 times	21	0.4 %
2	3 or 4 times	8	0.2 %
3	5 or more times	4	0.1 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.13

H4DS4 S21Q4 12 MO,OFT WEAPON GET SOMETHING-W4

Location: 4373-4380 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you use or threaten to use a weapon to get something from someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	5056	98.9 %
1	1 or 2 times	34	0.7 %
2	3 or 4 times	4	0.1 %
3	5 or more times	5	0.1 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5099 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.14

H4DS5 S21Q5 12 MO,OFT SELL DRUGS-W4

Location: 4381-4388 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: In the past 12 months, how often did you sell marijuana or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4875	95.3 %
1	1 or 2 times	88	1.7 %
2	3 or 4 times	31	0.6 %
3	5 or more times	107	2.1 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	4	0.1 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.47

H4DS6 S21Q6 12 MO,OFT STEAL SOMETHING/<\$50-W4

Location: 4389-4396 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: In the past 12 months, how often did you steal something worth less than \$50?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4891	95.6 %
1	1 or 2 times	167	3.3 %
2	3 or 4 times	23	0.4 %
3	5 or more times	19	0.4 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	5	0.1 %

- Study 21600 -

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.29

H4DS7 S21Q7 12 MO,OFT PART PHYS FIGHT/GRP-W4

Location: 4397-4404 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you take part in a physical fight where a group of your friends was against another group?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4939	96.6 %
1	1 or 2 times	141	2.8 %
2	3 or 4 times	12	0.2 %
3	5 or more times	7	0.1 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.22

H4DS8 S21Q8 12 MO,OFT BUY,SELL,STOL PROPER-W4

Location: 4405-4412 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you buy, sell, or hold stolen property?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4967	97.1 %
1	1 or 2 times	103	2.0 %
2	3 or 4 times	24	0.5 %
3	5 or more times	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.22

H4DS9 S21Q9 12 MO,OFT USE ONE'S CRED CARD-W4

Location: 4413-4420 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you use someone else's credit card, bank card, or automatic teller card without their permission or knowledge?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	5069	99.1 %
1	1 or 2 times	23	0.4 %
2	3 or 4 times	4	0.1 %
3	5 or more times	4	0.1 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.12

H4DS10 S21Q10 12 MO,OFT DELIB WRIT BAD CHECK-W4

Location: 4421-4428 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you deliberately write a bad check?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	5003	97.8 %
1	1 or 2 times	76	1.5 %
2	3 or 4 times	13	0.3 %
3	5 or more times	9	0.2 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.20

H4DS11

S21Q11 12 MO,OFT GET IN PHYS FIGHT-W4

Location: 4429-4436 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: In the past 12 months, how often did you get into a serious physical fight?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4840	94.6 %
1	1 or 2 times	234	4.6 %
2	3 or 4 times	18	0.4 %
3	5 or more times	9	0.2 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.27

H4DS12

S21Q12 12 MO,OFT HURT ONE BAD/CARE-W4

Location: 4437-4444 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 7

Question: In the past 12 months, how often did you hurt someone badly enough in a physical fight that he or she needed care from a doctor or nurse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	162	3.2 %
1	1 or 2 times	87	1.7 %
2	3 or 4 times	8	0.2 %
3	5 or more times	4	0.1 %
7 (M)	Legitimate skip	4853	94.9 %

Based upon 261 valid cases out of 5114 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

H4DS13

S21Q13 12 MO YOUR PROP STOLEN >\$50-W4

Location: 4445-4452 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: Someone stole something from you worth more than \$50?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3445	67.4 %
1	Yes	1214	23.7 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	442	8.6 %

Based upon 4659 valid cases out of 5114 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4DS14

S21Q14 12 MO,SAW ONE SHOOT/STAB PERS-W4

Location: 4453-4460 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: You saw someone shoot or stab another person?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4309	84.3 %
1	Yes	350	6.8 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4659 valid cases out of 5114 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4DS15

S21Q15 12 MO,PULLED GUN/KNIFE ON YOU-W4

Location: 4461-4468 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: Someone pulled a knife or gun on you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4346	85.0 %
1	Yes	312	6.1 %
6 (M)	Refused	9	0.2 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4658 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4DS16

S21Q16 12 MO,SOMEONE SHOT/STAB YOU-W4

Location: 4469-4476 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: Someone shot or stabbed you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4502	88.0 %
1	Yes	158	3.1 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4660 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4DS17

S21Q17 12 MO,ONE SLAP/HIT/CHOKE YOU-W4

Location: 4477-4484 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: Someone slapped, hit, choked, or kicked you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4181	81.8 %
1	Yes	478	9.3 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4659 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4DS18

S21Q18 12 MO,YOU WERE BEATEN UP-W4

Location: 4485-4492 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: You were beaten up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4508	88.2 %
1	Yes	151	3.0 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4659 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

H4DS19

S21Q19 12 MO,PULL KNIFE/GUN SOMEONE-W4

Location: 4493-4500 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: You pulled a knife or gun on someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4533	88.6 %
1	Yes	126	2.5 %
6 (M)	Refused	8	0.2 %
8 (M)	Don't know	5	0.1 %
. (M)	-	442	8.6 %

Based upon 4659 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4DS20

S21Q20 12 MO,SHOT/STABBED SOMEONE-W4

Location: 4501-4508 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question: In the past 12 months: You shot or stabbed someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4600	89.9 %
1	Yes	58	1.1 %
6 (M)	Refused	10	0.2 %
8 (M)	Don't know	4	0.1 %
. (M)	-	442	8.6 %

Based upon 4658 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

H4CJ1 S22Q1 EVER BEEN ARRESTED BY POLICE-W4

Location: 4509-4516 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you ever been arrested?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3610	70.6 %
1	Yes	1457	28.5 %
6 (M)	Refused	13	0.3 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	4	0.1 %

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4CJ2 S22Q2 NUM TIMES ARRESTED BY POLICE-W4

Location: 4517-4524 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: How many times have you been arrested?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	720	14.1 %
2	-	765	15.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	1	0.0 %

Based upon 1485 valid cases out of 5114 total cases.

- Mean: 1.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4CJ3

S22Q3 AGE WHEN ARRESTED BY POLICE-W4

Location: 4525-4532 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you?

[NOTES:] Soft check, if Q.3 is less than 10 years old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	12 years and younger	5	0.1 %
13	-	5	0.1 %
14	-	5	0.1 %
15	-	13	0.3 %
16	-	24	0.5 %
17	-	47	0.9 %
18	-	87	1.7 %
19	-	59	1.2 %
20	-	48	0.9 %
21	-	67	1.3 %
22	-	58	1.1 %
23	-	50	1.0 %
24	-	38	0.7 %
25	-	56	1.1 %
26	-	52	1.0 %
27	-	38	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	23	0.4 %
29	-	16	0.3 %
30	-	13	0.3 %
31	-	6	0.1 %
32	32 years and older	5	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4394	85.9 %
98 (M)	Don't know	4	0.1 %

Based upon 715 valid cases out of 5114 total cases.

- Mean: 21.80
- Median: 21.00
- Mode: 18.00
- Minimum: 12.00
- Maximum: 32.00
- Standard Deviation: 4.09

H4CJ4

S22Q4 AGE WHEN 1ST ARRESTED BY POLICE-W4

Location: 4533-4540 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time you were arrested?

[NOTES:] Soft check, if Q.4 is less than 10 years old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	10 years and younger	4	0.1 %
11	-	6	0.1 %
12	-	10	0.2 %
13	-	23	0.4 %
14	-	34	0.7 %
15	-	48	0.9 %
16	-	70	1.4 %
17	-	103	2.0 %
18	-	130	2.5 %
19	-	75	1.5 %
20	-	59	1.2 %
21	-	57	1.1 %
22	-	41	0.8 %
23	-	31	0.6 %
24	-	27	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	15	0.3 %
26	-	7	0.1 %
27	-	7	0.1 %
28	-	7	0.1 %
29	29 years and older	3	0.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4347	85.0 %
98 (M)	Don't know	8	0.2 %

Based upon 757 valid cases out of 5114 total cases.

- Mean: 18.53
- Median: 18.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 29.00
- Standard Deviation: 3.39

H4CJ5

S22Q5 NUM TIMES ARRESTED BEF AGE 18-W4

Location: 4541-4548 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: How many times were you arrested before your 18th birthday?

[NOTES:] Soft check, if Q.5 is greater than 20 times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	115	2.2 %
2	-	69	1.3 %
3	-	39	0.8 %
4	-	24	0.5 %
5	-	18	0.4 %
6	-	6	0.1 %
7	-	4	0.1 %
8	-	2	0.0 %
10	-	3	0.1 %
13	-	1	0.0 %
15	-	2	0.0 %
20	20 or more times	5	0.1 %
996 (M)	Refused	1	0.0 %
997 (M)	Legitimate skip	4816	94.2 %
998 (M)	Don't know	9	0.2 %

- Study 21600 -

Based upon 288 valid cases out of 5114 total cases.

- Mean: 2.81
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.10

H4CJ6

S22Q6 NUM TIMES ARRESTED SINCE 18-W4

Location: 4549-4556 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How many times have you been arrested since your 18th birthday?

[NOTES:] Soft check, if Q.6 is greater than 20 times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	102	2.0 %
2	-	253	4.9 %
3	-	145	2.8 %
4	-	74	1.4 %
5	-	59	1.2 %
6	-	21	0.4 %
7	-	16	0.3 %
8	-	9	0.2 %
9	-	3	0.1 %
10	-	26	0.5 %
11	-	1	0.0 %
12	-	7	0.1 %
13	-	3	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
20	-	10	0.2 %
25	25 or more times	7	0.1 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	4347	85.0 %
98 (M)	Don't know	21	0.4 %

Based upon 738 valid cases out of 5114 total cases.

- Mean: 3.75
- Median: 3.00
- Mode: 2.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.70

H4CJ7A S22Q7A TYPE ARREST CHARGE-DUI/DWI-W4

Location: 4557-4563 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What were you charged with (the first time)? : driving under the influence (DUI; DWI)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1167	22.8 %
1	Selected	296	5.8 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4CJ7B S22Q7B TYPE ARREST CHARGE-OTH ETOH-W4

Location: 4564-4570 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What were you charged with (the first time)? : other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1289	25.2 %
1	Selected	174	3.4 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4CJ7C

S22Q7C TYPE ARREST CHARGE-MARIJ-W4

Location: 4571-4577 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1284	25.1 %
1	Selected	179	3.5 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4CJ7D

S22Q7D TYPE ARREST CHARGE-OTH DRUG-W4

Location: 4578-4584 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1386	27.1 %
1	Selected	77	1.5 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

H4CJ7E

S22Q7E TYPE ARREST CHARGE-ROBBERY-W4

Location: 4585-4591 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : robbery (taking or attempting to take something using a weapon or physical force)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1436	28.1 %
1	Selected	27	0.5 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

H4CJ7F

S22Q7F TYPE ARREST CHARGE-THEFT-W4

Location: 4592-4598 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : theft (taking something without using force, such as larceny, burglary, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1307	25.6 %
1	Selected	156	3.1 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

- Study 21600 -

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4CJ7G

S22Q7G TYPE ARREST CHARGE-RAPE-W4

Location: 4599-4605 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : forcible rape (does not include statutory rape)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1462	28.6 %
1	Selected	1	0.0 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

H4CJ7H

S22Q7H TYPE ARREST CHARGE-AGR ASSLT-W4

Location: 4606-4612 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1432	28.0 %
1	Selected	31	0.6 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4CJ7I S22Q7I TYPE ARREST CHARGE-SIMP ASSLT-W4

Location: 4613-4619 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)?: simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1335	26.1 %
1	Selected	128	2.5 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H4CJ7J S22Q7J TYPE ARREST CHARGE-FRAUD-W4

Location: 4620-4626 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)?: fraud, forgery, or embezzlement

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1436	28.1 %
1	Selected	27	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

H4CJ7K

S22Q7K TYPE ARREST CHARGE-OTHER OFFNS-W4

Location: 4627-4633 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What were you charged with (the first time)? : other offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	927	18.1 %
1	Selected	536	10.5 %
6 (M)	Refused	15	0.3 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	9	0.2 %

Based upon 1463 valid cases out of 5114 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4CJ8

S22Q8 AGE LAST TIME ARRESTED-W4

Location: 4634-4641 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How old were you the last time you were arrested?

[NOTES:] One response falling outside of the range of legitimate responses was recoded to (.) missing.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	2	0.0 %
12	-	2	0.0 %
13	-	3	0.1 %
14	-	2	0.0 %
15	-	5	0.1 %
16	-	5	0.1 %
17	-	21	0.4 %
18	-	27	0.5 %
19	-	34	0.7 %
20	-	36	0.7 %
21	-	49	1.0 %
22	-	44	0.9 %
23	-	59	1.2 %
24	-	65	1.3 %
25	-	93	1.8 %
26	-	87	1.7 %
27	-	73	1.4 %
28	-	57	1.1 %
29	-	45	0.9 %
30	-	24	0.5 %
31	-	14	0.3 %
32	-	2	0.0 %
33	-	1	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4349	85.0 %
98 (M)	Don't know	11	0.2 %
. (M)	-	1	0.0 %

Based upon 750 valid cases out of 5114 total cases.

- Mean: 24.13
- Median: 25.00
- Mode: 25.00
- Minimum: 11.00
- Maximum: 33.00
- Standard Deviation: 3.81

H4CJ9A

S22Q9A LAST ARREST CHARGE-DUI/DWI-W4

Location: 4642-4648 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

- Study 21600 -

Question:

That last time, what were you charged with?: driving under the influence (DUI; DWI)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	598	11.7 %
1	Selected	156	3.1 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4CJ9B

S22Q9B LAST ARREST CHARGE-OTH ETOH-W4

Location: 4649-4655 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: That last time, what were you charged with?: other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	698	13.6 %
1	Selected	56	1.1 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4CJ9C

S22Q9C LAST ARREST CHARGE-MARIJ-W4

Location: 4656-4662 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

- Study 21600 -

Question:

That last time, what were you charged with?: marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	665	13.0 %
1	Selected	89	1.7 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

H4CJ9D

S22Q9D LAST ARREST CHARGE-OTH DRUG-W4

Location:

4663-4669 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8

Question:

That last time, what were you charged with?: other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	701	13.7 %
1	Selected	53	1.0 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4CJ9E

S22Q9E LAST ARREST CHARGE-ROBBERY-W4

Location:

4670-4676 (width: 7; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: That last time, what were you charged with?: robbery (taking or attempting to take something using a weapon or physical force)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	736	14.4 %
1	Selected	18	0.4 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H4CJ9F

S22Q9F LAST ARREST CHARGE-THEFT-W4

Location: 4677-4683 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: That last time, what were you charged with?: theft (taking something without using force, such as larceny, burglary, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	706	13.8 %
1	Selected	48	0.9 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

H4CJ9G

S22Q9G LAST ARREST CHARGE-RAPE-W4

Location: 4684-4690 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: That last time, what were you charged with?: forcible rape (does not include statutory rape)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	754	14.7 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H4CJ9H S22Q9H LAST ARREST CHARGE-AGR ASSLT-W4

Location: 4691-4697 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: That last time, what were you charged with?: aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	732	14.3 %
1	Selected	22	0.4 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4CJ9I S22Q9I LAST ARREST CHARGE-SIMP ASSLT-W4

Location: 4698-4704 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: That last time, what were you charged with?: simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	706	13.8 %
1	Selected	48	0.9 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

H4CJ9J S22Q9J LAST ARREST CHARGE-FRAUD-W4

Location: 4705-4711 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: That last time, what were you charged with?: fraud, forgery, or embezzlement

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	738	14.4 %
1	Selected	16	0.3 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4CJ9K S22Q9K LAST ARREST CHARGE-OTH OFFNS-W4

Location: 4712-4718 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: That last time, what were you charged with?: other offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	462	9.0 %
1	Selected	292	5.7 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4349	85.0 %
8 (M)	Don't know	3	0.1 %

Based upon 754 valid cases out of 5114 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4CJ10 S22Q10 EVER BEEN CONVICTED/PLED CRM-W4

Location: 4719-4726 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Have you ever been convicted of or pled guilty to any charges other than a minor traffic violation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	801	15.7 %
1	Once	427	8.3 %
2	More than once	253	4.9 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	1	0.0 %

Based upon 1481 valid cases out of 5114 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.76

H4CJ11 S22Q11 AGE WHEN CONVICTED-W4

- Study 21600 -

Location: 4727-4734 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: How old were you when you were convicted or pled guilty?

[NOTES:] Soft check, if Q.11 is less than 10 years old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	13 years or younger	4	0.1 %
14	-	3	0.1 %
15	-	3	0.1 %
16	-	4	0.1 %
17	-	18	0.4 %
18	-	44	0.9 %
19	-	39	0.8 %
20	-	35	0.7 %
21	-	30	0.6 %
22	-	37	0.7 %
23	-	29	0.6 %
24	-	30	0.6 %
25	-	40	0.8 %
26	-	34	0.7 %
27	-	29	0.6 %
28	-	23	0.4 %
29	-	12	0.2 %
30	-	7	0.1 %
31	-	1	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4687	91.7 %
98 (M)	Don't know	4	0.1 %

Based upon 422 valid cases out of 5114 total cases.

- Mean: 22.45
- Median: 22.00
- Mode: 18.00
- Minimum: 13.00
- Maximum: 31.00
- Standard Deviation: 3.81

H4CJ12	S22Q12 AGE WHEN 1ST CONVICTED-W4
---------------	---

Location: 4735-4742 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97 , 98

- Study 21600 -

Question:

How old were you the first time you were convicted or pled guilty to something?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	2	0.0 %
12	-	4	0.1 %
13	-	6	0.1 %
14	-	9	0.2 %
15	-	12	0.2 %
16	-	29	0.6 %
17	-	15	0.3 %
18	-	65	1.3 %
19	-	23	0.4 %
20	-	20	0.4 %
21	-	18	0.4 %
22	-	15	0.3 %
23	-	10	0.2 %
24	-	7	0.1 %
25	-	5	0.1 %
26	-	3	0.1 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
97 (M)	Legitimate skip	4861	95.1 %
98 (M)	Don't know	5	0.1 %

Based upon 248 valid cases out of 5114 total cases.

- Mean: 18.67
- Median: 18.00
- Mode: 18.00
- Minimum: 11.00
- Maximum: 30.00
- Standard Deviation: 3.27

H4CJ13A

S22Q13A CONVICT/PLED CHARGE-DUI/DWI-W4

Location: 4743-4749 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)? : driving under the influence (DUI; DWI)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	535	10.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Selected	133	2.6 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4CJ13B S22Q13B CONVICT/PLED CHARGE-OTH ETOH-W4

Location: 4750-4756 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	619	12.1 %
1	Selected	49	1.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4CJ13C S22Q13C CONVICT/PLED CHARGE-MARIJ-W4

Location: 4757-4763 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

- Study 21600 -

Question:

What charges were you convicted of or did you plead guilty to (the first time)? : marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	582	11.4 %
1	Selected	86	1.7 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

H4CJ13D

S22Q13D CONVICT/PLED CHARGE-OTH DRUG-W4

Location:

4764-4770 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 7 , 8

Question:

What charges were you convicted of or did you plead guilty to (the first time)? : other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	600	11.7 %
1	Selected	68	1.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4CJ13E

S22Q13E CONVICT/PLED CHARGE-ROBBERY-W4

Location:

4771-4777 (width: 7; decimal: 0)

Variable Type:

numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: robbery (taking or attempting to take something using a weapon or physical force)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	648	12.7 %
1	Selected	20	0.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4CJ13F

S22Q13F CONVICT/PLED CHARGE-THEFT-W4

Location: 4778-4784 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: theft (taking something without using force, such as larceny, burglary, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	594	11.6 %
1	Selected	74	1.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4CJ13G

S22Q13G CONVICT/PLED CHARGE-RAPE-W4

Location: 4785-4791 (width: 7; decimal: 0)

- Study 21600 -

Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What charges were you convicted of or did you plead guilty to (the first time)? : forcible rape (does not include statutory rape)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	668	13.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

H4CJ13H S22Q13H CONVICT/PLED CHARGE-AGR ASSLT-W4

Location: 4792-4798 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What charges were you convicted of or did you plead guilty to (the first time)? : aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	650	12.7 %
1	Selected	18	0.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4CJ13I S22Q13I CONVICT/PLED CHARGE-SIM ASSLT-W4

- Study 21600 -

Location: 4799-4805 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	630	12.3 %
1	Selected	38	0.7 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

H4CJ13J S22Q13J CONVICT/PLED CHARGE-FRAUD-W4

Location: 4806-4812 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: fraud, forgery, or embezzlement

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	647	12.7 %
1	Selected	21	0.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

- Study 21600 -

H4CJ13K S22Q13K CONVICT/PLED CHARGE-OTH OFFNS-W4

Location: 4813-4819 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to (the first time)?: other offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	469	9.2 %
1	Selected	199	3.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4434	86.7 %
8 (M)	Don't know	9	0.2 %

Based upon 668 valid cases out of 5114 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4CJ14 S22Q14 AGE WHEN LST CONVICTED/PLED-W4

Location: 4820-4827 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you the last time you were convicted of or pled guilty to something?

[NOTES:] Soft check, if Q.14 is less than 10 years old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	15 years or younger	2	0.0 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	14	0.3 %
19	-	4	0.1 %
20	-	12	0.2 %
21	-	21	0.4 %
22	-	16	0.3 %
23	-	20	0.4 %
24	-	27	0.5 %
25	-	29	0.6 %
26	-	24	0.5 %
27	-	29	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	15	0.3 %
29	-	21	0.4 %
30	-	6	0.1 %
31	-	2	0.0 %
32	-	2	0.0 %
97 (M)	Legitimate skip	4861	95.1 %
98 (M)	Don't know	3	0.1 %

Based upon 250 valid cases out of 5114 total cases.

- Mean: 24.26
- Median: 25.00
- Minimum: 15.00
- Maximum: 32.00
- Standard Deviation: 3.55

H4CJ15A

S22Q15A LST CONV/PLED CHARG-DUI/DWI-W4

Location: 4828-4834 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: driving under the influence (DUI; DWI)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	196	3.8 %
1	Selected	53	1.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4CJ15B

S22Q15B LST CONV/PLED CHARG-OTH ETOH-W4

Location: 4835-4841 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	232	4.5 %
1	Selected	17	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4CJ15C

S22Q15C LST CONV/PLED CHARG-MARIJ-W4

Location: 4842-4848 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	216	4.2 %
1	Selected	33	0.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

H4CJ15D

S22Q15D LST CONV/PLED CHARG-OTH DRUG-W4

- Study 21600 -

Location: 4849-4855 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What charges were you convicted of or did you plead guilty to the last time?: other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	219	4.3 %
1	Selected	30	0.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4CJ15E S22Q15E LST CONV/PLED CHARG-ROBBERY-W4

Location: 4856-4862 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: What charges were you convicted of or did you plead guilty to the last time?: robbery (taking or attempting to take something using a weapon or physical force)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	238	4.7 %
1	Selected	11	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

- Study 21600 -

H4CJ15F S22Q15F LST CONV/PLED CHARG-THEFT-W4

Location: 4863-4869 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: theft (taking something without using force, such as larceny, burglary, or shoplifting)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	232	4.5 %
1	Selected	17	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4CJ15G S22Q15G LST CONV/PLED CHARG-RAPE-W4

Location: 4870-4876 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: forcible rape (does not include statutory rape)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	249	4.9 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 21600 -

H4CJ15H S22Q15H LST CONV/PLED CHARG-AGR ASSLT-W4

Location: 4877-4883 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	239	4.7 %
1	Selected	10	0.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

H4CJ15I S22Q15I LST CONV/PLED CHARG-SIM ASSLT-W4

Location: 4884-4890 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	235	4.6 %
1	Selected	14	0.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.23

H4CJ15J S22Q15J LST CONV/PLED CHARG-FRAUD-W4

Location: 4891-4897 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: fraud, forgery, or embezzlement

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	243	4.8 %
1	Selected	6	0.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

H4CJ15K S22Q15K LST CONV/PLED CHARG-OTH OFFNS-W4

Location: 4898-4904 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: What charges were you convicted of or did you plead guilty to the last time?: other offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	169	3.3 %
1	Selected	80	1.6 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4861	95.1 %
8 (M)	Don't know	3	0.1 %

Based upon 249 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.47

H4CJ16 S22Q16 EVER SENTENCED PROBATION-W4

Location: 4905-4912 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Have you ever been on probation for an offense?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	774	15.1 %
1	Once	529	10.3 %
2	More than once	178	3.5 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3627	70.9 %
8 (M)	Don't know	2	0.0 %

Based upon 1481 valid cases out of 5114 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.69

H4CJ17 S22Q17 EVER INCARCERATED-W4

Location: 4913-4920 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Have you ever spent time in a jail, prison, juvenile detention center or other correctional facility?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	665	13.0 %
1	Yes	785	15.4 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3657	71.5 %
8 (M)	Don't know	2	0.0 %

Based upon 1450 valid cases out of 5114 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4CJ18

S22Q18 NUM OF TIMES INCARCERATED-W4

Location: 4921-4928 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: How many times have you been in a jail, prison, juvenile detention center or other correctional facility?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Once	415	8.1 %
2	More than once	396	7.7 %
7 (M)	Legitimate skip	4299	84.1 %
8 (M)	Don't know	4	0.1 %

Based upon 811 valid cases out of 5114 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4CJ19

S22Q19 AGE WHEN INCARCERATED-W4

Location: 4929-4936 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you went to jail, prison, juvenile detention center or other correctional facility?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	13 years or younger	4	0.1 %
14	-	7	0.1 %
15	-	7	0.1 %
16	-	11	0.2 %
17	-	18	0.4 %
18	-	40	0.8 %
19	-	35	0.7 %
20	-	28	0.5 %
21	-	31	0.6 %
22	-	30	0.6 %
23	-	28	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	30	0.6 %
25	-	36	0.7 %
26	-	40	0.8 %
27	-	29	0.6 %
28	-	16	0.3 %
29	-	12	0.2 %
30	-	4	0.1 %
31	-	3	0.1 %
32	-	2	0.0 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4699	91.9 %
98 (M)	Don't know	3	0.1 %

Based upon 411 valid cases out of 5114 total cases.

- Mean: 22.27
- Median: 22.00
- Minimum: 13.00
- Maximum: 32.00
- Standard Deviation: 4.05

H4CJ20

S22Q20 AGE 1ST INCARCERATED-W4

Location: 4937-4944 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you the first time you went to jail, prison, juvenile detention or other correctional facility?

[NOTES:] Soft check, if Q.20 is less than 10 years old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	3	0.1 %
12	-	2	0.0 %
13	-	11	0.2 %
14	-	11	0.2 %
15	-	17	0.3 %
16	-	29	0.6 %
17	-	34	0.7 %
18	-	90	1.8 %
19	-	39	0.8 %
20	-	30	0.6 %
21	-	41	0.8 %
22	-	22	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	19	0.4 %
24	-	7	0.1 %
25	-	10	0.2 %
26	-	8	0.2 %
27	-	4	0.1 %
28	-	6	0.1 %
29	-	2	0.0 %
30	30 years or older	2	0.0 %
97 (M)	Legitimate skip	4718	92.3 %
98 (M)	Don't know	9	0.2 %

Based upon 387 valid cases out of 5114 total cases.

- Mean: 19.16
- Median: 18.00
- Mode: 18.00
- Minimum: 11.00
- Maximum: 30.00
- Standard Deviation: 3.42

H4CJ21

S22Q21 AGE LST INCARCERATED-W4

Location: 4945-4952 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: [if PRISON4=0, ask version:] How old were you the last time you went to jail, prison, juvenile detention or other correctional facility? [if PRISON4=1 ask, version:] How old were you when you went to jail, prison, juvenile detention or other correctional facility this time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	13 years or younger	4	0.1 %
14	-	2	0.0 %
15	-	1	0.0 %
16	-	5	0.1 %
17	-	9	0.2 %
18	-	15	0.3 %
19	-	16	0.3 %
20	-	18	0.4 %
21	-	28	0.5 %
22	-	23	0.4 %
23	-	24	0.5 %
24	-	34	0.7 %
25	-	42	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	-	45	0.9 %
27	-	48	0.9 %
28	-	25	0.5 %
29	-	30	0.6 %
30	-	13	0.3 %
31	31 years or older	7	0.1 %
97 (M)	Legitimate skip	4718	92.3 %
98 (M)	Don't know	7	0.1 %

Based upon 389 valid cases out of 5114 total cases.

- Mean: 24.21
- Median: 25.00
- Mode: 27.00
- Minimum: 13.00
- Maximum: 31.00
- Standard Deviation: 3.84

H4CJ22Y

S22Q22Y LENGTH OF SENTENCE YEARS-W4

Location: 4953-4960 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How much time were you sentenced to serve? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	355	6.9 %
1	1 year	21	0.4 %
2	2 years	10	0.2 %
3	3 years	4	0.1 %
4	4 years	3	0.1 %
5	5 years	3	0.1 %
8	7 to 9 years	3	0.1 %
11	10 to 12 years	4	0.1 %
14	14 years or more	4	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4699	91.9 %
98 (M)	Don't know	7	0.1 %

Based upon 407 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 1.97

H4CJ22M

S22Q22M LENGTH OF SENTENCE MONTHS-W4

Location: 4961-4968 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How much time were you sentenced to serve? [months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	293	5.7 %
1	-	49	1.0 %
2	-	5	0.1 %
3	-	13	0.3 %
4	-	5	0.1 %
5	-	3	0.1 %
6	-	26	0.5 %
7	-	3	0.1 %
8	-	5	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	2	0.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4699	91.9 %
98 (M)	Don't know	5	0.1 %

Based upon 408 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.17

H4CJ23Y

S22Q23Y LENGTH OF LST SENTENCE YEARS-W4

Location: 4969-4976 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: How much time were you sentenced to serve this last time? [years]

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	297	5.8 %
1	1 year	31	0.6 %
2	2 years	13	0.3 %
3	3 years	11	0.2 %
4	4 years	5	0.1 %
5	5 years	6	0.1 %
6	6 years	4	0.1 %
7	7 years	2	0.0 %
10	9 to 11 years	4	0.1 %
14	12 to 16 years	5	0.1 %
30	30 years or more	2	0.0 %
95	95	1	0.0 %
996 (M)	Refused	7	0.1 %
997 (M)	Legitimate skip	4718	92.3 %
998 (M)	Don't know	8	0.2 %

Based upon 381 valid cases out of 5114 total cases.

- Mean: 1.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 5.70

H4CJ23M

S22Q23M LENGTH OF LST SENTENCE MONTHS-W4

Location: 4977-4984 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How much time were you sentenced to serve this last time? [months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	226	4.4 %
1	-	53	1.0 %
2	-	19	0.4 %
3	-	18	0.4 %
4	-	7	0.1 %
5	-	4	0.1 %
6	-	26	0.5 %
7	-	3	0.1 %
8	-	9	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	6	0.1 %
10	-	2	0.0 %
11	-	2	0.0 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	4718	92.3 %
98 (M)	Don't know	13	0.3 %

Based upon 375 valid cases out of 5114 total cases.

- Mean: 1.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.49

H4CJ24Y

S22Q24Y TOTAL YRS INCARCERATED BEF 18-W4

Location: 4985-4992 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Before your 18th birthday, about how much total time did you spend in jail or detention? [years]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0 years	119	2.3 %
1	1 year	16	0.3 %
2	2 years	6	0.1 %
3	3 years	2	0.0 %
4	4 years	2	0.0 %
5	5 years or more	2	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4960	97.0 %
98 (M)	Don't know	4	0.1 %

Based upon 147 valid cases out of 5114 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.91

H4CJ24M

S22Q24M TOTAL MON INCARCERATED BEF 18-W4

- Study 21600 -

Location: 4993-5000 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: Before your 18th birthday, about how much total time did you spend in jail or detention? [months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	76	1.5 %
1	-	25	0.5 %
2	-	7	0.1 %
3	-	6	0.1 %
4	-	8	0.2 %
6	-	19	0.4 %
8	-	5	0.1 %
9	-	2	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4960	97.0 %
98 (M)	Don't know	3	0.1 %

Based upon 148 valid cases out of 5114 total cases.

- Mean: 1.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.53

H4CJ25Y S22Q25Y TOT YR INCARCERATION AFT 18-W4

Location: 5001-5008 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: Since your 18th birthday, about how much total time have you spent in jail or prison? [years]

[NOTES:] Soft check, if Q.25Y is greater than 10 years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	638	12.5 %
1	-	52	1.0 %
2	-	36	0.7 %
3	-	18	0.4 %
4	-	13	0.3 %
5	-	9	0.2 %
6	-	5	0.1 %
7	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	2	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
96 (M)	Refused	10	0.2 %
97 (M)	Legitimate skip	4303	84.1 %
98 (M)	Don't know	19	0.4 %

Based upon 782 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.37

H4CJ25M

S22Q25M TOT MTH INCARCERATION AFT 18-W4

Location: 5009-5016 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Since your 18th birthday, about how much total time have you spent in jail or prison? [months]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	512	10.0 %
1	-	104	2.0 %
2	-	26	0.5 %
3	-	25	0.5 %
4	-	16	0.3 %
5	-	7	0.1 %
6	-	57	1.1 %
7	-	8	0.2 %
8	-	11	0.2 %
9	-	7	0.1 %
10	-	4	0.1 %
11	-	3	0.1 %
96 (M)	Refused	10	0.2 %
97 (M)	Legitimate skip	4303	84.1 %
98 (M)	Don't know	21	0.4 %

Based upon 780 valid cases out of 5114 total cases.

- Mean: 1.22

- Study 21600 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.32

H4TO1 S23Q1 EVER SMOKED ENTIRE CIGARETTE-W4

Location: 5017-5024 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you ever smoked an entire cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1773	34.7 %
1	Yes	3324	65.0 %
6 (M)	Refused	11	0.2 %
8 (M)	Don't know	6	0.1 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4TO2 S23Q2 AGE 1ST SMOKED ENTIRE CIGARETTE-W4

Location: 5025-5032 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: How old were you the first time you smoked a whole cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	4	0.1 %
6	-	8	0.2 %
7	-	11	0.2 %
8	-	26	0.5 %
9	-	26	0.5 %
10	-	60	1.2 %
11	-	76	1.5 %
12	-	280	5.5 %
13	-	333	6.5 %
14	-	326	6.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	466	9.1 %
16	-	455	8.9 %
17	-	264	5.2 %
18	-	403	7.9 %
19	-	138	2.7 %
20	-	115	2.2 %
21	-	94	1.8 %
22	-	52	1.0 %
23	-	35	0.7 %
24	-	25	0.5 %
25	-	37	0.7 %
26	-	15	0.3 %
27	-	18	0.4 %
28	-	11	0.2 %
29	-	9	0.2 %
30	-	5	0.1 %
31	-	1	0.0 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	1790	35.0 %
98 (M)	Don't know	26	0.5 %

Based upon 3293 valid cases out of 5114 total cases.

- Mean: 15.88
- Median: 16.00
- Mode: 15.00
- Minimum: 5.00
- Maximum: 31.00
- Standard Deviation: 3.57

H4TO3

S23Q3 EVER SMOKED CIGS REGULARLY-W4

Location: 5033-5040 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you ever smoked cigarettes regularly--that is, at least one cigarette every day for 30 days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1008	19.7 %
1	Yes	2312	45.2 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	1790	35.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	3	0.1 %

Based upon 3320 valid cases out of 5114 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO4

S23Q4 AGE SMOKED CIGS REGULARLY-W4

Location: 5041-5048 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you first smoked cigarettes regularly that is, at least one cigarette every day for 30 days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	6	0.1 %
6	-	3	0.1 %
7	-	3	0.1 %
8	-	6	0.1 %
9	-	4	0.1 %
10	-	13	0.3 %
11	-	12	0.2 %
12	-	73	1.4 %
13	-	111	2.2 %
14	-	131	2.6 %
15	-	257	5.0 %
16	-	382	7.5 %
17	-	250	4.9 %
18	-	460	9.0 %
19	-	124	2.4 %
20	-	111	2.2 %
21	-	108	2.1 %
22	-	54	1.1 %
23	-	35	0.7 %
24	-	32	0.6 %
25	-	39	0.8 %
26	-	27	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	21	0.4 %
28	-	14	0.3 %
29	-	6	0.1 %
30	-	8	0.2 %
31	-	1	0.0 %
96 (M)	Refused	6	0.1 %
97 (M)	Legitimate skip	2802	54.8 %
98 (M)	Don't know	15	0.3 %

Based upon 2291 valid cases out of 5114 total cases.

- Mean: 17.35
- Median: 17.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 31.00
- Standard Deviation: 3.50

H4TO5

S23Q5 NUM DAYS SMOKD CIGS LST 30 DAYS-W4

Location: 5049-5056 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: During the past 30 days, on how many days did you smoke cigarettes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3199	62.6 %
1	-	88	1.7 %
2	-	88	1.7 %
3	-	48	0.9 %
4	-	34	0.7 %
5	-	58	1.1 %
6	-	16	0.3 %
7	-	52	1.0 %
8	-	7	0.1 %
9	-	4	0.1 %
10	-	47	0.9 %
12	-	17	0.3 %
13	-	3	0.1 %
14	-	6	0.1 %
15	-	56	1.1 %
16	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.0 %
18	-	8	0.2 %
19	-	3	0.1 %
20	-	60	1.2 %
21	-	2	0.0 %
22	-	6	0.1 %
23	-	4	0.1 %
24	-	10	0.2 %
25	-	41	0.8 %
26	-	5	0.1 %
27	-	17	0.3 %
28	-	23	0.4 %
29	-	13	0.3 %
30	-	1140	22.3 %
96 (M)	Refused	19	0.4 %
98 (M)	Don't know	38	0.7 %

Based upon 5057 valid cases out of 5114 total cases.

- Mean: 8.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 12.73

H4TO6

S23Q6 NUM CIG SMOKE PR DAY LST 30 DYS-W4

Location: 5057-5064 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998

Question: During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	190	3.7 %
2	-	155	3.0 %
3	-	138	2.7 %
4	-	96	1.9 %
5	-	165	3.2 %
6	-	52	1.0 %
7	-	52	1.0 %
8	-	40	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	11	0.2 %
10	-	271	5.3 %
11	-	7	0.1 %
12	-	40	0.8 %
13	-	11	0.2 %
14	-	6	0.1 %
15	-	187	3.7 %
16	-	6	0.1 %
17	-	9	0.2 %
18	-	16	0.3 %
19	-	3	0.1 %
20	-	285	5.6 %
21	-	2	0.0 %
22	-	3	0.1 %
24	-	4	0.1 %
25	-	19	0.4 %
26	-	3	0.1 %
27	-	1	0.0 %
29	-	3	0.1 %
30	-	46	0.9 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	14	0.3 %
50	-	2	0.0 %
57	-	1	0.0 %
60	-	2	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
90	-	1	0.0 %
100	-	2	0.0 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	3256	63.7 %
998 (M)	Don't know	8	0.2 %

Based upon 1847 valid cases out of 5114 total cases.

- Mean: 10.52
- Median: 10.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 100.00

- Study 21600 -

- Standard Deviation: 9.30

H4TO7 S23Q7 EVER SMOKE MORE THAN CURRENT-W4

Location: 5065-5072 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Was there ever a period in your life when you smoked cigarettes more than you do now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1549	30.3 %
1	Yes	1773	34.7 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	1774	34.7 %
8 (M)	Don't know	11	0.2 %

Based upon 3322 valid cases out of 5114 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO8 S23Q8 SMOKE HOW SOON AFTER WAKE UP-W4

Location: 5073-5080 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Currently, how soon after you wake up do you have your first cigarette?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within 5 minutes	192	3.8 %
2	Within 6 to 30 minutes	259	5.1 %
3	Within 31 to 60 minutes	154	3.0 %
4	After 60 minutes	274	5.4 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	4	0.1 %

Based upon 879 valid cases out of 5114 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 4.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.14

H4TO9 S23Q9 DIFFICLT NO SMOKE IN PLACES-W4

Location: 5081-5088 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Do you find it difficult not to smoke cigarettes in places where it is forbidden, for example, in church, at the library, or in theaters?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	725	14.2 %
1	Yes	162	3.2 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	2	0.0 %

Based upon 887 valid cases out of 5114 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

H4TO10 S23Q10 WHICH CIG MOST DIFF TO GIVE UP-W4

Location: 5089-5096 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Which cigarette would you hate most to give up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	The first in the morning	395	7.7 %
2	Any other in the day or evening	470	9.2 %
6 (M)	Refused	11	0.2 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	15	0.3 %

Based upon 865 valid cases out of 5114 total cases.

- Mean: 1.54
- Median: 2.00

- Study 21600 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4TO11 S23Q11 NUM CIGS SMOKE PER DAY-W4

Location: 5097-5104 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: How many cigarettes a day do you smoke?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10 or fewer cigarettes	464	9.1 %
2	11 to 20 cigarettes	310	6.1 %
3	21 to 30 cigarettes	90	1.8 %
4	31 or more cigarettes	14	0.3 %
6 (M)	Refused	8	0.2 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	5	0.1 %

Based upon 878 valid cases out of 5114 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

H4TO12 S23Q12 SMOKE MORE FREQ MORNING-W4

Location: 5105-5112 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Do you smoke cigarettes more frequently during the first hours after waking than during the rest of the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	613	12.0 %
1	Yes	269	5.3 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	4	0.1 %

Based upon 882 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO13

S23Q13 SMOKE EVEN IF ILL IN MORNING-W4

Location: 5113-5120 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Do you smoke cigarettes even if you are so ill that you are in bed most of the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	624	12.2 %
1	Yes	260	5.1 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	2	0.0 %

Based upon 884 valid cases out of 5114 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO14

S23Q14 AGE HAD EXPER 1ST TIME-W4

Location: 5121-5128 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How old were you the first time you had any of these cigarette smoking experiences?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	0.1 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	6	0.1 %
9	-	5	0.1 %
10	-	2	0.0 %
11	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	27	0.5 %
13	-	39	0.8 %
14	-	37	0.7 %
15	-	61	1.2 %
16	-	93	1.8 %
17	-	78	1.5 %
18	-	168	3.3 %
19	-	52	1.0 %
20	-	62	1.2 %
21	-	57	1.1 %
22	-	34	0.7 %
23	-	28	0.5 %
24	-	22	0.4 %
25	-	26	0.5 %
26	-	16	0.3 %
27	-	12	0.2 %
28	-	12	0.2 %
29	-	9	0.2 %
30	-	5	0.1 %
31	-	4	0.1 %
32	-	1	0.0 %
96	-	4	0.1 %
98	-	10	0.2 %
97 (M)	Legitimate skip	4235	82.8 %

Based upon 879 valid cases out of 5114 total cases.

- Mean: 19.66
- Median: 18.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 98.00
- Standard Deviation: 10.76

H4TO15

S23Q15 SMOK MOST TIME MORN 1ST CIG-W4

Location: 5129-5136 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: These next questions are about the period of time when you smoked the most. When you smoked the most, how soon after you woke up did you have your first cigarette?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within 5 minutes	362	7.1 %
2	Within 6 to 30 minutes	432	8.4 %
3	Within 31 to 60 minutes	287	5.6 %
4	After 60 minutes	688	13.5 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	2	0.0 %

Based upon 1769 valid cases out of 5114 total cases.

- Mean: 2.74
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.18

H4TO16

S23Q16 SMOK MOST DFFCLT NOT IN PLACE-W4

Location: 5137-5144 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: When you smoked the most, did you find it difficult not to smoke cigarettes in places where it is forbidden, for example, in church, at the library, or in theaters?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1397	27.3 %
1	Yes	372	7.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	2	0.0 %

Based upon 1769 valid cases out of 5114 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4TO17

S23Q17 SMOK MOST WHICH CIG HARD G/UP-W4

Location: 5145-5152 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: When you smoked the most, which cigarette did you hate most to give up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	The first in the morning	603	11.8 %
2	Any other in the day or evening	1128	22.1 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	35	0.7 %

Based upon 1731 valid cases out of 5114 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

H4TO18

S23Q18 SMOK MOST NUM CIGS PER DAY-W4

Location: 5153-5160 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: When you smoked the most, how many cigarettes a day did you smoke?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10 or fewer cigarettes	824	16.1 %
2	11 to 20 cigarettes	539	10.5 %
3	21 to 30 cigarettes	284	5.6 %
4	31 or more cigarettes	120	2.3 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	3	0.1 %

Based upon 1767 valid cases out of 5114 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.93

H4TO19

S23Q19 SMOK MOST MORE FREQ IN MORN-W4

- Study 21600 -

Location: 5161-5168 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: When you smoked the most, did you smoke cigarettes more frequently during the first hours after waking than during the rest of the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1407	27.5 %
1	Yes	351	6.9 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	12	0.2 %

Based upon 1758 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4TO20

S23Q20 SMOK MOST SMOKE WHEN ILL-W4

Location: 5169-5176 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: When you smoked the most, did you smoke cigarettes even if you were so ill that you were in bed most of the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1218	23.8 %
1	Yes	550	10.8 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3341	65.3 %
8 (M)	Don't know	2	0.0 %

Based upon 1768 valid cases out of 5114 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

- Study 21600 -

H4TO21

S23Q21 AGE 1ST TIME HAD SMOKE EXPER-W4

Location: 5177-5184 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How old were you the first time you had any of these cigarette smoking experiences?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	2	0.0 %
6	-	1	0.0 %
7	-	3	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	6	0.1 %
11	-	9	0.2 %
12	-	46	0.9 %
13	-	51	1.0 %
14	-	71	1.4 %
15	-	146	2.9 %
16	-	211	4.1 %
17	-	145	2.8 %
18	-	377	7.4 %
19	-	145	2.8 %
20	-	152	3.0 %
21	-	135	2.6 %
22	-	66	1.3 %
23	-	52	1.0 %
24	-	38	0.7 %
25	-	38	0.7 %
26	-	25	0.5 %
27	-	12	0.2 %
28	-	13	0.3 %
29	-	3	0.1 %
30	-	1	0.0 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	3341	65.3 %
98 (M)	Don't know	13	0.3 %
. (M)	-	4	0.1 %

Based upon 1752 valid cases out of 5114 total cases.

- Mean: 18.18
- Median: 18.00
- Mode: 18.00

- Study 21600 -

- Minimum: 5.00
- Maximum: 30.00
- Standard Deviation: 3.40

H4TO22 S23Q22 STILL HAVE SMOKE EXPER-W4

Location: 5185-5192 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: Do you still have any of these smoking experiences?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	495	9.7 %
1	Yes	462	9.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4152	81.2 %
8 (M)	Don't know	1	0.0 %
. (M)	-	3	0.1 %

Based upon 957 valid cases out of 5114 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO23 S23Q23 SMOKED CIGAR/PIPE 20 TIMES-W4

Location: 5193-5200 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you smoked a cigar or pipe at least 20 times in your entire life?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4243	83.0 %
1	Yes	836	16.3 %
6 (M)	Refused	16	0.3 %
8 (M)	Don't know	19	0.4 %

Based upon 5079 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4TO24

S23Q24 NUM DAYS HAD CIGAR LST 30 DAYS-W4

Location: 5201-5208 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 30 days, how many days did you smoke cigars or a pipe?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	520	10.2 %
1	-	95	1.9 %
2	-	67	1.3 %
3	-	25	0.5 %
4	-	11	0.2 %
5	-	27	0.5 %
6	-	3	0.1 %
7	-	6	0.1 %
8	-	2	0.0 %
10	-	8	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	8	0.2 %
20	-	11	0.2 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
29	-	1	0.0 %
30	-	42	0.8 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4278	83.7 %
98 (M)	Don't know	2	0.0 %

Based upon 832 valid cases out of 5114 total cases.

- Mean: 2.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.23

- Study 21600 -

H4TO25 S23Q25 USED CHEWING TOBACC 20 TIMES-W4

Location: 5209-5216 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you used chewing tobacco (such as Red Man, Garrett, or Beechnut) or snuff (such as Skoal, Skoal Bandits, or Copenhagen) at least 20 times in your entire life?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4552	89.0 %
1	Yes	531	10.4 %
6 (M)	Refused	17	0.3 %
8 (M)	Don't know	14	0.3 %

Based upon 5083 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4TO26 S23Q26 PAST 30 DAYS CHEW TOBCCO/SNUFF-W4

Location: 5217-5224 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97
 Question: During the past 30 days, on how many days have you used chewing tobacco (such as Red Man, Garrett, or Beechnut) or snuff (such as Skoal, Skoal Bandits, or Copenhagen)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	287	5.6 %
1	-	23	0.4 %
2	-	19	0.4 %
3	-	10	0.2 %
4	-	5	0.1 %
5	-	16	0.3 %
6	-	4	0.1 %
7	-	7	0.1 %
10	-	9	0.2 %
12	-	1	0.0 %
15	-	15	0.3 %
17	-	1	0.0 %
20	-	12	0.2 %
24	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	3	0.1 %
27	-	1	0.0 %
28	-	5	0.1 %
29	-	1	0.0 %
30	-	111	2.2 %
97 (M)	Legitimate skip	4583	89.6 %

Based upon 531 valid cases out of 5114 total cases.

- Mean: 8.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 12.35

H4TO27

S23Q27 EVER TRIED TO QUIT SMOKING-W4

Location: 5225-5232 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , 95

Question: Have you ever tried to quit or cut down on smoking or using tobacco?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	315	6.2 %
1	Yes	1158	22.6 %
6 (M)	Refused	5	0.1 %
7 (M)	Legitimate skip	3625	70.9 %
8 (M)	Don't know	3	0.1 %
95 (M)	Not asked on pretest	8	0.2 %

Based upon 1473 valid cases out of 5114 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4TO28

S23Q28 EVER PERIOD WANT QUIT SMOKE-W4

Location: 5233-5240 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8 , 95

Question: Has there ever been a period of time when you wanted to quit or cut down on smoking or using tobacco?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	205	4.0 %
1	Yes	106	2.1 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	4783	93.5 %
8 (M)	Don't know	5	0.1 %
95 (M)	Not asked on pretest	8	0.2 %

Based upon 311 valid cases out of 5114 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4TO29

S23Q29 ABLE QUIT SMOKING FOR 1 MTH-W4

Location: 5241-5248 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: When you decided to quit or cut down on smoking or using tobacco, were you able to do so for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	348	6.8 %
1	Yes	810	15.8 %
7 (M)	Legitimate skip	3956	77.4 %

Based upon 1158 valid cases out of 5114 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO30

S23Q30 NUM TIMES UNABLE QUIT SMOKE-W4

Location: 5249-5256 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 97 , 98

Question: How many times have you tried but been unable to quit smoking or using tobacco for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	109	2.1 %
2	-	78	1.5 %
3	-	70	1.4 %
4	-	22	0.4 %
5	-	35	0.7 %
6	-	5	0.1 %
8	-	1	0.0 %
10	-	9	0.2 %
12	-	3	0.1 %
15	-	2	0.0 %
17	-	1	0.0 %
20	-	5	0.1 %
23	-	1	0.0 %
25	-	2	0.0 %
97 (M)	Legitimate skip	4766	93.2 %
98 (M)	Don't know	5	0.1 %

Based upon 343 valid cases out of 5114 total cases.

- Mean: 3.27
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.71

H4TO31

S23Q31 HAD CIGS/CHW TOBACC PST 24 HRS-W4

Location: 5257-5264 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Did you smoke cigarettes, cigars, a pipe or use chewing tobacco within the past 24 hours?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	336	6.6 %
1	Yes	1145	22.4 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	3625	70.9 %
8 (M)	Don't know	4	0.1 %

- Study 21600 -

Based upon 1481 valid cases out of 5114 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H4TO32H

S23Q32H LAST SMOKE PST 24 HRS-HOUR-W4

Location: 5265-5272 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last smoke cigarettes, cigars, a pipe or use chewing tobacco? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	166	3.2 %
2	-	108	2.1 %
3	-	90	1.8 %
4	-	74	1.4 %
5	-	89	1.7 %
6	-	61	1.2 %
7	-	41	0.8 %
8	-	63	1.2 %
9	-	82	1.6 %
10	-	120	2.3 %
11	-	117	2.3 %
12	-	120	2.3 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	3969	77.6 %
98 (M)	Don't know	11	0.2 %

Based upon 1131 valid cases out of 5114 total cases.

- Mean: 6.38
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.89

H4TO32M

S23Q32M LAST SMOKE PST 24 HRS-MINUTES-W4

Location: 5273-5280 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last smoke cigarettes, cigars, a pipe or use chewing tobacco? [Minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	485	9.5 %
1	-	9	0.2 %
2	-	5	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	14	0.3 %
6	-	2	0.0 %
7	-	2	0.0 %
10	-	16	0.3 %
12	-	8	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	56	1.1 %
16	-	2	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	26	0.5 %
21	-	2	0.0 %
22	-	6	0.1 %
23	-	4	0.1 %
25	-	14	0.3 %
26	-	1	0.0 %
27	-	3	0.1 %
30	-	338	6.6 %
32	-	3	0.1 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	7	0.1 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	8	0.2 %
42	-	1	0.0 %
45	-	72	1.4 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	18	0.4 %
55	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	3969	77.6 %
98 (M)	Don't know	11	0.2 %

Based upon 1131 valid cases out of 5114 total cases.

- Mean: 16.37
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 16.59

H4TO32T

S23Q32T LAST SMOKE PAST 24 HRS-AM/PM-W4

Location: 5281-5288 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: At what time did you last smoke cigarettes, cigars, a pipe or use chewing tobacco? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	425	8.3 %
2	PM	706	13.8 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	3969	77.6 %
8 (M)	Don't know	11	0.2 %

Based upon 1131 valid cases out of 5114 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

H4TO33

S23Q33 DRINK ALCOHOL > 2-3 TIMES-W4

Location: 5289-5296 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

- Study 21600 -

Question:

Have you had a drink of beer, wine, or liquor more than two or three times? Do not include sips or tastes from someone else's drink.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1001	19.6 %
1	Yes	4087	79.9 %
6 (M)	Refused	15	0.3 %
8 (M)	Don't know	11	0.2 %

Based upon 5088 valid cases out of 5114 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4TO34

S23Q34 AGE 1ST DRINK ALCOHOL-W4

Location:

5297-5304 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

96 , 97 , 98

Question:

How old were you when you first had an alcoholic drink? By drink, we mean a glass of wine, a can or bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink, not just sips or tastes from someone else's drink.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	16	0.3 %
6	-	10	0.2 %
7	-	8	0.2 %
8	-	35	0.7 %
9	-	18	0.4 %
10	-	43	0.8 %
11	-	36	0.7 %
12	-	189	3.7 %
13	-	230	4.5 %
14	-	344	6.7 %
15	-	559	10.9 %
16	-	687	13.4 %
17	-	422	8.3 %
18	-	564	11.0 %
19	-	220	4.3 %
20	-	149	2.9 %
21	-	376	7.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	50	1.0 %
23	-	30	0.6 %
24	-	16	0.3 %
25	-	11	0.2 %
26	-	7	0.1 %
27	-	7	0.1 %
28	-	7	0.1 %
29	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	1027	20.1 %
98 (M)	Don't know	41	0.8 %

Based upon 4038 valid cases out of 5114 total cases.

- Mean: 16.45
- Median: 16.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 33.00
- Standard Deviation: 3.16

H4TO35

S23Q35 PST 12 MON # DAYS DRINK ALCOH-W4

Location: 5305-5312 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 12 months, on how many days did you drink alcohol?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	408	8.0 %
1	1 or 2 days in the past 12 months	575	11.2 %
2	Once a month or less (3 to 12 days in the past 12 months)	744	14.5 %
3	2 or 3 days a month	801	15.7 %
4	1 or 2 days a week	970	19.0 %
5	3 to 5 days a week	452	8.8 %
6	Every day or almost every day	127	2.5 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	1027	20.1 %
98 (M)	Don't know	7	0.1 %

Based upon 4077 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.79
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.60

H4TO36

S23Q36 PST 12 MON AVRG # DRINKS TIME-W4

Location: 5313-5320 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Think of all the times you have had a drink during the past 12 months. How many drinks did you usually have each time? A 'drink' is a glass of wine, a can or bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	559	10.9 %
2	-	946	18.5 %
3	-	743	14.5 %
4	-	444	8.7 %
5	-	279	5.5 %
6	-	241	4.7 %
7	-	63	1.2 %
8	-	89	1.7 %
9	-	18	0.4 %
10	-	103	2.0 %
11	-	3	0.1 %
12	-	75	1.5 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	23	0.4 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	38	0.7 %
96 (M)	Refused	12	0.2 %
97 (M)	Legitimate skip	1435	28.1 %
98 (M)	Don't know	35	0.7 %

Based upon 3632 valid cases out of 5114 total cases.

- Mean: 3.78
- Median: 3.00
- Mode: 2.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.01

H4TO37 S23Q37 PST 12 MON MANY DAYS/5+ DRINKS-W4

Location: 5321-5328 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 12 months, on how many days did you drink [5 or more/4 or more] drinks in a row?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1265	24.7 %
1	1 or 2 days in the past 12 months	812	15.9 %
2	Once a month or less (3 to 12 days in the past 12 months)	538	10.5 %
3	2 or 3 days a month	456	8.9 %
4	1 or 2 days a week	386	7.5 %
5	3 to 5 days a week	148	2.9 %
6	Every day or almost every day	52	1.0 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	1435	28.1 %
98 (M)	Don't know	14	0.3 %

Based upon 3657 valid cases out of 5114 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.61

H4TO38 S23Q38 PST 12 MON # DAYS BEEN DRUNK-W4

Location: 5329-5336 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 12 months, on how many days have you been drunk or very high on alcohol?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1211	23.7 %
1	1 or 2 days in the past 12 months	1103	21.6 %
2	Once a month or less (3 to 12 days in the past 12 months)	600	11.7 %
3	2 or 3 days a month	368	7.2 %
4	1 or 2 days a week	278	5.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3 to 5 days a week	81	1.6 %
6	Every day or almost every day	20	0.4 %
96 (M)	Refused	11	0.2 %
97 (M)	Legitimate skip	1435	28.1 %
98 (M)	Don't know	7	0.1 %

Based upon 3661 valid cases out of 5114 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.39

H4TO39

S23Q39 NUM DAYS HAD DRINK PST 30 DAYS-W4

Location: 5337-5344 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 30 days, on how many days did you drink?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	650	12.7 %
1	One day	654	12.8 %
2	2 or 3 days	942	18.4 %
3	1 day a week	374	7.3 %
4	2 days a week	556	10.9 %
5	3 to 5 days a week	377	7.4 %
6	Every day or almost every day	112	2.2 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	1435	28.1 %
98 (M)	Don't know	6	0.1 %

Based upon 3665 valid cases out of 5114 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.71

H4TO40

S23Q40 NUM USUAL DRINKS PST 30 DAYS-W4

- Study 21600 -

Location: 5345-5352 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: Think of all the times you have had a drink during the past 30 days. How many drinks did you usually have each time? A 'drink' is a glass of wine, a can or bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	532	10.4 %
2	-	771	15.1 %
3	-	571	11.2 %
4	-	354	6.9 %
5	-	230	4.5 %
6	-	164	3.2 %
7	-	47	0.9 %
8	-	84	1.6 %
9	-	14	0.3 %
10	-	74	1.4 %
11	-	3	0.1 %
12	-	58	1.1 %
13	-	4	0.1 %
14	-	2	0.0 %
15	-	21	0.4 %
18	-	24	0.5 %
95 (M)	Not asked on pretest	29	0.6 %
96 (M)	Refused	15	0.3 %
97 (M)	Legitimate skip	2085	40.8 %
98 (M)	Don't know	32	0.6 %

Based upon 2953 valid cases out of 5114 total cases.

- Mean: 3.64
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 2.93

H4TO41	S23Q41 HAD ALCOHOL PST 24 HRS-W4
---------------	---

Location: 5353-5360 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: Did you have an alcoholic drink (beer, wine, or liquor) within the past 24 hours?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1933	37.8 %
1	Yes	1089	21.3 %
6 (M)	Refused	7	0.1 %
7 (M)	Legitimate skip	2085	40.8 %

Based upon 3022 valid cases out of 5114 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4TO42H

S23Q42H LAST ALCOHOL DRINK-HOUR-W4

Location: 5361-5368 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last have an alcoholic drink? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	100	2.0 %
2	-	53	1.0 %
3	-	46	0.9 %
4	-	34	0.7 %
5	-	47	0.9 %
6	-	78	1.5 %
7	-	96	1.9 %
8	-	117	2.3 %
9	-	107	2.1 %
10	-	155	3.0 %
11	-	133	2.6 %
12	-	107	2.1 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4025	78.7 %
98 (M)	Don't know	13	0.3 %

Based upon 1073 valid cases out of 5114 total cases.

- Mean: 7.50
- Median: 8.00
- Mode: 10.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.44

H4TO42M

S23Q42M LAST ALCOHOL DRINK-MINUTES-W4

Location: 5369-5376 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last have an alcoholic drink? [Minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	667	13.0 %
1	-	4	0.1 %
2	-	5	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	3	0.1 %
10	-	4	0.1 %
13	-	1	0.0 %
15	-	32	0.6 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	5	0.1 %
22	-	1	0.0 %
23	-	4	0.1 %
25	-	2	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	296	5.8 %
33	-	1	0.0 %
35	-	3	0.1 %
36	-	2	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	23	0.4 %
50	-	3	0.1 %
59	-	3	0.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4025	78.7 %
98 (M)	Don't know	15	0.3 %

- Study 21600 -

Based upon 1072 valid cases out of 5114 total cases.

- Mean: 10.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 14.88

H4TO42T

S23Q42T LAST ALCOHOL DRINK-AM/PM-W4

Location: 5377-5384 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: At what time did you last have an alcoholic drink? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	256	5.0 %
2	PM	818	16.0 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	4025	78.7 %
8 (M)	Don't know	11	0.2 %

Based upon 1074 valid cases out of 5114 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

H4TO43

S23Q43 TIME WHEN DRANK MORE THAN NOW-W4

Location: 5385-5392 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Was there ever a period in your life when you drank more alcohol than you do now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1712	33.5 %
1	Yes	2366	46.3 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	1027	20.1 %
8 (M)	Don't know	3	0.1 %

- Study 21600 -

Based upon 4078 valid cases out of 5114 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO44

S23Q44 TIME DRANK MST NUM DAYS DRANK-W4

Location: 5393-5400 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 96 , 97 , 98

Question: During the period when you drank the most, on how many days did you drink?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 day a month	90	1.8 %
2	1 day a month	61	1.2 %
3	2 to 3 days a month	197	3.9 %
4	1 day a week	231	4.5 %
5	2 days a week	422	8.3 %
6	3 to 5 days a week	837	16.4 %
7	Every day or almost every day	503	9.8 %
95 (M)	Not asked on pretest	20	0.4 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	2748	53.7 %
98 (M)	Don't know	4	0.1 %

Based upon 2341 valid cases out of 5114 total cases.

- Mean: 5.29
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.56

H4TO45

S23Q45 DRANK MST NUM DRINKS EACH TIME-W4

Location: 5401-5408 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the period when you drank the most, how many drinks did you usually have each time?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	50	1.0 %
2	-	149	2.9 %
3	-	316	6.2 %
4	-	367	7.2 %
5	-	340	6.6 %
6	-	329	6.4 %
7	-	109	2.1 %
8	-	175	3.4 %
9	-	43	0.8 %
10	-	179	3.5 %
11	-	6	0.1 %
12	-	136	2.7 %
13	-	3	0.1 %
14	-	7	0.1 %
15	-	61	1.2 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	63	1.2 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	2748	53.7 %
98 (M)	Don't know	25	0.5 %

Based upon 2338 valid cases out of 5114 total cases.

- Mean: 6.31
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.72

H4TO46

S23Q46 DRINK INTERFR W/ WORK/SCHOOL-W4

Location: 5409-5416 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 8

Question: How often has your drinking interfered with your responsibilities at work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1338	26.2 %
1	1 time	294	5.7 %
2	More than 1 time	518	10.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5 (M)	Not asked on pretest	2	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	2	0.0 %

Based upon 2150 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.85

H4TO47

S23Q47 DRINKING PUT YOURSELF AT RISK-W4

Location: 5417-5424 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: How often have you been under the influence of alcohol when you could have gotten yourself or others hurt, or put yourself or others at risk, including unprotected sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	838	16.4 %
1	1 time	297	5.8 %
2	More than 1 time	1015	19.8 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	1	0.0 %

Based upon 2150 valid cases out of 5114 total cases.

- Mean: 1.08
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.92

H4TO48

S23Q48 DRINKING CAUSE LEGAL PROBLEMS-W4

Location: 5425-5432 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7

- Study 21600 -

Question:

How often have you had legal problems because of your drinking, like being arrested for disturbing the peace or driving under the influence of alcohol, or anything else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1663	32.5 %
1	1 time	283	5.5 %
2	More than 1 time	204	4.0 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	2960	57.9 %

Based upon 2150 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.64

H4TO49

S23Q49 DRINK CAUSE PROBLEMS W/FAMILY-W4

Location:

5433-5440 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

5 , 6 , 7

Question:

How often have you had problems with your family, friends, or people at work or school because of your drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1576	30.8 %
1	1 time	190	3.7 %
2	More than 1 time	385	7.5 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %

Based upon 2151 valid cases out of 5114 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.78

H4TO50

S23Q50 KEPT DRINK WHEN PROB W/FAMILY-W4

- Study 21600 -

Location: 5441-5448 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 6 , 7
 Question: Did you continue to drink after you realized drinking was causing you problems with family, friends, or people at work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	199	3.9 %
1	Yes	376	7.4 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4536	88.7 %

Based upon 575 valid cases out of 5114 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4TO51

S23Q51 NEED DRINK MORE TO GET EFFECT-W4

Location: 5449-5456 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 6 , 7
 Question: Have you ever found that you had to drink more than you used to in order to get the effect you wanted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1278	25.0 %
1	Yes	873	17.1 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %

Based upon 2151 valid cases out of 5114 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

- Study 21600 -

H4TO52 S23Q52 SPENT LOT TIME DRINKING-W4

Location: 5457-5464 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 6 , 7 , 8
 Question: Has there ever been a period when you spent a lot of time drinking, planning how you would get alcohol, or recovering from a hangover?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1152	22.5 %
1	Yes	998	19.5 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	1	0.0 %

Based upon 2150 valid cases out of 5114 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO53 S23Q53 OFTEN DRINK MORE THAN INTENDED-W4

Location: 5465-5472 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 5 , 6 , 7 , 8
 Question: Have you often had more to drink or kept drinking for a longer period of time than you intended?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	807	15.8 %
1	Yes	1343	26.3 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	1	0.0 %

Based upon 2150 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.48

H4TO54 S23Q54 EVER TRIED TO QUIT DRINKING-W4

Location: 5473-5480 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: Have you ever tried to quit or cut down on your drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	892	17.4 %
1	Yes	1257	24.6 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	2	0.0 %

Based upon 2149 valid cases out of 5114 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO55 S23Q55 EVER TIME WANT QUIT DRINKING-W4

Location: 5481-5488 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: Has there ever been a period of time when you wanted to quit or cut down on your drinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	785	15.4 %
1	Yes	107	2.1 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	4217	82.5 %
8 (M)	Don't know	2	0.0 %

Based upon 892 valid cases out of 5114 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00

- Study 21600 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4TO56 S23Q56 ABLE CUT DOWN/QUIT FOR 1 MTH-W4

Location: 5489-5496 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: When you decided to cut down or quit drinking, were you able to do so for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	89	1.7 %
1	Yes	1167	22.8 %
5 (M)	Not asked on pretest	2	0.0 %
7 (M)	Legitimate skip	3855	75.4 %
8 (M)	Don't know	1	0.0 %

Based upon 1256 valid cases out of 5114 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

H4TO57 S23Q57 NUM TIMES UNABLE TO QUIT 1 MTH-W4

Location: 5497-5504 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: How many times have you tried but been unable to cut down or quit drinking for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	30	0.6 %
2	-	19	0.4 %
3	-	12	0.2 %
4	-	7	0.1 %
5	-	10	0.2 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
10	-	4	0.1 %
12	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	1	0.0 %
25	-	1	0.0 %
95 (M)	Not asked on pretest	2	0.0 %
97 (M)	Legitimate skip	5022	98.2 %
98 (M)	Don't know	1	0.0 %

Based upon 89 valid cases out of 5114 total cases.

- Mean: 3.40
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.62

H4TO58

S23Q58 EXPER WITHDRWL SYMPT NOT DRINK-W4

Location: 5505-5512 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: During the first few hours of not drinking, do you experience withdrawal symptoms such as the shakes, feeling anxious, trouble getting to sleep or staying asleep, nausea, vomiting, or rapid heart beats?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2007	39.2 %
1	Yes	142	2.8 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	1	0.0 %

Based upon 2149 valid cases out of 5114 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

H4TO59

S23Q59 KEPT DRINK CAUSD HEALTH PROB-W4

Location: 5513-5520 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 5 , 6 , 7

Question: Have you ever continued to drink after you realized drinking was causing you any emotional problems (such as feeling irritable, depressed, or uninterested in things or having strange ideas) or causing you any health problems (such as ulcers, numbness in your hands/feet or memory problems)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1779	34.8 %
1	Yes	370	7.2 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	2960	57.9 %

Based upon 2149 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

H4TO60

S23Q60 STOP ACTVTIES INTERFR W/DRINK-W4

Location: 5521-5528 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 6 , 7 , 8

Question: Have you ever given up or cut down on important activities that would interfere with drinking like getting together with friends or relatives, going to work or school, participating in sports, or anything else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1875	36.7 %
1	Yes	272	5.3 %
5 (M)	Not asked on pretest	2	0.0 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	2960	57.9 %
8 (M)	Don't know	1	0.0 %

Based upon 2147 valid cases out of 5114 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

- Study 21600 -

H4TO61 S23Q61 3+ EXPER HAPPEN 12 MTH PERIOD-W4

Location: 5529-5536 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 5 , 7 , 8

Question: Did (at least three of) these experiences occur together in a 12-month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	225	4.4 %
1	Yes	489	9.6 %
5 (M)	Not asked on pretest	2	0.0 %
7 (M)	Legitimate skip	4396	86.0 %
8 (M)	Don't know	2	0.0 %

Based upon 714 valid cases out of 5114 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO62 S23Q62 AGE WHEN 3+ DRINK EXPER HAPPEN-W4

Location: 5537-5544 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , 98

Question: How old were you when you first experienced these symptoms in the same 12 month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	2	0.0 %
6	-	1	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	14	0.3 %
17	-	20	0.4 %
18	-	49	1.0 %
19	-	51	1.0 %
20	-	36	0.7 %
21	-	79	1.5 %
22	-	45	0.9 %
23	-	37	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	33	0.6 %
25	-	31	0.6 %
26	-	20	0.4 %
27	-	20	0.4 %
28	-	19	0.4 %
29	-	11	0.2 %
30	-	7	0.1 %
31	-	3	0.1 %
32	-	1	0.0 %
95 (M)	Not asked on pretest	2	0.0 %
97 (M)	Legitimate skip	4621	90.4 %
98 (M)	Don't know	6	0.1 %

Based upon 485 valid cases out of 5114 total cases.

- Mean: 21.74
- Median: 21.00
- Mode: 21.00
- Minimum: 5.00
- Maximum: 32.00
- Standard Deviation: 3.81

H4TO63

S23Q63 TOOK PRESCRIPT DRUG NOT PRSCRB-W4

Location: 5545-5552 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you ever taken any prescription drugs that were not prescribed for you, taken prescription drugs in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or taken prescription drugs that you took only for the feeling or experience they caused?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4198	82.1 %
1	Yes	878	17.2 %
6 (M)	Refused	25	0.5 %
8 (M)	Don't know	13	0.3 %

Based upon 5076 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.38

H4TO64A S23Q64A TOOK NOT PRESCRBD-SEDATIVES-W4

Location: 5553-5560 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused?: sedatives or downers, such as barbiturates, sleeping pills, Quaalude, or Seconal

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	418	8.2 %
1	Yes	459	9.0 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	14	0.3 %

Based upon 877 valid cases out of 5114 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO64B S23Q64B TOOK NOT PRESCRBD-TRANQS-W4

Location: 5561-5568 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused?: tranquilizers, such as Librium, Valium, or Xanax

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	416	8.1 %
1	Yes	462	9.0 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	13	0.3 %

Based upon 878 valid cases out of 5114 total cases.

- Mean: 0.53
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO64C

S23Q64C TOOK NOT PRESCRBD-STIMULNTS-W4

Location: 5569-5576 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused?: stimulants or uppers, such as amphetamines, prescription diet pills, Ritalin, Preludin, or speed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	526	10.3 %
1	Yes	353	6.9 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	12	0.2 %

Based upon 879 valid cases out of 5114 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO64D

S23Q64D TOOK NOT PRESCRBD-PAIN KILLRS-W4

Location: 5577-5584 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused?: pain killers or opioids, such as Vicodin, OxyContin, Percocet, Demerol, Percodan, or Tylenol with codeine

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	160	3.1 %
1	Yes	721	14.1 %
7 (M)	Legitimate skip	4223	82.6 %
8 (M)	Don't know	10	0.2 %

Based upon 881 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

H4TO65A

S23Q65A EVER USED STERIODS-W4

Location: 5585-5592 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you every used any of the following drugs?: steroids, anabolic steroids or 'body building' drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4988	97.5 %
1	Yes	95	1.9 %
6 (M)	Refused	21	0.4 %
8 (M)	Don't know	10	0.2 %

Based upon 5083 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4TO65B

S23Q65B EVER USED MARIJUANA-W4

Location: 5593-5600 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you every used any of the following drugs?: marijuana (hash, bhang, ganja)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2300	45.0 %
1	Yes	2778	54.3 %
6 (M)	Refused	26	0.5 %
8 (M)	Don't know	10	0.2 %

Based upon 5078 valid cases out of 5114 total cases.

- Mean: 0.55
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO65C S23Q65C EVER USED COCAINE-W4

Location: 5601-5608 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you every used any of the following drugs?: cocaine (crack, coca leaves)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4114	80.4 %
1	Yes	972	19.0 %
6 (M)	Refused	19	0.4 %
8 (M)	Don't know	9	0.2 %

Based upon 5086 valid cases out of 5114 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

H4TO65D S23Q65D EVER USED CRYSTAL METH-W4

Location: 5609-5616 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8
 Question: Have you every used any of the following drugs?: crystal meth (ice)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4629	90.5 %
1	Yes	459	9.0 %
6 (M)	Refused	19	0.4 %
8 (M)	Don't know	7	0.1 %

Based upon 5088 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.29

H4TO65E S23Q65E EVER USED OTHER ILLEGAL DRUGS-W4

Location: 5617-5624 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8

Question: Have you every used any of the following drugs?: other types of illegal drugs, such as LSD, PCP, ecstasy, heroin, or mushrooms; or inhalants

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3990	78.0 %
1	Yes	1096	21.4 %
6 (M)	Refused	21	0.4 %
8 (M)	Don't know	7	0.1 %

Based upon 5086 valid cases out of 5114 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4TO66 S23Q66 EVER INJECTED ILLLEGAL DRUGS-W4

Location: 5625-5632 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you ever injected (shot up with a needle) any illegal drug, such as heroin or cocaine?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	82	1.6 %
1	Yes	38	0.7 %
7 (M)	Legitimate skip	4994	97.7 %

Based upon 120 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4TO67 S23Q67 NUM TIMES INJCT DRG PST 30 DYS-W4

- Study 21600 -

Location: 5633-5640 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 97
 Question: During the past 30 days, how many times did you inject an illegal drug?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	30	0.6 %
1	-	3	0.1 %
5	-	1	0.0 %
10	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
50	-	1	0.0 %
97 (M)	Legitimate skip	5076	99.3 %

Based upon 38 valid cases out of 5114 total cases.

- Mean: 3.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 10.84

H4TO68 S23Q68 AGE WHEN 1ST USED MARIJUANA-W4

Location: 5641-5648 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: How old were you the first time you used marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	5	0.1 %
9	-	8	0.2 %
10	-	19	0.4 %
11	-	20	0.4 %
12	-	97	1.9 %
13	-	174	3.4 %
14	-	228	4.5 %
15	-	392	7.7 %
16	-	490	9.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	361	7.1 %
18	-	385	7.5 %
19	-	159	3.1 %
20	-	125	2.4 %
21	-	98	1.9 %
22	-	62	1.2 %
23	-	43	0.8 %
24	-	27	0.5 %
25	-	26	0.5 %
26	-	17	0.3 %
27	-	12	0.2 %
28	-	2	0.0 %
29	-	7	0.1 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	2336	45.7 %
98 (M)	Don't know	14	0.3 %

Based upon 2762 valid cases out of 5114 total cases.

- Mean: 16.73
- Median: 16.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 29.00
- Standard Deviation: 3.07

H4TO69

S23Q69 USED MARIJUANA 5+ TIMES-W4

Location: 5649-5656 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6 , 7 , 8
Question: Have you used marijuana more than 5 times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	559	10.9 %
1	Yes	2216	43.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	2336	45.7 %
8 (M)	Don't know	1	0.0 %

Based upon 2775 valid cases out of 5114 total cases.

- Mean: 0.80

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4TO70

S23Q70 NUM DAYS USED MARIJUANA PST YR-W4

Location: 5657-5664 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 12 months, on how many days did you use marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1111	21.7 %
1	1 or 2 days in the past 12 months	279	5.5 %
2	Once a month or less (3 to 12 days in the past 12 months)	169	3.3 %
3	2 or 3 days a month	120	2.3 %
4	1 or 2 days a week	123	2.4 %
5	3 to 5 days a week	144	2.8 %
6	Every day or almost every day	264	5.2 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	2895	56.6 %
98 (M)	Don't know	4	0.1 %

Based upon 2210 valid cases out of 5114 total cases.

- Mean: 1.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.20

H4TO71

S23Q71 NUM DAYS USE MARIJ PST 30 DYS-W4

Location: 5665-5672 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: During the past 30 days, on how many days did you use marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	301	5.9 %
1	One day	149	2.9 %
2	2 or 3 days	146	2.9 %
3	1 day a week	39	0.8 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	2 days a week	77	1.5 %
5	3 to 5 days a week	140	2.7 %
6	Every day or almost every day	248	4.8 %
96 (M)	Refused	5	0.1 %
97 (M)	Legitimate skip	4006	78.3 %
98 (M)	Don't know	3	0.1 %

Based upon 1100 valid cases out of 5114 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.39

H4TO72

S23Q72 USED MARIJUANA PST 24 HOURS-W4

Location: 5673-5680 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: Have you used marijuana within the past 24 hours?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	389	7.6 %
1	Yes	414	8.1 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	4307	84.2 %

Based upon 803 valid cases out of 5114 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO73H

S23Q73H TIME LAST USED MARIJUANA-HOUR-W4

Location: 5681-5688 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last use marijuana? [Hour]

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	38	0.7 %
2	-	29	0.6 %
3	-	29	0.6 %
4	-	23	0.4 %
5	-	18	0.4 %
6	-	17	0.3 %
7	-	16	0.3 %
8	-	40	0.8 %
9	-	55	1.1 %
10	-	46	0.9 %
11	-	55	1.1 %
12	-	42	0.8 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4700	91.9 %
98 (M)	Don't know	3	0.1 %

Based upon 408 valid cases out of 5114 total cases.

- Mean: 7.26
- Median: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.65

H4TO73M

S23Q73H TIME LST USE MARIJUANA-MINTE-W4

Location: 5689-5696 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: At what time did you last use marijuana? [Minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	246	4.8 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
15	-	6	0.1 %
19	-	1	0.0 %
20	-	10	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	1	0.0 %
30	-	112	2.2 %
33	-	2	0.0 %
35	-	1	0.0 %
40	-	2	0.0 %
45	-	11	0.2 %
48	-	1	0.0 %
50	-	4	0.1 %
54	-	1	0.0 %
55	-	1	0.0 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	4700	91.9 %
98 (M)	Don't know	4	0.1 %

Based upon 407 valid cases out of 5114 total cases.

- Mean: 11.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 15.58

H4TO73T

S23Q73T TIME LST USE MARIJUANA-AM/PM-W4

Location: 5697-5704 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: At what time did you last use marijuana? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	153	3.0 %
2	PM	254	5.0 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	4700	91.9 %
8 (M)	Don't know	4	0.1 %

Based upon 407 valid cases out of 5114 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 2.00
- Standard Deviation: 0.48

H4TO74 S23Q74 TIME USE MARIJ MORE THAN NOW-W4

Location: 5705-5712 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8
 Question: Was there ever a time when you used marijuana more than you do now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	596	11.7 %
1	Yes	1618	31.6 %
6 (M)	Refused	4	0.1 %
7 (M)	Legitimate skip	2895	56.6 %
8 (M)	Don't know	1	0.0 %

Based upon 2214 valid cases out of 5114 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

H4TO75 S23Q75 TIME USE MARIJ MOST HOW MUCH-W4

Location: 5713-5720 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 96 , 97 , 98
 Question: During the period when you used marijuana the most, did you use marijuana:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 day a month	172	3.4 %
2	1 day a month	81	1.6 %
3	2 to 3 days a month	176	3.4 %
4	1 day a week	81	1.6 %
5	2 days a week	149	2.9 %
6	3 to 5 days a week	269	5.3 %
7	Every day or almost every day	681	13.3 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	3496	68.4 %
98 (M)	Don't know	8	0.2 %

Based upon 1609 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 5.17
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.12

H4TO76 S23Q76 MARIJUANA INTERFR W/ WORK/SCHL-W4

Location: 5721-5728 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: How many times has each of the following things ever happened? How often has your marijuana use interfered with your responsibilities at work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1108	21.7 %
1	1 time	103	2.0 %
2	More than 1 time	220	4.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	1	0.0 %

Based upon 1431 valid cases out of 5114 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.74

H4TO77 S23Q77 MARIJUANA PUT YOURSELF AT RISK-W4

Location: 5729-5736 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: How often have you been under the influence of marijuana when you could have gotten yourself or others hurt, or put yourself or others at risk, including unprotected sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1077	21.1 %
1	1 time	91	1.8 %
2	More than 1 time	259	5.1 %
6 (M)	Refused	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	4	0.1 %

Based upon 1427 valid cases out of 5114 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.78

H4TO78

S23Q78 MARIJUANA CAUSE LEGAL PROB-W4

Location: 5737-5744 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: How often have you had legal problems because of your marijuana use, like being arrested for disturbing the peace or anything else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1221	23.9 %
1	1 time	141	2.8 %
2	More than 1 time	67	1.3 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	3	0.1 %

Based upon 1429 valid cases out of 5114 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4TO79

S23Q79 MARIJUANA CAUSE PROB W/ FAMILY-W4

Location: 5745-5752 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: How often have you had problems with your family, friends, or people at work or school because of your marijuana use?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1195	23.4 %
1	1 time	96	1.9 %
2	More than 1 time	139	2.7 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	2	0.0 %

Based upon 1430 valid cases out of 5114 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.62

H4TO80

S23Q80 KEPT USE MARIJ WHEN CAUSE PROB-W4

Location: 5753-5760 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did you continue to use marijuana after you realized using it was causing you problems with family, friends, or people at work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	56	1.1 %
1	Yes	180	3.5 %
7 (M)	Legitimate skip	4876	95.3 %
8 (M)	Don't know	2	0.0 %

Based upon 236 valid cases out of 5114 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

H4TO81

S23Q81 USE MORE MARIJUANA GET EFFECT-W4

Location: 5761-5768 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

- Study 21600 -

Question:

Have you ever found that you had to use more marijuana than you used to in order to get the effect you wanted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	832	16.3 %
1	Yes	597	11.7 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	2	0.0 %

Based upon 1429 valid cases out of 5114 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO82

S23Q82 SPENT LOT TIME USE MARIJUANA-W4

Location: 5769-5776 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Has there ever been a period when you spent a lot of time using marijuana, getting it, or getting over its effects?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	830	16.2 %
1	Yes	598	11.7 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	3	0.1 %

Based upon 1428 valid cases out of 5114 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO83

S23Q83 OFTN USE MORE MARIJUANA INTEND-W4

Location: 5777-5784 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: Have you often used more marijuana or used marijuana longer than you intended?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	961	18.8 %
1	Yes	466	9.1 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	4	0.1 %

Based upon 1427 valid cases out of 5114 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4TO84

S23Q84 EVER TRIED QUIT MARIJUANA-W4

Location: 5785-5792 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you ever tried to quit or cut down on your use of marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	407	8.0 %
1	Yes	1023	20.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	1	0.0 %

Based upon 1430 valid cases out of 5114 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4TO85

S23Q85 EVER TIME WANT QUIT MARIJ-W4

Location: 5793-5800 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 7 , 8

Question: Has there ever been a period of time when you wanted to quit or cut down on your use of marijuana?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	343	6.7 %
1	Yes	64	1.3 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4704	92.0 %
8 (M)	Don't know	1	0.0 %

Based upon 407 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4TO86 S23Q86 ABLE CUT DOWN/QUIT 1 MTH MARIJ-W4

Location: 5801-5808 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: When you decided to cut down or quit using marijuana, were you able to do so for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	48	0.9 %
1	Yes	975	19.1 %
7 (M)	Legitimate skip	4091	80.0 %

Based upon 1023 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

H4TO87 S23Q87 NUM TIMES UNABLE TO QUIT MARIJ-W4

Location: 5809-5816 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97

Question: How many times have you tried but been unable to cut down or quit using marijuana for at least one month?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	19	0.4 %
2	-	7	0.1 %
3	-	5	0.1 %
4	-	4	0.1 %
5	-	7	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
20	-	1	0.0 %
25	-	3	0.1 %
97 (M)	Legitimate skip	5066	99.1 %

Based upon 48 valid cases out of 5114 total cases.

- Mean: 4.35
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 6.20

H4TO88

S23Q88 EXPER WITHDRWL SYMPT NOT MARIJ-W4

Location: 5817-5824 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: During the first few hours of not using marijuana, do you experience withdrawal symptoms such as craving marijuana, feeling depressed, anxious, restless or irritable, having trouble concentrating, feeling tired or weak, having trouble sleeping, or a change in appetite?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1189	23.2 %
1	Yes	241	4.7 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	1	0.0 %

Based upon 1430 valid cases out of 5114 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4TO89 S23Q89 KEPT MARIJU CAUSD HEALTH PROB-W4

Location: 5825-5832 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you ever continued to use marijuana after you realized using marijuana was causing you any emotional problems (such as feeling depressed or empty, feeling irritable or aggressive, feeling paranoid or confused, feeling anxious or tense, being jumpy or easily startled) or causing you any health problems (such as persistent cough, sore throat or sinus problems, heart pounding, headaches or dizziness, or sexual difficulties)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1141	22.3 %
1	Yes	288	5.6 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	2	0.0 %

Based upon 1429 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

H4TO90 S23Q90 STOP ACTVTIES INTERFER W/MARIJ-W4

Location: 5833-5840 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you ever given up or cut down on important activities that would interfere with your marijuana use like getting together with friends or relatives, going to work or school, participating in sports, or anything else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1200	23.5 %
1	Yes	230	4.5 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	3681	72.0 %
8 (M)	Don't know	1	0.0 %

Based upon 1430 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00

- Study 21600 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4TO91

S23Q91 3+ EXPER HAPPN 12 MTH MARIJ-W4

Location: 5841-5848 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: Did (at least three of) these experiences occur together in a 12-month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	131	2.6 %
1	Yes	290	5.7 %
7 (M)	Legitimate skip	4692	91.7 %
8 (M)	Don't know	1	0.0 %

Based upon 421 valid cases out of 5114 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO92

S23Q92 AGE WHEN 3+ EXPER 12 MTH MARIJ-W4

Location: 5849-5856 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How old were you when you first experienced these symptoms in the same 12 month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	1	0.0 %
6	-	1	0.0 %
9	-	2	0.0 %
11	-	3	0.1 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	8	0.2 %
15	-	9	0.2 %
16	-	34	0.7 %
17	-	18	0.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	35	0.7 %
19	-	34	0.7 %
20	-	26	0.5 %
21	-	27	0.5 %
22	-	12	0.2 %
23	-	10	0.2 %
24	-	12	0.2 %
25	-	16	0.3 %
26	-	7	0.1 %
27	-	13	0.3 %
28	-	6	0.1 %
29	-	6	0.1 %
30	-	2	0.0 %
97 (M)	Legitimate skip	4823	94.3 %
98 (M)	Don't know	5	0.1 %

Based upon 286 valid cases out of 5114 total cases.

- Mean: 19.89
- Median: 19.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 30.00
- Standard Deviation: 4.29

H4T093

S23Q93 OTHR ILLEGAL DRUG USE MST OFTN-W4

Location: 5857-5864 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Which one of these illegal drugs do you use most often?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	MDMA (Ecstasy)	66	1.3 %
2	Inhalants	3	0.1 %
3	LSD	34	0.7 %
4	Heroin	2	0.0 %
5	PCP	3	0.1 %
6	Other illegal drugs	91	1.8 %
96 (M)	Refused	20	0.4 %
97 (M)	Legitimate skip	4863	95.1 %
98 (M)	Don't know	32	0.6 %

- Study 21600 -

Based upon 199 valid cases out of 5114 total cases.

- Mean: 3.73
- Median: 3.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.24

H4T094

S23Q94 DRUG USED MOST FREQUENTLY-W4

Location: 5865-5872 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: You said you have used these types of drugs (fill from list of drugs according to instructions below this question). Which one type have you used most frequently in your lifetime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sedatives	303	5.9 %
2	Tranquilizers	330	6.5 %
3	Stimulants	169	3.3 %
4	Pain killers	120	2.3 %
5	Steroids	80	1.6 %
6	Cocaine	46	0.9 %
7	Crystal meth (ice)	15	0.3 %
96 (M)	Refused	8	0.2 %
97 (M)	Legitimate skip	4034	78.9 %
98 (M)	Don't know	9	0.2 %

Based upon 1063 valid cases out of 5114 total cases.

- Mean: 2.57
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.52

H4T095

S23Q95 OTHR DRUG USED MOST OFTEN-W4

Location: 5873-5880 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: Which one of these illegal drugs do you use most often?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	MDMA (Ecstasy)	65	1.3 %
2	Inhalants	1	0.0 %
3	LSD	53	1.0 %
4	Heroin	5	0.1 %
5	PCP	1	0.0 %
6	Other illegal drugs	83	1.6 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	4901	95.8 %
98 (M)	Don't know	3	0.1 %

Based upon 208 valid cases out of 5114 total cases.

- Mean: 3.60
- Median: 3.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.13

H4TO96

S23Q96 AGE WHEN USED FAVORITE DRUG-W4

Location: 5881-5888 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time you used {favorite drug}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	5	0.1 %
6	-	2	0.0 %
7	-	3	0.1 %
9	-	4	0.1 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	15	0.3 %
13	-	21	0.4 %
14	-	42	0.8 %
15	-	81	1.6 %
16	-	124	2.4 %
17	-	123	2.4 %
18	-	250	4.9 %
19	-	149	2.9 %
20	-	148	2.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	155	3.0 %
22	-	107	2.1 %
23	-	81	1.6 %
24	-	74	1.4 %
25	-	86	1.7 %
26	-	51	1.0 %
27	-	33	0.6 %
28	-	23	0.4 %
29	-	13	0.3 %
30	-	11	0.2 %
31	-	2	0.0 %
32	-	2	0.0 %
96 (M)	Refused	9	0.2 %
97 (M)	Legitimate skip	3471	67.9 %
98 (M)	Don't know	26	0.5 %

Based upon 1608 valid cases out of 5114 total cases.

- Mean: 19.80
- Median: 19.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 32.00
- Standard Deviation: 3.92

H4T097

S23Q97 USE FAV DRUG MORE THAN 5 TIMES-W4

Location: 5889-5896 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Have you used {favorite drug} more than 5 times in your lifetime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	555	10.9 %
1	Yes	1079	21.1 %
6 (M)	Refused	6	0.1 %
7 (M)	Legitimate skip	3471	67.9 %
8 (M)	Don't know	3	0.1 %

Based upon 1634 valid cases out of 5114 total cases.

- Mean: 0.66
- Median: 1.00

- Study 21600 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

H4TO98 S23Q98 NUM DYS FAV DRUG PST 12 MTHS-W4

Location: 5897-5904 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: During the past 12 months, on how many days did you use {favorite drug}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	563	11.0 %
1	1 or 2 days in the past 12 months	152	3.0 %
2	Once a month or less (3 to 12 days in the past 12 months)	126	2.5 %
3	2 or 3 days a month	93	1.8 %
4	1 or 2 days a week	53	1.0 %
5	3 to 5 days a week	42	0.8 %
6	Every day or almost every day	48	0.9 %
97 (M)	Legitimate skip	4035	78.9 %
98 (M)	Don't know	2	0.0 %

Based upon 1077 valid cases out of 5114 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.76

H4TO99 S23Q99 NUM DYS USE FAV DRG PST 30 DYS-W4

Location: 5905-5912 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: During the past 30 days, on how many days did you use {favorite drug}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	196	3.8 %
1	One day	92	1.8 %
2	2 or 3 days	90	1.8 %
3	1 day a week	31	0.6 %
4	2 days a week	28	0.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3 to 5 days a week	36	0.7 %
6	Every day or almost every day	42	0.8 %
97 (M)	Legitimate skip	4598	89.9 %
98 (M)	Don't know	1	0.0 %

Based upon 515 valid cases out of 5114 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.97

H4TO100

S23Q100 USED FAV DRUG PST 24 HRS-W4

Location: 5913-5920 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you used {favorite drug} within the past 24 hours?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	224	4.4 %
1	Yes	96	1.9 %
7 (M)	Legitimate skip	4794	93.7 %

Based upon 320 valid cases out of 5114 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO101H

S23Q101H TIME LAST USED FAV DRUG-HOUR-W4

Location: 5921-5928 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97

Question: At what time did you last use {favorite drug}? [Hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	6	0.1 %
3	-	6	0.1 %
4	-	12	0.2 %
5	-	9	0.2 %
6	-	3	0.1 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	7	0.1 %
10	-	19	0.4 %
11	-	9	0.2 %
12	-	11	0.2 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	5018	98.1 %

Based upon 95 valid cases out of 5114 total cases.

- Mean: 7.19
- Median: 8.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.61

H4TO101M

S23Q101M TIME LAST USED FAV DRUG-MIN-W4

Location: 5929-5936 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97

Question: At what time did you last use {favorite drug}? [Minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	57	1.1 %
2	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
15	-	2	0.0 %
20	-	2	0.0 %
24	-	1	0.0 %
30	-	26	0.5 %
45	-	3	0.1 %
96 (M)	Refused	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97 (M)	Legitimate skip	5018	98.1 %

Based upon 95 valid cases out of 5114 total cases.

- Mean: 10.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 14.66

H4TO101T

S23Q101T TIME LAST USD FAV DRUG-AM/PM-W4

Location: 5937-5944 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7

Question: At what time did you last use {favorite drug}? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	40	0.8 %
2	PM	55	1.1 %
6 (M)	Refused	1	0.0 %
7 (M)	Legitimate skip	5018	98.1 %

Based upon 95 valid cases out of 5114 total cases.

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

H4TO102

S23Q102 TIME USE FAV DRUG MOR THN NOW-W4

Location: 5945-5952 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8

Question: Was there ever a time when you used {favorite drug} more than you do now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	326	6.4 %
1	Yes	751	14.7 %
6 (M)	Refused	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7 (M)	Legitimate skip	4035	78.9 %
8 (M)	Don't know	1	0.0 %

Based upon 1077 valid cases out of 5114 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

H4TO103

S23Q103 TIME USE FAV DRG MST HOW OFTN-W4

Location: 5953-5960 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: During the period when you used {favorite drug} the most, did you use {favorite drug}:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 day a month	102	2.0 %
2	1 day a month	52	1.0 %
3	2 to 3 days a month	114	2.2 %
4	1 day a week	69	1.3 %
5	2 days a week	81	1.6 %
6	3 to 5 days a week	128	2.5 %
7	Every day or almost every day	204	4.0 %
97 (M)	Legitimate skip	4363	85.3 %
98 (M)	Don't know	1	0.0 %

Based upon 750 valid cases out of 5114 total cases.

- Mean: 4.57
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.14

H4TO104

S23Q104 FAV DRUG INTERFER WORK/SCHL-W4

Location: 5961-5968 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

- Study 21600 -

Question:

How often has your {favorite drug} use interfered with your responsibilities at work or school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	303	5.9 %
1	1 time	42	0.8 %
2	More than 1 time	205	4.0 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.95

H4TO105

S23Q105 FAV DRUG PUT YOURSELF AT RISK-W4

Location:

5969-5976 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

How often have you been under the influence of {favorite drug} when you could have gotten yourself or others hurt, or put yourself or others at risk, including unprotected sex?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	299	5.8 %
1	1 time	40	0.8 %
2	More than 1 time	211	4.1 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.95

H4TO106

S23Q106 FAV DRUG CAUSE LEGAL PROB-W4

Location:

5977-5984 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7

Question:

How often have you had legal problems because of your {favorite drug} use, like being arrested for disturbing the peace or anything else?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	478	9.3 %
1	1 time	32	0.6 %
2	More than 1 time	40	0.8 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

H4TO107

S23Q107 FAV DRUG CAUSE PROB W/ FAMILY-W4

Location: 5985-5992 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8

Question: How often have you had problems with your family, friends, or people at work or school because of your {favorite drug} use?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	315	6.2 %
1	1 time	44	0.9 %
2	More than 1 time	190	3.7 %
7 (M)	Legitimate skip	4564	89.2 %
8 (M)	Don't know	1	0.0 %

Based upon 549 valid cases out of 5114 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.93

H4TO108

S23Q108 KEPT FAV DRUG WHEN PROB W/FAM-W4

Location: 5993-6000 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did you continue to use {favorite drug} after you realized using it was causing you problems with family, friends, or people at work or school?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	65	1.3 %
1	Yes	170	3.3 %
7 (M)	Legitimate skip	4879	95.4 %

Based upon 235 valid cases out of 5114 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

H4TO109

S23Q109 NEED MORE FAV DRUG GET EFFECT-W4

Location: 6001-6008 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you ever found that you had to use more {favorite drug} than you used to in order to get the effect you wanted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	197	3.9 %
1	Yes	353	6.9 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4TO110

S23Q110 SPENT LOT TIME USING FAV DRUG-W4

Location: 6009-6016 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Has there ever been a period when you spent a lot of time using {favorite drug}, getting it, or getting over its effects?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	211	4.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	339	6.6 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO111

S23Q111 OFTN USE MORE FAV DRUG INTEND-W4

Location: 6017-6024 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you often used more {favorite drug} or used {favorite drug} longer than you intended?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	208	4.1 %
1	Yes	342	6.7 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4TO112

S23Q112 EVER TRIED QUIT FAV DRUG-W4

Location: 6025-6032 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you ever tried to quit or cut down on your use of {favorite drug}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	82	1.6 %
1	Yes	468	9.2 %
7 (M)	Legitimate skip	4564	89.2 %

- Study 21600 -

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4TO113

S23Q113 EVER TIME WANT QUIT FAV DRUG-W4

Location: 6033-6040 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Has there ever been a period of time when you wanted to quit or cut down on your use of {favorite drug}?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	69	1.3 %
1	Yes	13	0.3 %
7 (M)	Legitimate skip	5032	98.4 %

Based upon 82 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4TO114

S23Q114 ABLE TO QUIT 1 MTH FAV DRUG-W4

Location: 6041-6048 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: When you decided to cut down or quit using {favorite drug}, were you able to do so for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	58	1.1 %
1	Yes	410	8.0 %
7 (M)	Legitimate skip	4646	90.8 %

Based upon 468 valid cases out of 5114 total cases.

- Mean: 0.88

- Study 21600 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4TO115

S23Q115 NUM TIME UNABLE QUIT FAV DRUG-W4

Location: 6049-6056 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , 98

Question: How many times have you tried but been unable to cut down or quit using {favorite drug} for at least one month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	8	0.2 %
2	-	12	0.2 %
3	-	8	0.2 %
4	-	6	0.1 %
5	-	12	0.2 %
6	-	3	0.1 %
10	-	3	0.1 %
12	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
97 (M)	Legitimate skip	5056	98.9 %
98 (M)	Don't know	2	0.0 %

Based upon 56 valid cases out of 5114 total cases.

- Mean: 4.77
- Median: 3.50
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 4.88

H4TO116

S23Q116 EXPER WITHDRWL SYMPT NO DRUG-W4

Location: 6057-6064 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: During the first few hours of not using {favorite drug}, do you experience one or more withdrawal symptoms such as craving {favorite drug}, feeling depressed, anxious, restless or irritable, having trouble concentrating, feeling tired or weak, having trouble sleeping, or a change in appetite?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	275	5.4 %
1	Yes	275	5.4 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO117

S23Q117 KEPT USE DRUG CAUSE HLTH PROB-W4

Location: 6065-6072 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you ever continued to use {favorite drug} after you realized using {favorite drug} was causing you any emotional problems (such as feeling depressed or empty, feeling irritable or aggressive, feeling paranoid or confused, feeling anxious or tense, being jumpy or easily startled) or causing you any health problems (such as heart pounding, headaches or dizziness, or sexual difficulties)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	305	6.0 %
1	Yes	245	4.8 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

H4TO118

S23Q118 STOP ACTVTIES INTERFER W/DRUG-W4

Location: 6073-6080 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Have you ever given up or cut down on important activities that would interfere with your {favorite drug} use like getting together with friends or relatives, going to work or school, participating in sports, or anything else?

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	343	6.7 %
1	Yes	207	4.0 %
7 (M)	Legitimate skip	4564	89.2 %

Based upon 550 valid cases out of 5114 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

H4TO119

S23Q119 3+ EXPER HAPPEN 12 MTH DRUG-W4

Location: 6081-6088 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7

Question: Did (at least three of) these experiences occur together in a 12-month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	79	1.5 %
1	Yes	261	5.1 %
7 (M)	Legitimate skip	4774	93.4 %

Based upon 340 valid cases out of 5114 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

H4TO120

S23Q120 AGE WHEN 3+ EXPER 12 MTH DRUG-W4

Location: 6089-6096 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you when you first experienced these symptoms in the same 12 month period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.0 %
12	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	2	0.0 %
14	-	3	0.1 %
15	-	8	0.2 %
16	-	11	0.2 %
17	-	14	0.3 %
18	-	22	0.4 %
19	-	24	0.5 %
20	-	22	0.4 %
21	-	15	0.3 %
22	-	17	0.3 %
23	-	17	0.3 %
24	-	23	0.4 %
25	-	20	0.4 %
26	-	25	0.5 %
27	-	9	0.2 %
28	-	13	0.3 %
29	-	5	0.1 %
30	-	1	0.0 %
31	-	3	0.1 %
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4853	94.9 %
98 (M)	Don't know	3	0.1 %

Based upon 257 valid cases out of 5114 total cases.

- Mean: 21.72
- Median: 22.00
- Mode: 26.00
- Minimum: 7.00
- Maximum: 31.00
- Standard Deviation: 4.19

H4MA1

S24Q1 BEF 18 OFTEN FELT HURT/UNLOVED-W4

Location: 6097-6103 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: Before your 18th birthday, how often did a parent or other adult caregiver say things that really hurt your feelings or made you feel like you were not wanted or loved?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One time	516	10.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Two times	471	9.2 %
3	Three to five times	537	10.5 %
4	Six to ten times	225	4.4 %
5	More than ten times	617	12.1 %
6	This has never happened	2668	52.2 %
96 (M)	Refused	28	0.5 %
98 (M)	Don't know	52	1.0 %

Based upon 5034 valid cases out of 5114 total cases.

- Mean: 4.58
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.82

H4MA2

S24Q2 AGE 1ST TX FELT HURT/UNLOVED-W4

Location: 6104-6110 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	15	0.3 %
1	-	18	0.4 %
2	-	21	0.4 %
3	-	30	0.6 %
4	-	46	0.9 %
5	-	137	2.7 %
6	-	100	2.0 %
7	-	92	1.8 %
8	-	122	2.4 %
9	-	56	1.1 %
10	-	192	3.8 %
11	-	65	1.3 %
12	-	241	4.7 %
13	-	194	3.8 %
14	-	151	3.0 %
15	-	271	5.3 %
16	-	257	5.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	168	3.3 %
96 (M)	Refused	11	0.2 %
97 (M)	Legitimate skip	2696	52.7 %
98 (M)	Don't know	231	4.5 %

Based upon 2176 valid cases out of 5114 total cases.

- Mean: 11.46
- Median: 12.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 4.21

H4MA3

S24Q3 BEF 18 TIMES HIT/KICK/THROWN-W4

Location: 6111-6117 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: Before your 18th birthday, how often did a parent or adult caregiver hit you with a fist, kick you, or throw you down on the floor, into a wall, or down stairs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One time	239	4.7 %
2	Two times	166	3.2 %
3	Three to five times	172	3.4 %
4	Six to ten times	80	1.6 %
5	More than ten times	223	4.4 %
6	This has never happened	4171	81.6 %
96 (M)	Refused	32	0.6 %
98 (M)	Don't know	31	0.6 %

Based upon 5051 valid cases out of 5114 total cases.

- Mean: 5.45
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.35

H4MA4

S24Q4 AGE 1ST TX HIT/KICK/THROWN-W4

Location: 6118-6124 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
1	-	10	0.2 %
2	-	16	0.3 %
3	-	15	0.3 %
4	-	16	0.3 %
5	-	72	1.4 %
6	-	49	1.0 %
7	-	47	0.9 %
8	-	54	1.1 %
9	-	21	0.4 %
10	-	70	1.4 %
11	-	23	0.4 %
12	-	80	1.6 %
13	-	71	1.4 %
14	-	62	1.2 %
15	-	85	1.7 %
16	-	78	1.5 %
17	-	43	0.8 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	4203	82.2 %
98 (M)	Don't know	93	1.8 %

Based upon 814 valid cases out of 5114 total cases.

- Mean: 10.70
- Median: 12.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 4.32

H4MA5

S24Q5 BEF 18 OFTEN TOUCH SEXUAL WAY-W4

Location: 6125-6131 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98

Question: How often did a parent or other adult caregiver touch you in a sexual way, force you to touch him or her in a sexual way, or force you to have sexual relations?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One time	88	1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Two times	40	0.8 %
3	Three to five times	53	1.0 %
4	Six to ten times	26	0.5 %
5	More than ten times	50	1.0 %
6	This has never happened	4801	93.9 %
96 (M)	Refused	32	0.6 %
98 (M)	Don't know	24	0.5 %

Based upon 5058 valid cases out of 5114 total cases.

- Mean: 5.83
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.81

H4MA6

S24Q6 AGE 1ST TX TOUCH SEXUAL WAY-W4

Location: 6132-6138 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98

Question: How old were you the first time this happened?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	8	0.2 %
2	-	11	0.2 %
3	-	13	0.3 %
4	-	16	0.3 %
5	-	34	0.7 %
6	-	22	0.4 %
7	-	15	0.3 %
8	-	16	0.3 %
9	-	19	0.4 %
10	-	14	0.3 %
11	-	13	0.3 %
12	-	19	0.4 %
13	-	11	0.2 %
14	-	13	0.3 %
15	-	12	0.2 %
16	-	9	0.2 %
17	-	6	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	1	0.0 %
97 (M)	Legitimate skip	4833	94.5 %
98 (M)	Don't know	29	0.6 %

Based upon 251 valid cases out of 5114 total cases.

- Mean: 8.37
- Median: 8.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.30

H4DA1

S25Q1 HRS/WK WATCH TV/VIDEOS-W4

Location: 6139-6146 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 998 , .

Question: In the past seven days, how many hours did you watch television or videos, including VHS, DVDs or music videos?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	137	2.7 %
1	-	128	2.5 %
2	-	332	6.5 %
3	-	311	6.1 %
4	-	311	6.1 %
5	-	327	6.4 %
6	-	213	4.2 %
7	-	314	6.1 %
8	-	186	3.6 %
9	-	31	0.6 %
10	-	562	11.0 %
11	-	4	0.1 %
12	-	158	3.1 %
13	-	4	0.1 %
14	-	421	8.2 %
15	-	211	4.1 %
16	-	36	0.7 %
17	-	9	0.2 %
18	-	29	0.6 %
19	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	350	6.8 %
21	-	251	4.9 %
22	-	7	0.1 %
23	-	3	0.1 %
24	-	68	1.3 %
25	-	71	1.4 %
26	-	2	0.0 %
27	-	4	0.1 %
28	-	110	2.2 %
29	-	1	0.0 %
30	-	123	2.4 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	91	1.8 %
36	-	11	0.2 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	70	1.4 %
42	-	31	0.6 %
43	-	1	0.0 %
45	-	5	0.1 %
48	-	18	0.4 %
49	-	6	0.1 %
50	-	16	0.3 %
52	-	2	0.0 %
54	-	1	0.0 %
56	-	13	0.3 %
60	-	15	0.3 %
63	-	2	0.0 %
70	-	28	0.5 %
72	-	17	0.3 %
75	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %
84	-	9	0.2 %
85	-	1	0.0 %
98	-	1	0.0 %
100	-	10	0.2 %
105	-	1	0.0 %
110	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
121	-	1	0.0 %
140	-	4	0.1 %
150	-	1	0.0 %
996 (M)	Refused	3	0.1 %
998 (M)	Don't know	31	0.6 %
. (M)	-	1	0.0 %

Based upon 5079 valid cases out of 5114 total cases.

- Mean: 13.60
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 13.82

H4DA2

S25Q2 BIKE/SKATEBRD/DANCE/HIKE/HUNT-W4

Location: 6147-6154 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you bicycle, skateboard, dance, hike, hunt, or do yard work?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2364	46.2 %
1	-	720	14.1 %
2	-	709	13.9 %
3	-	516	10.1 %
4	-	262	5.1 %
5	-	169	3.3 %
6	-	68	1.3 %
7	7 or more times	301	5.9 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00

- Study 21600 -

- Standard Deviation: 2.03

H4DA3 S25Q3 ROLR BLADE/SKATE/SKI/AEROBICS-W4

Location: 6155-6162 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you roller blade, roller skate, downhill ski, snow board, play racquet sports, or do aerobics?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3942	77.1 %
1	-	317	6.2 %
2	-	291	5.7 %
3	-	223	4.4 %
4	-	115	2.2 %
5	-	103	2.0 %
6	-	38	0.7 %
7	7 or more times	82	1.6 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.47

H4DA4 S25Q4 PLAY A STRENUOUS SPORT-W4

Location: 6163-6170 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you participate in strenuous team sports such as football, soccer, basketball, lacrosse, rugby, field hockey, or ice hockey?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4466	87.3 %
1	-	284	5.6 %
2	-	164	3.2 %
3	-	99	1.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	48	0.9 %
5	-	16	0.3 %
6	-	4	0.1 %
7	7 or more times	30	0.6 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.91

H4DA5

S25Q5 PLAY INDIVIDUAL SPORT-W4

Location: 6171-6178 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you participate in individual sports such as running, wrestling, swimming, cross-country skiing, cycle racing, or martial arts?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3820	74.7 %
1	-	379	7.4 %
2	-	308	6.0 %
3	-	247	4.8 %
4	-	143	2.8 %
5	-	94	1.8 %
6	-	36	0.7 %
7	7 or more times	84	1.6 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 7.00
- Standard Deviation: 1.49

H4DA6 S25Q6 GYMNSTC/WT LIFT/STRENGTH-W4

Location: 6179-6186 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you participate in gymnastics, weight lifting, or strength training?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3632	71.0 %
1	-	290	5.7 %
2	-	373	7.3 %
3	-	349	6.8 %
4	-	184	3.6 %
5	-	148	2.9 %
6	-	39	0.8 %
7	7 or more times	96	1.9 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.64

H4DA7 S25Q7 PLAY GOLF/FISH/BOWL/BASEBALL-W4

Location: 6187-6194 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you play golf, go fishing or bowling, or play softball or baseball?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4270	83.5 %
1	-	457	8.9 %
2	-	203	4.0 %
3	-	89	1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	30	0.6 %
5	-	27	0.5 %
6	-	12	0.2 %
7	7 or more times	23	0.4 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.91

H4DA8

S25Q8 WALK FOR EXERCISE-W4

Location: 6195-6202 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In the past seven days, how many times did you walk for exercise?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2218	43.4 %
1	-	508	9.9 %
2	-	657	12.8 %
3	-	581	11.4 %
4	-	290	5.7 %
5	-	268	5.2 %
6	-	93	1.8 %
7	7 or more times	496	9.7 %
96 (M)	Refused	1	0.0 %
98 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 7.00
- Standard Deviation: 2.32

H4DA9 S25Q9 LAST 7 DAYS-TYP PHYS ACTIV-W4

Location: 6203-6210 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8 , .
 Question: Were the past seven days typical in terms of your physical activity?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1060	20.7 %
1	Yes	4048	79.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4DA10 S25Q10 GEN MORE/LESS ACTIVE LAST WEEK-W4

Location: 6211-6218 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: Are you generally more active or less active than you were in the past seven days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	More active	907	17.7 %
2	Less active	155	3.0 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4048	79.2 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 1062 valid cases out of 5114 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.35

H4DA11 S25Q11 LAST 24 HRS VIGOROUS PHYS ACT-W4

Location: 6219-6226 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: In the past 24 hours, have you participated in vigorous physical activity long enough to work up a sweat, get your heart thumping, or get out of breath?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3056	59.8 %
1	Yes	2055	40.2 %
6 (M)	Refused	1	0.0 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5111 valid cases out of 5114 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

H4DA12H S25Q12H HOUR LAST VIGOROUS PHYS ACT-W4

Location: 6227-6234 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: At what time in the past 24 hours did you last finish participating in vigorous physical activity? [hour]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	116	2.3 %
2	-	138	2.7 %
3	-	195	3.8 %
4	-	150	2.9 %
5	-	171	3.3 %
6	-	204	4.0 %
7	-	243	4.8 %
8	-	198	3.9 %
9	-	198	3.9 %
10	-	173	3.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	134	2.6 %
12	-	111	2.2 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	3058	59.8 %
98 (M)	Don't know	20	0.4 %
. (M)	-	1	0.0 %

Based upon 2031 valid cases out of 5114 total cases.

- Mean: 6.53
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.14

H4DA12M

S25Q12M MINUTE LAST VIGOROUS PHYS ACT-W4

Location: 6235-6242 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: At what time in the past 24 hours did you last finish participating in vigorous physical activity? [minute]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1483	29.0 %
1	-	5	0.1 %
3	-	8	0.2 %
5	-	1	0.0 %
10	-	5	0.1 %
15	-	25	0.5 %
20	-	6	0.1 %
25	-	4	0.1 %
30	-	443	8.7 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	3	0.1 %
39	-	1	0.0 %
40	-	3	0.1 %
45	-	35	0.7 %
50	-	4	0.1 %
55	-	1	0.0 %
57	-	1	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	-	1	0.0 %
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	3057	59.8 %
98 (M)	Don't know	21	0.4 %
. (M)	-	1	0.0 %

Based upon 2031 valid cases out of 5114 total cases.

- Mean: 8.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 13.73

H4DA12T S25Q12T AM/PM LAST VIGOROUS PHYS ACT-W4

Location: 6243-6250 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: At what time in the past 24 hours did you last finish participating in vigorous physical activity? [am/pm]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	548	10.7 %
2	PM	1486	29.1 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	3058	59.8 %
98 (M)	Don't know	18	0.4 %
. (M)	-	1	0.0 %

Based upon 2034 valid cases out of 5114 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

H4DA13 S25Q13 AVG NO TXS/WK USE FITNESS CTR-W4

Location: 6251-6258 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , .

- Study 21600 -

Question:

On the average, how many times per week do you use a physical fitness or recreation center in your neighborhood?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3547	69.4 %
1	-	221	4.3 %
2	-	302	5.9 %
3	-	428	8.4 %
4	-	269	5.3 %
5	-	198	3.9 %
6	-	61	1.2 %
7	7 or more times	53	1.0 %
96 (M)	Refused	2	0.0 %
97 (M)	Legitimate skip	30	0.6 %
. (M)	-	3	0.1 %

Based upon 5079 valid cases out of 5114 total cases.

- Mean: 0.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.69

H4DA14

S25Q14 DAILY COMMUTE TIME TO WRK/SCHL-W4

Location:

6259-6266 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

996 , 997 , 998 , .

Question:

How many minutes does it take you to get from your home to your (primary place of work/school)?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	2.4 %
1	-	63	1.2 %
2	-	73	1.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	69	1.3 %
4	-	29	0.6 %
5	-	357	7.0 %
6	-	20	0.4 %
7	-	87	1.7 %
8	-	48	0.9 %
9	-	3	0.1 %
10	-	547	10.7 %
11	-	7	0.1 %
12	-	56	1.1 %
13	-	11	0.2 %
14	-	2	0.0 %
15	-	720	14.1 %
16	-	5	0.1 %
17	-	10	0.2 %
18	-	8	0.2 %
19	-	1	0.0 %
20	-	570	11.1 %
21	-	1	0.0 %
22	-	5	0.1 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	211	4.1 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	491	9.6 %
33	-	3	0.1 %
35	-	104	2.0 %
36	-	1	0.0 %
40	-	118	2.3 %
45	-	244	4.8 %
48	-	2	0.0 %
50	-	30	0.6 %
55	-	8	0.2 %
60	-	163	3.2 %
65	-	5	0.1 %
70	-	16	0.3 %
75	-	17	0.3 %
80	-	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	-	35	0.7 %
100	-	2	0.0 %
105	-	2	0.0 %
110	-	1	0.0 %
120	-	14	0.3 %
160	-	1	0.0 %
180	-	4	0.1 %
200	-	8	0.2 %
996 (M)	Refused	3	0.1 %
997 (M)	Legitimate skip	782	15.3 %
998 (M)	Don't know	14	0.3 %
. (M)	-	3	0.1 %

Based upon 4312 valid cases out of 5114 total cases.

- Mean: 22.10
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 20.00

H4DA15A

S25Q15A WORK/SCHOOL TRANSPORT-CAR-W4

Location: 6267-6273 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: How do you get to and from your (primary place of work/school)?: Car

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	449	8.8 %
1	Selected	3875	75.8 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	782	15.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4324 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

H4DA15B

S25Q15B WORK/SCHOOL TRNSPRT-PUB TRNSP-W4

Location: 6274-6280 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: How do you get to and from your (primary place of work/school)?: Public transportation (bus, train, subway)

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4095	80.1 %
1	Selected	229	4.5 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	782	15.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4324 valid cases out of 5114 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

H4DA15C

S25Q15C WORK/SCHOOL TRANSPORT-WALK-W4

Location: 6281-6287 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: How do you get to and from your (primary place of work/school)?: Walking

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these

- Study 21600 -

cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4099	80.2 %
1	Selected	225	4.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	782	15.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4324 valid cases out of 5114 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

H4DA15D

S25Q15D WORK/SCHOOL TRANSPORT-BIKE-W4

Location: 6288-6294 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 7 , 8 , .

Question: How do you get to and from your (primary place of work/school)?: Bicycle

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4253	83.2 %
1	Selected	71	1.4 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	782	15.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4324 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.13

H4DA15E S25Q15E WORK/SCHOOL TRANSPORT-NONE-W4

Location: 6295-6301 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: How do you get to and from your (primary place of work/school)?: None of the above

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4217	82.5 %
1	Selected	107	2.1 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	782	15.3 %
8 (M)	Don't know	2	0.0 %
. (M)	-	3	0.1 %

Based upon 4324 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4DA16 S25Q16 LIKELY USE SUNSCREEN/SUNBLOCK-W4

Location: 6302-6309 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 8 , .
 Question: When you go outside on a sunny day for more than one hour, how likely are you to use sunscreen or sunblock?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very likely	886	17.3 %
2	Somewhat likely	934	18.3 %
3	Unlikely	3257	63.7 %
6 (M)	Refused	3	0.1 %
7 (M)	Legitimate skip	30	0.6 %
8 (M)	Don't know	1	0.0 %
. (M)	-	3	0.1 %

Based upon 5077 valid cases out of 5114 total cases.

- Mean: 2.47
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

H4DA17

S25Q17 NUMBER HRS IN SUN IN SUMMER-W4

Location: 6310-6317 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 995 , 996 , 997 , 998 , .

Question: During a typical summer week, how many hours do you spend outdoors in the sun during the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	190	3.7 %
1	-	321	6.3 %
2	-	480	9.4 %
3	-	386	7.5 %
4	-	323	6.3 %
5	-	345	6.7 %
6	-	219	4.3 %
7	-	181	3.5 %
8	-	220	4.3 %
9	-	24	0.5 %
10	-	426	8.3 %
11	-	8	0.2 %
12	-	142	2.8 %
13	-	11	0.2 %
14	-	178	3.5 %
15	-	183	3.6 %
16	-	32	0.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	7	0.1 %
18	-	25	0.5 %
19	-	2	0.0 %
20	-	254	5.0 %
21	-	101	2.0 %
22	-	7	0.1 %
24	-	36	0.7 %
25	-	85	1.7 %
26	-	2	0.0 %
27	-	4	0.1 %
28	-	75	1.5 %
29	-	1	0.0 %
30	-	144	2.8 %
31	-	1	0.0 %
32	-	6	0.1 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	94	1.8 %
36	-	8	0.2 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	135	2.6 %
42	-	33	0.6 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	17	0.3 %
48	-	10	0.2 %
49	-	10	0.2 %
50	-	69	1.3 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	4	0.1 %
56	-	28	0.5 %
60	-	36	0.7 %
63	-	3	0.1 %
65	-	7	0.1 %
68	-	1	0.0 %
70	-	43	0.8 %
72	-	13	0.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	-	7	0.1 %
80	-	16	0.3 %
84	-	12	0.2 %
90	-	2	0.0 %
94	-	1	0.0 %
96	-	1	0.0 %
97	-	1	0.0 %
98	-	3	0.1 %
99	-	25	0.5 %
995 (M)	Not asked on pretest	46	0.9 %
996 (M)	Refused	4	0.1 %
997 (M)	Legitimate skip	30	0.6 %
998 (M)	Don't know	26	0.5 %
. (M)	-	1	0.0 %

Based upon 5007 valid cases out of 5114 total cases.

- Mean: 14.05
- Median: 8.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.83

H4DA18

S25Q18 TXS IN LIFE HAD SEVERE SUNBURN-W4

Location: 6318-6325 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: How many times in your life have you had a sunburn that blistered?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	0 times	2337	45.7 %
2	1 time	730	14.3 %
3	2 or 3 times	1037	20.3 %
4	4 or 5 times	389	7.6 %
5	More than 5 times	614	12.0 %
96 (M)	Refused	3	0.1 %
98 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.41

H4DA19

S25Q19 OWN A COMPUTER-W4

Location: 6326-6333 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , .
 Question: Do you own a computer?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	838	16.4 %
1	Yes	4241	82.9 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	30	0.6 %
. (M)	-	3	0.1 %

Based upon 5079 valid cases out of 5114 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4DA20

S25Q20 HAVE ACCESS TO A COMPUTER-W4

Location: 6334-6341 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , .
 Question: Do you have access to a computer, for example at a library, school, or work?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	133	2.6 %
1	Yes	705	13.8 %
6 (M)	Refused	2	0.0 %
7 (M)	Legitimate skip	4271	83.5 %
. (M)	-	3	0.1 %

Based upon 838 valid cases out of 5114 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

H4DA21

S25Q21 HAVE AN E-MAIL ACCOUNT-W4

Location: 6342-6349 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Do you have an email account?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	626	12.2 %
1	Yes	4320	84.5 %
7 (M)	Legitimate skip	165	3.2 %
. (M)	-	3	0.1 %

Based upon 4946 valid cases out of 5114 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

H4DA22

S25Q22 HRS/WK SPEND ON INTERNET-W4

Location: 6350-6357 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: In the past seven days, how many hours did you spend using the Internet, for example, accessing your email or using the web? Do not count internet use for work or school.

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	981	19.2 %
1	-	732	14.3 %
2	-	634	12.4 %
3	-	444	8.7 %
4	-	272	5.3 %
5	-	311	6.1 %
6	-	116	2.3 %
7	-	327	6.4 %
8	-	83	1.6 %
9	-	14	0.3 %
10	-	282	5.5 %
11	-	4	0.1 %
12	-	64	1.3 %
13	-	4	0.1 %
14	-	149	2.9 %
15	-	96	1.9 %
16	-	6	0.1 %
17	-	2	0.0 %
18	-	9	0.2 %
20	-	123	2.4 %
21	-	48	0.9 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	23	0.4 %
25	-	24	0.5 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	25	0.5 %
30	-	57	1.1 %
32	-	1	0.0 %
35	-	18	0.4 %
36	-	3	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	27	0.5 %
42	-	2	0.0 %
45	-	4	0.1 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	12	0.2 %
55	-	1	0.0 %
56	-	2	0.0 %
60	-	5	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
70	-	11	0.2 %
72	-	1	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
80	-	2	0.0 %
96	-	1	0.0 %
100	-	4	0.1 %
105	-	1	0.0 %
996 (M)	Refused	2	0.0 %
997 (M)	Legitimate skip	165	3.2 %
998 (M)	Don't know	8	0.2 %
. (M)	-	3	0.1 %

Based upon 4936 valid cases out of 5114 total cases.

- Mean: 5.99
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 105.00
- Standard Deviation: 9.37

H4DA23

S25Q23 HRS/WK PLAY COMPUTER GAMES-W4

Location: 6358-6365 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 998 , .

Question: In the past seven days, how many hours did you spend playing video or computer games, or using a computer? Do not count internet use for work or school.

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these

- Study 21600 -

cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2997	58.6 %
1	-	396	7.7 %
2	-	335	6.6 %
3	-	203	4.0 %
4	-	134	2.6 %
5	-	156	3.1 %
6	-	67	1.3 %
7	-	102	2.0 %
8	-	42	0.8 %
9	-	4	0.1 %
10	-	127	2.5 %
11	-	1	0.0 %
12	-	32	0.6 %
13	-	2	0.0 %
14	-	38	0.7 %
15	-	49	1.0 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	78	1.5 %
21	-	28	0.5 %
22	-	2	0.0 %
24	-	13	0.3 %
25	-	12	0.2 %
26	-	2	0.0 %
27	-	3	0.1 %
28	-	15	0.3 %
30	-	25	0.5 %
32	-	2	0.0 %
35	-	14	0.3 %
36	-	2	0.0 %
37	-	1	0.0 %
40	-	17	0.3 %
42	-	1	0.0 %
50	-	7	0.1 %
55	-	1	0.0 %
56	-	2	0.0 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	-	2	0.0 %
70	-	5	0.1 %
72	-	3	0.1 %
75	-	1	0.0 %
96	-	1	0.0 %
99	-	1	0.0 %
100	-	4	0.1 %
105	-	1	0.0 %
996 (M)	Refused	2	0.0 %
997 (M)	Legitimate skip	165	3.2 %
998 (M)	Don't know	7	0.1 %
. (M)	-	3	0.1 %

Based upon 4937 valid cases out of 5114 total cases.

- Mean: 3.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 105.00
- Standard Deviation: 7.95

H4DA24

S25Q24 EVER GAMBLLED FOR MONEY-W4

Location: 6366-6373 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: Have you ever bought lottery tickets, played video games or slot machines for money, bet on horses or sporting events, or taken part in any other kinds of gambling for money?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1366	26.7 %
1	Yes	3742	73.2 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5108 valid cases out of 5114 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.44

H4DA25 S25Q25 GAMBLING FINANC/RELAT PROBLEMS-W4

Location: 6374-6381 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , 8 , .

Question: Has your gambling ever caused serious financial problems or problems in your relationships with any of your family members or friends?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3677	71.9 %
1	Yes	64	1.3 %
7 (M)	Legitimate skip	1371	26.8 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 3741 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

H4DA26 S25Q26 HRS OF VOLUNTEER SVC LAST YR-W4

Location: 6382-6389 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: In the past 12 months, about how many hours did you spend on volunteer or community service work?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	0 hours	3204	62.7 %
2	1 to 19 hours	1190	23.3 %
3	20 to 39 hours	272	5.3 %
4	40 to 79 hours	184	3.6 %
5	80 to 159 hours	111	2.2 %
6	160 hours or more	113	2.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
96 (M)	Refused	4	0.1 %
97 (M)	Legitimate skip	30	0.6 %
98 (M)	Don't know	3	0.1 %
. (M)	-	3	0.1 %

Based upon 5074 valid cases out of 5114 total cases.

- Mean: 1.65
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.12

H4DA27

S25Q27 OFTEN VOTE LOC/STATE ELECTIONS-W4

Location: 6390-6397 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 97 , 98 , .

Question: How often do you usually vote in local or statewide elections?

[NOTES:] Two pretest cases originally coded PRISON4 = 1 were actually not in prison during the survey. However, because the software used the prisoner code to drive the skip patterns, these cases followed the skip patterns that respondents coded as prisoners followed. Therefore, these cases had missing data for H4DA13 through H4DA16 (H4DA17 was not asked on the pretest so these cases were coded 995 for this variable), H4DA19 through H4DA23, H4DA26 and H4DA27.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	1551	30.3 %
2	Sometimes	1335	26.1 %
3	Often	895	17.5 %
4	Always	1293	25.3 %
96 (M)	Refused	3	0.1 %
97 (M)	Legitimate skip	30	0.6 %
98 (M)	Don't know	4	0.1 %
. (M)	-	3	0.1 %

Based upon 5074 valid cases out of 5114 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.16

H4DA28 S25Q28 CONSIDER CONSERV/LIBERAL/MIDDL-W4

Location: 6398-6405 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 96 , 98 , .

Question: In terms of politics, do you consider yourself very conservative, conservative, middle-of-the-road, liberal, or very liberal?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very conservative	206	4.0 %
2	Conservative	1062	20.8 %
3	Middle-of-the-road	2219	43.4 %
4	Liberal	1014	19.8 %
5	Very liberal	293	5.7 %
96 (M)	Refused	34	0.7 %
98 (M)	Don't know	285	5.6 %
. (M)	-	1	0.0 %

Based upon 4794 valid cases out of 5114 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.92

H4PE1 S26Q1 I AM THE LIFE OF THE PARTY-W4

Location: 6406-6413 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am the life of the party

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	454	8.9 %
2	Agree	1305	25.5 %
3	Neither agree nor disagree	1896	37.1 %
4	Disagree	1242	24.3 %
5	Strongly disagree	207	4.0 %
6 (M)	Refused	4	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5104 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.89
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.00

H4PE2 S26Q2 SYMPATHIZE W/ OTHERS' FEELINGS-W4

Location: 6414-6421 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I sympathize with others' feelings

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1729	33.8 %
2	Agree	2836	55.5 %
3	Neither agree nor disagree	373	7.3 %
4	Disagree	119	2.3 %
5	Strongly disagree	47	0.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.74

H4PE3 S26Q3 GET CHORES DONE RIGHT AWAY-W4

Location: 6422-6429 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I get chores done right away

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	789	15.4 %
2	Agree	1988	38.9 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Neither agree nor disagree	1165	22.8 %
4	Disagree	1031	20.2 %
5	Strongly disagree	132	2.6 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 5105 valid cases out of 5114 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

H4PE4

S26Q4 HAVE FREQUENT MOOD SWINGS-W4

Location: 6430-6437 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I have frequent mood swings

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	297	5.8 %
2	Agree	1102	21.5 %
3	Neither agree nor disagree	1091	21.3 %
4	Disagree	2040	39.9 %
5	Strongly disagree	575	11.2 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5105 valid cases out of 5114 total cases.

- Mean: 3.29
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

H4PE5

S26Q5 HAVE VIVID IMAGINATION-W4

- Study 21600 -

Location: 6438-6445 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6 , 8 , .
Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I have a vivid imagination

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	982	19.2 %
2	Agree	2187	42.8 %
3	Neither agree nor disagree	1156	22.6 %
4	Disagree	681	13.3 %
5	Strongly disagree	92	1.8 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	10	0.2 %
. (M)	-	1	0.0 %

Based upon 5098 valid cases out of 5114 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

H4PE6 S26Q6 WORRY ABOUT THINGS-W4

Location: 6446-6453 (width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 6 , 8 , .
Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I worry about things

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	940	18.4 %
2	Agree	2546	49.8 %
3	Neither agree nor disagree	804	15.7 %
4	Disagree	676	13.2 %
5	Strongly disagree	137	2.7 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.32
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.01

H4PE7 S26Q7 ALWAYS OPTIMISTIC ABOUT FUTURE-W4

Location: 6454-6461 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I'm always optimistic about my future

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	941	18.4 %
2	Agree	2677	52.3 %
3	Neither agree nor disagree	1046	20.5 %
4	Disagree	392	7.7 %
5	Strongly disagree	46	0.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	1	0.0 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 2.20
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.86

H4PE8 S26Q8 GET ANGRY EASILY-W4

Location: 6462-6469 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I get angry easily

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	203	4.0 %
2	Agree	877	17.1 %
3	Neither agree nor disagree	1134	22.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Disagree	2302	45.0 %
5	Strongly disagree	588	11.5 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 3.43
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.03

H4PE9 S26Q9 DO NOT TALK A LOT-W4

Location: 6470-6477 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I don't talk a lot

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	236	4.6 %
2	Agree	1032	20.2 %
3	Neither agree nor disagree	1070	20.9 %
4	Disagree	1898	37.1 %
5	Strongly disagree	870	17.0 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 3.42
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.13

H4PE10 S26Q10 DISINTEREST IN OTHERS' PROBLMS-W4

Location: 6478-6485 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am not interested in other people's problems

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	151	3.0 %
2	Agree	553	10.8 %
3	Neither agree nor disagree	1117	21.8 %
4	Disagree	2596	50.8 %
5	Strongly disagree	687	13.4 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 3.61
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

H4PE11

S26Q11 FORGET RETURN THINGS PROPERLY-W4

Location: 6486-6493 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I often forget to put things back in their proper place

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	221	4.3 %
2	Agree	1054	20.6 %
3	Neither agree nor disagree	794	15.5 %
4	Disagree	2257	44.1 %
5	Strongly disagree	777	15.2 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 3.45
- Median: 4.00

- Study 21600 -

- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.11

H4PE12

S26Q12 RELAXED MOST OF THE TIME-W4

Location: 6494-6501 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am relaxed most of the time

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	603	11.8 %
2	Agree	2848	55.7 %
3	Neither agree nor disagree	943	18.4 %
4	Disagree	616	12.0 %
5	Strongly disagree	96	1.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	2	0.0 %
. (M)	-	1	0.0 %

Based upon 5106 valid cases out of 5114 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

H4PE13

S26Q13 NOT INTERESTED ABSTRACT IDEAS-W4

Location: 6502-6509 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am not interested in abstract ideas

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	75	1.5 %
2	Agree	704	13.8 %
3	Neither agree nor disagree	1994	39.0 %
4	Disagree	1861	36.4 %
5	Strongly disagree	422	8.3 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	51	1.0 %
. (M)	-	1	0.0 %

Based upon 5056 valid cases out of 5114 total cases.

- Mean: 3.37
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.88

H4PE14

S26Q14 NOT EASILY BOTHERED BY THINGS-W4

Location: 6510-6517 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am not easily bothered by things

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	302	5.9 %
2	Agree	2107	41.2 %
3	Neither agree nor disagree	1213	23.7 %
4	Disagree	1340	26.2 %
5	Strongly disagree	138	2.7 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	7	0.1 %
. (M)	-	1	0.0 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 2.79
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

H4PE15

S26Q15 DO NOT EXPECT THINGS MY WAY-W4

Location: 6518-6525 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

- Study 21600 -

Question:

How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I hardly ever expect things to go my way

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	110	2.2 %
2	Agree	732	14.3 %
3	Neither agree nor disagree	1232	24.1 %
4	Disagree	2608	51.0 %
5	Strongly disagree	420	8.2 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 3.49
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

H4PE16

S26Q16 RARELY GET IRRITATED-W4

Location:

6526-6533 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

6 , 8 , .

Question:

How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I rarely get irritated

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	197	3.9 %
2	Agree	1732	33.9 %
3	Neither agree nor disagree	1222	23.9 %
4	Disagree	1774	34.7 %
5	Strongly disagree	175	3.4 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	7	0.1 %
. (M)	-	1	0.0 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 5.00
- Standard Deviation: 0.99

H4PE17

S26Q17 SOCIALIZE FREELY AT PARTIES-W4

Location: 6534-6541 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I talk to a lot of different people at parties

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	644	12.6 %
2	Agree	2239	43.8 %
3	Neither agree nor disagree	845	16.5 %
4	Disagree	1153	22.5 %
5	Strongly disagree	220	4.3 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	1	0.0 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 2.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.09

H4PE18

S26Q18 FEEL OTHERS' EMOTIONS-W4

Location: 6542-6549 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I feel others' emotions

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	538	10.5 %
2	Agree	2849	55.7 %
3	Neither agree nor disagree	1152	22.5 %
4	Disagree	483	9.4 %
5	Strongly disagree	77	1.5 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	8	0.2 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.85

H4PE19

S26Q19 I LIKE ORDER-W4

Location: 6550-6557 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I like order

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1144	22.4 %
2	Agree	2770	54.2 %
3	Neither agree nor disagree	831	16.2 %
4	Disagree	311	6.1 %
5	Strongly disagree	47	0.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 2.09
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

H4PE20

S26Q20 I GET UPSET EASILY-W4

Location: 6558-6565 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I get upset easily

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	157	3.1 %
2	Agree	911	17.8 %
3	Neither agree nor disagree	1084	21.2 %
4	Disagree	2570	50.3 %
5	Strongly disagree	383	7.5 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5105 valid cases out of 5114 total cases.

- Mean: 3.41
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

H4PE21

S26Q21 ABSTRACT CONCEPTS HARD TO GET-W4

Location: 6566-6573 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I have difficulty understanding abstract ideas

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	63	1.2 %
2	Agree	484	9.5 %
3	Neither agree nor disagree	1493	29.2 %
4	Disagree	2553	49.9 %
5	Strongly disagree	472	9.2 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	43	0.8 %
. (M)	-	1	0.0 %

Based upon 5065 valid cases out of 5114 total cases.

- Mean: 3.57
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

- Study 21600 -

H4PE22 S26Q22 I GET STRESSED OUT EASILY-W4

Location: 6574-6581 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I get stressed out easily

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	251	4.9 %
2	Agree	1218	23.8 %
3	Neither agree nor disagree	1089	21.3 %
4	Disagree	2217	43.4 %
5	Strongly disagree	327	6.4 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 3.23
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

H4PE23 S26Q23 EXPECT MORE GOOD THAN BAD-W4

Location: 6582-6589 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: Overall, I expect more good things to happen to me than bad

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	1164	22.8 %
2	Agree	3016	59.0 %
3	Neither agree nor disagree	609	11.9 %
4	Disagree	260	5.1 %
5	Strongly disagree	54	1.1 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.80

H4PE24 S26Q24 I LOSE MY TEMPER-W4

Location: 6590-6597 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I lose my temper

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	110	2.2 %
2	Agree	874	17.1 %
3	Neither agree nor disagree	958	18.7 %
4	Disagree	2480	48.5 %
5	Strongly disagree	682	13.3 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	3	0.1 %
. (M)	-	1	0.0 %

Based upon 5104 valid cases out of 5114 total cases.

- Mean: 3.54
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

H4PE25 S26Q25 I KEEP IN THE BACKGROUND-W4

Location: 6598-6605 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I keep in the background

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	150	2.9 %
2	Agree	1107	21.6 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Neither agree nor disagree	1338	26.2 %
4	Disagree	2122	41.5 %
5	Strongly disagree	378	7.4 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	13	0.3 %
. (M)	-	1	0.0 %

Based upon 5095 valid cases out of 5114 total cases.

- Mean: 3.29
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.98

H4PE26

S26Q26 UNINTERESTED IN OTHERS-W4

Location: 6606-6613 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I am not really interested in others

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	45	0.9 %
2	Agree	311	6.1 %
3	Neither agree nor disagree	836	16.3 %
4	Disagree	3158	61.8 %
5	Strongly disagree	749	14.6 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	9	0.2 %
. (M)	-	1	0.0 %

Based upon 5099 valid cases out of 5114 total cases.

- Mean: 3.83
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

H4PE27

S26Q27 I MAKE A MESS OF THINGS-W4

- Study 21600 -

Location: 6614-6621 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8 , .
 Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I make a mess of things

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	42	0.8 %
2	Agree	411	8.0 %
3	Neither agree nor disagree	771	15.1 %
4	Disagree	3024	59.1 %
5	Strongly disagree	853	16.7 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	7	0.1 %
. (M)	-	1	0.0 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 3.83
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.83

H4PE28 S26Q28 I SELDOM FEEL BLUE-W4

Location: 6622-6629 (width: 8; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 8 , .
 Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I seldom feel blue

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	346	6.8 %
2	Agree	2251	44.0 %
3	Neither agree nor disagree	1007	19.7 %
4	Disagree	1290	25.2 %
5	Strongly disagree	203	4.0 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	11	0.2 %
. (M)	-	1	0.0 %

Based upon 5097 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 2.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.03

H4PE29 S26Q29 LACK GOOD IMAGINATION-W4

Location: 6630-6637 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I do not have a good imagination

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	44	0.9 %
2	Agree	321	6.3 %
3	Neither agree nor disagree	621	12.1 %
4	Disagree	2992	58.5 %
5	Strongly disagree	1122	21.9 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	8	0.2 %
. (M)	-	1	0.0 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 3.95
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.82

H4PE30 S26Q30 DO NOT WORRY ABOUT PAST-W4

Location: 6638-6645 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I don't worry about things that have already happened

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	274	5.4 %
2	Agree	1495	29.2 %
3	Neither agree nor disagree	1097	21.5 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Disagree	1972	38.6 %
5	Strongly disagree	265	5.2 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	5	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 3.09
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.05

H4PE31

S26Q31 RARELY EXPECT GOOD HAPPN TO ME-W4

Location: 6646-6653 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I rarely count on good things happening to me

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	115	2.2 %
2	Agree	657	12.8 %
3	Neither agree nor disagree	739	14.5 %
4	Disagree	2959	57.9 %
5	Strongly disagree	633	12.4 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 3.65
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

H4PE32

S26Q32 I KEEP MY COOL-W4

Location: 6654-6661 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I keep my cool

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	647	12.7 %
2	Agree	3273	64.0 %
3	Neither agree nor disagree	862	16.9 %
4	Disagree	291	5.7 %
5	Strongly disagree	34	0.7 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	1	0.0 %
. (M)	-	1	0.0 %

Based upon 5107 valid cases out of 5114 total cases.

- Mean: 2.18
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.74

H4PE33

S26Q33 AVOID CONFRONTING PROBLEMS-W4

Location: 6662-6669 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I go out of my way to avoid having to deal with problems in my life

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	151	3.0 %
2	Agree	814	15.9 %
3	Neither agree nor disagree	1040	20.3 %
4	Disagree	2637	51.6 %
5	Strongly disagree	458	9.0 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	8	0.2 %
. (M)	-	1	0.0 %

Based upon 5100 valid cases out of 5114 total cases.

- Mean: 3.48
- Median: 4.00

- Study 21600 -

- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

H4PE34 S26Q34 RELY ON GUT FEELINGS DECISIONS-W4

Location: 6670-6677 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: When making a decision, I go with my 'gut feeling' and don't think much about the consequences of each alternative

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	206	4.0 %
2	Agree	945	18.5 %
3	Neither agree nor disagree	890	17.4 %
4	Disagree	2487	48.6 %
5	Strongly disagree	570	11.1 %
6 (M)	Refused	7	0.1 %
8 (M)	Don't know	8	0.2 %
. (M)	-	1	0.0 %

Based upon 5098 valid cases out of 5114 total cases.

- Mean: 3.45
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.04

H4PE35 S26Q35 LIKE TO TAKE RISKS-W4

Location: 6678-6685 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I like to take risks

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	238	4.7 %
2	Agree	1571	30.7 %
3	Neither agree nor disagree	1394	27.3 %
4	Disagree	1656	32.4 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Strongly disagree	243	4.8 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	1	0.0 %

Based upon 5102 valid cases out of 5114 total cases.

- Mean: 3.02
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.00

H4PE36

S26Q36 LIVE W/O THOUGHT FOR FUTURE-W4

Location: 6686-6693 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree with each statement about you as you generally are now, not as you wish to be in the future?: I live my life without much thought for the future

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	51	1.0 %
2	Agree	311	6.1 %
3	Neither agree nor disagree	474	9.3 %
4	Disagree	3130	61.2 %
5	Strongly disagree	1135	22.2 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	7	0.1 %
. (M)	-	1	0.0 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 3.98
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.81

H4PE37

S26Q37 LOW ABILITY CHANGE IMP THINGS-W4

Location: 6694-6701 (width: 8; decimal: 0)

Variable Type: numeric

- Study 21600 -

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree or disagree with the following statements?: There is little I can do to change the important things in my life.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	48	0.9 %
2	Agree	265	5.2 %
3	Neither agree nor disagree	497	9.7 %
4	Disagree	3196	62.5 %
5	Strongly disagree	1091	21.3 %
6 (M)	Refused	5	0.1 %
8 (M)	Don't know	11	0.2 %
. (M)	-	1	0.0 %

Based upon 5097 valid cases out of 5114 total cases.

- Mean: 3.98
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

H4PE38

S26Q38 MOST LIMITS SET BY OTHERS-W4

Location: 6702-6709 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree or disagree with the following statements?: Other people determine most of what I can and cannot do.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	42	0.8 %
2	Agree	185	3.6 %
3	Neither agree nor disagree	369	7.2 %
4	Disagree	2880	56.3 %
5	Strongly disagree	1627	31.8 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 4.15
- Median: 4.00
- Mode: 4.00

- Study 21600 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.77

H4PE39

S26Q39 MUCH INTERFERENCE W/MY WANTS-W4

Location: 6710-6717 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree or disagree with the following statements?: There are many things that interfere with what I want to do.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	130	2.5 %
2	Agree	1153	22.5 %
3	Neither agree nor disagree	1069	20.9 %
4	Disagree	2273	44.4 %
5	Strongly disagree	476	9.3 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	6	0.1 %
. (M)	-	1	0.0 %

Based upon 5101 valid cases out of 5114 total cases.

- Mean: 3.36
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.01

H4PE40

S26Q40 LOW CONTRL EVENTS HAPPEN TO ME-W4

Location: 6718-6725 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree or disagree with the following statements?: I have little control over the things that happen to me.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	44	0.9 %
2	Agree	271	5.3 %
3	Neither agree nor disagree	639	12.5 %
4	Disagree	3197	62.5 %
5	Strongly disagree	945	18.5 %
6 (M)	Refused	7	0.1 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8 (M)	Don't know	10	0.2 %
. (M)	-	1	0.0 %

Based upon 5096 valid cases out of 5114 total cases.

- Mean: 3.93
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.77

H4PE41

S26Q41 IMPOSSIBLE TO SOLVE MY PROBLMS-W4

Location: 6726-6733 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 6 , 8 , .

Question: How much do you agree or disagree with the following statements?: There is really no way I can solve the problems I have.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly agree	29	0.6 %
2	Agree	113	2.2 %
3	Neither agree nor disagree	348	6.8 %
4	Disagree	3269	63.9 %
5	Strongly disagree	1344	26.3 %
6 (M)	Refused	6	0.1 %
8 (M)	Don't know	4	0.1 %
. (M)	-	1	0.0 %

Based upon 5103 valid cases out of 5114 total cases.

- Mean: 4.13
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.67

H4CMONTH

S27 COLLECTION DATE: MONTH -W4

Location: 6734-6740 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	191	3.7 %
2	February	645	12.6 %
3	March	783	15.3 %
4	April	796	15.6 %
5	May	705	13.8 %
6	June	509	10.0 %
7	July	391	7.6 %
8	August	342	6.7 %
9	September	272	5.3 %
10	October	209	4.1 %
11	November	151	3.0 %
12	December	120	2.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 5.22
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.75

H4CDAY

S27 COLLECTION DATE: DAY -W4

Location: 6741-6747 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	180	3.5 %
2	175	3.4 %
3	168	3.3 %
4	162	3.2 %
5	187	3.7 %
6	188	3.7 %
7	147	2.9 %
8	185	3.6 %
9	181	3.5 %
10	172	3.4 %
11	159	3.1 %
12	173	3.4 %
13	181	3.5 %
14	155	3.0 %

- Study 21600 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	171	3.3 %
16	160	3.1 %
17	144	2.8 %
18	140	2.7 %
19	170	3.3 %
20	165	3.2 %
21	193	3.8 %
22	149	2.9 %
23	176	3.4 %
24	140	2.7 %
25	157	3.1 %
26	161	3.1 %
27	159	3.1 %
28	195	3.8 %
29	191	3.7 %
30	138	2.7 %
31	92	1.8 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 15.59
- Median: 15.00
- Mode: 28.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.89

H4CYEAR

S27 COLLECTION DATE: YEAR -W4

Location:

6748-6755 (width: 8; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2007	46	0.9 %
2008	5021	98.2 %
2009	47	0.9 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 2008.00
- Median: 2008.00
- Mode: 2008.00
- Minimum: 2007.00

- Study 21600 -

- Maximum: 2009.00
- Standard Deviation: 0.13

H4ARM S27 WHICH ARM FOR BP -W4

Location: 6756-6762 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Right	4010	78.4 %
2	Left	1009	19.7 %
6 (M)	Refused	48	0.9 %
7 (M)	Legitimate skip	4	0.1 %
. (M)	-	43	0.8 %

Based upon 5019 valid cases out of 5114 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.40

H4CUFF S27 CUFF SIZE FOR BP -W4

Location: 6763-6769 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 9 , .
 Question:

~~~~~  
 [NOTES:] In both the pretest and main studies, arm circumferences were measured to determine appropriate

Adult: < 12 in  
 Large adult: 12-16 in  
 Exceeds large adult cuff: > 16 in

Note that main study criteria differ as follows:

Adult: < 13 in  
 Large adult: 13-16 in  
 Exceeds large adult cuff: > 16 in

Flag variable H4CUFFLG was created to flag the pretest cases with arm circumference between 12 and 12.7

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1            | Adult        | 3150                        | 61.6 %   |

- Study 21600 -

| <i>Value</i> | <i>Label</i>                              | <i>Unweighted<br/>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------------|---------------------------------|----------|
| 2            | Large adult                               | 1794                            | 35.1 %   |
| 3            | Large adult, but exceeds large adult cuff | 74                              | 1.4 %    |
| 6 (M)        | Refused                                   | 48                              | 0.9 %    |
| 7 (M)        | Legitimate skip                           | 4                               | 0.1 %    |
| 9 (M)        | Invalid data                              | 1                               | 0.0 %    |
| . (M)        | -                                         | 43                              | 0.8 %    |

Based upon 5018 valid cases out of 5114 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

**H4CUFFLG**

**S27 ARM CIRC IN PRETEST 12-12.75 IN-W4**

Location: 6770-6776 (width: 7; decimal: 0)

Variable Type: numeric

Question:

~~~~~  
[NOTES:] In both the pretest and main studies, arm circumferences were measured to determine appropriate

Adult: < 12 in
Large adult: 12-16 in
Exceeds large adult cuff: > 16 in

Note that main study criteria differ as follows:

Adult: < 13 in
Large adult: 13-16 in
Exceeds large adult cuff: > 16 in

Flag variable H4CUFFLG was created to flag the pretest cases with arm circumference between 12 and 12.75 in.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5105	99.8 %
1	Yes	9	0.2 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 21600 -

- Maximum: 1.00
- Standard Deviation: 0.04

H4SBP S27 SYSTOLIC BLOOD PRESSURE-W4

Location: 6777-6784 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

[NOTES:] Single systolic and diastolic measures were constructed as the average of measures 2 and 3. When one of the second and third measures was missing, the other single measure was used. In the cases when both measures 2 and 3 were missing, the first measure was used. To indicate the number of measures used in constructed blood pressure variables, the variable H4BPFLG was created.

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 4983 valid cases out of 5114 total cases.

- Mean: 124.50
- Median: 123.50
- Mode: 117.50
- Minimum: 77.00
- Maximum: 212.00
- Standard Deviation: 13.72

H4DBP S27 DIASTOLIC BLOOD PRESSURE -W4

Location: 6785-6792 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

[NOTES:] Single systolic and diastolic measures were constructed as the average of measures 2 and 3. When one of the second and third measures was missing, the other single measure was used. In the cases when both measures 2 and 3 were missing, the first measure was used. To indicate the number of measures used in constructed blood pressure variables, the variable H4BPFLG was created.

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 4983 valid cases out of 5114 total cases.

- Mean: 79.08
- Median: 78.50

- Study 21600 -

- Mode: 75.00
- Minimum: 31.00
- Maximum: 145.00
- Standard Deviation: 10.35

H4BPCLS S27 BLOOD PRESSURE CLASS -W4

Location: 6793-6799 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 6 , 7 , 9 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Normal: systolic <120, diastolic <80	1718	33.6 %
2	Prehypertension: systolic 120-139 or diastolic 80-89	2341	45.8 %
3	Hypertension I: systolic 140-159 or diastolic 90-99	729	14.3 %
4	Hypertension II: systolic 160+ or diastolic 100+	195	3.8 %
6 (M)	Refused	48	0.9 %
7 (M)	Legitimate skip	4	0.1 %
9 (M)	Invalid data	36	0.7 %
. (M)	-	43	0.8 %

Based upon 4983 valid cases out of 5114 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.80

H4BPFLG S27 # OF BLOOD PRESSURE MEASURES-W4

Location: 6800-6806 (width: 7; decimal: 0)
 Variable Type: numeric
 Question: ~~~~~

[NOTES:] Single systolic and diastolic measures were constructed as the average of measures 2 and 3. When one of the second and third measures was missing, the other single measure was used. In the cases when both measures 2 and 3 were missing, the first measure was used. To indicate the number of measures used in constructed blood pressure variables, the variable H4BPFLG was created.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Measures 2 & 3	4924	96.3 %
2	Measures 3 only	10	0.2 %
3	Measures 2 only	25	0.5 %
4	Measures 1 only	24	0.5 %
5	No measures	88	1.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	43	0.8 %

Based upon 5071 valid cases out of 5114 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.58

H4PR S27 PULSE RATE -W4

Location: 6807-6814 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 887 , 888 , 996 , 997 , 999

Question:

[NOTES:] A single pulse rate measure was constructed as the average of measures 2 and 3. When one of the second and third measures was missing, the other single measure was used. In the cases when both measures 2 and 3 were missing, the first measure was used.

<i>Value</i>	<i>Label</i>
887 (M)	Less than 40 bpm
888 (M)	Greater than 200 bpm
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 4947 valid cases out of 5114 total cases.

- Mean: 74.32
- Median: 74.00
- Mode: 74.50
- Minimum: 42.00
- Maximum: 196.00
- Standard Deviation: 12.03

H4PP S27 PULSE PRESSURE -W4

Location: 6815-6822 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

[NOTES:] The single pulse pressure measure was constructed as the average of the difference between systolic and diastolic blood pressures using measures 2 and 3. When one of the second and third measures was missing, the difference between systolic and diastolic of the other single

- Study 21600 -

measure was used. In the cases when both measures 2 and 3 were missing, the difference between the first systolic and diastolic blood pressures was used.

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 4983 valid cases out of 5114 total cases.

- Mean: 45.42
- Median: 45.00
- Mode: 44.50
- Minimum: 17.00
- Maximum: 90.50
- Standard Deviation: 8.58

H4MAP S27 MEAN ARTERIAL PRESSURE-W4

Location: 6823-6830 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

~~~~~  
[NOTES:] The mean arterial pressure was constructed as the weighted average of systolic and diastolic measures 2 and 3. When one of the second and third measures was missing, the other single measure was used. In the cases when both measures 2 and 3 were missing, the first measure was used.

| <i>Value</i> | <i>Label</i>    |
|--------------|-----------------|
| 996 (M)      | Refused         |
| 997 (M)      | Legitimate skip |
| 999 (M)      | Invalid data    |

Based upon 4983 valid cases out of 5114 total cases.

- Mean: 94.22
- Minimum: 46.30
- Maximum: 167.30
- Standard Deviation: 10.86

**H4HGT S27 MEASURED HEIGHT (CM)-W4**

Location: 6831-6838 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

~~~~~  
[NOTES:] Heights were measured in feet, whole and partial inches in the pretest and have been converted to centimeters to be comparable to the main study measurements.

- Study 21600 -

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 5074 valid cases out of 5114 total cases.

- Mean: 170.23
- Median: 170.00
- Mode: 170.00
- Minimum: 122.50
- Maximum: 204.00
- Standard Deviation: 9.98

H4WGT	S27 MEASURED WEIGHT (KG)-W4
--------------	------------------------------------

Location: 6839-6846 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 888 , 889 , 996 , 997 , 999

Question:

[NOTES:] Weights were measured in pounds in the pretest and have been converted to kilograms in this data file to be comparable to the main study measurements. Measured weights were compared to self reported weights and outliers were investigated. Waist, height, and sex data were used to compare and assess data quality. There are 16 cases among the outliers in the main study where the field interviewer measured weight in pounds but entered it as kilograms. H4WGT has been re-coded for these 16 cases by dividing it by 2.2 and the variable H4WTLBS created to flag the recodes. During this cleaning process some cases were also discovered that had measured weights that were inconsistent with sex, self-reported weight, waist, and height measures and were assigned the code 889.

<i>Value</i>	<i>Label</i>
888 (M)	Over scale limit
889 (M)	Weight inconsistent with height, waist and sex
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 5044 valid cases out of 5114 total cases.

- Mean: 84.60
- Minimum: 37.70
- Maximum: 200.00
- Standard Deviation: 23.17

H4WTLBS	S27 FLAG-WGT CHANGED FROM LBS TO KG-W4
----------------	---

Location: 6847-6853 (width: 7; decimal: 0)

Variable Type: numeric

- Study 21600 -

Question:

[NOTES:] Weights were measured in pounds in the pretest and have been converted to kilograms in this data file to be comparable to the main study measurements. Measured weights were compared to self reported weights and outliers were investigated. Waist, height, and sex data were used to compare and assess data quality. There are 16 cases among the outliers in the main study where the field interviewer measured weight in pounds but entered it as kilograms. H4WGT has been re-coded for these 16 cases by dividing it by 2.2 and the variable H4WTLBS created to flag the recodes. During this cleaning process some cases were also discovered that had measured weights that were inconsistent with sex, self-reported weight, waist, and height measures and were assigned the code 889.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5098	99.7 %
1	Yes	16	0.3 %

Based upon 5114 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

H4BMI

S27 BMI -W4

Location: 6854-6861 (width: 8; decimal: 2)
 Variable Type: numeric
 Range of Missing Values (M): 888 , 889 , 996 , 997 , 999

<i>Value</i>	<i>Label</i>
888 (M)	Over limit
889 (M)	Weight inconsistent with height, waist and sex
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 5042 valid cases out of 5114 total cases.

- Mean: 29.14
- Minimum: 14.40
- Maximum: 70.30
- Standard Deviation: 7.49

H4BMICLS

S27 BMI CLASS -W4

Location: 6862-6868 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 88 , 89 , 96 , 97 , 99

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Underweight: <18.5	77	1.5 %
2	Normal: 18.5-<25	1578	30.9 %
3	Overweight: 25-<30	1498	29.3 %
4	Obese I: 30-<35	936	18.3 %
5	Obese II: 35-<40	508	9.9 %
6	Obese III: 40+	445	8.7 %
88 (M)	Over limit	5	0.1 %
89 (M)	Weight inconsistent with height, waist and sex	8	0.2 %
96 (M)	Refused	41	0.8 %
97 (M)	Legitimate skip	3	0.1 %
99 (M)	Invalid data	15	0.3 %

Based upon 5042 valid cases out of 5114 total cases.

- Mean: 3.31
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.29

H4WAIST

S27 MEASURED WAIST (CM) -W4

Location: 6869-6876 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): 996 , 997 , 999

Question:

[NOTES:] Waists were measured in whole and partial inches in the pretest and were converted to centimeters.

<i>Value</i>	<i>Label</i>
996 (M)	Refused
997 (M)	Legitimate skip
999 (M)	Invalid data

Based upon 5067 valid cases out of 5114 total cases.

- Mean: 98.42
- Median: 96.00
- Mode: 95.00
- Minimum: 50.00
- Maximum: 197.00
- Standard Deviation: 17.63

H4IR1

S28Q1 PHYSICAL ATTRACTIVENESS OF R-W4

- Study 21600 -

Location: 6877-6884 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: How physically attractive is the respondent?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very unattractive	162	3.2 %
2	Unattractive	230	4.5 %
3	About average	2398	46.9 %
4	Attractive	1839	36.0 %
5	Very attractive	480	9.4 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 3.44
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.85

H4IR2 S28Q2 PERSONALITY ATTRACTIVENESS OF R-W4

Location: 6885-6892 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: How attractive is the respondent's personality?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very unattractive	168	3.3 %
2	Unattractive	120	2.3 %
3	About average	1998	39.1 %
4	Attractive	2049	40.1 %
5	Very attractive	774	15.1 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 3.61
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.89

H4IR3 S28Q3 GROOMING-W4

- Study 21600 -

Location: 6893-6900 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: How well groomed is the respondent?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very poorly groomed	21	0.4 %
2	Poorly groomed	234	4.6 %
3	About average	2523	49.3 %
4	Well groomed	1786	34.9 %
5	Very well groomed	545	10.7 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 3.51
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.76

H4IR4 S28Q4 RACE OF RESPONDENT BY FI-W4

Location: 6901-6908 (width: 8; decimal: 0)
 Variable Type: numeric
 Question: Indicate the race of the sample member/respondent from your own observation (not from what the respondent said).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	3671	71.8 %
2	Black or African American	1240	24.2 %
3	American Indian or Alaska Native	41	0.8 %
4	Asian or Pacific Islander	157	3.1 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

H4IR5 S28Q5 THIRD PERSON PRESENT AT INTRVW-W4

Location: 6909-6916 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Question: Was a third person present during any portion of the interview--not just walking through the area where the interview was being conducted, but listening to or taking part in the interview process?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4302	84.1 %
1	Yes	807	15.8 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

H4IR6

S28Q6 WHO WAS PRESENT AT INTERVIEW-W4

Location: 6917-6924 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 95 , 97 , .

Question: Who was present?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Wife, husband, or partner	347	6.8 %
2	Other adult relative	153	3.0 %
3	Other adult non-relative	53	1.0 %
4	Son or daughter	218	4.3 %
5	Other child relative	16	0.3 %
6	Other child non-relative	4	0.1 %
7	Unable to determine relationship	14	0.3 %
95 (M)	Not asked on pretest	2	0.0 %
97 (M)	Legitimate skip	4302	84.1 %
. (M)	-	5	0.1 %

Based upon 805 valid cases out of 5114 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.47

- Study 21600 -

H4IR7 S28Q7 NUMBER OF INTERRUPTIONS-W4

Location: 6925-6932 (width: 8; decimal: 0)

Variable Type: numeric

Question: How many interruptions occurred during the interview?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No interruptions	3109	60.8 %
2	A few interruptions	1651	32.3 %
3	Many interruptions	349	6.8 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.62

H4IR8 S28Q8 LOCATION BIO SPECIMENS COLLECTD-W4

Location: 6933-6940 (width: 8; decimal: 0)

Variable Type: numeric

Question: Where was the biomarker portion of the interview conducted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Inside respondent's residence	4380	85.6 %
2	Immediately outside respondent's residence	34	0.7 %
3	In respondent's work location	103	2.0 %
4	Inside a parent's or other relative's residence	234	4.6 %
5	Immediately outside a parent's/other relative's residence	6	0.1 %
6	In interviewer's car	7	0.1 %
7	In a library	74	1.4 %
8	In a restaurant or coffee shop	38	0.7 %
9	Not applicable - biomarker section was not administered	105	2.1 %
10	At another location (specify in comment box)	128	2.5 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 21600 -

- Maximum: 10.00
- Standard Deviation: 2.06

H4IR8A S28Q8A OTHR LOCATION BIO SPEC COLLECTD-W4

Location: 6941-6948 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Specify other location.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Prison	27	0.5 %
2	Office	27	0.5 %
3	Friend's house	17	0.3 %
4	Girlfriend's/boyfriend's house/apartment	8	0.2 %
5	Hotel/motel	16	0.3 %
6	School	2	0.0 %
7	Church	4	0.1 %
8	Commons area of respondent's residence	5	0.1 %
9	Bookstore/other store	5	0.1 %
10	Interviewer's home	5	0.1 %
11	Hospital/treatment center	3	0.1 %
12	Park/pavillion	3	0.1 %
13	Military barracks/office	1	0.0 %
14	Other location	5	0.1 %
97 (M)	Legitimate skip	4981	97.4 %
. (M)	-	5	0.1 %

Based upon 128 valid cases out of 5114 total cases.

- Mean: 4.46
- Median: 3.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 3.66

H4IR9 S28Q9 LOCATION OF INTERVIEW-W4

Location: 6949-6956 (width: 8; decimal: 0)

Variable Type: numeric

Question: Where was the questionnaire portion of the interview conducted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Inside respondent's residence	4447	87.0 %
2	Immediately outside respondent's residence	36	0.7 %

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	In respondent's work location	108	2.1 %
4	Inside a parent's or other relative's residence	233	4.6 %
5	Immediately outside a parent's/other relative's residence	8	0.2 %
7	In a library	82	1.6 %
8	In a restaurant or coffee shop	64	1.3 %
9	At another location (specify in comment box)	131	2.6 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.74

H4IR9A

S28Q9A OTHER LOCATION OF INTERVIEW-W4

Location: 6957-6964 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Specify other location.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Prison	30	0.6 %
2	Office	25	0.5 %
3	Friend's house	18	0.4 %
4	Girlfriend's/boyfriend's house/apartment	9	0.2 %
5	Hotel/motel	17	0.3 %
6	School	2	0.0 %
7	Church	5	0.1 %
8	Commons area of respondent's residence	7	0.1 %
9	Bookstore/other store	5	0.1 %
10	Interviewer's home	4	0.1 %
11	Hospital/treatment center	3	0.1 %
12	Park/pavillion	3	0.1 %
13	Military barracks/office	1	0.0 %
14	Other location	2	0.0 %
97 (M)	Legitimate skip	4978	97.3 %
. (M)	-	5	0.1 %

Based upon 131 valid cases out of 5114 total cases.

- Study 21600 -

- Mean: 4.22
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 3.34

H4IR10 S28Q10 R APPEARED TO BE DRUNK/HIGH-W4

Location: 6965-6972 (width: 8; decimal: 0)

Variable Type: numeric

Question: Did the respondent appear to be drunk or under the influence of a drug?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	16	0.3 %
2	No	5050	98.7 %
3	Perhaps	43	0.8 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.11

H4IR11 S28Q11 R APPEARED BORED/IMPATIENT-W4

Location: 6973-6980 (width: 8; decimal: 0)

Variable Type: numeric

Question: Did the respondent ever seem bored or impatient during the interview?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4801	93.9 %
1	Yes	308	6.0 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 21600 -

- Standard Deviation: 0.24

H4IR12 S28Q12 BOREDOM NEG EFFECT ON INVIEW-W4

Location: 6981-6988 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: Did the respondent's boredom or impatience negatively affect the quality of the interview?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	243	4.8 %
1	Yes	65	1.3 %
7 (M)	Legitimate skip	4801	93.9 %
. (M)	-	5	0.1 %

Based upon 308 valid cases out of 5114 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

H4IR13 S28Q13 CANDIDNESS OF R-W4

Location: 6989-6996 (width: 8; decimal: 0)

Variable Type: numeric

Question: In your opinion, was the respondent candid in his/her responses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	249	4.9 %
1	Yes	4860	95.0 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

H4IR14 S28Q14 R NEED HELP W/SELF ADMIN-W4

Location: 6997-7004 (width: 8; decimal: 0)

- Study 21600 -

Variable Type:

numeric

Question:

Did the respondent require your help in completing the self-administered part of the questionnaire?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	4576	89.5 %
3	Yes, all of the self-administered questions	74	1.4 %
4	Yes, some of the self-administered questions	459	9.0 %
. (M)	-	5	0.1 %

Based upon 5109 valid cases out of 5114 total cases.

- Mean: 2.19
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 0.58

H4EO1

S30Q1 VISITED RESPONDENT HOME-W4

Location:

7005-7012 (width: 8; decimal: 0)

Variable Type:

numeric

Question:

In order to complete the environmental questions, you must have visited the respondent's home.
Have you visited the respondent's home?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6	0.1 %
1	Yes	4621	90.4 %
. (M)	-	487	9.5 %

Based upon 4627 valid cases out of 5114 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4EO2

S29Q2 ENVIRON DATA FROM CDF/MEMORY-W4

Location:

7013-7020 (width: 8; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

7 , .

Question:

Please indicate whether you will enter data from Section D of the CDF for this case or whether you will be completing the neighborhood environment questions from memory.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Using CDF	4155	81.2 %
2	Reporting based on memory	505	9.9 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	448	8.8 %

Based upon 4660 valid cases out of 5114 total cases.

- Mean: 1.11
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.31

H4EO3 S29Q3 BUILDING CRACKING/ENTR UNSAFE-W4

Location: 7021-7028 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The building structure or entrance is unsafe, or contains cracks or holes, broken siding or glass, or peeling paint.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4255	83.2 %
1	Yes	411	8.0 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	442	8.6 %

Based upon 4666 valid cases out of 5114 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

H4EO4 S29Q4 YARD UNKEMPT W/ DEBRIS/TRASH-W4

Location: 7029-7036 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: The yard is unkempt with overgrown shrubs or grass, or contains clutter, trash or other debris.

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4213	82.4 %
1	Yes	453	8.9 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	442	8.6 %

Based upon 4666 valid cases out of 5114 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4EO5A

S29Q5A BARRIER-NONE-W4

Location: 7037-7043 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: None

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	458	9.0 %
1	Selected	4209	82.3 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

H4EO5B

S29Q5B BARRIER-HAVE TO CALL UNIT-W4

Location: 7044-7050 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Guard/Door Person at the front door who has to call the unit

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4638	90.7 %
1	Selected	29	0.6 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

H4E05C

S29Q5C BARRIER-DOOR PRSN GIVE ACCESS-W4

Location: 7051-7057 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Guard/Door Person at the front door who must give access to building

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4652	91.0 %
1	Selected	15	0.3 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

H4E05D

S29Q5D BARRIER-DOOR PRSN AT GATE-W4

Location: 7058-7064 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Guard/Door Person at gate of community

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4635	90.6 %
1	Selected	32	0.6 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

H4EO5E

S29Q5E BARRIER-MANAGR CONTRL ACCESS-W4

Location: 7065-7071 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: On-site/Off-site Staff/Manager who controls access

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4658	91.1 %
1	Selected	9	0.2 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4EO5F

S29Q5F BARRIER-LOCKD ENTRY NO BUZZER-W4

Location: 7072-7078 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Locked main entrance/gate, no intercom/buzzer (locked doors, locked gate, controlled gate, or other locked entry)

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4579	89.5 %
1	Selected	88	1.7 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

H4EO5G

S29Q5G BARRIER-LOCKD ENTRY/HAS BUZZR-W4

Location: 7079-7085 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Locked main entrance/gate with intercom/buzzer, no unit address labels (may contain other labels such as names, but does not provide address label)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4528	88.5 %
1	Selected	139	2.7 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

H4EO5H

S29Q5H BARRIER-LOCKD ENTRY/BUZZR/LABL-W4

Location: 7086-7092 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Locked main entrance/gate with intercom/buzzer, with unit address labels

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4539	88.8 %
1	Selected	128	2.5 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

H4E05I

S29Q5I BARRIER-THREATENING ANIMAL-W4

Location: 7093-7099 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Threatening animal on or near the property

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4628	90.5 %
1	Selected	39	0.8 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

H4E05J

S29Q5J BARRIER-THREATENING SIGN-W4

Location: 7100-7106 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: What types of barriers, if any, interfered with your access to the sample member's/respondent's dwelling?: Threatening sign on or near the property

- Study 21600 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	4661	91.1 %
1	Selected	6	0.1 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	441	8.6 %

Based upon 4667 valid cases out of 5114 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

H4E06 S29Q6 DOMINT LAND USE OF IMMED AREA-W4

Location: 7107-7114 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 97 , .

Question: Which of the following best describes the immediate area or street (one block, both sides) where the sample member/respondent lives?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rural farm	339	6.6 %
2	Rural town	669	13.1 %
3	Suburban	1937	37.9 %
4	Urban, residential only	1479	28.9 %
5	3 or more commercial properties, mostly retail	117	2.3 %
6	3 or more commercial properties, mostly wholesale/industrial	27	0.5 %
7	Other (specify)	100	2.0 %
97 (M)	Legitimate skip	6	0.1 %
. (M)	-	440	8.6 %

Based upon 4668 valid cases out of 5114 total cases.

- Mean: 3.18
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.10

H4E07 S29Q7 CONCERN FOR SAFETY-W4

Location: 7115-7122 (width: 8; decimal: 0)

- Study 21600 -

Variable Type: numeric

Range of Missing Values (M): 7 , .

Question: How safe did you feel when you were in the sample member's/respondent's neighborhood? Did you feel:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very safe	3170	62.0 %
2	Moderately safe	1235	24.1 %
3	Moderately unsafe	211	4.1 %
4	Very unsafe	52	1.0 %
7 (M)	Legitimate skip	6	0.1 %
. (M)	-	440	8.6 %

Based upon 4668 valid cases out of 5114 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63