More information

Importing a Model

Copy page

Table of Contents

- Importing a Safetensors model
- Importing a GGUF model
- Sharing models on ollama.com

Importing a model from Safetensors weights

First, create a `Modelfile` with a `FROM` command which points to the directory containing your Safetensors weights:

```
FROM /path/to/safetensors/directory
```

If you create the Modelfile in the same directory as the weights, you can use the command `FROM .`.

Now run the `ollama create` command from the directory where you created the `Modelfile`:

```
ollama create my-model
```

Lastly, test the model:



```
ollama run my-model
```

Importing a GGUF model

Ollama does not quantize GGUF models during import. Prepare and quantize them first with a GGUF tool such as llama.cpp's `llama-quantize`.

To import a single-file GGUF model, create a `Modelfile` containing:

```
FROM /path/to/file.gguf
```

For a split GGUF model, keep the original split filenames and use a wildcard that matches every shard.

```
FROM /path/to/model-*.gguf
```


Once you have created your `Modelfile`, use the `ollama create` command to build the model.

```
ollama create my-model
```

Sharing your model on ollama.com

You can share any model you have created by pushing it to **ollama.com** so that other users can try it out.


First, use your browser to go to the **Ollama Sign-Up** page. If you already have an account, you can skip this step.



The `Username` field will be used as part of your model's name (e.g. `jmorganca/mymodel`), so make sure you are comfortable with the username that you have selected.

Now that you have created an account and are signed-in, go to the **Ollama Keys Settings** page.

Follow the directions on the page to determine where your Ollama Public Key is located.



Click on the `Add Ollama Public Key` button, and copy and paste the contents of your Ollama Public Key into the text field.

To push a model to **ollama.com**, first make sure that it is named correctly with your username. You may have to use the `ollama cp` command to copy your model to give it the correct name. Once you're happy with your model's name, use the `ollama push` command to push it to **ollama.com**.

```
ollama cp mymodel myuser/mymodel
ollama push myuser/mymodel
```

Once your model has been pushed, other users can pull and run it by using the command:

```
ollama run myuser/mymodel
```

Previous Local FAQ Next

