


ALX Project

Web infrastructure design

Task 0.

Definitions and Explanations:

1. **User Accesses the Website:** A user types www.foobar.com into their web browser to access the website.
2. **Server:** The server is a physical or virtual machine that hosts the entire web infrastructure. In this case, it's running the Linux operating system.
3. **Domain Name:** The domain name, foobar.com, is a human-readable address that points to the server's IP address (e.g., 8.8.8.8). The www subdomain is a specific hostname within the domain name system.
4. **DNS Record:** The www DNS record in www.foobar.com is a CNAME (Canonical Name) record that points to the domain's main A (Address) record, which resolves to the server's IP address.
5. **Web Server (Nginx):** Nginx is a popular web server software responsible for handling incoming HTTP requests from clients (web browsers) and serving web pages. It listens for requests on port 80 (HTTP) and/or port 443 (HTTPS).
6. **Application Server:** The application server is responsible for executing the codebase of the website. It interacts with the web server to process dynamic content, such as user requests, form submissions, and database queries.
7. **Application Files (Code Base):** The application files contain the website's codebase, including HTML, CSS, JavaScript, and server-side scripts (e.g., PHP, Python, Node.js).
8. **Database (MySQL):** MySQL is a relational database management system (RDBMS) used to store and manage the website's data. It handles tasks such as storing user information, content, and other structured data.
9. **Communication with User's Computer:** When a user requests the website, their computer communicates with the server over the internet using the HTTP or HTTPS protocol. The server responds by sending the requested web pages and data back to the user's browser.



Issues with this Infrastructure:

1. **Single Point of Failure (SPOF):** Since all components are hosted on a single server, any hardware or software failure could cause the entire website to become unavailable.
2. **Downtime during Maintenance:** Performing maintenance tasks, such as deploying new code or updates, may require restarting the web server, resulting in temporary downtime for users.
3. **Limited Scalability:** If the website experiences a sudden increase in traffic, the single server may not be able to handle the load efficiently, leading to performance issues or downtime. Scaling horizontally (adding more servers) becomes challenging with this setup.

Conclusion:

To address these issues, a more robust infrastructure design could involve distributing components across multiple servers, implementing load balancing, and using technologies like caching and content delivery networks (CDNs) for improved performance and reliability.