

```
Windows PowerShell
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the 'composer fund' command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

INFO No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
> @php artisan key:generate --ansi

INFO Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

INFO Preparing database.

Creating migration table ..... 16.38ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 13.57ms DONE
0001_01_01_000001_create_cache_table ..... 8.20ms DONE
0001_01_01_000002_create_jobs_table ..... 13.62ms DONE

PS C:\Programacion\LARAVEL> cd EjemploSeg
PS C:\Programacion\LARAVEL\EjemploSeg> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
```

```
Windows PowerShell

Which Breeze stack would you like to install?
Blade with Alpine ..... blade
Livewire (Volt Class API) with Alpine ..... livewire
Livewire (Volt Functional API) with Alpine ..... livewire-functional
React with Inertia ..... react
Vue with Inertia ..... vue
API only ..... api
> blade

Would you like dark mode support? (yes/no) [no]
> no

Which testing framework do you prefer? [Pest]
Pest ..... 0
PHPUnit ..... 1
> 1

INFO Installing and building Node dependencies.

added 139 packages, and audited 140 packages in 26s



34 packages are looking for funding
  run `npm fund` for details

2 critical severity vulnerabilities

To address all issues, run:
  npm audit fix

Run `npm audit` for details.

> build
> vite build
```



```
File Edit Selection View Go Run ... EjemploSeg
web.php PersonaController.php 1 X InteresController.php UserController.php plantilla.blade.php
app > Http > Controllers > PersonaController.php > PersonaController
9 class PersonaController extends Controller
10 {
11     public function create()
12     {
13         $intereses = Interes::all();
14         return view('personas.create', compact('intereses')); View [personas.create] not found.
15     }
16
17     public function store(Request $request)
18     {
19         $request->validate([
20             'nombre' => 'required|string|max:255',
21             'email' => 'required|email|unique:personas',
22             'intereses' => 'array',
23         ]);
24
25         $persona = Persona::create($request->only('nombre', 'email'));
26
27         if ($request->has('intereses')) {
28             $persona->intereses()->attach($request->intereses);
29         }
30
31         return redirect()
32             ->route('personas.create')
33             ->with('success', 'Persona creada exitosamente.');
```


```
File Edit Selection View Go Run ... EjemploSeg
web.php PersonaController.php InteresController.php 1 X UserController.php plantilla.blade.php
app > Http > Controllers > InteresController.php > InteresController
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Interes;
6 use Illuminate\Http\Request;
7
8 class InteresController extends Controller
9 {
10     public function create()
11     {
12         return view('intereses.create'); View [intereses.create] not found.
13     }
14
15     public function store(Request $request)
16     {
17         $request->validate([
18             'nombre' => 'required|string|max:255',
19             'descripcion' => 'nullable|string',
20         ]);
21
22         Interes::create($request->all());
23
24         return redirect()
25             ->route('intereses.create')
26             ->with('success', 'Interés creado exitosamente.');
```

```
File Edit Selection View Go Run ... EjemploSeg
web.php PersonaController.php InteresController.php UserController.php 1 plantilla.blade.php
app > Http > Controllers > UserController.php > UserController
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\User;
6
7 class UserController extends Controller
8 {
9     public function index()
10     {
11         $usuarios = User::all();
12         return view('usuarios.index', compact('usuarios')); View [usuarios.index] not found.
13     }
14 }
```


Ln 14, Col 2 Spaces: 4 UTF-8 LF PHP 5:11 PM 6/9/2026

```
File Edit Selection View Go Run ... EjemploSeg
plantilla.blade.php sidebar.blade.php create.blade.php ... personas create.blade.php ... intereses X
resources > views > intereses > create.blade.php > ...
6 <div class="bg-white p-6 rounded-lg shadow-md max-w-2xl">
11 <form action="{{ route('intereses.store') }}" method="POST">
33 <div class="mb-6">
34 <label class="block text-gray-700 text-sm font-bold mb-2" for="description">
35 Descripción
36 </label>
37
38 <textarea
39     name="description"
40     id="description"
41     rows="3"
42     class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none"
43     >{{ old('description') }}</textarea>
44 </div>
45
46 <button
47     class="bg-green-600 hover:bg-green-700 text-white font-bold py-2 px-4 rounded focus:outline-none"
48 >
49     Guardar Interés
50 </button>
51 </form>
52 </div>
53 @endsection
54
```

Ln 54, Col 12 Spaces: 4 UTF-8 CRLF Blade 5:20 PM 6/9/2026



```
6 <div class="bg-white p-6 rounded-lg shadow-md max-w-2xl">
11 <form action="{{ route('personas.store') }}" method="POST">
52 <div class="mb-6">
57 <div class="grid grid-cols-2 gap-2">
59 <label class="inline-flex items-center">
70 <span>
71 </span>
72 </label>
73 @foreach($personas as $persona)
74 <div class="border border-gray-200 p-2">
75 <div class="flex justify-between">
76 <div>
77 <div class="text-red-500 text-xs italic">{{ $message }}</div>
78 </div>
79 </div>
80 <div class="flex justify-between">
81 <div>
82 <div class="bg-blue-600 hover:bg-blue-700 text-white font-bold py-2 px-4 rounded focus:outline-none focus:ring-blue-700">
83 <button type="submit">
84 <div class="text-white font-bold">
85 <div class="text-white font-bold">
86 </div>
87 </div>
88 @endsection
```



```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>EjemploSeg - @yield('title', 'Dashboard')</title>
7 @vite(['resources/css/app.css', 'resources/js/app.js'])
8 </head>
9
10 <body class="bg-gray-100 font-sans antialiased">
11 @include('layouts.navigation')
12
13 <div class="flex min-h-screen">
14 @include('layouts.sidebar')
15
16 <main class="flex-1 p-8">
17 @if(session('success'))
18 <div class="bg-green-100 border border-green-400 text-green-700 px-4 py-3 rounded relative mb-4">
19 <div class="font-bold">
20 <div class="font-bold">
21 </div>
22 </div>
23 @endif
24 @yield('content')
25 </main>
26 </div>
27 </body>
28 </html>
```

```
1 <aside class="w-64 bg-white shadow-md flex-shrink-0 min-h-screen">
2   <div class="p-4">
3     <h3 class="text-gray-500 text-xs font-semibold uppercase tracking-wider mb-2">
4       Navegación
5     </h3>
6
7     <ul class="space-y-2">
8       <li>
9         <a href="{{ route('intereses.create') }}"
10          class="block px-4 py-2 text-gray-700 hover:bg-blue-100 hover:text-blue-800 rounded transiti
11          Crear Interés
12        </a>
13      </li>
14
15      <li>
16        <a href="{{ route('personas.create') }}"
17          class="block px-4 py-2 text-gray-700 hover:bg-blue-100 hover:text-blue-800 rounded transiti
18          Crear Persona
19        </a>
20      </li>
21    </ul>
22
23    <h3 class="text-gray-500 text-xs font-semibold uppercase tracking-wider mt-6 mb-2">
24      Seguridad
25    </h3>
26
27    <ul class="space-y-2">
28      <li>
29        <a href="{{ route('usuarios.index') }}"
```

```
6 <div class="mb-6">
7   <h1 class="text-3xl font-bold text-gray-800">
8     ¡Bienvenido, {{ Auth::user()->name }}!
9   </h1>
10
11   <p class="text-gray-600 mt-2">
12     Panel de control del sistema EjemploSeg
13   </p>
14 </div>
15
16 <div class="grid grid-cols-1 md:grid-cols-3 gap-6 mb-8">
17   <div class="bg-white rounded-lg shadow-md p-6 border-1-4 border-blue-500">
18     <div class="flex items-center justify-between">
19       <div>
20         <p class="text-gray-500 text-sm font-medium">Total de Personas</p>
21         <p class="text-3xl font-bold text-gray-800 mt-2">{{ $totalPersonas }}</p>
22       </div>
23     </div>
24
25     <div class="text-blue-500">
26       <svg class="w-12 h-12" fill="none" stroke="currentColor" viewBox="0 0 24 24">
27         <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2"
28           d="M17 20h5v-2a3 3 0 00-5.356-1.857M17 20h7m10 0v-2c0-.656-.126-1.283-.356-1.857M20 20
29         </path>
30       </svg>
31     </div>
32   </div>
33 </div>
34
35 <div class="bg-white rounded-lg shadow-md p-6 border-1-4 border-green-500">
36   <div class="flex items-center justify-between">
```

