Ejercicio Practica.

Karen juliana Castillo.

Gestor del conocimiento.

William Alexander Matallana Parra.

Universidad de Cundinamarca, extensión Chía.

Ingeniería de Sistemas y computación.

17 de marzo de 2026.

Contenido.

Ejercicio Practica. 1

Relaciones entre clases. 4

Métodos en SQL. 5

Categoría. 5

Curso. 5

Estudiante. 5

Libro. 6

Usuario. 6

Perfil de Usuario. 6

Atributos en SQL. 7

Categoría. 7

Curso. 7

Estudiante. 7

Libro. 7

Usuario. 8

Perfil de Usuario 8

Endpoint y HTTP status. 9

Categoría. 9

Curso. 9

Estudiante. 9

Libro. 10

Usuario. 10

Perfil de Usuario. 10

Capturas de Swagger. 11

Categoría. 11

Libro. 14

Usuario. 18

Perfil de usuario. 21

Curso. 24

Estudiante. 27

Enlace GITHUB. 31

Relaciones entre clases.

Entidad 1	Relación.	Entidad 2	Tabla FK.	Columna FK.
Categoria.	OneToMany	Libro.		
Libro.	ManyToOne	Categoria.	Libros.	Categoria_id.
Curso.	ManyToMany	Estudiante.	Estudiante_Curso.	Estudiante_id.
Estudiante.	ManyToMany	Curso.	Estudiante_Curso.	
Usuario.	OneToOne	Perfil de Usuario.		
Perfil de Usuario.	OneToOne	Usuario.	Perfil_Usuario.	Usuario_id.

Métodos en SQL.

Categoría.

Categoria.		
Metodos.	SQL.	Descripción.
listarTodas()	SELECT * FROM categoria	Lista todas las categorías
buscarPorId(id)	SELECT * FROM categoria WHERE id=?	Busca categoría por ID
existePorNombre(nombre)	SELECT COUNT(*) FROM categoria WHERE nombre=?	Verifica si existe por nombre
guardar(categoria)	INSERT INTO categoria (...) VALUES (...)	Crea nueva categoría
actualizar(id, categoria)	UPDATE categoria SET ... WHERE id=?	Actualiza categoría existente
eliminar(id)	DELETE FROM categoria WHERE id=?	Elimina categoría por ID

Curso.

Curso.		
Metodos.	SQL.	Descripción.
listarTodos()	SELECT * FROM curso	Lista todos los cursos
buscarPorId(id)	SELECT * FROM curso WHERE id=?	Busca curso por ID
existePorNombre(nombre)	SELECT COUNT(*) FROM curso WHERE nombre=?	Verifica existencia por nombre
guardar(curso)	INSERT INTO curso (...) VALUES (...)	Crea nuevo curso
actualizar(id, curso)	UPDATE curso SET ... WHERE id=?	Actualiza curso
eliminar(id)	DELETE FROM curso WHERE id=?	Elimina curso por ID

Estudiante.

Estudiante.		
Metodos.	SQL.	Descripción.
listarTodos()	SELECT * FROM estudiante	Lista todos los estudiantes
buscarPorId(id)	SELECT * FROM estudiante WHERE id=?	Busca estudiante por ID
guardar(estudiante)	INSERT INTO estudiante (...) VALUES (...)	Crea nuevo estudiante
actualizar(id, estudiante)	UPDATE estudiante SET ... WHERE id=?	Actualiza estudiante
eliminar(id)	DELETE FROM estudiante WHERE id=?	Elimina estudiante por ID
inscribirCurso(id, cursoId)	INSERT INTO estudiante_curso (estudiante_id, curso_id)	Inscribe estudiante a curso
retirarCurso(id, cursoId)	DELETE FROM estudiante_curso WHERE estudiante_id=? AND curso_id=?	Retira estudiante de curso

Libro.

Libro.		
Metodos.	SQL.	Descripción.
listarTodos()	SELECT * FROM perfil_usuario	Lista todos los perfiles
buscarPorId(id)	SELECT * FROM perfil_usuario WHERE id=?	Busca perfil por ID
buscarPorUsuarioId(usuarioId)	SELECT * FROM perfil_usuario WHERE usuario_id=?	Busca perfil por usuario
guardar(perfil)	INSERT INTO perfil_usuario (...) VALUES (...)	Crea nuevo perfil
actualizar(id, perfil)	UPDATE perfil_usuario SET ... WHERE id=?	Actualiza perfil
eliminar(id)	DELETE FROM perfil_usuario WHERE id=?	Elimina perfil por ID

Usuario.

Usuario.		
Metodos.	SQL.	Descripción.
listarTodos()	SELECT * FROM usuario	Lista todos los usuarios
buscarPorId(id)	SELECT * FROM usuario WHERE id=?	Busca usuario por ID
existePorCorreo(correo)	SELECT COUNT(*) FROM usuario WHERE correo=?	Verifica existencia por correo
guardar(usuario)	INSERT INTO usuario (...) VALUES (...)	Crea nuevo usuario
actualizar(id, usuario)	UPDATE usuario SET ... WHERE id=?	Actualiza usuario
eliminar(id)	DELETE FROM usuario WHERE id=?	Elimina usuario por ID

Perfil de Usuario.

Perfil de usuario.		
Metodos.	SQL.	Descripción.
findAll()	SELECT * FROM perfil_usuario	Lista perfiles
findById()	SELECT * FROM perfil_usuario WHERE id=?	Busca perfil por ID
buscarPorUsuarioCodigo	SELECT * FROM perfil_usuario WHERE usuario_codigo=?	Perfil de usuario específico
save()	INSERT/UPDATE perfil_usuario	Guarda perfil

Atributos en SQL.

Categoría.

Categoria.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	id BIGINT AUTO_INCREMENT PRIMARY KEY
nombre	@Column(nullable=false, unique=true, length=80)	nombre VARCHAR(80) NOT NULL UNIQUE
descripcion	@Column(nullable=false, length=150)	descripcion VARCHAR(150) NOT NULL
libros	@OneToMany(mappedBy="categoria", cascade=ALL, orphanRemoval=true)	FK categoria_id en tabla libros

Curso.

Curso.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	id BIGINT AUTO_INCREMENT PRIMARY KEY
nombre	@Column(nullable=false, unique=true, length=100)	nombre VARCHAR(100) NOT NULL UNIQUE
creditos	@Column(nullable=false, length=20)	creditos INT NOT NULL
estudiantes	@ManyToMany(mappedBy="cursos")	Referencia a estudiante_curso

Estudiante.

Estudiante.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	id BIGINT AUTO_INCREMENT PRIMARY KEY
nombre	@Column(nullable=false, length=80)	nombre VARCHAR(80) NOT NULL
correo	@Column(nullable=false, unique=true, length=120)	correo VARCHAR(120) NOT NULL UNIQUE
cursos	@ManyToMany @JoinTable(name="estudiante_curso", joinColumns=@JoinColumn(name="estudiante_id"), inverseJoinColumns=@JoinColumn(name="curso_id"))	Tabla intermedia estudiante_curso

Libro.

Libro.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	BIGINT AUTO_INCREMENT PRIMARY KEY
titulo	@Column(nullable=false, length=120)	VARCHAR(120) NOT NULL
autor	@Column(nullable=false, length=100)	VARCHAR(100) NOT NULL
anioPublicacion	@Column(name="anio_publicacion")	INT NOT NULL
categoria	@JoinColumn(name="categoria_id", nullable=false)	categoria_id BIGINT NOT NULL FK

Usuario.

Usuario.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	id BIGINT AUTO_INCREMENT PRIMARY KEY
nombre	@Column(nullable=false, length=80)	nombre VARCHAR(80) NOT NULL
correo	@Column(nullable=false, unique=true, length=120)	correo VARCHAR(120) NOT NULL UNIQUE
perfil	@OneToOne(mappedBy="usuario", cascade=ALL)	FK en perfil_usuario.usuario_id

Perfil de Usuario.

Perfil de Usuario.		
Atributo	JPA Anotación	SQL DDL
codigo	@Id @GeneratedValue(IDENTITY)	id BIGINT AUTO_INCREMENT PRIMARY KEY
documento	@Column(nullable=false, unique=true, length=120)	documento VARCHAR(120) NOT NULL UNIQUE
telefono	@Column(nullable=false, length=20)	telefono VARCHAR(20) NOT NULL
usuario	@OneToOne(optional=false) @JoinColumn(name="usuario_id", nullable=false, unique=true)	usuario_id BIGINT NOT NULL UNIQUE FK REFERENCES usuarios(id)

Endpoint y HTTP status.

Categoría.

Categoria.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/categorias/verLista	GET	categoriaService.listarTodas() [SELECT *]	200
/api/categorias/verLista/{codigo}/buscar	GET	categoriaService.buscarPorId(id) [SELECT by ID]	200, 404
/api/categorias/verLista/{codigo}/crear	POST	categoriaService.guardar(categoria) [INSERT]	201, 409
/api/categorias/verLista/{codigo}/actualizar	PUT	categoriaService.actualizar(id, categoria) [UPDATE]	200, 404
/api/categorias/verLista/{codigo}/eliminar	DELETE	categoriaService.eliminar(id) [DELETE]	204, 404

Curso.

Curso.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/cursos/verLista	GET	cursoService.listarTodos() [SELECT *]	200
/api/cursos/verLista/{codigo}/buscar	GET	cursoService.buscarPorId(id) [SELECT by ID]	200, 404
/api/cursos/verLista/{codigo}/crear	POST	cursoService.guardar(curso) [INSERT]	201, 409
/api/cursos/verLista/{codigo}/actualizar	PUT	cursoService.actualizar(id, curso) [UPDATE]	200, 404
/api/cursos/verLista/{codigo}/eliminar	DELETE	cursoService.eliminar(id) [DELETE]	204, 404

Estudiante.

Estudiante.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/estudiantes	GET	estudianteService.listarTodos() [SELECT *]	200
/api/estudiantes/{codigo}/buscar	GET	estudianteService.buscarPorId(id) [SELECT by ID]	200, 404
/api/estudiantes/{codigo}/crear	POST	estudianteService.guardar(estudiante) [INSERT]	201
/api/estudiantes/{codigo}/actualizar	PUT	estudianteService.actualizar(id, estudiante) [UPDATE]	200, 404
/api/estudiantes/{codigo}/eliminar	DELETE	estudianteService.eliminar(id) [DELETE]	204, 404
/api/estudiantes/{id}/cursos/{cursoId}/inscribirCurso	POST	estudianteService.inscribirCurso(id, cursoId) [UPDATE rel]	200, 409, 404
/api/estudiantes/{id}/cursos/{cursoId}/retirarCurso	DELETE	estudianteService.retirarCurso(id, cursoId) [DELETE rel]	200, 409, 404

Libro.

Libro.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/libros	GET	libroService.listarTodos() [SELECT *]	200
/api/libros/{codigo}/buscar	GET	libroService.buscarPorId(id) [SELECT by ID]	200, 404
/api/libros/categoria/{categoriaId}/listarPoCategoria	GET	libroService.listarPorCategoria(categoriaId) [SELECT JOIN]	200
/api/libros/autor/{autor}/listarPorAutor	GET	libroService.listarPorAutor(autor) [SELECT WHERE]	200
/api/libros/{codigo}/crear	POST	libroService.guardar(libro) [INSERT]	201, 400
/api/libros/{codigo}/actualizar	PUT	libroService.actualizar(id, libro) [UPDATE]	200, 404
/api/libros/{codigo}/eliminar	DELETE	libroService.eliminar(id) [DELETE]	204, 404

Usuario.

Usuario.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/usuarios	GET	usuarioService.listarTodos() [SELECT *]	200
/api/usuarios/{codigo}/buscar	GET	usuarioService.buscarPorId(id) [SELECT by ID]	200, 404
/api/usuarios/{codigo}/crear	POST	usuarioService.guardar(usuario) [INSERT]	201, 409
/api/usuarios/{codigo}/actualizar	PUT	usuarioService.actualizar(id, usuario) [UPDATE]	200, 404
/api/usuarios/{codigo}/eliminar	DELETE	usuarioService.eliminar(id) [DELETE]	204, 404

Perfil de Usuario.

Perfil de Usuario.			
Endpoint.	Método HTTP.	SQL del Service.	HTTP Status.
/api/perfiles	GET	perfilUsuarioService.listarTodos() [SELECT *]	200
/api/perfiles/{codigo}/buscar	GET	perfilUsuarioService.buscarPorId(id) [SELECT by ID]	200, 404
/api/perfiles/usuario/{usuarioId}/buscarPorUsuario	GET	perfilUsuarioService.buscarPorUsuarioId (usuarioId) [SELECT by user]	200, 404
/api/perfiles/{codigo}/crear	POST	perfilUsuarioService.guardar(perfil) [INSERT]	201, 400
/api/perfiles/{codigo}/actualizar	PUT	perfilUsuarioService.actualizar(id, perfil) [UPDATE]	200, 404
/api/perfiles/{codigo}/eliminar	DELETE	perfilUsuarioService.eliminar(id) [DELETE]	204, 404

Capturas de Swagger.

Categoría.






GET
/api/categorias/verLista/{id}/buscar
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
2
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/categorias/verLista/2/buscar' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/categorias/verLista/2/buscar
Server response
Code
Details
200
Response body
{
"id": 2,
"nombre": "suspenso",
"descripcion": "cosas",
"libros": [
{
"id": 1,
"titulo": "muerto",
"autor": "pedro",
"anioPublicacion": 2021
}
]
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed, 26 Mar 2025 03:20:03 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
509 ms
Responses
Code
Description
Links
200
OK
No links
Media type
/
Controls Accept header.
Example Value
Schema
{
"id": 0,
"nombre": "string",
"descripcion": "string",
"libros": [
{
"id": 0,


PUT
/api/categorias/verLista/{id}/actualizar
Parameters
Cancel
Reset
Name
Description
id * required
integer($int64)
(path)
2
Request body required
application/json
{
"nombre": "lll",
"descripcion": "lolol",
"libros": [
{
"titulo": "lolol",
"autor": "ajajaj",
"anioPublicacion": 3030
}
]
}
Execute
Clear
Responses
Curl
curl -X 'PUT' \
'http://localhost:8080/api/categorias/verLista/2/actualizar' \
-H 'accept: */*' \
-H 'Content-type: application/json' \
-d '{
"nombre": "lll",
"descripcion": "lolol",
"libros": [
{
"titulo": "lolol",
"autor": "lylyl",
"anioPublicacion": 3030
}
]
}'
Request URL
http://localhost:8080/api/categorias/verLista/2/actualizar
Server response
Code
Details
200
Response body
{
"id": 2,
"nombre": "lll",
"descripcion": "lolol",
"libros": [


DELETE /api/categorias/verLista/{id}/eliminar
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
2
Execute
Clear
Responses
Curl
curl -X 'DELETE' \
'http://localhost:8080/api/categorias/verLista/2/eliminar' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/categorias/verLista/2/eliminar
Server response
Code
Details
204
Response headers
connection: keep-alive
date: Wed,18 Mar 2026 03:40:49 GMT
keep-alive: timeout=60
Request duration
187 ms
Responses
Code
Description
Links
200
OK
No links

Libro.


POST /api/libros/{id}/crear
Parameters
Cancel
Reset
Name
Description
categoriaId
integer($int64)
(query)
4
Request body
application/json
{
"titulo": "super",
"autor": "martin",
"anioPublicacion": 2030
}
Execute
Clear
Responses
Curl
curl -X 'POST' \
'http://localhost:8080/api/libros/{id}/crear?categoriaId=4' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"titulo": "super",
"autor": "martin",
"anioPublicacion": 2030
}'
Request URL
http://localhost:8080/api/libros/{id}/crear?categoriaId=4
Server response
Code
Details
201
Response body
{
"id": 8,
"titulo": "super",
"autor": "martin",
"anioPublicacion": 2030
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:43:09 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
322 ms
Responses


GET /api/libros
Parameters
Cancel
No parameters
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/libros' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/libros
Server response
Code
Details
200
Response body
{
{
"id": 5,
"titulo": "epep",
"autor": "pepe",
"anioPublicacion": 2020
},
{
"id": 6,
"titulo": "gaua",
"autor": "pedro",
"anioPublicacion": 2020
},
{
"id": 8,
"titulo": "super",
"autor": "martin",
"anioPublicacion": 2030
}
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:43:32 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
107 ms
Responses

GET /api/libros/{id}/buscar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	6

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/libros/6/buscar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/libros/6/buscar
```

Server response

Code	Details
200	Response body

```
{
  "id": 6,
  "titulo": "gnau",
  "autor": "pedro",
  "anioPublicacion": 2020
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:44:35 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

```
75 ms
```

Responses

Code	Description	Links

GET /api/libros/categoria/{categoriaId}/listarPoCategoria

Parameters

Cancel

Name	Description
categoriaId * required integer($int64) (path)	4

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/libros/categoria/4/listarPoCategoria' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/libros/categoria/4/listarPoCategoria
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 6,
    "titulo": "gnau",
    "autor": "pedro",
    "anioPublicacion": 2020
  },
  {
    "id": 9,
    "titulo": "super",
    "autor": "martin",
    "anioPublicacion": 2030
  }
]
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:44:44 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

```
1252 ms
```

Responses

Code	Description	Links

GET /api/libros/autor/{autor}/listarPorAutor

Parameters

Cancel

Name	Description
autor * required string (path)	martin

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/libros/autor/martin/listarPorAutor' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/libros/autor/martin/listarPorAutor
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 5,
    "titulo": "super",
    "autor": "martin",
    "anioPublicacion": 2030
  }
]
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:45:29 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

```
92 ms
```

Responses

PUT /api/libros/{id}/actualizar

Parameters

Cancel | Reset

Name	Description
id * required integer($int64) (path)	6

Request body required

application/json

```
{
  "titulo": "plpoplo",
  "autor": "pepe",
  "anioPublicacion": 2023
}
```

Execute | Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/libros/6/actualizar' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{

  "titulo": "plpoplo",
  "autor": "pepe",
  "anioPublicacion": 2023
}'
```

Request URL

```
http://localhost:8080/api/libros/6/actualizar
```

Server response

Code	Details
200	Response body

```
{
  "id": 6,
  "titulo": "plpoplo",
```

DELETE /api/libros/{id}/eliminar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	6

Execute | Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/libros/6/eliminar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/libros/6/eliminar
```

Server response

Code	Details
204 Undocumented	Response headers connection: keep-alive date: Wed,18 Mar 2026 03:46:26 GMT keep-alive: timeout=60 Request duration 292 ms

Responses

Code	Description	Links
200	OK	No links

Usuario.


POST /api/usuarios/{id}/crear
Parameters
Cancel
Reset
No parameters
Request body required
application/json
{
"nombre": "pepa",
"correo": "pepa@gmail.com"
}
Execute
Clear
Responses
Curl
curl -X 'POST' \
'http://localhost:8080/api/usuarios/{id}/crear' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"nombre": "pepa",
"correo": "pepa@gmail.com"
}'
Request URL
http://localhost:8080/api/usuarios/{id}/crear
Server response
Code
Details
201
Undocumented
Response body
{
"id": 7,


GET /api/usuarios
Parameters
Cancel
No parameters
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/usuarios' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/usuarios
Server response
Code
Details
200
Response body
[
{
"id": 2,
"nombre": "laura",
"correo": "laura@gmail.com"
},
{
"id": 3,
"nombre": "pepe",
"correo": "pepe@gmail.com"
},
{
"id": 4,
"nombre": "lolo",
"correo": "lolo@gmail.com"
},
{
"id": 5,
"nombre": "pepa",
"correo": "pepa@gmail.com"
}
]
Download
Response headers
connection: keep-alive
content-type: application/json


GET /api/usuarios/{id}/buscar
Parameters
Cancel
Name Description
id * required
integer($int64)
(path)
3
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/usuarios/3/buscar' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/usuarios/3/buscar
Server response
Code Details
200
Response body
{
"id": 3,
"nombre": "pepe",
"correo": "pepe@gmail.com"
}
Download


PUT /api/usuarios/{id}/actualizar
Parameters
Cancel
Reset
Name Description
id * required
integer($int64)
(path)
3
Request body required
application/json
{
"nombre": "lola",
"correo": "lola@gmail.com"
}
Execute
Clear
Responses
Curl
curl -X 'PUT' \
'http://localhost:8080/api/usuarios/3/actualizar' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"nombre": "lola",
"correo": "lola@gmail.com"
}'
Request URL
http://localhost:8080/api/usuarios/3/actualizar
Server response
Code Details
200
Response body
{
"id": 3,
"nombre": "lola",
"correo": "lola@gmail.com"
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 00:15:28 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Response duration
181 ms
Responses
Code Description Links
200 OK No links
Media type
/
Controls Accept header.
Example Value | Schema

DELETE /api/usuarios/{id}/eliminar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	3

Execute | Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/usuarios/3/eliminar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/usuarios/3/eliminar
```

Server response

Code	Details
204 Undocumented	Response headers connection: keep-alive date: Wed,18 Mar 2026 03:51:50 GMT keep-alive: timeout=60 Request duration 140 ms

Responses

Code	Description	Links

Perfil de usuario.





GET /api/perfiles/{id}/buscar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	4

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/perfiles/4/buscar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/perfiles/4/buscar
```

Server response

Code	Details
200	Response body

```
{
  "id": 4,
  "documento": "5656",
  "telefono": "565656",
  "usuario": {
    "id": 6,
    "nombre": "peña",
    "correo": "peña@gmail.com"
  }
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:16:14 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

```
131 ms
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

GET /api/perfiles/usuario/{usuarioId}/buscarPorUsuario

Parameters

Cancel

Name	Description
usuarioId * required integer($int64) (path)	6

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/perfiles/usuario/6/buscarPorUsuario' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/perfiles/usuario/6/buscarPorUsuario
```

Server response

Code	Details
200	Response body

```
{
  "id": 4,
  "documento": "5656",
  "telefono": "565656",
  "usuario": {
    "id": 6,
    "nombre": "peña",
    "correo": "peña@gmail.com"
  }
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:16:36 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

```
1440 ms
```

Responses

Code	Description	Links
200	OK	No links

Media type


PUT
/api/perfiles/{id}/actualizar
Parameters
Cancel
Reset
Name
Description
id * required
integer($int64)
(path)
1
Request body required
application/json
{
"documento": "345345",
"telefono": "34535",
"usuario": {
"nombre": "pepe",
"correo": "pepe@gmail.com"
}
}
Execute
Clear
Responses
Curl
curl -X 'PUT' \
'http://localhost:8080/api/perfiles/1/actualizar' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"documento": "345345",
"telefono": "34535",
"usuario": {
"nombre": "pepe",
"correo": "pepe@gmail.com"
}
}'
Request URL
http://localhost:8080/api/perfiles/1/actualizar
Server response
Code
Details
200
Response body
{
"id": 1,
"documento": "345345",
"telefono": "34535",
"usuario": {
"id": 1,
"nombre": "laura",
"correo": "laura@gmail.com"


DELETE
/api/perfiles/{id}/eliminar
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
1
Execute
Clear
Responses
Curl
curl -X 'DELETE' \
'http://localhost:8080/api/perfiles/1/eliminar' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/perfiles/1/eliminar
Server response
Code
Details
204
Undocumented
Response headers
connection: keep-alive
date: Wed,18 Mar 2026 04:18:18 GMT
keep-alive: timeout=60
Request duration
265 ms
Responses
Code
Description
Links
200
OK
No links

Curso.


POST /api/cursos/verLista/{id}/crear
Parameters
Cancel
Reset
No parameters
Request body required
application/json
{
"nombre": "calculo",
"creditos": 8
}
Execute
Clear
Responses
Curl
curl -X 'POST' \
'http://localhost:8080/api/cursos/verLista/{id}/crear' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"nombre": "calculo",
"creditos": 8
}'
Request URL
http://localhost:8080/api/cursos/verLista/{id}/crear
Server response
Code
Details
201
Response body
{
"id": 4,
"nombre": "calculo",
"creditos": 8
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:04:31 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
688 ms
Responses


GET /api/cursos/verLista
Parameters
Cancel
No parameters
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/cursos/verLista' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/cursos/verLista
Server response
Code
Details
200
Response body
[
{
"id": 3,
"nombre": "ciencias",
"creditos": 8
},
{
"id": 4,
"nombre": "calculo",
"creditos": 8
}
]
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:05:02 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
192 ms
Responses
Code
Description
Links

GET /api/cursos/verLista/{id}/buscar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	3

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/cursos/verLista/3/buscar' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/cursos/verLista/3/buscar

Server response

Code	Details
200	Response body

```
{
  "id": 3,
  "nombre": "ciencias",
  "creditos": 8
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:05:33 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

99 ms

Responses

Code	Description	Links
200	OK Media type */*	No links

PUT /api/cursos/verLista/{id}/actualizar

Parameters

Cancel Reset

Name	Description
id * required integer($int64) (path)	3

Request body required

application/json

```
{
  "nombre": "telecomunicaciones",
  "creditos": 2
}
```

Execute Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/cursos/verLista/3/actualizar' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{

  "nombre": "telecomunicaciones",
  "creditos": 2
}'
```

Request URL

http://localhost:8080/api/cursos/verLista/3/actualizar

Server response

Code	Details
200	Response body

```
{
  "id": 3,
  "nombre": "telecomunicaciones",
```

DELETE /api/cursos/verLista/{id}/eliminar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	3

Execute | Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/cursos/verLista/3/eliminar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/cursos/verLista/3/eliminar
```

Server response

Code	Details

204
Undocumented
	Response headers
	`connection: keep-alive`
	`date: Wed,18 Mar 2026 04:06:20 GMT`
	`keep-alive: timeout=60`
	Request duration
	`172 ms`

Responses

Code	Description	Links
200	OK	*No links*

Estudiante.


POST /api/estudiantes/{id}/crear
Parameters
Cancel
Reset
No parameters
Request body
application/json
{
"nombre": "karen",
"correo": "karen@gmail.com"
}
Execute
Clear
Responses
Curl
curl -X 'POST' \
'http://localhost:8080/api/estudiantes/{id}/crear' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
"nombre": "karen",
"correo": "karen@gmail.com"
}'
Request URL
http://localhost:8080/api/estudiantes/{id}/crear
Server response
Code
Details
201
Response body
{
"id": 3,
"nombre": "karen",
"correo": "karen@gmail.com"
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:07:47 GMT
keep-alive: timeout=60
transfer-encoding: chunked
Request duration
162 ms
Responses
Code
Description
Links
200
OK
No links
Media type
/
Controls Accept header.
Example Value | Schema


GET /api/estudiantes
Parameters
Cancel
No parameters
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/estudiantes' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/estudiantes
Server response
Code
Details
200
Response body
[
{
"id": 1,
"nombre": "david",
"correo": "david@gmail.com"
},
{
"id": 3,
"nombre": "karen",
"correo": "karen@gmail.com"
}
]
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:08:05 GMT
keep-alive: timeout=60
transfer-encoding: chunked


GET
/api/estudiantes/{id}/buscar
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
3
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:8080/api/estudiantes/3/buscar' \
-H 'accept: */*'
Request URL
http://localhost:8080/api/estudiantes/3/buscar
Server response
Code
Details
200
Response body
{
"id": 3,
"nombre": "karen",
"correo": "karen@gmail.com"
}
Download
Response headers
connection: keep-alive


POST
/api/estudiantes/{id}/cursos/{cursoId}/inscribirCurso
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
3
cursoId * required
integer($int64)
(path)
4
Execute
Clear
Responses
Curl
curl -X 'POST' \
'http://localhost:8080/api/estudiantes/3/cursos/4/inscribirCurso' \
-H 'accept: */*' \
-d ''
Request URL
http://localhost:8080/api/estudiantes/3/cursos/4/inscribirCurso
Server response
Code
Details
200
Response body
{
"id": 3,
"nombre": "karen",
"correo": "karen@gmail.com"
}
Download
Response headers
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:08:36 GMT
keep-alive: timeout=60
transfer-encoding: chunked

PUT /api/estudiantes/{id}/actualizar

Parameters

Cancel Reset

Name	Description
id * required integer($int64) (path)	3

Request body required

application/json

```
{
  "nombre": "juliana",
  "correo": "juliana@gmail.com"
}
```

Execute Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/estudiantes/3/actualizar' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{

  "nombre": "juliana",
  "correo": "juliana@gmail.com"
}'
```

Request URL

http://localhost:8080/api/estudiantes/3/actualizar

Server response

Code	Details
200	Response body

```
{
  "id": 3,
  "nombre": "juliana",
  "correo": "juliana@gmail.com"
```

Download

DELETE /api/estudiantes/{id}/cursos/{cursoId}/retirarCurso

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	3
cursoId * required integer($int64) (path)	4

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/estudiantes/3/cursos/4/retirarCurso' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/estudiantes/3/cursos/4/retirarCurso

Server response

Code	Details
200	Response body

```
{
  "id": 3,
  "nombre": "juliana",
  "correo": "juliana@gmail.com"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 04:09:33 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Request duration

124 ms

Responses

Code	Description	Links
200	OK	No links

DELETE /api/estudiantes/{id}/eliminar

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	3

Execute | Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/estudiantes/3/eliminar' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/estudiantes/3/eliminar
```

Server response

Code	Details
204 Undocumented	Response headers connection: keep-alive date: Wed,18 Mar 2026 04:09:47 GMT keep-alive: timeout=60 Request duration 102 ms

Responses

Code	Description	Links
200	OK	No links

Enlace GITHUB.

https://github.com/karenJCastillo/relacionesTablasPractica/tree/main