



| Old Navy             |  |                  |   |  |  | Bill of Materials     |                          |  |
|----------------------|--|------------------|---|--|--|-----------------------|--------------------------|--|
| Master Style:        | 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE           | Line Plan:       | ON Family Messaging FA19  |  |  | Flow:                 | OCT                      |  |
| Product Description: | LOOSE LS RAGLAN SLOUCH PULLOVER HOOD-SAT 1/2 BRUSH ONO | Product Team:    | ON Womens Knit Tops   |  |  | Area:                 | WOMENS FLEECE            |  |
| Product Status:      | Adopted  | Product Type:    | Hoodie  |  |  | Theme:                |                          |  |
| Category:            | KNITS  | Sub-Category:    | KNIT TOPS   |  |  | Item Type:            | HOODIE/PULLOVER          |  |
| BOM #                | 000495642  | Tech Designer:   | Demaray, Monica   |  |  | Designer:             | Yang, Raymond            |  |
| Sourcing Office:     | Hong Kong  | Merch Number(s): | 449812 (USA, Regular);  |  |  | Vendor Collaboration: | Yes                      |  |
| Vendor:              | SAE-A TRADING CO., LTD (1002249)                       | Factory:         |   |  |  | BOM Last Mod:         | Mar 27, 2019 2:32 PM PDT |  |
| Packaging Instr:     | HANG   | Comments:        | Body will align with mainline but will be in saturday 1/2 brush |  |  |                       |                          |  |

(SET A: CC1-4 of 4)

| CC1                    | CC2                         | CC3                                 | CC4   |
|------------------------|-----------------------------|-------------------------------------|-------|
| LOST<br>AT SEA<br>NAVY | B12B<br>GREY<br>HEATH<br>ER | HP101<br>OATME<br>AL<br>HEATH<br>ER | SHELL |

| Image   | Type/Desc/RD#  | Quality Details  | Supplier / Supplier Article       | Gauge/Tension/ Stitch/Ends | Size | UOM | Qty                                     | Usage                         | CC1                                | CC2                                    | CC3  | CC4   |
|---|--|--|-----------------------------------|----------------------------|------|-----|---|-------------------------------|------------------------------------|--|--|-------|
| <b>Fabric</b>   |  |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Knit 212573  | 52% Cotton, 48% Polyester / gg /Kam Hing International 32S/1CVC+50D poly+20S/1CVC Holdings Ltd.<br>yd / 66.0 in / 230.0 g/m2 / TBD   |                                   |                            | yd   | 0.0 | ALL BODY                                | LOST<br>AT SEA<br>NAVY<br>889 | B12B<br>GREY<br>HEATHER<br>HEATHER | HP101<br>OATMEAL<br>HEATHER<br>HEATHER |  | SHELL |
|   | French Terry: Ctn/Poly 52/48 230gsm a/w (Heathered)(SATURDAY)Half-Brushed (SAT 1/2 Brush 230g) |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Knit 179612  | 58% Cotton, 40% Polyester, 2% Kam Hing International Spandex / 18 gg / 30s/1 cvc+30DHoldings Ltd.<br>yd / 42.0 in / 260.0 g/m2 /<br>2x2: Ctn/Poly/Span 58/40/2 230gms b/<br>w 260gsm a/w | ZH1400894 V858417                 |                            | yd   | 0.0 | RIB TRIM FOR NECKLINE CUFFS AND HEMLINE | LOST<br>AT SEA<br>NAVY<br>889 | B12B<br>GREY<br>HEATHER<br>HEATHER | HP101<br>OATMEAL<br>HEATHER<br>HEATHER |  | SHELL |
| <b>Trim</b>   |  |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Thread Trim 183762   | / n/a /  | A&E or Coats Shell RD:<br>183427  |                            | TBD  | 0.0 | MAIN BODY THREAD                        | LOST<br>AT SEA<br>NAVY<br>889 | B12B<br>GREY<br>HEATHER<br>HEATHER | HP101<br>OATMEAL<br>HEATHER<br>HEATHER |  | SHELL |
|   | Spun Polyester_Old Navy  |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Thread Trim 183764   | / n/a /  | A&E or Coats Shell RD :<br>183429 |                            | TBD  | 0.0 | TEX THREAD AT HEM                       | LOST<br>AT SEA<br>NAVY<br>889 | B12B<br>GREY<br>HEATHER<br>HEATHER | HP101<br>OATMEAL<br>HEATHER<br>HEATHER |  | SHELL |
|   | Textured Poly/Spun Polyester_Old Navy  |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|  | Cord 190292  | Tubular / 100% Cotton / in   |                                   | 3/8"                       | TBD  | 0.0 | DRAWCORDS AT HOOD                       | COCONUT<br>MILK               | COCONUT<br>MILK                    | COCONUT<br>MILK                        | COCONUT<br>MILK                            |       |
|   | Cotton Flat Twill Drawcord   |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Tape 38400 TAPE  | //   | Vendor Sourced                    |                            | TBD  | 0.0 | BACK NECK TAPE                          | LOST<br>AT SEA<br>NAVY<br>889 | B12B<br>GREY<br>HEATHER<br>HEATHER | HP101<br>OATMEAL<br>HEATHER<br>HEATHER |  | SHELL |
| <b>Graphics</b>   |  |  |                                   |                            |      |     |   |                               |                                    |  |  |       |
|   | Graphic 02294887   |  |                                   |                            |      | 0.0 |   | OW9FA8<br>06 CC1              | OW9FA8<br>05 CC1                   | OW9FA8<br>06 CC2                       | OW9FA8<br>04 CC1<br>(FRONT<br>AND<br>BACK) |       |

**Master Style:** 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE  
**Product Description:** LOOSE LS RAGLAN SLOUCH PULLOVER HOOD-SAT 1/2 BRUSH ONO

**Sourcing Office:** Hong Kong  
**Vendor:** SAE-A TRADING CO., LTD (1002249)

(SET A: CC1-4 of 4)

| CC1    | CC2   | CC3   | CC4   |
|--------|-------|-------|-------|
| LOST   | B12B  | HP101 | SHELL |
| AT SEA | GREY  | OATME |       |
| NAVY   | HEATH | AL    | HEATH |
| ER     |       | ER    | ER    |

| Image | Type/Desc/RD# | Quality Details | Supplier / Supplier Article | Gauge/Tension/ Stitch/Ends | Size | UOM | Qty | Usage |
|-------|---------------|-----------------|-----------------------------|----------------------------|------|-----|-----|-------|
|-------|---------------|-----------------|-----------------------------|----------------------------|------|-----|-----|-------|

**Finish / Wash**

|                       |  |  |  |  |     |             |             |             |             |
|-----------------------|--|--|--|--|-----|-------------|-------------|-------------|-------------|
| Finishing<br>02294880 |  |  |  |  | 0.0 | FABRIC WASH | FABRIC WASH | FABRIC WASH | FABRIC WASH |
|-----------------------|--|--|--|--|-----|-------------|-------------|-------------|-------------|

**Packaging / Labels**

|   |     |                  |  |      |     |  |  |  |  |
|---|-----|------------------|--|------|-----|--|--|--|--|
|  Hanger<br>36687                       | /   | 467-ONS-HPP      |  | Each | 0.0 |  |  |  |  |
| 467-ONS-HPP 17in top w/plastic hook   |     |                  |  |      |     |  |  |  |  |
| Integrated Label<br>241805  | /// | SHELL RD 241804  |  | TBD  | 0.0 |  |  |  |  |
| Universal_Tops/Bottoms_Integrated Loop - with Size and COO (Global/ Canada)   |     |                  |  |      |     |  |  |  |  |
| Traceability Label/Joker Tag<br>149232  | /// | Shell RD 153222  |  | TBD  | 0.0 |  |  |  |  |
| Core_Traceability Label_Coated Tape (Global)  |     |                  |  |      |     |  |  |  |  |
| Care/Content Label<br>191460  | /// | Shell RD# 191459 |  | TBD  | 0.0 |  |  |  |  |
| ON_Universal_Normal Wash_C&C Label (Global)   |     |                  |  |      |     |  |  |  |  |
| Price Ticket<br>117647  | /   | Shell RD 154621  |  | TBD  | 0.0 |  |  |  |  |
| ONPT_HK01_Universal_Alpha/<br>Dual Alpha/Numeric/Dual<br>Numeric_Generic_Price Ticket (US/<br>USOL/CA/CAOL/HK/CIT/FD) |     |                  |  |      |     |  |  |  |  |



| Old Navy             |  |                  |  |  |  |  |  |                       |                         | Measurement Chart - Regular; |                     |       |  |  |      |        |
|----------------------|--|------------------|--|--|--|--|--|-----------------------|-------------------------|------------------------------|---------------------|-------|--|--|------|--------|
| Master Style:        | 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE                       | Line Plan:       | ON Family Messaging FA19   |  |  |  |  | Flow:                 | OCT                     | Product Team:                | ON Womens Knit Tops |       |  |  |      |        |
| Product Description: | LOOSE LS RAGLAN SLOUCH PULLOVER HOOD-SAT 1/2 BRUSH ONO             | Product Type:    | Hoodie   |  |  |  |  | Area:                 | WOMENS FLEECE           | Tech Designer:               | Demaray, Monica     |       |  |  |      |        |
| Product Status:      | Adopted  | Theme:           |  |  |  |  |  | Designer:             | Yang, Raymond           | BOM #:                       |                     |       |  |  |      |        |
| Sourcing Office:     | Hong Kong  | Merch Number(s): | 449812 (USA, Regular);   |  |  |  |  | Vendor Collaboration: | Yes                     | Vendor:                      |                     |       |  |  |      |        |
| Factory:             | SAE-A TRADING CO., LTD (1002249)                                   | Grade Rule:      | Old Navy Womens Sweater/Knit Tops & Bottoms Alpha (Half)<br>Knit Machine; XXS - XXXL; Base (M) |  |  |  |  | MC Last Mod:          | Apr 4, 2019 1:20 PM PDT | Block:                       |                     |       |  |  |      |        |
| Comments:            | Start with final pattern for SP19 470097, and revise to meet spec. |                  |  |  |  |  |  |                       |                         |                              | MC Status:          | Final |  |  | UOM: | Inches |

| POM  | Description                                  | Add'l Comments                                      | Variation | QC | Tol(-) | Tol(+) | XXS    | XS     | S      | M      | L      | XL     | XXL    |  |  |
|------|--|---|-----------|----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|
| 1081 | Neck Width Seam to Seam                      |   |           | Y  | 1/4    | 1/4    | 7 1/2  | 7 1/2  | 7 3/4  | 8      | 8 1/4  | 8 1/2  | 8 3/4  |  |  |
| 1083 | Front Neck Drop: Imaginary Line to Seam      |   |           |    | 1/8    | 1/8    | 3      | 3      | 3 1/8  | 3 1/4  | 3 1/2  | 3 3/4  | 4      |  |  |
| 1087 | Back Neck Drop: Imaginary Line to Seam       |   |           |    | 1/8    | 1/8    | 1      | 1      | 1      | 1      | 1 1/8  | 1 1/4  | 1 3/8  |  |  |
| 1047 | Hood Width Down from Top                     | 4"  |           |    | 1/8    | 1/8    | 10     | 10     | 10 1/4 | 10 1/2 | 11     | 11 1/2 | 12     |  |  |
| 1049 | Hood Opening-2 Point                         |   |           |    | 1/8    | 1/8    | 14 1/4 | 14 1/4 | 14 1/2 | 14 3/4 | 15     | 15 1/4 | 15 1/2 |  |  |
| 1517 | Casing Height                                | hood<br>relaxed (each side) buttonhole to dcord end | Hood      |    | 999    | 999    | 1      | 1      | 1      | 1      | 1      | 1      | 1      |  |  |
| 1438 | Drawcord Length                              |   | Exposed   |    | 999    | 999    | 10     | 10     | 10     | 10     | 10     | 10     | 10     |  |  |
| 1112 | High Chest Position from High Point Shoulder |   |           |    | 999    | 999    | 5      | 5      | 5 1/4  | 5 1/2  | 5 7/8  | 6 1/4  | 6 5/8  |  |  |
| 1114 | High Chest                                   |   | Set-in    |    | 1/4    | 1/4    | 13 1/2 | 13 3/4 | 14 1/4 | 14 3/4 | 15 1/2 | 16 1/4 | 17     |  |  |
| 1116 | High Back Position from High Point Shoulder  |   |           |    | 0      | 0      | 5      | 5      | 5 1/4  | 5 1/2  | 5 7/8  | 6 1/4  | 6 5/8  |  |  |
| 1117 | High Back                                    |   | Set-In    |    | 1/4    | 1/4    | 14 1/2 | 14 3/4 | 15 1/4 | 15 3/4 | 16 1/2 | 17 1/4 | 18     |  |  |
| 1120 | Chest 1" Below Armhole                       |   |           | Y  | 1/2    | 1/2    | 18 1/2 | 19     | 20     | 21     | 22 1/2 | 24 1/2 | 26 3/4 |  |  |
| 1258 | Bottom Opening Straight                      | Bottom edge - relaxed                               |           | Y  | 1/2    | 1/2    | 19 3/4 | 20 1/4 | 21 1/4 | 22 1/4 | 23 3/4 | 25 3/4 | 28     |  |  |
| 1472 | Overlap at CF hood attach                    |   |           |    | 999    | 999    | 1      | 1      | 1      | 1      | 1      | 1      | 1      |  |  |
| 1535 | Trim Height                                  | Bottom Band   |           |    | 999    | 999    | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  |  |  |
| 1097 | Shoulder Width-Seam to Seam at Back          | Set-In  | Graded    | Y  | 1/4    | 1/4    | 15 1/4 | 15 1/2 | 16     | 16 1/2 | 17 1/4 | 18     | 18 3/4 |  |  |
| 1100 | Shoulder Slope                               |   |           |    | 1/8    | 1/8    | 1 1/8  | 1 1/8  | 1 1/4  | 1 1/4  | 1 3/8  | 1 1/2  | 1 5/8  |  |  |
| 1103 | Shoulder Seam Forward                        |   |           |    | 1/8    | 1/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    |  |  |
| 1290 | Sleeve Length from Center Back               | Long  | Y         |    | 1/2    | 1/2    | 29 5/8 | 30     | 30 3/4 | 31 1/2 | 32 1/4 | 33     | 33 3/4 |  |  |
| 1276 | Armhole Straight - 2 Point Measurement       |   |           |    | 1/4    | 1/4    | 7      | 7 1/4  | 7 5/8  | 8      | 8 1/2  | 9 1/8  | 9 3/4  |  |  |
| 1298 | Bicep 1" below Armhole                       |   |           |    | 1/4    | 1/4    | 6 1/4  | 6 1/2  | 6 7/8  | 7 1/4  | 7 3/4  | 8 3/8  | 9      |  |  |
| 1301 | Sleeve Opening                               | at seam   | Long      | Y  | 1/8    | 1/8    | 3 7/8  | 4      | 4 1/4  | 4 1/2  | 4 3/4  | 5      | 5 1/4  |  |  |
| 1301 | Sleeve Opening                               | at cuff edge  | Long      | Y  | 1/8    | 1/8    | 2 7/8  | 3      | 3 1/4  | 3 1/2  | 3 3/4  | 4      | 4 1/4  |  |  |
| 5203 | Cuff Height                                  | Sleeve  |           |    | 999    | 999    | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  |  |  |
| 1338 | Body Length from High Point Shoulder         | FT & BK   | Hip       | Y  | 1/2    | 1/2    | 23 7/8 | 24 1/4 | 24 7/8 | 25 1/2 | 26 3/8 | 27 1/4 | 28 1/8 |  |  |
| 1538 | Vent/slit Length                             |   |           |    | 999    | 999    | 4      | 4      | 4      | 4      | 4      | 4      | 4      |  |  |



| Old Navy             |   |  |  |                  |                          | Sample Measurements Summary - Regular; |  |                       |                         |  |  |
|----------------------|---|--|--|------------------|--------------------------|--|--|-----------------------|-------------------------|--|--|
| Master Style:        | 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE  |  |  | Line Plan:       | ON Family Messaging FA19 |  |  | Flow:                 | OCT                     |  |  |
| Product Description: | LOOSE LS RAGLAN SLOUCH PULLOVER HOOD-SAT 1/2 BRUSH ONO                                      |  |  | Product Team:    | ON Womens Knit Tops      |  |  | Area:                 | WOMENS FLEECE           |  |  |
| Product Status:      | Adopted   |  |  | Product Type:    | Hoodie                   |  |  | Theme:                |                         |  |  |
| BOM #:               | 000495642   |  |  | Tech Designer:   | Demaray, Monica          |  |  | Designer:             | Yang, Raymond           |  |  |
| Sourcing Office:     | Hong Kong   |  |  | Merch Number(s): | 449812 (USA, Regular);   |  |  | Vendor Collaboration: | Yes                     |  |  |
| Vendor:              | SAE-A TRADING CO., LTD (1002249)  |  |  | Factory:         |                          |  |  | MC Last Mod:          | Apr 4, 2019 1:20 PM PDT |  |  |
| Grade Rule:          | Old Navy Womens Sweater/Knit Tops & Bottoms Alpha (Half) Knit Machine; XXS - XXXL; Base (M) |  |  | Block:           |                          |  |  | MC Status:            | Final                   |  |  |
| Comments:            | Start with final pattern for SP19 470097, and revise to meet spec.                          |  |  |                  |                          |  |  | UOM:                  | Inches                  |  |  |

| POM  | Description                                  | Add'l Comments                              | Variation | QC | Tol(-) | Tol(+) | SAE-A TRADING CO., LTD - 1.0 - LA SAMPLE( sz M ) |        |           | SAE-A TRADING CO., LTD - 2.0 - 2nd fit( sz M ) |        |           |  |
|------|--|---|-----------|----|--------|--------|--|--------|-----------|--|--------|-----------|--|
|      |  |   |           |    |        |        | Spec   | Sample | Revise To | Spec   | Sample | Revise To |  |
| 1081 | Neck Width Seam to Seam                      |   |           | Y  | 1/4    | 1/4    | 8  | 8 1/4  |           | 8  | 8      |           |  |
| 1083 | Front Neck Drop: Imaginary Line to Seam      |   |           |    | 1/8    | 1/8    | 3 1/4  | 3      |           | 3 1/4  | 3 1/4  |           |  |
| 1087 | Back Neck Drop: Imaginary Line to Seam       |   |           |    | 1/8    | 1/8    | 1  |        |           | 1  | 1      |           |  |
| 1047 | Hood Width __ Down from Top                  | 4"  |           |    | 1/8    | 1/8    | 10 1/2   | 10 1/4 |           | 10 1/2   | 10 1/4 |           |  |
| 1049 | Hood Opening-2 Point                         |   |           |    | 1/8    | 1/8    | 14 3/4   | 14 5/8 |           | 14 3/4   | 14 1/2 |           |  |
| 1517 | Casing Height                                | hood  | Hood      |    | 999    | 999    | 1  |        |           | 1  | 1      |           |  |
| 1438 | Drawcord Length                              | relaxed (each side) buttonhole to dcord end | Exposed   |    | 999    | 999    | 10   |        |           | 10   | 10     |           |  |
| 1112 | High Chest Position from High Point Shoulder |   |           |    | 999    | 999    | 5 1/2  |        |           | 5 1/2  | 5 1/2  |           |  |
| 1114 | High Chest                                   | Set-in                                      |           |    | 1/4    | 1/4    | 14 3/4   | 14 5/8 |           | 14 3/4   | 14 5/8 |           |  |
| 1116 | High Back Position from High Point Shoulder  |   |           |    | 0      | 0      | 5 1/2  |        |           | 5 1/2  | 5 1/2  |           |  |
| 1117 | High Back                                    | Set-In                                      |           |    | 1/4    | 1/4    | 15 3/4   | 15 5/8 |           | 15 3/4   | 16     |           |  |
| 1120 | Chest 1" Below Armhole                       |   |           | Y  | 1/2    | 1/2    | 21   | 20 5/8 |           | 21   | 21 1/4 |           |  |
| 1258 | Bottom Opening Straight                      | Bottom edge - relaxed                       |           |    | Y      | 1/2    | 1/2  | 17 3/4 |           |  | 22 1/4 | 22 1/2    |  |
| 1472 | Overlap at __                                | CF hood attach                              |           |    | 999    | 999    |  |        |           | 1  | 1      |           |  |
| 1535 | Trim Height                                  | Bottom Band                                 |           |    | 999    | 999    | 2 1/2  |        |           | 2 1/2  | 2 1/2  |           |  |
| 1097 | Shoulder Width-Seam to Seam at Back          | Set-In                                      | Y         |    | 1/4    | 1/4    | 16 1/2   | 16 1/4 |           | 16 1/2   | 16 1/2 |           |  |
| 1100 | Shoulder Slope                               | Graded                                      |           |    | 1/8    | 1/8    | 1 1/4  |        |           | 1 1/4  | 1 1/4  |           |  |
| 1103 | Shoulder Seam Forward                        |   |           |    | 1/8    | 1/8    | 3/8  |        |           | 3/8  | 3/8    |           |  |
| 1290 | Sleeve Length from Center Back               | Long  | Y         |    | 1/2    | 1/2    | 31 1/2   | 31 3/4 |           | 31 1/2   | 31 1/4 |           |  |
| 1276 | Armhole Straight - 2 Point Measurement       |   |           |    | Y      | 1/4    | 1/4  | 8      |           | 8  | 8 1/4  |           |  |
| 1298 | Bicep 1" below Armhole                       |   |           |    | 1/4    | 1/4    | 7 1/4  | 7 1/8  |           | 7 1/4  | 7 1/4  |           |  |
| 1301 | Sleeve Opening                               | at seam                                     | Long      | Y  | 1/8    | 1/8    | 4 1/2  |        |           | 4 1/2  | 4 1/2  |           |  |
| 1301 | Sleeve Opening                               | at cuff edge                                | Long      | Y  | 1/8    | 1/8    | 3 1/2  |        |           | 3 1/2  | 3 1/2  |           |  |
| 5203 | Cuff Height                                  | Sleeve                                      |           |    | 999    | 999    | 2 1/2  |        |           | 2 1/2  | 2 1/2  |           |  |
| 1338 | Body Length from High Point Shoulder         | FT & BK                                     | Hip       | Y  | 1/2    | 1/2    | 25 1/2   | 25 1/4 |           | 25 1/2   | 25 3/8 |           |  |
| 1538 | Vent/slit Length                             |   |           |    | 999    | 999    | 4  |        |           | 4  | 4      |           |  |

**Old Navy****Sketches - generic**

|                                   |  |                         |                          |                              |                          |
|-----------------------------------|--|-------------------------|--------------------------|------------------------------|--------------------------|
| <b>Master Style:</b>              | 502684; RELAXED LS SIDE SLIT<br>PULLOVER HOODIE              | <b>Line Plan:</b>       | ON Family Messaging FA19 | <b>Flow:</b>                 | OCT                      |
| <b>Product Description:</b>       | LOOSE LS RAGLAN SLOUCH<br>PULLOVER HOOD-SAT 1/2 BRUSH<br>ONO | <b>Product Team:</b>    | ON Womens Knit Tops      | <b>Area:</b>                 | WOMENS FLEECE            |
| <b>Product Status:</b>            | Adopted  | <b>Product Type:</b>    | Hoodie                   | <b>Theme:</b>                |                          |
| <b>Sourcing Office:</b>           | Hong Kong  | <b>Merch Number(s):</b> | 449812 (USA, Regular);   | <b>Vendor Collaboration:</b> | Yes                      |
| <b>Vendor:</b><br><b>Factory:</b> | SAE-A TRADING CO., LTD (1002249)                             |                         |                          |                              |                          |
| <b>Comments:</b>                  |  |                         |                          | <b>Sketch View Last Mod:</b> | Mar 20, 2019 9:22 AM PDT |



## Old Navy

## Sketches - generic

|                             |  |                         |                          |                              |  |
|-----------------------------|--|-------------------------|--------------------------|------------------------------|--|
| <b>Master Style:</b>        | 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE           | <b>Line Plan:</b>       | ON Family Messaging FA19 | <b>Flow:</b>                 | OCT  |
| <b>Product Description:</b> | LOOSE LS RAGLAN SLOUCH PULLOVER HOOD-SAT 1/2 BRUSH ONO | <b>Product Team:</b>    | ON Womens Knit Tops      | <b>Area:</b>                 | WOMENS FLEECE                                  |
| <b>Product Status:</b>      | Adopted  | <b>Product Type:</b>    | Hoodie                   | <b>Theme:</b>                |  |
| <b>Sourcing Office:</b>     | Hong Kong  | <b>Merch Number(s):</b> | 449812 (USA, Regular);   | <b>Vendor Collaboration:</b> | Yes  |
| <b>Vendor:</b>              | SAE-A TRADING CO., LTD (1002249)                       | <b>Factory:</b>         |                          | <b>Comments:</b>             | Sketch View Last Mod: Mar 20, 2019 9:22 AM PDT |

**Hood:**  
Seamed to body with 1/8" 1N 401 on body side.  
CB seam finished with overlock to interior, no TS.  
CF edge finished with single turnback  
(making drawcord channel) finished 1/8" 2N 406.  
Overlap at CF.

BNT:  
3/8" tape at back neck, SN 1/4"

Drawcord:  
Functional drawcord, exit through buttonhole  
tack drawcord at top of hood.  
Ends finished with double turnback and bartack.

Cuff/ Bottom Band Attach:  
Set-in cuff /btm band with 1/4" 2N 406  
straddle on seam

Please follow Gap Inc construction standards for  
for Knits. Details noted on the sketch are  
variations from the standards for this style only.

Prior to sample submission, vendor must fit and  
assess garment on the OLD NAVY dress form.



Mobilon tape at shoulder seam

Armholes:  
Clean finished  
with 1/8" 1N 401 on body side

Side Vent:  
TB vent edges clean finished with overlock,  
turned back and secured with 1/4" SN, bartack at top



| Old Navy                            |   |                               |   |                        | Fit Comments   |                              |
|-------------------------------------|---|-------------------------------|---|------------------------|----------------|------------------------------|
| <b>Master Style:</b>                | 502684; RELAXED LS SIDE SLIT PULLOVER HOODIE            | <b>Line Plan:</b>             | ON Family Messaging FA19                | <b>Flow:</b>           | OCT            |                              |
| <b>Product Description:</b>         | LOOSE LS RAGLAN SLOUCH PULLOVER HOOD- SAT 1/2 BRUSH ONO | <b>Product Team:</b>          | ON Womens Knit Tops                     | <b>Area:</b>           | WOMENS FLEECE  |                              |
| <b>Product Status:</b>              | Adopted   | <b>Product Type:</b>          | Hoodie                                  | <b>Theme:</b>          |                |                              |
| <b>BOM #:</b>                       | 000495642   | <b>Tech Designer:</b>         | Demaray, Monica                         | <b>Designer:</b>       | Xiang, Raymond |                              |
| <b>Sourcing Office:</b>             | Hong Kong   |                               | <b>Merch Number(s):</b>                 | 449812 (USA, Regular); |                | <b>Vendor Collaboration:</b> |
| <b>Vendor:</b>                      | SAE-A TRADING CO., LTD (1002249)                        |                               |   |                        |                | Yes                          |
| <b>Factory:</b>                     |   |                               |   |                        |                |                              |
| <b>Vendor:</b>                      | SAE-A TRADING CO., LTD                                  | <b>Vendor Direct?:</b>        | Yes                                     | <b>Last Modified:</b>  | Apr 4, 2019    |                              |
| <b>Fit Comments Status:</b>         | Comments Sent   | <b>Division:</b>              | ON Marketing & Non-Saleable Merchandise |                        |                |                              |
| <b>Request / Round:</b>             | 1384864 / 1   | <b>Season:</b>                | FA19                                    |                        |                |                              |
| <b>Vendor Type / Fit Strategy:</b>  |   | <b>Market:</b>                |   |                        |                |                              |
| <b>Fit Session Date:</b>            | Apr 1, 2019   | <b>MC For Sample:</b>         | Regular; (Final),                       |                        |                |                              |
| <b>Final Fit Approval Due Date:</b> |   | <b>Fit By:</b>                | Monica Demaray                          |                        |                |                              |
| <b>SPR Requested By:</b>            | Demaray, Monica   | <b>Fit Session Attendees:</b> | 4/1/19: SY/ JE/ TY/ JL                  |                        |                |                              |
| <b>Request Result:</b>              | Approved  | <b>Fit Model:</b>             | AMANDA                                  |                        |                |                              |

## Construction / Workmanship

### Pre-Fit Comments

Option1 & 2 pattern constructions are all followed as T/P.

### Fit Comments

Construction is approved as sampled.

## **Pattern**

### **Pre-Fit Comments**

Attached Option1 & 2 ptn in plm site.

### **Fit Comments**

Base size of pattern looks good.  
In the future, please always send pattern in Optitex format.

## **Grade**

### **Pre-Fit Comments**

Attached Option1 & 2 pttn in plm site.

### **Fit Comments**

There is no graded nest attached to pattern in spec. Please send me graded nest for approval.

## **Measurement**

### **Pre-Fit Comments**

Please remove POM 1258 Bottom Opening Straight (2" above seam - extended)to avoid confusion in factory.

### **Fit Comments**

Spec has already been updated.

Sleeve opening felt tight on model, when measured Sleeve opening at edge and seam were -1/4". Please correct to spec.

## Fit

### Pre-Fit Comments

### Fit Comments

Photos attached by vendor does not match sample sent? please advise.

Sample is approved to Final. No need to send reference sample, just submit revised graded pattern in PDS format.



File Name: 502684 Fit Photos sae a.jpg

Description: