

Simplicial Homology

An introduction to simplicial homology theory

Luciano Melodia

September 24, 2023

Abstract

This paper examines the fundamental ideas of simplicial structures that lead to simplicial homology theory and introduces singular homology to demonstrate the equivalence of homology groups of homomorphic topological spaces. It concludes with a proof of the equivalence of simplicial and singular homology groups.

Contents

1	Simplicial Complexes	1
2	Homology Groups	3
3	Singular Homology	3
4	Chain Complexes	3
5	Exact Sequences	3
6	Relative Homology Groups	3
7	The Equivalence of H_k^Δ and H_k	3

1 Simplicial Complexes

We remark, that a set of points $X = \{x_0, x_1, \dots, x_d\}$ in \mathbb{R}^n is said to be *affinely independent* if the points are not contained in any affine subspace of dimension less than d .

Definition. Given a set $X = \{x_0, x_1, \dots, x_d\} \subset \mathbb{R}^n$ of $d + 1$ **affinely independent** points, the d -dimensional simplex σ , or **d -simplex**, spanned by X is

the set of convex combinations

$$\sigma := \left\{ \sum_{i=0}^d \lambda_i x_i \mid \sum_{i=0}^d \lambda_i = 1, \lambda_i \geq 0 \right\}. \quad (1)$$

By convention the empty set \emptyset is added to the faces as the simplex spanned by the empty subset of the vertices. A 0-simplex corresponds to a single point, a 1-simplex corresponds to a line segment connecting two points, a 2-simplex corresponds to a triangle, and a 3-simplex corresponds to a tetrahedron. It is worth noting that the d -simplex is homeomorphic to the d -disk D^d .

Additionally, σ represents the convex hull of the points X , which is the smallest convex subset of \mathbb{R}^n that contains x_0, x_1, \dots, x_d . The *faces* of the simplex σ with vertex set X are the simplices formed by subsets of X . An d -*face* of a simplex is a subset of the vertices of the simplex with a cardinality of $d + 1$. The faces of an d -simplex with a dimension less than d are referred to as its *proper faces*. Two simplices are considered to be *properly situated* if their intersection is either empty or a face of both simplices. By identifying simplices along entire faces, we obtain the resulting *simplicial complexes*.

Definition. A **simplicial complex** K is a finite set of simplices such that

1. For all simplices $\sigma \subseteq K$ with τ being a face of σ , it holds that $\tau \subset K$.
2. $\sigma, \tau \subseteq K \implies \sigma, \tau$ are properly situated.

The *dimension* of K is the highest dimension of its simplices. For a simplicial complex K in \mathbb{R}^n , its *underlying space* $|K| \subset \mathbb{R}^n$ is the union of the simplices of K . The topology of K is the topology induced on $|K|$ by the standard topology in \mathbb{R}^n . Notice that when its vertex set is known, a simplicial complex in \mathbb{R}^n is fully characterized by the list of its simplices. Thus, we can describe it in pure combinatorial terms by *abstract simplicial complexes*.

Definition. Let $V = \{v_1, \dots, v_n\}$ be a finite set. An **abstract simplicial complex** \tilde{K} with vertex set V is a set of finite subsets of V satisfying the two conditions:

1. The elements of V belong to \tilde{K} .
2. If $\sigma \subset \tilde{K}$ and $\tau \subseteq \sigma$, then $\tau \subset \tilde{K}$.

The abstract simplicial complex \tilde{K} of a simplicial complex K is also called its *vertex scheme*.

2 Homology Groups

3 Singular Homology

4 Chain Complexes

5 Exact Sequences

6 Relative Homology Groups

7 The Equivalence of H_k^Δ and H_k

References

- [1] Boissonnat, J. D., Chazal, F., Yvinec, M. (2018). Geometric and Topological Inference (Vol. 57). Cambridge University Press.
- [2] Edelsbrunner, H., Harer, J. L. (2022). Computational Topology: An Introduction. American Mathematical Society.
- [3] Hatcher, A. (2005). Algebraic Topology. Cambridge University Press.
- [4] Jonsson, J. (2011). Introduction to Simplicial Homology. Königliche Technische Hochschule. URL: <https://people.kth.se/~jakobj/doc/homology/homology.pdf>.
- [5] Khoury, M. (2022). Lecture 6: Introduction to Simplicial Homology. Topics in Computational Topology: An Algorithmic View. Ohio State University. URL: <http://web.cse.ohio-state.edu/~wang.1016/courses/788/Lecs/lec6-marc.pdf>.
- [6] Nadathur, P. (2007). An Introduction to Homology. University of Chicago. URL: <https://www.math.uchicago.edu/~may/VIGRE/VIGRE2007/REUPapers/FINALFULL/Nadathur.pdf>.
- [7] Melodia, L., Lenz, R. (2021). Estimate of the Neural Network Dimension Using Algebraic Topology and Lie Theory. In Pattern Recognition. ICPR International Workshops and Challenges: Virtual Event, January 10–15, 2021, Proceedings, Part V (pp. 15–29). Springer International Publishing.