

Educational Platform API – Frontend Documentation

This document explains **how the Frontend team should use the API**, step by step, including authentication flow and all available endpoints.

Base URL

```
https://educational-platform-api2-production-75ed.up.railway.app
```

All endpoints below are relative to this base URL.

Authentication Flow (IMPORTANT)

Most admin actions require **JWT authentication**.

Step 1: Register (Optional – usually Admin only once)

POST `/api/auth/register`

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "password": "password123",
  "role": "admin"
}
```

Roles: `admin` | `student`

Step 2: Login (Required)

POST `/api/auth/login`

```
{
  "email": "john@example.com",
  "password": "password123"
}
```

 Response contains **JWT token**:

```
{
  "success": true,
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6I.. "
}
```

🔴 **Frontend MUST save token** (LocalStorage / Cookies)

🔗 Step 3: Send Token with Requests

For protected routes, add header:

Authorization: Bearer <TOKEN>

📖 Courses Endpoints

🕒 Get All Courses (Public)

GET /api/courses

GET /api/courses

🕒 Get Course By ID (Public)

GET /api/courses/:courseId

GET /api/courses/123456

🕒 Create Course (Admin Only)

POST /api/courses

🔴 Requires token (Admin)

```
{
  "title": "Advanced TypeScript",
  "description": "Learn advanced TS concepts",
  "price": 99.99
}
```

Delete Course (Admin Only)

DELETE `/api/courses/:courseId`

 Requires token (Admin)

```
DELETE /api/courses/123456
```

Playlists Endpoints

Add Playlist to Course (Admin Only)

POST `/api/courses/:courseId/playlists`

 Requires token

```
{
  "title": "Getting Started"
}
```

Videos Endpoints

Add Video to Playlist (Admin Only)

POST `/api/courses/:courseId/playlists/:playlistId/videos`

 Requires token

 **duration MUST be a NUMBER (minutes)**

```
{
  "title": "Introduction",
  "videoUrl": "https://youtube.com/watch?v=123",
  "duration": 10
}
```

 Wrong:

```
"duration": "10:00"
```

Test Endpoints

API Test

GET `/api/v1/test`

```
{
  "success": true,
  "message": "API working fine 🚀"
}
```

Health Check

Used by Railway

GET `/health`

OK

Common Error Messages

Not Authorized

```
{
  "success": false,
  "message": "Not authorized to access this route"
}
```

➡ Token missing or user is not admin.

Route Not Found

```
{
  "success": false,
  "message": "Route not found"
}
```

➡ Wrong URL or HTTP method.

Frontend Checklist

- ☐ Login first
 - ☐ Save JWT token
 - ☐ Send token in Authorization header
 - ☐ Use correct HTTP method
 - ☐ Use NUMBER for video duration
-

Recommended Tools

- Postman (for testing)
 - Axios / Fetch (Frontend)
 - LocalStorage for token
-

If you want: - ☒ Swagger UI - ☒ API response types - ☒ Frontend Axios service example

Just tell me 