

## LG 55XS4J Signage Display Digital signage flat panel 139.7 cm (55") IPS Wi-Fi 4000 cd/m² Full HD Black WebOS 24/7

Brand : LG Product code: 55XS4J

**Product name:** 55XS4J

- Brightness : 4,000 nits (Typ.) / 3,200 nits (Min.)

- Resolution : Full HD (1,920 x 1,080) - Bezel (T,B / R,L) : 12.0 / 9.9 mm - webOS-based High Performance

- Built-in Wi-Fi

- Web-based Monitoring Solution

55" Full HD IPS 4000nits 1920x1080, HDMI DP RS232C RJ45 IR USB, webOS-based,Wi-Fi LG 55XS4J. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: IPS, Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black





Display		Design	
LED backlighting type  Display diagonal *  139.7 cm (55")  Display technology *  Display resolution *  Display brightness *  HD type *  Touchscreen *  Native aspect ratio  Response time  Contrast ratio (dynamic)  Direct-LED  139.7 cm (55")  1920 x 1080 pixels  4000 cd/m²  Full HD  X  Native aspect ratio  16:9  Response time  9 ms  Contrast ratio (dynamic)  500000:1	139.7 cm (55") IPS 1920 x 1080 pixels 4000 cd/m <sup>2</sup>	Product colour * VESA mounting * Panel mounting interface Bezel width (bottom) Bezel width (side) Bezel width (top)	Black  ✓  600 x 400 mm  1.2 cm  9.9 mm  1.2 cm
		Performance	
	9 ms 1000:1 500000:1	Purpose * Ambient light sensor Operating hours (hours/days)	Universal ✓ 24/7
Viewing angle, horizontal Viewing angle, vertical	178° 178°	Power	
Display number of colours Haze rate RGB colour space	16.7 million colours 3% NTSC	Power consumption (typical) * AC input voltage AC input frequency Heat dissipation	375 W 100 - 240 V 50-60 Hz 1280 BTU/h
Ports & interfaces		Computer system	
HDMI ports quantity * 2 HDMI version 1.4 DVI port * X	1.4	Computer system * Internal memory Operating system installed	16 GB WebOS
DisplayPorts quantity *	1	Weight & dimensions	
USB port * USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports	1 2.0 1	Width Depth Height Weight	1235.5 mm 85.4 mm 709.4 mm 26 kg
Wi-Fi *	·	Packaging data	
Audio (L/R) out	1	Package weight	31.2 kg
RS-232C	✓	Packaging content	
Remote (IR) input	1	Remote control included	1
Audio		Batteries included	✓
Built-in speaker(s) *	✓	Cables included	AC, HDMI, IR
Number of built-in speakers	2	Operational conditions	
RMS rated power	20 W	Operating temperature (T-T)	0 - 40 °C

Design		Operational conditions	
Product design *	esign * Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported * Orientation	Indoor	Certificates	
	Horizontal/Vertical	Certification	CB / NRTL EMC FCC Class "A" / CE / KC / VCCI ErP
		Features	
		Heat dissipation (max)	1365 BTU/h



8806091355010

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.