



## HP Color LaserJet Enterprise LaserJet Enterprise M776dn Multifunction Color Printer, Ethernet Only; Copier, Scanner

**Brand :** HP

**Product family:** Color LaserJet Enterprise    **Product code:** T3U55A

**Product name :** LaserJet  
Enterprise M776dn Multifunction  
Color Printer, Ethernet Only;  
Copier, Scanner

- Two-sided printing; Two-sided scanning; Scan to email
  - Print, copy, scan and optional fax
  - Print speed up to 45 ppm (black) and 45 ppm (colour)
  - Up to 1200 x 1200 dpi
- Color LaserJet Enterprise MFP M776dn

HP Color LaserJet Enterprise LaserJet Enterprise M776dn Multifunction Color Printer, Ethernet Only;  
Copier, Scanner:

HP JetIntelligence Cartridge


Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Ports & interfaces	
Duplex printing mode	Auto	Direct printing *	✓
Print resolution colour	1200 x 1200 DPI	USB port	✓
Print resolution black	1200 x 1200 DPI	USB 2.0 ports quantity	3
Print technology *	Laser	<b>Network</b>	
Printing *	Colour printing	Ethernet LAN *	✓
Duplex printing *	✓	Cabling technology	10/100/1000Base-T(X)
Maximum resolution *	1200 x 1200 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (black, normal quality, A4/US Letter) *	46 ppm	Security algorithms	EAP-TLS, FIPS 140, FIPS 140-2, IPsec, PEAP, SNMPv3, SSL/TLS, WPA2-Enterprise
Print speed (colour, normal quality, A4/US Letter)	46 ppm	Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service
Print speed (black, normal quality, A3)	26 ppm	<b>Performance</b>	
Print speed (colour, normal quality, A3)	26 ppm	Maximum internal memory	5120 MB
Duplex print speed (black, normal quality, A4/US Letter)	26 ppm	Memory slots	1
Duplex print speed (colour, normal quality, A4/US Letter)	26 ppm	Internal storage capacity	500 GB
Warm-up time	210 s	Card reader integrated	✗
Time to first page (black, normal)	6.5 s	Internal memory *	3072 MB
Time to first page (colour, normal)	6.8 s	Built-in processor	✓
Print margin top (min)	5 mm	Processor frequency	1200 MHz
Print margin bottom (min)	5 mm	Sound pressure level (printing)	52 dB
Print margin left (min)	5 mm	Sound pressure level (scanning)	50 dB
Print margin right (min)	5 mm	Sound power level (printing)	6.7 dB

Printing		Design	
N-in-1 print function	✓	Product colour *	Black, White
Watermark printing	✓	Market positioning *	Business
Secure printing	✓	Built-in display *	✓
Copying		Display	LCD
Duplex copying *	✓	Display diagonal	22.9 cm (9")
Copying *	Colour copying	Display resolution	1024 x 768 pixels
Maximum copy resolution *	600 x 600 DPI	Touchscreen	✓
Copy speed (black, normal quality, A4)	46 cpm	Control type	Touch
Copy speed (colour, normal quality, A4)	46 cpm	Colour display	✓
Copy speed (black, normal quality, A3)	26 cpm	Power	
Copy speed (colour, normal quality, A3)	26 cpm	Power consumption (average operating)	900 W
Time to first copy (black, normal)	5.6 s	Power consumption (PowerSave)	0.07 W
Time to first copy (colour, normal)	7.7 s	Power consumption (printing)	900 W
Maximum number of copies	9999 copies	Power consumption (ready)	100 W
Copier resize	25 - 400%	Power consumption (sleep)	0.8 W
N-in-1 copy function	✓	Power consumption (off)	0.07 W
ID-card copy function	✓	Energy Star Typical Electricity Consumption (TEC)	0.734 kWh/week
Auto fit function	✓	AC input voltage	110 - 240 V
Scanning		AC input frequency	50/60 Hz
Duplex scanning *	✓	Brand-specific features	
Scanning *	Colour scanning	HP ImageREt print technology	HP ImageREt 4800
Optical scanning resolution *	600 x 600 DPI	HP ePrint	✓
Maximum scan resolution	600 x 600 DPI	HP Web Jetadmin	✓
Maximum scan area	297 x 432 mm	HP JetAdvantage Secure Print	✓
Scanner type *	Flatbed & ADF scanner	HP Auto-On/Auto-Off	✓
Scan technology	CIS/CCD	HP Dynamic security	✓
Scan to	E-mail, Network folder, USB, TWAIN, Software	HP Management tools	HP Device Toolbox; HP Printer Assistant; HP SNMP Proxy Agent (ABT) 193015437906; (ABY) 193015437913; (ACQ) 193015437920; (B13) 193015437937; (B19) 193015437944; (BAZ) 193015437951
Scan speed (colour)	90 ppm	HP GTIN (EAN/UPC) with options	193015437906, 193015437913, 193015437920, 193015437937, 193015437944, 193015437951
Scan speed (black)	90 ppm	HP GTIN (EAN/UPC)	
Image formats supported	JPEG, MTIFF, TIFF	System requirements	
Document formats supported	PDF, XPS	Windows operating systems supported	Windows 10, Windows 8, Windows 11, Windows Vista, Windows 7
Input colour depth	48 bit	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.15 Catalina
Greyscale levels	256	Other operating systems supported	Android
Scan drivers	TWAIN	Operational conditions	
Features		Operating relative humidity (H-H)	10 - 80%
Recommended duty cycle	0 - 40000 pages per month	Recommended humidity operating range	30 - 70%
Maximum duty cycle *	200000 pages per month	Storage temperature (T-T)	-20 - 40 °C
Duplex functions *	Print, Copy, Scan	Operating temperature (T-T)	10 - 32.5 °C
Digital sender	✓	Storage relative humidity (H-H)	10 - 80%
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3		
Printer fonts	PostScript, Scalable, Barcode, TrueType		
All-In-One-multitasking	✓		
Country of origin	Japan, Mexico		


Features		Certificates	
Replacement cartridges	W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours)	Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
HP segment	Business	<b>Sustainability</b>	
<b>Input &amp; output capacity</b>		Sustainability compliance	✓
Total number of input trays *		Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Total input capacity *		Sustainable technologies and materials	Mercury free
Total output capacity *		Doesn't contain	Mercury
Paper tray 1 input capacity		<b>Carbon footprint</b>	
Paper tray 2 input capacity		Total carbon footprint (kg of CO2e)	790
Multi-Purpose tray		Carbon emissions, manufacturing (kg of CO2e)	358
Multi-Purpose tray input capacity		Carbon emissions, logistics (kg of CO2e)	22
Auto document feeder (ADF)		Total carbon emissions, w/o use phase (kg of CO2e)	396
Auto document feeder (ADF) input capacity		<b>Weight &amp; dimensions</b>	
Auto document feeder (ADF) output capacity		Width	585 mm
Maximum number of input trays		Depth	663 mm
Maximum input capacity		Height	710 mm
Maximum output capacity		Weight	70.9 kg
<b>Paper handling</b>		<b>Packaging data</b>	
Maximum ISO A-series paper size *	A3	Package width	856 mm
Maximum print size	302 x 454.2 mm	Package depth	760 mm
Paper tray media types *	Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Recycled paper, Thick paper, Transparencies	Package height	972 mm
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Package weight	92.1 kg
ISO B-series sizes (B0...B9)	B5	<b>Packaging content</b>	
ISO C-series sizes (C0...C9)	C5, C6	Cables included	AC
Non-ISO print media sizes	Oficio, 16K	<b>Logistics data</b>	
JIS B-series sizes (B0...B9)	B4, B5, B6	Pallet gross weight	92.1 kg
Envelopes sizes	B5, C5, C6, DL	Layers per pallet	1 pc(s)
Custom media width	64 - 320 mm	Products per pallet	1 pc(s)
Custom media length	127 - 457.2 mm	<b>Technical details</b>	
Paper tray media weight	60 - 256 g/m <sup>2</sup>	Master (outer) cases per pallet layer: 1 pc(s) General Product Safety Regulation (GPSR) URL: <a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A">https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A</a>	
Multi-Purpose Tray media weight	60 - 300 g/m <sup>2</sup>	<b>Other features</b>	
		Number of users	20 user(s)
		Pallet dimensions (W x D x H)	856 x 760 x 972 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
		Acoustic power emissions (ready)	49 dB
		Acoustic pressure emissions bystander (ready)	32 dB
		Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.



0193015437999




193015437999



0193015437890




193015437890



0193905406746



193905406746



0193905826797




193905826797



0193015437982



193015437982



0193015437845




193015437845



0193015437852




193015437852



0193015437869




193015437869



0193015437906



193015437906



0193015437913




193015437913



0193015437968




193015437968



0193015437975



193015437975



0193015437876




193015437876



0193015437920




193015437920



0193015437951



193015437951



0193015437883



193015437883

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.