/IOC

AOC G2 C24G2AE/BK computer monitor 59.9 cm (23.6") 1920 x 1080 pixels Full HD LED Black, Red

Brand : AOC Product family: G2 Product code: C24G2AE/BK

Product name: C24G2AE/BK

Screen size (inch) 23.6, Panel resolution 1920x1080, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 1.4×2 , Display Port DisplayPort 1.2×1 , D-SUB (VGA) 1x, Sync technology (VRR) Freesync Premium

AOC G2 C24G2AE/BK computer monitor 59.9 cm (23.6") 1920 x 1080 pixels Full HD LED Black, Red:

Curved 24" VA monitor with 165 Hz, 1 ms response time and FreeSync Premium

This 165 Hz display impresses with its lightning-fast 1 ms response time and VA panel, generating extraordinarily powerful colours. The FreeSync Premium support guarantees perfect synchronisation between monitor and GPU.

AOC G2 C24G2AE/BK. Display diagonal: 59.9 cm (23.6"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). VESA mounting. Product colour: Black, Red





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type	59.9 cm (23.6") 1920 x 1080 pixels Full HD 16:9 LED VA W-LED	DisplayPort version Audio input Audio output Headphone out * Headphone connectivity Microphone in	1.2 ✓ ✓ 3.5 mm
Touchscreen *	X	Ergonomics	
Display brightness (typical) Response time * Screen shape * Screen curvature rating Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal	250 cd/m² 1 ms Curved 1500R 1920 x 1080 (HD 1080) 16:9 3000:1 80000000:1 165 Hz 178° 178° 16.7 million colours 0.27156 x 0.27156 mm 93 ppi	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Pivot Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages	✓ 100 x 100 mm ✓ Kensington X X ✓ -5 - 23° ✓ Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Viewable size, vertical	52.1 cm 29.3 cm	Number of OSD languages	16
Display diagonal (metric)	59.944 cm	Power	
Surface hardness Colour depth sRGB coverage (typical) NTSC coverage (typical)	3H 8 bit 120% 85%	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) *	E 18 kWh 27 W

Display		Power	
Adobe RGB coverage	89%	Power consumption (standby) *	0.5 W
Screen curvature	150 cm	Power consumption (off)	0.3 W
Performance		Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC *	×	AC input voltage	100 - 240 V
AMD FreeSync *	^ _	AC input frequency	50 - 60 Hz
AMD FreeSync type	FreeSync Premium	Energy efficiency scale	A to G
AMD FreeSync refresh rate range	48 - 165 Hz	European Product Registry for Energy Labelling (EPREL) code	393440
Fast charging	X	External power adapter	x
Flicker-free technology	^ _	·	
Low Blue Light technology	·	Weight & dimensions	
	·	Width (with stand)	536.1 mm
Multimedia		Depth (with stand)	227.4 mm
Number of speakers	2	Height (with stand)	421.2 mm
RMS rated power	2 W	Weight (with stand) Width (without stand)	3.84 kg 536.1 mm
Built-in speaker(s) *	✓	Depth (without stand)	68.5 mm
Built-in microphone	×	Height (without stand)	321 mm
Built-in camera *	×	Packaging data	522I
Design			720
Market positioning *	Gaming	Package width Package depth	730 mm 160 mm
Product colour *	Black, Red	Package depth Package height	480 mm
Frameless design	✓	Package weight	6.11 kg
Front bezel colour	Black/Red		
Detachable stand	✓	Packaging content	
		Cables included	DisplayPort, HDMI
Ports & interfaces		DisplayPort cable length	1.8 m
Built-in USB hub *	×	HDMI cable length	1.8 m
VGA (D-Sub) ports quantity	1	Other features	
DVI port	×	Exterior finish type	Textured
HDMI *	✓	Recyclable packaging material	100%
HDMI ports quantity	2	Heavy metals free	Hg (mercury)
HDMI version	1.4	Compliance certificates	WEEE
DisplayPorts quantity	1	Light effects	×
		Certification	ISO 9241-307
		Logistics data	
		Harmonized System (HS) code	85285210



4038986148207

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.