



HP DeskJet 3055A Thermal inkjet A4 4800 x 1200 DPI 5.5 ppm Wi-Fi

Brand : HP

Product family: DeskJet

Product code: B0N11B

Product name : 3055A

Deskjet 3055A e-All-in-One Printer, Thermal Inkjet, 5.5ppm, A4, 2" LCD

HP DeskJet 3055A Thermal inkjet A4 4800 x 1200 DPI 5.5 ppm Wi-Fi:

HP ePrint, AirPrint™, wireless networking, HP Auto Wireless Connect, easy installation, compact design, 4-ink colour, optional XL cartridges, mono display, quick power-up and shut-down, ENERGY STAR® qualified

Enjoy easy wireless printing including quick set-up and connection with this affordable e-all-in-one, and discover the freedom of HP ePrint mobile printing - now you can print from virtually anywhere.^{[1] [2]} HP Deskjet 3055A. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 4 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Mono scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black



Printing		Network	
Duplex printing mode	Manual	Wi-Fi *	✓
Print technology *	Thermal inkjet	Ethernet LAN *	✗
Printing *	Colour printing	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex printing *	✗	Performance	
Maximum resolution *	4800 x 1200 DPI	Card reader integrated	✗
Print speed (black, normal quality, A4/US Letter) *	5.5 ppm	Sound pressure level (printing)	50 dB
Print speed (colour, normal quality, A4/US Letter)	4 ppm	Design	
Print speed (black, draft quality, A4/US Letter)	20 ppm	Product colour *	Black
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Market positioning *	Home & office
Copying		Built-in display *	✓
Duplex copying *	✗	Display	LCD
Copying *	Colour copying	Display diagonal	5.08 cm (2")
Maximum copy resolution *	600 x 600 DPI	Power	
Maximum number of copies	50 copies	Power consumption (average operating)	9 W
Scanning		Power consumption (standby)	2.5 W
Duplex scanning *	✗	Power consumption (off)	0.35 W
Scanning *	Mono scanning	AC input voltage	100 - 240 V
Optical scanning resolution *	1200 x 1200 DPI	AC input frequency	50 - 60 Hz
Maximum scan area	215.9 x 297 mm	System requirements	
Scanner type *	Flatbed scanner	Windows operating systems supported Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Input colour depth	24 bit		
Fax			
Duplex faxing	✗		
Faxing *	✗		
Features			
Maximum duty cycle *	1000 pages per month		
Digital sender	✗		
Page description languages	PCL 3		

Input & output capacity		System requirements	
Total input capacity *	60 sheets	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Total output capacity *	25 sheets		
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	15 - 80%
Maximum print size	216 x 356 mm	Operating temperature (T-T)	32 - 113 °F
Paper tray media types *	Card stock, Envelopes, Labels, Photo paper, Plain paper, Transparencies	Sustainability	
ISO A-series sizes (A0...A9) *	A4, A5	Sustainability certificates	ENERGY STAR
Non-ISO print media sizes	Legal	Weight & dimensions	
Envelopes sizes	10	Width	427 mm
Photo paper sizes (imperial)	4x6,5x7,8x10	Depth	406 mm
Ports & interfaces		Height	249 mm
Standard interfaces	USB 2.0, Wireless LAN	Weight	3.6 kg
Direct printing *	✗	Packaging data	
USB port	✓	Package width	463 mm
USB 2.0 ports quantity	1	Package depth	193 mm
		Package height	349 mm
		Package weight	5.22 kg
		Other features	
		Dimensions (WxDxH)	427 x 406 x 249 mm
		Supported media weight (imperial)	7.26 kg (16 lbs)
		All-in-one functions	Copy, Print, Scan
		Colour all-in-one functions	Copy, Print
		Display number of colours	Monochrome



0886112690724




886112690724



0886112690717



886112690717



0886112690731



886112690731

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.