HP

HP LaserJet Pro 100 M175a Laser A4 600 x 600 DPI 16 ppm

Brand : HP **Product family:** LaserJet **Product code:** CE865A

Product name : Pro 100 M175a

Print/Copy/Scan, CPU 600 MHz, 128MB, 16 ppm, 600 x 600dpi, 150-Sheet In, 50-Sheet Out, ADF (1200 dpi), 16 cpm, 1 x USB 2.0, 2-line LCD, 310W, 16.2kg
HP LaserJet Pro 100 M175a. Print technology: Laser, Printing: Colour printing, Maximum resolution: 600 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 4 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Product colour: Black

Printing

Print resolution black	600 x 600 DPI
Print technology *	Laser
Printing *	Colour printing
Duplex printing *	✘
Maximum resolution *	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	16 ppm
Print speed (colour, normal quality, A4/US Letter)	4 ppm
Time to first page (black, normal)	15.5 s
Time to first page (colour, normal)	27.5 s

Copying

Duplex copying *	✘
Copying *	Colour copying
Maximum copy resolution *	300 x 300 DPI
Copy speed (black, normal quality, A4)	16 cpm
Copy speed (colour, normal quality, A4)	4 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%

Scanning

Duplex scanning *	✘
Scanning *	Colour scanning
Optical scanning resolution *	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scanner type *	ADF scanner
Image formats supported	JPG, PNG, TIF
Document formats supported	PDF

Ports & interfaces

USB port	✔
USB 2.0 ports quantity	1

Network

Wi-Fi *	✘
Ethernet LAN *	✘
Bluetooth	✘

Performance

Maximum internal memory	128 MB
Card reader integrated	✘
Internal memory *	128 MB
Processor frequency	600 MHz
Mac compatibility	✔

Design

Product colour *	Black
Market positioning *	Business
Built-in display *	✔
Display	LCD
Display number of lines	2 lines

Power

Power consumption (average operating)	310 W
Power consumption (standby)	11 W
Power consumption (off)	0.2 W
AC input voltage	110 - 127 V

System requirements

Windows operating systems supported	✔

Fax

Duplex faxing	✗
Faxing *	✗

Features

Maximum duty cycle *	20000 pages per month
Digital sender	✗
Page description languages	PCL 5c, PCL 6, PDF 1.7, PostScript 3

Input & output capacity

Total input capacity *	150 sheets
Total output capacity *	50 sheets
Auto document feeder (ADF)	✔
Auto document feeder (ADF) input capacity	35 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	210 x 297 mm
Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Labels, Photo paper, Plain paper, Pre-printed, Recycled paper, Transparencies
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Envelopes sizes	B5, C5, DL
Custom media width	76 - 216 mm
Custom media length	127 - 345 mm
Paper tray media weight	60 - 176 g/m²

Ports & interfaces

Standard interfaces	USB 2.0
Direct printing *	✗

System requirements

Mac operating systems supported	✔
Linux operating systems supported	✔

Operational conditions

Operating relative humidity (H-H)	20 - 70%
Operating temperature (T-T)	15 - 32.5 °C

Sustainability

Sustainability certificates	ENERGY STAR

Weight & dimensions

Width	441 mm
Depth	421 mm
Height	338 mm
Weight	16.2 kg

Packaging data

Package width	441 mm
Package depth	480 mm
Package height	441 mm
Package weight	17.5 kg

Other features

|	
Dimensions (WxDxH)	441 x 421 x 338 mm
Compatible operating systems	Windows 7, Vista, XP Mac OS X v10.5.8, v10.6 Linpus Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) HPUX 1 Solaris 8/9
All-in-one functions	Copy, Print, Scan
Colour all-in-one functions	Copy, Print, Scan
Scanner integrated	✔
Colour copy capability	✔

0885631717844

885631717844

0885631717875

885631717875

0885631717868

885631717868

0885631717912

885631717912

0885631717882

885631717882

0885631717851

885631717851

0885631717776

885631717776

0885631717899

885631717899

0885631717837

885631717837

0885631717790

885631717790

0885631717783

885631717783

0885631717813

885631717813

0885631717905

885631717905

0885631717820

885631717820

0885631717806

885631717806